

# AFRICAN JOURNAL OF ACCOUNTING AND SOCIAL SCIENCE STUDIES (AJASSS)

**Volume 4**

**Issue No. 1**

**2022**



**Tanzania Institute of Accountancy (TIA)**  
**P. O. Box 9522, Dar es Salaam, Tanzania**  
**Email: [ajasss@tia.ac.tz](mailto:ajasss@tia.ac.tz)**

**AFRICAN JOURNAL OF ACCOUNTING  
AND SOCIAL SCIENCE STUDIES  
(AJASSS)**



**Volume 4**

**Issue No. 1**

**2022**

**Tanzania Institute of Accountancy (TIA)  
P.O. Box 9522, Dar Es Salaam, Tanzania  
Email: [ajasss@tia.ac.tz](mailto:ajasss@tia.ac.tz)**

# **AFRICAN JOURNAL OF ACCOUNTING AND SOCIAL SCIENCE STUDIES (AJASSS)**



**Volume 4**

**Issue No. 1**

**ISSN 2591-6815**

**Published by the Tanzania Institute of Accountancy  
P.O. Box 9522, Dar Es Salaam,  
TANZANIA**

# TANZANIA INSTITUTE OF ACCOUNTANCY (TIA)



## AFRICAN JOURNAL OF ACCOUNTING AND SOCIAL SCIENCE STUDIES (AJASSS)

**Volume 4**

**Issue No. 1**

**June 2022**

**ISSN 2591-6815**

**eISSN2591-6823 ONLINE**

**Published by the Tanzania Institute of Accountancy**

P. O. Box 9522,

Dar Es Salaam, TANZANIA

**Copyright © African Journal of Accounting  
and Social Science Studies (AJASSS)**

All rights reserved, No part of this publication may be reproduced, stored in a retrieved system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of the publisher.

Disclaimer: The opinions expressed in this Journal are those of the authors and not necessarily those of the publisher or the AFRICAN JOURNAL OF ACCOUNTING AND SOCIAL SCIENCE STUDIES (AJASSS)

**AFRICAN JOURNAL OF ACCOUNTING AND SOCIAL  
SCIENCE STUDIES (AJASSS)**

**ISSUED TWICE A YEAR**

**EVERY JUNE AND DECEMBER**

**AFRICAN JOURNAL OF ACCOUNTING  
AND SOCIAL SCIENCE STUDIES (AJASSS)**

**AJASSS EDITORIAL BOARD**

**Chairperson**

Prof. Edda Lwoga - CBE, Tanzania

**Managing editor**

Dr. Elimeleck P. Akyoo - TIA, Tanzania

**Associate Editors**

Dr. Momole Kasambala - TIA, Tanzania

Dr. Aniceth Kato Mpanju - TIA, Tanzania

Prof. Florence Wakoko - Columbus State University, USA

Prof. Khaled Hussainey - University of Portsmouth, UK

Prof. Gerald Kagambire - Uganda Management Institute

Dr. Doaa Aly - University of Gloucestershire, UK

Dr. Philippa Ward - University of Gloucestershire, UK

Dr. Richard Jaffu - UDOM, Tanzania

Dr. Modest P. Assenga - TIA, Tanzania

Prof. Kim Abel Kayunze - (Rural Development), SUA, Tanzania

Prof. John N. Jeckoniah - SUA, Tanzania

Dr. Alban Mchopa - Moshi University of cooperative, Tanzania

Dr. Indiael Daniel Kaaya - IFM, Tanzania

Dr. Joel Mmasa - UDOM, Tanzania

## TABLES CONTENTS

The Influence of School Leadership Experiences and Working Environment on Teachers' Job Satisfaction in Kilimanjaro and Pwani Regions, Tanzania ..... 1

**Mwita Sospeter and Issaya B. Hassanal ..... 1**

Agro-pastoralist Resilience: Emerging Challenges towards Innovated Pathways of Climate Change Effects in Semi-arid areas of Kiteto and Kilindi Districts, Tanzania..... 19

**Henry George Mung'ong'o ..... 19**

Attributes Influencing Effectiveness of Employees' Innovation in Telecommunication Industry in Tanzania .....46

**Miriam D. Kikuli and Frank A. Mwombeki..... 46**

The Impact of Covid-19 Pandemic on the EAC Tourism and Hospitality Industry.....73

**Dora Nestory Chenyambuga and Christina Ernest Mneney ..... 73**

Entrepreneurial Abilities of Technical Graduates and their Self-Employability in Tanzania ..... 93

**Charles Raphael and Visent Kipene ..... 93**

The Impact of Covid-19 Pandemic, Liquidity and Profitability: Experience from Selected Banks in Tanzania ..... 111

**Anthony Magoma and Haika Mbwambo ..... 111**

Determinants of Corporate Environmental Disclosures: A case of selected Listed Manufacturing Firms in Tanzania ..... 130

**Anthony Magoma, Haika Mbwambo and Ernest Kasheshi ..... 130**



Assessment of the Impact of Advertising on Business Development in Tanzania's Bank Sector: CRDB Bank .....	153
<b>Christina Ernest Mnene and Dora Nestory Chenyambuga .....</b>	<b>153</b>
Factors Influencing Influences Bank Lending Behaviour in Tanzania A Case of Listed Banks in Tanzania .....	162
<b>Anthony Magoma, Haika Mbwambo and Hermas. A. Dobogo .....</b>	<b>162</b>
Contribution of Vegetable Farming to Livelihood Outcomes Among the Youth in Ihumwa and Mtumba Wards, Dodoma City, Tanzania .....	186
<b>Anna E. Maselle .....</b>	<b>186</b>
Application of SARIMA Model on Forecasting Wholesale Prices of Food Commodities in Tanzania A Case of Maize, Rice and Beans.....	206
<b>Agnes B. Joseph, Godfrey Edward Mpogolo .....</b>	<b>206</b>
Influence of Successors' Entrepreneurial Competencies on Performance in Family-Owned Small and Medium Enterprises in Arusha City, Tanzania .	220
<b>Rose H. Kiwia, Kenneth M.K. Bengesi and Daniel W. Ndyetabula .....</b>	<b>220</b>
Influence of Transaction Cost Determinants on Credit Customer Category of Commercial Banks in Tanzania. ....	244
<b>Heriel Emanuel Nguvava.....</b>	<b>244</b>
Impact of Tax Audit on Burden of Proof on Examined Returns of Income Among Small and Medium Enterprises in Dar es Salaam City, Tanzania .....	260
<b>Chachalika and Kassim Athuman .....</b>	<b>260</b>
Effects of Government Debt on Monetary Policy Strategy in Tanzania.....	276
<b>Suma Philbert Mwankemwa,.....</b>	<b>276</b>

Effects of Credit Management Practices on Performance of Women  
Owned SMEs in Morogoro Municipality, Tanzania..... 293

**Mutalemwa, D. F. and Makindara, J. R.....293**

Motives and Ethics of Creative Accounting: A Reflective Review and  
Views ..... 315

**Indiael Daniel Kaaya (PhD, CPA) .....315**

The Influence of Indiscipline on Teacher’s Attrition in Public Secondary  
Schools in Kilimanjaro and Manyara Regions, Tanzania..... 344

**Rashid A. Chikoyo, Gabriel K. Nzalayaimisi and Godfrey G. Telli.....344**

The use of ICT for Teaching and Learning among Secondary Schools  
Teachers in Mtwara, Tanzania ..... 363

**Joseph Christonsia Peter.....364**

The implementation of a legal framework for access and benefit sharing;  
A case study of natural gas extraction in Kilwa District, Tanzania. .... 364

**Sarah E, Mwakyambiki .....364**

# **Agro-pastoralist Resilience: Emerging Challenges towards Innovated Pathways of Climate Change Effects in Semi-arid areas of Kiteto and Kilindi Districts, Tanzania**

Henry George Mung'ong'o

Department of General Studies, Institute of Accountancy Arusha  
P. O. Box 2798 Njiro Hill, Arusha, Tanzania  
mungongo82@gmail.com

## **Abstract**

Climate change and its variability threaten food security globally, making life uncertain, especially among agro-pastoral communities living in fragile semi-arid areas. This trend has necessitated the exploration of the potential designed and developed pathways and the emerging challenges which reduce the adaptive capacity of agro-pastoralists. This study investigates innovative pathways and challenges facing agro-pastoral communities in adapting to climate change and variability effects on crops and livestock production in semiarid areas of Kiteto and Kilindi Districts. A mixed-method research approach under a correlation case study design was employed. Primary data were collected using a household survey which sampled 362 households, Focus Group Discussion (n=6), In-depth interviews (key informants) and field visits. Descriptive statistics and thematic analysis were used in analysing and presenting the findings. The study results indicate that agro-pastoral communities have observed a decrease in rainfall and an increase in temperature trends that were linked to reduced livestock, cereals and pulses crop production thus affecting the agro-pastoral community's food security status. The study identified innovative pathways as a response to reduced livestock, cereal and pulse crops production which includes growing drought-tolerant crops, practising intercropping, livestock seasonal mobility, traditional grazing management system through by-laws, pastures rotational uses and traditional water reservoirs (Mboutu). Furthermore, the study identified several challenges to overcoming declining livestock production and crop yields, which include inadequate financial capital (91%), droughts (85.4%), unpredicted weather patterns, (74.7%), emergency of new

livestock diseases (50.3%), a lack of reliable weather information (44.2%), low livestock prices(40%), insufficient and delayed delivery of agricultural equipment (37%). All these challenges reduced the resilience capacity of agro-pastoralists. To ensure the sustainability of fragile dryland communities, this study recommends purposeful institutional intervention plans and increased income diversification as well as more capacity-building activities for increased awareness of climate change adaptation practices in semiarid areas of Tanzania which will increase agro-pastoralists resilience.

**Keywords:** Agro-pastoralism, Resilience, Climate change and variability, Pathways, Food security

**Received:** 25-02-2022

**Accepted:** 30-04-2022

**Published:** 30-06-2022

**doi:** <https://dx.doi.org/10.4314/ajasss.v4i1.2>

## 1.0 Introduction

Climate change and variability is a global phenomenon while adaptation is largely site-specific, as site-specific issues require site-specific knowledge. Experience has shown that the identified pathways do not necessarily translate into changes because there are context-specific issues such as social, financial, cultural, psychological and physiological barriers to adaptation (IPCC, 2007). Climate change and variability have already impacted the majority of developing countries particularly Sub-Saharan Africa, including Tanzania. Increasing vulnerabilities and impacts on these countries have been attributed to low-income levels and low technology to be able to adapt to environmental changes (IPCC, 2001), however, there are variations in vulnerability. While all places globally are likely to be affected by climate change and variability effects, semi-arid areas of the world, Africa in particular such as those in eastern and north eastern Tanzania seem to be more vulnerable to these effects due to their prolonged drier conditions, high poverty levels among agro-pastoral communities, poor technology use and lack of viable weather information on appropriate measures (UN, 2009). According to the warning by the United

Nations Development Programme (UNDP), the progress that has been made in human development over the last two decades may be slowed down or even reversed by climate change and variability as new threats emerge to water resources, agricultural and livestock production, nutrition and public health (UNDP, 2008).

Hence, building resilience is paramount to a great extent and can be achieved by reducing vulnerabilities and increasing the adaptive capacity of the local community, enhancing the resilience of the livestock systems of increasing the capacities of agro-pastoralists to adapt to different types of shocks. Studies show that the majority of households in the arid and semi-arid regions have limited assets and scarce resources to use in developing pathways to increase resilience and reducing climate change-induced shock or stress which results in more food insecurity through reduced crops and livestock production (Ifejika, 2010; Silvestri, et al., 2012). However, despite the limited adaptation capacity, many agro-pastoral communities using their indigenous knowledge system (IKS) have long been coping and developing various pathways that have helped them to cope and survive the impacts posed by changing weather conditions in arid and semi-arid lands (ASAL's) (FAO, 2008). In times of droughts and dry spells, agro-pastoral communities in these areas have reported changes in their farming strategies and increased livestock mobility to cope with these changes. Several pathways have been implemented including growing drought-tolerant crop varieties, practising intercropping, buying food, reducing food intake and social gatherings, selling livestock, livestock seasonal mobility, traditional grazing management system through by-laws for pastures conservation/rotational use and traditional Maasai constructed water reservoirs for livestock (Mboutu).

As a response to climate change and variability effects, several governments, particularly in Africa have introduced and established policies, plans and programs to slow down these effects across different sectors of production. However, all these efforts have become less fruitful due to the existence of various limitations such as poor access to weather information and knowledge at local levels, inefficient strong institutions, limited capacity building on climate change issues, limited economic resources and limited infrastructure

(Suckall et al., 2014). According to Arendse et al., (2010), all these in turn limit the effectiveness and sustainability of pathways that are locally developed to address the reduced productivity of the agro-economic systems.

Tanzania has made several efforts to minimize the adverse effects of temperature and rainfall variations on various sectors including agriculture and livestock. The government and many non-government institutions have, to some extent, been supporting agro-pastoral communities through the provision of weather forecast information, education on good farming and livestock keeping practices, and food aids during chronic or transitory food shortages as well as improved crop seeds and livestock varieties. However, the coverage of all these efforts is very limited to remote rural areas, especially among the agro-pastoralists who dwell in fragile remote areas which lack accessibility or good infrastructures such as roads. Despite the attempts made, several challenges have been noted over time particularly, slow implementation of different funding programs, lack of sectoral coordination in the water, agriculture, and land sectors (lacks multisectoral integration), inadequate national and local capacity building, increased corruption, inadequate skills and low technology, shortage of extension officers, and cultural barrier have been the causes for resistance to change (Shemsanga et al., 2007).

Even though institutional challenges in combating the effects of climate change and variability in most semi-arid areas of Tanzania have been pointed out, several pathways towards changing climate have been developed using both indigenous and modern knowledge. However, little is known as to why agro-pastoral resilience is still very low to the extent of increasing their vulnerability, particularly in the most vulnerable and fragile semiarid areas of the country. This study, therefore, intends to bridge this knowledge gap by examining the developed pathways and the new emerging major challenges facing agro-pastoral communities in implementing local pathways that have been increasing their resilience by reducing their vulnerability in dryland areas. The information gathered from this study is expected not only to add knowledge to the existing literature but also to be used by various stakeholders like the government, policymakers and non-government organizations to address issues related to coping strategies for increased resilience to the impacts of

climate change and its variability among agro-pastoralists in semi-arid dry lands (ASAL) to enhance household food security.

## **2.0 Methodology**

The present study was conducted in semiarid areas of Eastern and North-eastern Tanzania of Kilindi and Kiteto Districts in Tanga and Manyara regions respectively, Tanzania (Figure 1). The study areas were chosen because of their typical characteristics of semiarid conditions together with the existence of repeated transitory food insecurity among agro-pastoral communities whose main occupations were livestock keeping and cultivation of local cereal and pulses crops including Maize and Beans, and livestock such as cattle, goats and sheep (KDC, 2020).

Kiteto District is generally considered an Arid to Semi-arid type of climate. The average day and night temperature in the district is between 25°C to 35°C. To a large extent, the type of climate is directly related to the topography of the area. The hot months are July, August, September, October and November. The Cool months are March, April, May and June. Although there are remarkable variations in the amount of precipitation; the district is receiving an average of 350mm - 700mm of rainfall. According to KDC (2020), Kilindi District is a semi-arid type of climate with an average annual rainfall of 500mm ranging from 400mm to 700mm, and temperature ranging from 22°C to 30°C. Kiteto has dual periods of unreliable rain seasons comprising short rains between October to January and long rains from February to June. The cold months are May to July, while the hottest months are from August to February.

This study employed a correlation-case study design constituting a mixed-method research approach. Mixing both quantitative and qualitative methods aims to capture the breadth, depth and meaning of the phenomena under study (e.g. qualitative quotes support or challenge statistical results). A mixed research approach was applied in this study to provide triangulation and complementarities of the research findings (Creswell, 2013). Purposive sampling was used in the selection of the study area (Kiteto and Kilindi Districts) due to their semiarid vulnerability conditions, thus being more prone to climate change and variability. Purposive sampling was used in the selection

of the study districts, wards and villages based on agroecological distribution. The selection of the studied wards and villages was based on the criteria of arid semi-arid conditions/droughts, food shortage history and frequency of receiving food aid as well as habitation by livestock keepers.

Simple random sampling was applied in the selection of the household heads and heads of boma (unit of study). Hence under this study, the concept of boma (locally known as almare) was adopted as a unit of analysis of the agro-pastoralists specifically Maasai communities, while the traditional "household" was maintained and applied in the analysis of non-pastoral or agro-pastoral data from non-Maasai communities such as Zigua and Ngu societies. The target group of the study was heads of households. Household heads in each study village were randomly selected depending on the sample size required for each village.

Primary data were mainly collected by using a household survey which sampled 362 households, Focus Group Discussion (n=6) for every study village, in-depth interviews (key informants) and field visits (field observation). Key informants, particularly agricultural and Livestock Officers, Livestock Field Officers, village leaders and elders were purposively selected for the study due to their potentiality for the research theme. Also, focus group discussions (FGD) and in-depth interviews were conducted in all study villages aiming to capture qualitative information. Simple random sampling was used in the selection of agro-pastoral communities. The sampling frame of this study comprised 3843 households selected from six villages, namely Saunyi, Kwekinkwembe, Erelai, Makame, Ndedo and Ngapapa. Based on the sampling frame above, 362 households were selected by using a formula proposed by Israel, (2009). The formula which is based on a 95 per cent confidence level and  $P = 0.05$  is as follows,

$$n = \frac{N}{1 + N(e)^2}$$

Where  $n$  is the sample size to be calculated,  $N$  is the total population of the study (village households statistics), and  $e$  is the level of precision or margin of



error measured by a probability scale of 5 per cent. Therefore, plugging data into the formula, the following was in order;

$$n = \frac{3843}{1 + 3843(0.05)^2}$$

$$n = \frac{3843}{1 + 3843(0.0025)}$$

$$n = \frac{3843}{10.6075}$$

$$n = 362$$

The calculated sample size was used to compute the proportion number of households in all the study villages that were determined by the number of households in each village. The formula used read as;

$$n_h = \frac{N_h}{N} n$$

This resulted in a proportional sample size selected in each village where Saunyi was represented by 79 household heads, Kwekinkwembe 85, Erelai 41, Makame 71, Ndedo 47, and Ngapapa 40 amounting to 362 household heads used in the sample size. Primary data were the main source of information for this study based on qualitative and quantitative approaches and were also collected through focus group discussion (n=6 for all the study villages), in-depth interviews (n=10), field observation through transect walks which were deemed necessary to confirm some of the issues raised during in-depth interviews, focus group discussions and structured questionnaires for the socio-economic survey (n=362). Both closed and open-ended questionnaires were administered to agro-pastoral communities and government officials who were key informants. In-depth interviews, FGD and field observations were used to complete and control the quality of information collected by the household socio-economic survey. Secondary data were obtained from published and unpublished documents and reports from different sources including rainfall and temperature data from the Tanzania Meteorological Agency, crop yield data (maize and beans) livestock data(cattle, goats and

sheep) from the National Bureau of Statistics, the Ministry of Agriculture, Food and Cooperatives; and the District Agricultural and Livestock Development Offices (DALDOs). Different publications, books, theses and journals from the libraries of the University of Dar es Salaam (UDSM), Institute of Resource Assessment (IRA), government policy documents and websites were reviewed.

In all, the collected information was on perceived impacts/vulnerability, innovative pathways and challenges (Majule et al., 2009; Myeya et al., 2018).

Quantitative data collected from the questionnaire survey were edited to improve the quality of coding. The data analysis started with the data summarization process which was carried out through the use of two software packages for data analysis namely Statistical Package for Social Sciences (IBM SPSS version 20) and Microsoft excel 2010. The software packages enabled the data to be summarized using summary statistics (frequencies and percentages) which simplified the description and presentation of the study findings by showing the patterns and trends of rainfall, temperature, livestock and crop yield. The regression technique and R-square software ( $R^2$ ) were used to examine patterns and trends of the climatic variables against pastures and livestock production. Tables and figures were used to present the findings of qualitative data from focus group discussions, in-depth interviews and field observations which were analysed through thematic analysis.

### **3.0 Results and Discussion**

#### **3.1 Major Livelihood activities in the Study areas**

Livestock keeping is a primary livelihood activity carried out in Kiteto District (KDC, 2018). The economy of this district depends almost entirely on livestock and crop farming on a small scale. Animals kept are cattle, goats, sheep, donkeys and chicken which are mostly reared by the Maasai; major crops grown are maize, beans, sunflower, cassava, millet and finger millet. Agro-pastoralism in the district accounts for 60 per cent, crop production for 22.8 per cent and pure pastoralism for 17.2 per cent. Hence, agro-pastoralism is mostly the dominant livelihood activity. Notably, agriculture is characterized by low productivity due to unreliable rainfall (URT, 2007c; BDC, 2006).

In Kilindi District, agriculture is the primary activity, followed by animal keeping (KDC, 2018). Agriculture is reported to account for more than 60 per cent of practitioners in the district with the largest number of smallholders who also keep animals (agro-pastoralists, (amounting to 40%), and is the main producer in the region. The National Food Reserve Authority (NFRA) has singled out the district as the main collector of food crops in Tanga region (URT, 2012). This implies that the majority of the people in the area are smallholder farmers characterised by agro-pastoralism that depends on rain-fed agriculture which is also vulnerable to climate change and variability effects. Major crops grown are maize, beans, sunflower, cassava, sweet potatoes, millet and finger millet, mangoes, bananas, and sugarcane. However, currently, there is the introduction of new crops such as cashew nut, Haricot bean, pigeon peas and cowpeas as drought-resistant crops. The animals kept are cattle, goats, sheep, and donkeys

The study was confined to two agro-pastoral districts namely Kiteto and Kilindi Districts, taking three wards from each district based on differences in agro-ecological zones. About six study villages were selected, one village from each ward, namely Saunyi, Kwekinkwembe, Erelai (Kilindi District); Makame, Ndedo and Ngapapa (Kiteto District). The occupation performed by the household heads determines the income levels which in turn, influences the vulnerability of the household to climate change and variability effects.

**Table 1:** Respondent's major Livelihoods activities

Economic activities	Districts										Total N=36 2	Total %		
	Kiteto					Kilindi								
	Ndedo		Makame		Ngapapa		Kwekinkwembe		Saunyi		Erelai			
	N	%	N	%	N	%	N	%	N	%	N	%		
Livestock keeping only	3	55.	33	37.	2	55.	1	15.	6	65.	29	67.	206	44
Livestock Keeping and crops growing	8	1	1	5	6	9	1	2	4	2	4	4	175	37.3

The findings in Table 1 indicate that the respondents are occupied with a variety of livelihood activities that varied across and within the studied villages. The findings indicate that about 44.4 per cent of major activities was pure pastoralism involving the keeping of livestock only, and the second was agro-pastoralism (37.5%) involving the keeping of livestock and cultivating in small farms as a supplement. These findings are in contrast with the findings in a study district report which shows more than 60 per cent are purely crop farmers. These findings are in line with the findings in a study by Mwakaje, (2013) who found that about 97 per cent of the agro-pastoralists lost at least 50 per cent of their farm crop harvest due to drought and 44.5 per cent lost their farm crop harvest due to pests and diseases which forced them to shift from crop cultivation to pure pastoralism, although another reason for this change could be attributed to the limited land for cattle grazing or pastures and mobility. Starting farming could probably enhance the agro-pastoralists livelihoods, it could also mean more pressure on natural resources in terms of clearing the bush for agriculture. It may also lead to conflicts between other land users such as investors and hunting operators in the areas.

Livelihood diversification has been recommended in this era of climatic stresses as it increases resilience. The findings show that agro-pastoral communities have increased livelihoods diversification and engaged in various activities other than keeping animals only including mixing both keeping animals and cultivation, petty business(5.1), hunting(4.4%), beekeeping (4%), collecting and selling firewood (1.7%), Arts and craft works(1.4), making and selling charcoal(1.2%), casual labour (0.8%), wage employment and mining (0.4%). Increased diversification among agro-pastoralist means increased resilience towards responding to stresses caused by climate change and variability in semi-arid areas

### **3.2 Agro-pastoralists perceived the effects of Climate Change and Variability**

Field results indicated that climate change and variability have affected agro-pastoralists in the study areas from as early as the 1980s' and continue this category of people to date. Also, all the villages studied were observed experiencing the impact of climate change and variability. The findings

indicate further that the majority of the respondents mentioned a decline in the number of their livestock to about 91.1 per cent as the major indicator of climate change and variability in the study areas. The decline in the number of animals is based on the extent of food insecurity that has been faced by the communities for six years consecutively. This was in turn linked to decreased rainfall amount and duration which affect pastures and water availability to animals.

Moreover, increased droughts were noted to be the second felt impact indicator reported by 89.1 per cent of the respondents. According to the respondents, increased droughts, which have been recurrent for a very long time, had adverse effects on water and pastures which forms the basis for their animal feed. The recurrent food shortage was also one of the major impacts of climate change and variability in Kiteto and Kilindi Districts as reported by 87.2 per cent of the respondents. According to the respondents, prolonged droughts result in failures of crops such as maize and beans as well as deaths of their animals, especially cattle and goats which they depend on for food through meat, milk and blood, and have been facing food insecurity since the 1990s. Apart from depending on cattle directly for food, they also sell the animals to buy other food items such as sugar and maize flour from shops. However, they now fail because of their low income as the price of cattle and goats during the dry season becomes very low.

The results show further that 86.5 per cent of the respondents reported the emerging new livestock diseases as a cause of food insecurity. The agro-pastoralist emphasized that the changing environment has led to the emergency of new animal diseases such as Rinder pests (locally known in Maasai as Olodwa), Heart water (locally known in Maasai as Olmiro) and Anaplasmosis (locally known in Maasai as Emonywa). These diseases never existed before in their locality. In addition, old diseases such as Lung Sick CBPP (known in Maasai as Olikipei) Tsetsefly/Ndorobo, Anthrax, East Coast Fever (Ndigana kali, ECF) and Foot and Mouth disease (Alerobi) have also been killing their animals in large numbers.

### 3.3 Pastures status in Kiteto and Kilindi Districts

The quantification of pastures/grazing lands size depended on the category of livestock (cattle, goats and sheep). Hence the size of pastures presented graphically based on livestock category and their trends and patterns of grazing land varied. Kiteto District shows a decreasing trend in grazing lands in all livestock categories, whereby cattle pasture area is explained by 93 per cent ( $R^2 = 0.9303$ ) of the observed variance for the entire study period and the decrease is by  $-1018.7$  hectares  $y^{-1}$ . The decrease for goats pastures is explained by 89 per cent ( $R^2 = 0.8862$ ) of the observed variance in the whole study period, and the decrease is by  $-60.586$  hectares  $y^{-1}$ . For sheep the decline of pastures is explained by 83 per cent ( $R^2 = 0.8365$ ) of the observed variance in the whole study period, and the decreased is by  $-77.046$  hectares  $y^{-1}$ .

Kilindi District also indicates a decline in pasture areas among livestock categories except for pastures area for goats which shows a positive increase. The results revealed variability in grazing land, cattle pasture area decrease is explained by 62.2 per cent ( $R^2 = 0.6222$ ) of the observed variance for the entire study period and the decrease is by  $-338.89$  hectares  $y^{-1}$ . Also, the pasture area for sheep declined by 3.7 per cent ( $R^2 = 0.0376$ ) of the observed variance for the entire study period and the decrease is by  $-57.339$  hectares  $y^{-1}$ . While pasture area for goats increased positively by 96.7 per cent ( $R^2 = 0.1377.3$ ) of the observed variance for the entire study period. Theoretically, risk hazard and political economy theory justify this study in facilitating the assessment of the effects of internal factors on a vulnerable system and the role of the external factors on exacerbating or protecting the system from hazards. IPCC (2007) vulnerability in an integrated approach focuses on the character, magnitude, and rate of climate change to which a system can be exposed, its sensitivity and its adaptive capacity. The vulnerability and exposure of an object are dynamic and depend on economic, social, demographic, cultural and institutional factors (CDKN, 2012:04). Hence, agro-pastoral communities are most vulnerable because of being exposed to the risk semi-arid environment.

### **3.4 Agro-pastoralists' perceptions of long-term changes in Rainfall and Temperature**

About 71.1 per cent of the respondents cited increased temperature as a risk factor for food security exposed to people in semi-arid areas. According to agro-pastoralists, the temperatures are very high affecting the growth of pastures and the construction of traditional wells for animals and domestic uses. The respondents reported that nowadays dry spells have increased as compared to the previous years. Based on their experience, dry spells that happened in February lasted for two to three weeks. Nowadays, dry spells are unpredictable as they extend even in January (crops and pastures growing season), thus affecting the whole growing season and pastures. The study analysed agro-pastoralists perceptions of temperature and rainfall variability and change over the past 30 years. The results show that the majority (91.4%) of the respondents believed that temperatures were increasing. Village-wise, more than 85 per cent of the agro-pastoral communities in each village reported noting increased temperature rates. Agro-pastoralists reporting an increase in hot days indicates that generally, the temperature was on the increasing trend. Also, Lema and Majule, (2009) reported a similar finding in Manyoni District.

Apart from temperature trends and patterns, the majority (81%) of agro-pastoralists noted a decreasing rainfall while about (3.6%) reported noting no changes. A decrease in rainfall was explained based on rainfall amount, duration, distribution and intervals. Agro-pastoralists reported further that rainfall onset and cessation dates (seasonal changes) were unpredictable (Fig. 5). Similar observations are reported by other studies in various parts of Africa. For example, studies by Deressa et al., (2011), Lema and Majule (2009), Swai et al., (2012) and IPCC (2007) indicate that there has been a decline in rainfall amount in other parts of Tanzania and Africa in general. Swai et al., (2012) also noted that rainfall has been more erratic, more unpredictable and continues to decrease in amount in Bahi and Kondoa Districts, Tanzania.

### **3.5 Innovated Pathways for enhancing Climate Change and Variability resilience among Agro-pastoralist in Kiteto and Kilindi Semi-arid areas**

As a result of the observed changing climate and variability through increased temperature and reduced rainfall, seasonal changes, particularly in semiarid areas of study districts, various pathways were investigated. The Agro-pastoral communities have been described as “masters of innovative traditional adaptation strategies in drylands,” actively relying on variability to maximize animal productivity during periods of plenty and scarcity and carefully managing rangelands during periods of food shortage (Msangi et. al., 2014). The findings from the study revealed that agro-pastoralists in the study areas employ several highly specific risk-spreading strategies to safeguard their herds and family food security in the face of unpredictable and sometimes extreme climatic change and variability events such as drought, temperature rise, emerging livestock disease and shortage of water and pastures. Increased sustainable innovative pathways to increase resilience upon climate change and variability for ensuring the rational use of the natural resource base on which the herds depend and also build strong social networks and food security. Overall, the main innovative pathways in order of importance were seasonal livestock mobility, construction of traditional wells or points, the use of traditional by-laws for pastures conservation or rotational use, the reduction of the number of stock by selling and using them to transport water from traditional wells.

Moreover, 60 per cent of the agro-pastoralist (Fig.6) reported having introduced pastures conservation or rotational traditional water points (Njoro) and reducing livestock numbers by selling them to buy food. Generally, based on the findings in Figure 6, agro-pastoral communities dwelling in fragile semi-arid areas are surviving in their local environment using their indigenous knowledge systems (IKS) which have made these communities survive for a long time despite the harsh environments which have been increasing in severity.



### **3.6 Challenges towards agro-pastoral communities innovative Pathways on overcoming Climate Change and Variability effects**

Even though agro-pastoral communities have been developing different coping and pathways (being referred to as good adaptors) to increase their resilience, the impacts of climate change are increasingly multiplying affecting the main livelihood activities of agro-pastoral communities, particularly agriculture and livestock, hence causing food insecurity. These challenges have been limiting agro-pastoral communities developing capacities for adaptation to increase resilience to their fragile drylands environment.

The challenges facing agro-pastoral communities are many, complex and intertwined. Social and economic differentiation affects how agro-pastoralists cope with harsh environments in dry lands. Generally in this study, the challenges to climate change and variability are grouped into two major categories, those related to physical and environmental factors and those related to institutional arrangements such as policies. Therefore, the adaptive capacities of agro-pastoral communities towards the effects of climate change and variability are dynamic and are influenced by the factors discussed in Table 2

**Table 2:** Limiting factors to Climate Change and Variability Pathways in Kiteto and Kilindi Districts Semi-arid areas

Limitational factor category	Perceived effects and observed conditions	Percent ages (%)	Comments/Remarks
<b>A. Physical and Environmental factors</b>			
Droughts	Wilting of crops, drying of water points and pastures and deaths of livestock	85.4%	Major problem
Unpredicted weather patterns(rainfall and The emergence of new livestock diseases	Changes of seasons	74.7%	Major problem
	Limited traditional capacity to treat and prevent the new emerged diseases	50.3%	Major problem
<b>B. Institutional arrangements</b>			
Lack of financial capital	Limited financially buying food	91.1%	Major problem
Lack of reliable weather information	Limited development of water points/Njoro and Mbutu Unreliable information on the amount, and distribution of rainfall	64.6%	Major problem
Policies deficiencies	Limit traditional pastoral mobility Overlapping with other policies	63%	Major problem
Low livestock prices	Unstable livestock prices especially in dry season	61%	Major problem
Limited technological adaptation strategies	Poor performances of local coping strategies	64.6%	Major problem
Large family households	Reduces food reserves	65%	Major problem
Gender inequalities	Absence of gender balance	69%	Major problem
Insufficiency of agricultural inputs	Delayed and unreliability supply of Improved seeds	43%	Major problem
Limited extension services	No new knowledge of farming practices and pastures growth	30.7%	Major problem
Land shortage (grazing)	Continuously conflicts between pastoralist and smallholder farmers, reduced grazing and crops growing land	48.3%	Major problem

\*Analysis based on multiple responses, column tallies may exceed 362 and 100% respectively\*

## **3.7 Physical Environmental Limiting Challenges**

### **3.7.1 Droughts**

The study showed that agro-pastoral communities are aware of the limits and challenges that affect their innovative pathways to deal with the current changing climatic effects. The findings indicate that about 85.4 per cent of the respondents perceived drought as a major physical barrier which limits farming and animal-keeping activities and adaptation strategies to climate change and variability. In both study villages, agro-pastoral communities believed that drought conditions have increased than they used to be, and it has now become the major barrier to many of the traditional pathways that are currently being implemented in the villages. A similar observation was reported in a study by Juana et al., (2013) indicating that drought is perceived as the major factor limiting most adaptation strategies to climate change in dryland environments.

### **3.7.2 Unpredicted Weather Patterns**

Unpredicted Weather Patterns were ranked the second limiting physical factor by 74.7 per cent of the respondents. A comparison across villages indicate that unpredicted weather patterns were not uniformly reported across the study villages in both study districts. Therefore, some villages reported the incidence more highly than others due to variations in the physical environment and environmental awareness. Kwekinkwembe was ahead in reporting the unpredicted weather patterns (93.3%) whereby unreliable rainfall, unpredicted onset and cessation of seasons are among the major limiting physical factors to climate change and food insecurity. This was followed by Ndedo (92%), Ngapapa (86%), Saunyi (85.5%), and Erelai (79.1%) and lastly Makame (61.3%). According to KDC (2017) report, the district now experiences unpredictability of both rainfall and temperature more than used to be the case in the past. Inter-season dry spells have been varying in time and space in Kilindi district for almost 12 years, for example, long droughts in 2008/2009 and 2015/2016 affected the district's proper planning for agricultural seasons, resulting in

shrinkage of the growing season, loss of agrobiodiversity, and drying up of livestock pastures and water resources.

### **3.7.3 The emergency of new Livestock Pests and Diseases**

This factor was ranked third in the overall score with 50.3 per cent, the assessment of the emergence of new livestock diseases based on agro-pastoralists' perceptions and observations on the presence of diseases among their livestock whose symptoms include reduced milk production, poor health of their animals and death incidents of large numbers of their livestock throughout the year during both dry and wet seasons. Livestock diseases can cause significant herd losses, translating into large declines in agro-pastoral income which impact negatively on the availability of food.

The most mentioned diseases were Heartwater (HW), Rinder pests (Olodwa), Anaplasmosis (Emonywa), Olmiro (kizunguzungu), and Ngiliama caused by the lack of pastures during the dry season. Nunuku is treated by ashes (majivu), romorojo and Lumpy skin disease (olukuku) for goats. Also, they cited old diseases such as Foot and mouth disease (Alerobi), East coast fever (ECF)/Ndigana kali, Anthrax (Olikipei), Babesiosis, Trypanosomiasis, Blackquater (BQ) and worm infections which still kill their livestock despite using their local treatment. During FGD, it was reported that livestock currently faced several diseases both new and old, and due to a large number of livestock they own, they were not able to buy industrial agrochemicals from shops, instead, they applied their local medicine which now days are not effective as a result a number of their livestock deaths is increasing.

## **3.8 Institutional arrangements Limiting Challenges**

### **3.8.1 Shortage of Financial Capital**

Normally, any innovative pathway is costly, hence resource-poor agro-pastoral communities with low adaptive capacity against climatic stresses are more vulnerable. The agro-pastoral communities in the study areas mentioned limited financial capital as a major constraint for not taking and implementing particular adaptation strategies. Low financial capacity at different levels among agro-pastoral communities, limited purchase of livestock medicine

for treating emerging diseases as well as farming inputs are other barriers to adapting to climate change. About 80 of the respondents across villages mentioned the shortage of capital as a limiting factor in the adaptation to climate change and food insecurity. However, there was a variation in reporting due to differences in the economy. Saunyi led by 94 per cent of the respondents reporting a shortage of capital as a barrier to adaptation practices followed by Makame (92%), Kwekinkwembe (91.1%), Ndedo (88%), Erelai (86%) and Ngapapa (81.4%). Similar findings in a study by O'Brien et al. (2000) revealed that even though, agro-pastoralist had numerous portfolios of pathways which they were willing to apply; they were still hindered by limited incomes to purchase necessary livestock medics, farm inputs and equipment. For instance, according to agro-pastoralists, digging water wells or points/Njoro, costs between Tsh 5 to 8 million; selling livestock, supplying one sack of maize to workers, and the construction takes three to four weeks, hence one with a few livestock will fail to own individual water point (Njoro). Therefore, funding for climate change and variability is vital for developing countries such as Tanzania to plan for and implement various pathways plans and projects. The agro-pastoralists have a slogan, "livestock will die during bad weather (dry season) but will recover during good weather (wet season)."

### **3.8.2 Low Livestock prices**

During FGD, it was revealed that selling livestock especially cattle during the dry season is a loss because prices are low as cattle are normally very weak due to poor pastures and water availability. During a household survey (HHS), about 80 per cent mentioned low prices for their livestock especially during the dry season as a limiting factor to getting good money for investing in other pathways such as building water reservoirs (Mboutu), building water points (Njoro) and buying crop tolerant seeds and other agricultural inputs. According to McCarthy et al. (2000), in sub-Saharan African countries, about 25 million pastoralists and 240 million agro-pastoralists depend on livestock stocks as their primary source of income for their wellbeing, therefore, the prices stability of their livestock is very paramount as it is the main determinant of their survival in dry land areas. Therefore, agro-pastoralists should be educated to sell off their stock of livestock immediately on the onset of droughts and

should sell mature and healthy livestock in good years or seasons and save money thus earned in savings accounts for use in seasons or years of drought.

### **3.8.3 Gender inequalities**

Changes in socio-cultural practices, including changing gender roles, increased pressure on women and children as workload increases and breakdown of family structures (increasing women-headed households/bomas) as reported also by Kabote et al. (2013). Traditionally, men and boys in pastoral communities are responsible for grazing livestock while girls help their mothers at home. However, climate change and variability have caused overlapping of tasks between men and women in managing livestock. For example, during the study, women and girls were observed doing similar tasks which were not carried out during seasonal movements including grazing goats, and sheep. For instance, men are the ones who usually migrate with livestock and leave women and children behind; women are left alone with their families and to fulfil all the responsibilities for the family with additional farm work that is usually done by men. Women are involved in casual labour, small-scale businesses such as selling milk and artworks including decorating the Maasai dresses for sale, and agro-pastoral women are to ensure there is enough food for the family in the household and look after young children. The findings from FGD indicate further that during prolonged droughts, women move to very long distant places with their donkeys searching for water, carrying firewood, searching pastures for feeding calves and pregnant livestock that remain at home, a responsibility which was done by men/boys.

### **3.8.4 Large Family households**

In this study, about 65 per cent of the respondents reported having a very large number of families which stand as a challenge, especially during the dry season when food becomes very scarce. The household sizes of the majority of the respondent ranged from 11 to 20 persons per household/boma. Therefore, the average household/boma size is 5.2 for Makame, 4.9 for Ndedo, 5.1 for Kijungu, 5.1 for Saunyi, 5 for Erelai and 5.2 for Kwekinkwembe implying that all study villages have greater household size than the National average household size which is 4.8. These higher average statistics in household/boma size are

influenced by customary laws and culture of the Maasai community where the number of children and wives are indicators of wealth in the community.

### **3.8.5 Limited Technological Adaptation strategies**

About 64.6 per cent of the respondents cited insufficient technology adaptation as main livelihood strategies in the era of climate change and variability as a challenge to livestock keeping and farming. The findings during FGD it was revealed that there is a need to integrate indigenous knowledge system with modern technologies such as pastures planting and conservation, adoption of crops droughts resistant, and land use planning among agro-pastoral communities due to increased new environmental changes that cause new stresses. Therefore, despite that agro-pastoralist are good adaptors to their semi-arid climates, the current impacts of climate change and variability on different livelihood activities have negatively affected food security. As Dungumaro and Hyden (2010) point out, educated people are in better health and often contribute to greater environmental changes by facilitating access to weather information and a means to the adaption to climate change and Forster economic development.

### **3.8.6 Lack of reliable Weather information**

Reliable and valid weather information is very important in this era of climate change and variability. Lack of reliable and valid information or knowledge from official Government or private sources was one of the most important factors cited by 64.6 per cent across the study villages as a barrier to the adaptation to climate change. During FGD, unreliable meteorological information on the trend and patterns of weather specifically rainfall amount, distribution, intensity as well as temperature trends were reported as the most pressing constraints for adjusting erratic or reduced rainfall through changing planting dates and rotational livestock pastures. Also the argument that weather information which is rarely delivered to them for pre-harvest is very general and lacks specificity because the district is not uniformly having similar weather characteristics.

### **3.8.7. Land shortage (Grazing and Cultivation lands)**

It is interesting that, ownership of land among agro-pastoral communities whereby land is owned communally, and wealth ranking were not mentioned

as indicators of wealth. During FGD, land shortage was reported as a limiting factor in the adaption to climate change, however, they disagreed that a high number of their livestock was the source of the land shortage instead they pointed to smallholder farmers as a source of limited land, as smallholder farmers expand to pastoral livestock routes. The study findings show that land uses or cover changes during 30 years agricultural land has increased in all the study villages at the expense of forest, bushlands and grasslands. Hence, the remote sensed data support the Agricultural Officer that the expansion of agricultural fields by both smallholder farmers and agro-pastoralist themselves was a leading cause of land shortage, especially the grazing lands.

### **3.8.8 Insufficiency of Agricultural and Livestock inputs and Equipment**

During the household survey, about 43 of the respondents mentioned shortage and expensive and untimely delivery of agricultural subsidies (inputs and equipment) as some of the institutional limiting factors across the study areas. The in-depth interview with the District Agricultural Officer and evidence from the report on the number of inputs received in the district from the Department of Agriculture and Livestock Development office (DALDO) in Kilindi District confirmed that the number of vouchers received under the country's agricultural development strategy, Kilimo kwanza in Swahili (Agriculture First), was not sufficient, and has even been decreasing. The district received 4,914 vouchers for the 2012/2013 farming season, which was 49.7 per cent less than the number of vouchers received in the previous year 2010/2011 which was 9,288 vouchers.

### **3.8.9 Limited Extension Services**

Rainfall and temperature trends in the study villages are worse, whereby agro-pastoral communities need more assistance to increase their resilience. Extension services become very critical in the provision of information that could change livestock keeping and small-scale farming activities from subsistence to modern and commercial dimensions, thus improving agro-pastoral, increasing income, reducing poverty and improving households' food security. During the household survey, it was revealed that about 30.7 per cent of the respondents mentioned limited or sometimes the lack of extension services as a limiting factor in the adaption practices. The number of



Extension Officers is very low compared to the number of villages and animals in the district. For instance, Kibirashi Ward had no Veterinary Officers, Livestock Officers, had one (1) Livestock Auxiliary Officer and three (3) Livestock Field Officers. Mkindi Ward had no any mentioned above, while Saunyi had no Veterinary Officers, Livestock Officers, Livestock Auxiliary Officers and had one (1) Livestock Field Officer.

## **4.0 Conclusion**

It is evident that climate change and variability are real, and is affecting semiarid areas of Kiteto and Kilindi Districts through reduced livestock, crop production and thus causing food insecurity. The study concludes that the majority of agro-pastoral communities perceived climate change and variability through an observed decrease in rainfall amount, distribution and seasonal changes as well as increased temperature and droughts extremes which were also supported by archival data. Also, this study revealed that agro-pastoralists have implemented various pathways to increase their resilience to changing climate effects. However, because of physical and institutional limitations implementation of most adaptive measures to increase resilience are not effective forcing agro-pastoral communities to become more mobile in searching for water and pastures. Therefore, this study recommends to the government and other Non-governmental organizations that, agro-pastoralists should be advised to keep more small ruminants (goats, sheep and chickens) as they are more adaptable than cattle. Also, maize and beans production in such marginal lands is not suitable and therefore agro-pastoralists should be advised to grow early maturing and drought-resistant crops such as sorghum and cassava. Additionally, agro-pastoralists in these fragile drylands environment need more capacity-building activities for increased awareness which makes them more resilient.

## REFERENCES

- Archer, M. (2003). Identifying underserved end-user groups in the provision of climate information. *Bulletin of the American Meteorological Society*, 84(11), 1525–1532.
- Arendse A, and Crane J. (2010). Impacts of climate change on smallholder farmers in Africa and their adaptation strategies: What are the Roles of Research, International Symposium and Consultation (29–31 March, Arusha Tanzania).
- Creswell J, (2013). *Research design: Qualitative, quantitative, and mixed methods approach*, Washington DC.255pp.
- Denton, F. (2002). Climate Change Vulnerability, Impacts, and Adaptation: Why Does Gender Matter? 6(3), 182-196,[hht://www.americascience.org](http://www.americascience.org),retrived on 13th march 2018.
- Deressa T; Hassan R; Alemu T, Yesuf M, Ringler C. (2011). Analyzing the Determinants of Farmers' Choice of Adaptation Methods and Perceptions of Climate Change in the Nile Basin of Ethiopia. IFPRI Discussion Paper 00798.
- Dungumaro, E and Hyden, G. (2010). Challenges and Opportunities to Climate Change Adaptation and Sustainable Development among Tanzanian Rural Communities. University of Dar es Salaam.
- Food and Agricultural Organization (FAO). (2008). An introduction to the basic concepts of food security. Retrieved from <http://www.fao.org/docrep/013/al936e/al936e00.pdf>
- Gbetibouo, G. (2009). Understanding Farmers' Perceptions and Adaptations to Climate Change and Variability: The Case of the Limpopo Basin, South Africa. IFPRI Discussion Paper 00849.
- Intergovernmental Panel for Climate Change (IPCC). (2001). Climate change 2001: synthesis report, Cambridge.88pp

- Intergovernmental Panel for Climate Change (IPCC). (2007). Climate change impacts, adaptations and vulnerability: Contribution of working group II to the fourth assessment report of IPCC, Cambridge .330pp
- Israel, G. (2009). Determining sample size, Agricultural Education and Communication Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences (IFAS), University of Florida. PEOD-6, 2009, <http://www.edis.ifas.edu/pd006>, accessed on 20th March 2016.
- Juana J, Kahaka Z, Okurut F. (2013). Farmers' Perceptions and Adaptations to Climate Change in Sub-Sahara Africa: A Synthesis of Empirical Studies and Implications for Public Policy in African Agriculture; *Journal of Agricultural Science*: 5 (1), 121-135.
- Kabote S, Mamiro D, Synnevåg G, Urassa J, Mattee A, Mbwambo J, Nombo C, Masolwa L, Chingonikaya E. (2013). Inter-annual anomaly and seasonal variability of rainfall and temperature in selected semi-arid areas of Tanzania. *Journal of Continuing Education and Extension*, 4(2), 295-317.
- Kilindi District Profile. (2017). Kilindi District Council Documentaries, Kilindi Tanga, Tanzania. Internal Report, 2016.
- Kiteto District Profile. (2017). Kiteto District Council Documentaries, Kiteto Manyara, Tanzania. Internal Report, 2016.
- Latha A, Gopinath M, Bhat A. 2012. Impact of Climate Change on Rainfed Agriculture in India: A Case Study of Dharwad, Karnataka, India. *International Journal of Environmental Science and Development*, 3(4),25-34.
- Lema M, and Majule, A. (2009). Impacts of climate change, variability and adaptation strategies on agriculture in semi-arid areas of Tanzania: the case of Manyoni District in Singida Region, Tanzania. *African Journal of Environmental Science and Technology* ,3(8), 206-218.
- Ludi, E. (2012). Climate change, water and food security: Overseas Development Institute, 2009, [www.odi.org.uk](http://www.odi.org.uk), retrieved on 5th April 2012.

- Magita S, and Sangeda, A. (2017). Effects of climate stress to pastoral communities in Tanzania: A case of Mvomero District. *International Journal of Livestock Research for Rural Development*, 29 (8), 44-67.
- Majule, A. (2009). Establishing land use/cover change patterns over the last two decades and associated factors for changes in semi-arid and sub-humid zones of Tanzania. *Open Journal of Ecology*, 3 (6), 445-453.
- Maliki K, Mahamood A, Kazmi D, Khaa M. (2012). Impacts of climate change in Agriculture during winter season over Pakistan. *Agricultural science*, 3(8),10071018.,<http://search.proquest.com/doview/1272087473>. retrieved on 14th February 2017
- McCarthy N, Swallow B, Kirk M, Hazell P, eds. (2000). Property rights, risk, and livestock development in Africa. Washington, DC, *International Food Policy Research Institute (IFPRI) and International Livestock Research Institute (ILRI)*. 433 pp.
- Msangi, A. (2014). Community and Government: Planning together for climate-resilient growth: Issues and opportunities for building better adaptive capacity in Longido, Monduli and Ngorongoro Districts, northern Tanzania. IIED, London.
- Mwakaje, A. (2013). The impact of climate change and variability on agro-pastoralists' economy in Tanzania. *Environmental Economics*, 4 (1) 76-90
- Mwamfupe A. (2014). Assessment of local perceptions and potential roles of local Institutions in climate change adaptation in Rufiji district, Tanzania, unpublished PhD thesis, University of Dar es Salaam.
- Myeya, H. (2016). The effect of climate variability on cereal crop production in the semi-arid areas of Dodoma Region, Tanzania, 1984-2011. Unpublished PhD. Thesis, University of Dar es salaam. Tanzania
- Ndesanjo J, Ngana P, Yanda Z. (2012). Climate change impacts and adaptive strategies in the Rufiji delta, Tanzania, *UTAFITI Journal of the College of Arts and Social Sciences*," 9 (1) 59-73
- Shemsanga C, and Omambia N. (2007). The cost of climate change in Tanzania: Impacts and adaptations; *Journal of America Science*, 6(3), 182-196,[hht://www.americascience.org](http://www.americascience.org),retrived on 13th march 2018.

- Suckall N, Tompkins E, Stringer L. (2014). Identifying trade-offs between adaptation, mitigation and development in community responses to climate and socio-economic stresses: Evidence from Zanzibar, Tanzania, *Applied Geography*, 46(2014), pp. 111–121.
- Stern P, and Easterling, E. (Eds.). (2006). *Making Climate Forecasts Matter*. Washington D.C.: National Academy Press. 192 pp
- Swai O, Mbwambo J, Magayane, F. (2012). Gender and adaptation practices to the effects of climate change in Bahi and Kondoa districts Dodoma region, Tanzania. *Journal of Sustainable Development*, 5(12), 6577, <http://search.proquest.com/docview/1284067587?accountid=10920>. retrieved on 22th October 2017.
- United Nation Development Programme (UNDP). (2008). National human development report 2008: Climate change and its impacts on kazakhstans human development.
- United Nations. (2009). Facilitating an international agreement on climate change: Adaptation to climate change. A Proposal Paper by Global Leadership for Climate Change Action, 2009, [www.globalclimate.org](http://www.globalclimate.org), retrieved on 2nd November 2016.
- United Republic of Tanzania (URT). (2007). National Adaptation Programme of Action-The United Republic of Tanzania. Vice President's Office, Division of Environment, Dar Es Salaam.
- United Republic of Tanzania (URT). (2012), Comprehensive Food Security and Nutrition Assessment Report, the national food security division, ministry of agriculture, food security and cooperative, Dar es Salaam
- Ziervogel G, and Calder R. (2003). Climate variability and rural livelihoods: Assessing the impact of seasonal climate forecasts, *Area*, 35(4): 403–417.



**Managing Editor**  
**African Journal of Accounting and Social Science Studies (AJASSS)**  
**Tanzania Institute of Accountancy**  
**P. O. Box 9522,**  
**Dar es Salaam**  
**Tanzania**  
**E-mail: [ajasss@tia.ac.tz](mailto:ajasss@tia.ac.tz)**