

### Healthy urban: An agenda of the day

Mirgissa Kaba<sup>1</sup>

The term Urban was first used in 1619 and came from a Latin word 'Urbanus' meaning city (1). There is no single universal definition of urban since this tends to vary from country to country. The definition of urban however may vary in time, delineation of administrative and political boundary, population size and density and economic function (2).

In 2014, global estimate shows that 54% of the world population resides in urban setting (3). This proportion is projected to expand to 66% by 2050. The pace at which urbanization grows is unprecedented especially in developing countries. It is projected that population in urban areas of low income countries will grow from 1.9 billion in 2000 to 3.9 billion in 2030 (4). Urbanization is recognized to offer opportunities as well as bring challenges to human health and wellbeing. By offering opportunities, urbanization is considered as a hub of economic and social transformations with better literacy and education, life expectancy, improved housing and sanitation, access to services, participation in public affairs, better living conditions, better food security and better health indicators (5). Nonetheless, such narrative appears to mask the realities of disadvantaged urban poor who do not share the same level of joy regarding access to opportunities (6).

Posing challenges, children and women in informal settlements of SSA including Ethiopia sustains poor health indicators as compared to those in rural settings (7). Communicable diseases such as HIV/AIDS and tuberculosis, and non-communicable diseases like diabetes and cardiovascular disease are major health threats in Africa and this is particularly so in rapidly increasing urban settings of Sub-Saharan Africa (8).

To date, evidences suggest that over a third of the urban population in many low and middle-

income countries live in slums areas (9,10). Many people in such settings live in neighborhoods with little or no provision of education and health services, poor safe water supplies, poor sanitation and waste management and poor nutritional status (11, 12). This is against the imperative of Sustainable Development Goals (SDGs) which echoes the attainment universal health coverage (UHC). The commitment to universal health coverage and SDGs aims to improve the living conditions and health of urban residents (5). Equity, inclusiveness and accountability in health and development are the key focuses of interventions to improve the wellbeing of all urban residents (13). This calls for urban leadership to broaden responsibilities to take up demographic issues, pollution, slums, infectious and communicable diseases such as HIV/AIDS and tuberculosis, non-communicable diseases as well as aging population and migration as an agenda. This requires investment in infrastructure, job creation and expansion of social services (5).

As it stands now however, urban residents are believed to sustain vulnerability to infectious diseases, chronic non-communicable diseases, injuries, road accidents, violence and crime (4,14). Such vulnerability is not evenly distributed where disparities or inequities in health outcome indicators between urban settings remains apparent. This is particularly so in Ethiopia (15). Urban poverty as defined in terms of poor access to social services, crime safety, security, social segregation and social alienation is widespread at informal settlements and its residents are vulnerable to the challenges (16). Equally important is the challenge posed by urban health data which is aggregated with averages neglecting disparities within residents in urban setting between rich and poor, young and old, men and women, migrants and long-term residents. Recent evidence from Ethiopia revealed that most the population in the urban

---

<sup>1</sup>School of Public Health, Addis Ababa University, Addis Ababa, Ethiopia, E-mail mirgissk@yahoo.com

slums (80.4%) use unimproved sanitation facilities while 8.2% practice open defecation (17).

WHO has long recognized the challenges of urbanization to global and country specific development agenda. As part of its Social Determinants of Health initiative, WHO has given due attention to urbanization as it may positively or negatively affect places where people grow, live, work and age (18) and creates opportunities for inequities in services including health (6). One of the major concerns to track urban settings and determinants of health is the lack of disaggregated evidence. In order to address such challenges, global network of researchers for Urban Health (Knowledge Network on Urban Settings - KNUS) was formed to collate and synthesize evidence on broad policy and program interventions for healthy urbanization (19). In as much as dealing with urban health problems is sine qua non to dealing with wide range of problems all stakeholders are expected to collect and collate evidences that should be triangulated to provide benchmark for urban planning and intervention. KNUS is designed to engage all those that are operating in urban setting to carry out equity assessment and response tool on a regular basis to monitor and act on health inequity in programming and intervention (6). The assessment is guided by a tool "Urban Health Equity Assessment and Response Tool" (Urban HEART) which draws on the Social Determinants of Health framework and was introduced in 2010 (20). It guides the process of local and national stakeholders to identify, prioritize, and track inequities in health in urban settings targeting 12 selected indicators including infant mortality, tuberculosis, diabetes, road traffic injuries, safe water, improved sanitation, primary education, full immunization, skilled birth attendance, smoking, unemployment, and government expenditure on health. Piloted in 17 cities from nine countries across the world, the assessment has suggested: countries may review equity indicators, provide guidance on validating routinely collected health data and link data on equity with interventions and engagement of all concerned stakeholders including community. This requires provision of local and national

policy and strategies and commitment to use findings in national and global reports (20).

The relative emphasis on this global initiative is to shade light on the fact that: i) urban health evidences are aggregated in developing countries and more importantly in Sub-Saharan Africa shadowing the realities of urban poor; ii) urban poor are not homogeneous making vulnerability within and between urban settings apparent and iii) addressing urban health problems remains the responsibility of diverse sectors (4).

Ethiopia with conservative estimate of its urban population projected to grow from 15.2 million in 2012 to 42.3 million in 2037 with a growth rate of 3.8% a year (21) is fast urbanizing. Such growth will undoubtedly pose challenges if corresponding social, economic and physical development is not well aligned to meeting the health needs of urban residents (22).

Recent initiatives by FMOH and USAID supported JSI' JSI's Strengthening Ethiopia's Urban Health Program has paid attention to urban health as a broad agenda pushing its boundary from what has been introduced as urban health extension in 2009 (23). Broad advocacy forums through urban health think-tanks, media and scientific forums have laid the foundation for urban health as the responsibility of every stakeholder. However, framing this with defined roles and responsibilities as well as accountabilities for stakeholders requires policy direction on the one hand and commitment of all stakeholders on the other.

## References

1. [www.merriam-webster.com/dictionary/urban+&cd=1&hl=en&ct=clnk&gl=et](http://www.merriam-webster.com/dictionary/urban+&cd=1&hl=en&ct=clnk&gl=et)
2. OECD. Definition of Functional Urban Areas (FUA) for the OECD metropolitan database September 2013; Paris
3. WHO. Global Health Observatory (GHO) data; 2017. Geneva
4. WHO. Why urban health matters. WHO/WKC/WHO/2010.1, 2010. Geneva
5. WHO and UN Habitat. Global report on urban health: Equitable, healthier cities for sustainable development, WHO 2016

6. CSDH. Closing the gap in a generation: health equity through action on the social determinants of health. Final Report of the Commission on Social Determinants of Health. 2008, Geneva, World Health Organization.
7. Monica M, Eliya Z, Martin B. The Inequality of Maternal Health in Urban Sub-Saharan Africa, 2011.
8. Nasheetta P. The converging burdens of infectious and non-communicable diseases in rural-to-urban migrant Sub-Saharan African populations: a focus on HIV/AIDS, tuberculosis and cardio-metabolic diseases. *Tropical Diseases, Travel Medicine and Vaccines*; 2015, 1:6, DOI: 10.1186/s40794-015-0007-4
9. Alex E, Oyinlola O, David S, et al. The history, geography, and sociology of slums and the health problems of people who live in slums. *The Lancet*; 2017;389(10068):547-558.
10. Judy B. Urban Poverty: A Global View. Urban papers. The World Health Group, Jan 2008, Washington
11. Mark M. Urban Poverty and Health in Developing Countries. *Population Bulletin*; 2009: 64 (2).
12. Shaaban S. Improving the Health and Lives of People Living in Slums. *Annals of the New York Academy of Sciences*; 2008: 1136(1):298-306.
13. WHO. Implementing Rio: Monitoring action on the Social Determinants of Health: Background paper: 20–22 June 2016, Canada
14. WHO. World Health Day 2012 – Ageing and Health. WHO Kobe Centre; 7 April 2012
15. Kaba M, Taye G, Gizaw M, Mitiku I, Adugna Z, esfaye A. A qualitative study of vulnerability to HIV infection: Places and persons in urban settings of Ethiopia. *Ethiop. J. Health Dev.* 2016;30(3):105-111
16. Daniel L. Housing in urban context: Informal settlements in Addis Ababa, Feb. 2006
17. Beyene A, Hailu T, Faris K, Kloos H. Current state and trends of access to sanitation in Ethiopia and the need to revise indicators to monitor progress in the Post-2015 era. *BMC Public Health.* 2015; 15:451, DOI: 10.1186/s12889-015-1804-4
18. WHO. Implementing Rio: Monitoring action on the Social Determinants of Health: Background paper: 20–22 June 2016, Canada
19. Amit P, Megumi K, Kendra D, et al. Prioritizing action on health inequities in cities: An evaluation of Urban Health Equity Assessment and Response Tool (Urban HEART) in 15 cities from Asia and Africa. *Soc Sci Med.* 2015; 145: 237–242. doi: 10.1016/j.socscimed.2015.09.031
20. WHO. Urban HEART: Urban Health Equity Assessment and Response Tool. The WHO centre for Health Development, Kobe, 2010
21. Central Statistical Agency, Population and Housing Census (2007) and Population Projection of Ethiopia for All Regions at Woreda Level from 2014 – 2017 (2013).
22. World Bank Group and Cities Alliance. Ethiopia Urbanization Review: Urban Institutions for a Middle-Income Ethiopia; 2915. Addis Ababa.
23. Lejore E, Moshago T. Community satisfaction with the urban health extension service in South Ethiopia and associated factors. *BMC Health Services Research.* 2015, 15:160, DOI: 10.1186/s12913-015-0821.