

Medical Case Images

HSI Journal (2022) Volume 3 (Issue 1):345-346. <https://doi.org/10.46829/hsijournal.2022.6.3.1.345-346>



Open
Access

Penile amputation in an infant

Adziri Sackey

¹ Department of Child Health, University of Ghana Medical School, College of Health Sciences, University of Ghana, Accra, Ghana

Received January 2022; Revised February 2022; March 2022

Keywords: Penis, penile amputation, traditional circumcision, Ghana



Plate 1: Visible urethra (arrow A) in penis amputated during circumcision by a traditional circumciser (wanzam)

Penile amputation is a rare but tragic complication of circumcision and other penile surgical procedures,

child abuse, traffic accidents and animal attacks. Replantation is likely to be successful when performed within 8 hours of amputation especially if the glans are stored in cold saline. After that period, options include phallic reconstruction and sex reassignment. Other adverse

* Corresponding author
Email: sackey@sky.com



Plate 2: Infant urinating from stump of penis amputated during circumcision by a traditional circumciser (wanzam)

sequelae of circumcision are haemorrhage, infection, urethrocutaneous fistula, iatrogenic hypospadias and epidermal inclusion cysts. There is a need for improved training and regulation of all circumcision practitioners.

DECLARATIONS

Ethical considerations

Informed consent was obtained from the patient for this report. This report does not contain information that could lead to the traceability of the patient.

Consent to publish

The author agreed to the content of the final paper.

Funding

None

Competing Interests

No potential conflict of interest was reported by the author.

Author contributions

AS conceived the study, designed the collection of study information, and wrote, and edited the manuscript.

Availability of data

All relevant information is provided in the manuscript. The published information is available from the corresponding author upon a reasonable request.

REFERENCES

1. Khairiddine B, Adnen H, Khaled BM, Adel S (2014) Surgical reimplantation of penile glans amputation in children during circumcision. *Urol Ann* 6:85–87. <https://doi.org/10.4103/0974-7796.127024>
2. Appiah KAA, Gyasi-Sarpong CK, Azorliade R, Aboah K, Laryea DO, Otu-Boateng K, Baah-Nyamekye K, Maison POM, Arthur D, Antwi IO, Frimpong-Twumasi B, Yenli EM, Togbe SK, Amoah G (2016) Circumcision-related tragedies seen in children at the Komfo Anokye Teaching Hospital, Kumasi, Ghana *Pediatric Urology*. *BMC Urol* 16:65. <https://doi.org/10.1186/s12894-016-0183-1>

Thank you for publishing with

 **HSI** Health Sciences
Investigations Journal