

Checklist of the Lepidoptera of southern Africa

Published online: 20 August 2020

DOI: <https://dx.doi.org/10.4314/met.v31i2.2>

Martin Krüger†

Copyright © Lepidopterists' Society of Africa

FOREWORD

It was Barbara Dombrowsky and her husband who waited for us in 2001 at Johannesburg airport at 01.30 am when we arrived on an intercontinental flight that had suffered several hours of delay. Martin had arranged that she would receive and host us during our first visit to the then called Transvaal Museum in Pretoria. On Monday, she introduced us to Martin and immediately there was a connection between this energetic, friendly man and ourselves, and soon we were discussing possibilities of photographing specimens in the midst of some collection drawers, photographic equipment, books and notes. The purpose of our visit then was to photograph the type specimens of Afrotropical Gracillariidae, the moth family on which Jurate was working at the Royal Museum for Central Africa in Tervuren (Belgium), and which later led to the publication of volume 6, Gracillariidae, in the series "World Catalogue of Lepidoptera" and to the website "Global taxonomic database of Gracillariidae (Lepidoptera)" (www.gracillariidae.net).

During that first visit, we also had the pleasure of meeting the late Lajos Vári, whose book "*South African Lepidoptera. Gracillariidae*" served as a valuable resource for the aforementioned Gracillariidae studies. Lajos and Martin were then discussing various aspects and problems about the planned "*Classification and Checklist of Lepidoptera recorded in Southern Africa*", Lajos often playing deaf whenever he did not like Martin's ideas, but Martin then typing his question on the computer screen so that Lajos could read it in big characters, impossible for him to play blind as well. We were able to add some of our own knowledge and experience during the preparation of the Checklist. There was a very nice atmosphere in the Lepidoptera section and we liked to work there very much. And that is exactly what happened during several other visits in the succeeding years. We were then lodged in one of the guest rooms of the museum and on the first day of every arrival, we received Martin's keys of the Lepidoptera section, enabling us to work as late as we wanted. We have never experienced a similar welcome and such trust at any other museums we visited around the world. Unfortunately, we have only been able to repay this warm welcome once when Martin visited us in our home in Belgium, in the company of Cees Gielis (from The Netherlands).

It was A. J. T. Janse who laid the basis for the Checklist, which in the pre-computer era consisted of a detailed card index which we sometimes also consulted before the Checklist was published. Later on, the late Doug Kroon and Lajos Vári used this card index to compile their "*Southern African Lepidoptera. A series of cross-referenced indices*" which was published in 1986. At the beginning of the 21st century this list was completely outdated and then Martin envisaged an updated checklist in a new style and as

complete as possible, with full synonymy for all the Lepidoptera species that had ever been recorded from Namibia, Zimbabwe, the southern part of Mozambique, South Africa, Lesotho and Eswatini (at that time still called Swaziland). It resulted in the well-known Checklist of 8,497 valid species-group names, privately published in 2002 as "Classification and Checklist of the species of Lepidoptera recorded in Southern Africa" (Vári, L., Kroon, D.M. & Krüger, M.). The list also contained another 1,035 names of extrazonal taxa, species mentioned in various publications from southern Africa but not occurring there. This resulted in an index of more than 21,000 taxon names. In the introduction to the main part of the 2002 Checklist, it was estimated that about 7,615 moth species occur in southern Africa and that the entire number of moths in the Afrotropical Region consists of an "Unknown number of species". This line of text was the incentive for our Afrimoths database which was later (first version in 2011) published online as "Afrimoths, online database of Afrotropical moth species (Lepidoptera)" (www.afrimoths.net), and updated twice a year.

After the publication of the 2002 Checklist, many studies on Lepidoptera have enlarged our knowledge on the Afrotropical Lepidoptera, not in the least Martin's own publications. During the post-meeting field trip of the Forum Herbulet in Stuttgart (2018), Martin told us that he especially enjoyed tackling difficult groups which contain a lot of species and which are usually avoided by other lepidopterists. This is attested to by his publications concerning the tribe Macariini and the genus *Drepanogynis* (both Geometridae), which were included into the 2002 Checklist. After publication of this Checklist, Martin did not stop his research, and though his main interest remained in Geometridae, he also published on other families including the Lasiocampidae and Noctuidae, and even the Tortricidae held in the Transvaal and Cape Town museums, together with J. Razowski. In total, Martin described 611 species, 79 genera, and 3 subgenera. Furthermore, other lepidopterists published revisions of formerly understudied groups, like B. Bengtsson (Scythrididae) and H. Hacker (Nolidae), to name just a few. In the beginning of this century, molecular studies also boomed, leading to many changes in the classification of the Lepidoptera, not in the least in the family group which was believed to be the best studied one: the Noctuoidea. Martin tried to keep pace with all this extra information by including new species, genera and the changes to the classification in a Word file which he kept updated, with personal comments, until his tragic death in July 2019. It would be a great loss for southern African lepidopterology if all this work should be neglected. Therefore, the Lepidopterist's Society of Africa has decided to publish Martin's "revised Checklist" in the format of a pdf file, available to everybody who will continue to study Southern Africa's Lepidoptera, and it will also be available as a printed version, for regular users.

Received: 22 July 2020

Published: 20 August 2020

Copyright: This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License. To view a copy of this license, send a letter to Creative Commons, Second Street, Suite 300, San Francisco, California, 94105, USA, or visit: <http://creativecommons.org/licenses/by-nc-nd/3.0/>

Previous users of the 2002 Checklist will immediately recognise the general layout. Although there is no introductory text, one will immediately notice some changes on the first page: Micropterigidae are now represented by nine species instead of the three species in the 2002 edition (200% more!), plus an additional family (Acanthopteroctetidae). The first page also mentions the Prototheoridae in the second column with a short

text "Synonymised with Hepialidae Stephens, 1829". And this goes on for the rest of the 199 pages of the revised version. The classification adopted is the one that is generally accepted nowadays by most contemporary lepidopterists, and it reflects our current knowledge, both morphological as well as molecular, about southern African Lepidoptera fauna. There will certainly be some changes in the future, especially in groups which have been neglected by almost everybody, e.g. Gelechiidae, but this revised Checklist will turn out to be a valuable tool and a starting point for many lepidopterists.

Martin based his studies on the large and important collections of the Ditsong Museum of Natural History, Pretoria. Many of his conclusions, ideas and insights emerged when he held a specimen from this collection in his hands. The overall organisation of this collection is also Martin's work, though he was able to stand on the shoulders of lepidopterists like A. J. T. Janse and G. van Son. Many scientific visitors have benefited from the detailed organisation of the collection in which everybody almost immediately found what they were looking for. Most specimens were curated and stored in drawers with unit trays, and only one cupboard remained with unidentified material. Every guest was asked to have a look at that cupboard and identify at least some specimens in the group he was interested in.

We trust that this present 2020 Checklist receives a warm welcome in the community of contemporary lepidopterists, who hopefully will use it to enhance our knowledge of southern African Lepidoptera.

Willy and Jurate De Prins

Royal Belgian Institute of Natural Sciences, Brussels.
willy.deprins@gmail.com
jurate.deprins@gmail.com

EDITORIAL NOTES

Since following in the footsteps of Martin Krüger as the Editor of *Metamorphosis* it has been possible to gain first-hand experience of the superb quality of his work. It has therefore been an honour and a great pleasure in assisting to bring this, his final publication, into realisation.

Table of Contents

This appears on page 3, in order to help the user navigate to their taxon of interest.

Page numbering

Page numbers appear at the top for the first two pages but thereafter are at the bottom of the page.

Formatting conventions

The following formatting conventions were applied by Krüger to the taxon names, and have been retained:

TINEOIDEA	SUPERFAMILY
TINEIDAE Latreille, 1810	FAMILY Author, date
Hapsiferinae author, date*	Subfamily Author, date
Cimitra Walker, 1864	Genus Author, date
<i>Scalidomia</i> Walsingham, 1891	<i>Synonym of Genus</i>
<i>fetialis</i> (Meyrick, 1917) <i>Hapsifera</i>	<i>species</i> <i>Original genus</i>
<i>endoedyi</i> (Gozmány, 1965)	<i>synonym</i>
<i>corrigata</i> (Gozmány, 1967)	<i>synonym</i>
<i>horridella</i> (Walker, 1863) <i>Tinea</i>	<i>species</i> <i>Original genus</i>

Extralimital (non-southern African) taxa (pages 193–201)

The names listed are for species (in alphabetical order), followed by the author, the genus, and in brackets the abbreviated family and subfamily names.

Asterisks

An asterisk after a species-group name indicates that this particular species is the type species of the genus. Other asterisks (after e.g. author, data* as above) indicate places where some work is outstanding.

Editing

Generally, Krüger's text has been repeated without any editing, although the order of families has in some cases been altered so that several families within a superfamily can be placed on the same page, rather than each have a separate page. Another change is that **syn. nov.** and **comb. nov.** have been removed here because these nomenclatural acts were already published in the 2002 checklist.

Acknowledgements

The editorial team is indebted to Willy and Jurate De Prins for implementing the editorial changes mentioned above to the original text.

TABLE OF CONTENTS

Superfamily	Page
Micropterigoidea	4
Acanthopteroctetoidea	4
Hepialoidea	5
Nepticuloidea	6
Adeloidea	8
Tischerioidea	9
Tineoidea	10
Gracillarioidea	18
Yponomeutoidea	21
Gelechioidea	24
Coccoidea	45
Sesioidea	49
Galacticoidea	57
Choreutoidea	58
Zygaenoidea	59
Immoidea	63
Carposinoidea	64
Alucitoidea	65
Epermenoidea	65
Pterophoroidea	66
Hyblaeoidea	68
Thyridoidea	69
Papilionoidea	71
Pyraloidea	92
Geometroidea	112
Drepanoidea	131
Uranoidea	132
Calliduloidea	133
Lasiocampoidea	134
Bombycoidea	137
Noctuoidea	146
Extralimital (non-southern African) taxa	193

MICROPTERIGOIDEA, ACANTHOPTEROCTETOIDEA**MICROPTERIGIDAE** Herrich-Schäffer, 1855

Agrionympha Meyrick, 1921
capensis Whalley, 1978
fuscoapicella Gibbs, 2011
jansella Gibbs, 2011
karoo Gibbs, 2011
kroonella Gibbs, 2011
*peliacma** Meyrick, 1921
pseudovari Gibbs, 2011
sagittella Gibbs, 2011
vari Whalley, 1978

PROTOTHEORIDAE Meyrick, 1917

Synonymized with Hepialidae Stephens, 1829

ACANTHOPTEROCTETIDAE Davis, 1978

Acanthopteroctetes Braun, 1921
nepticuloides Mey, 2011

HEPIALOIDEA**HEPIALIDAE** Stephens, 1829*Afrotheora* Nielsen & Scoble, 1986*argentimaculata* Nielsen & Scoble, 1986*minirhodaula* Nielsen & Scoble, 1986*rhodaula* (Meyrick, 1926) *Dalaca**thermodes* (Meyrick, 1921) *Hepialus**pardalias* (Janse, 1942) *Hepialus**Antihepialus* Janse, 1942*Ptycholoma* Felder, 1874 (*unavailable*)*antarcticus** (Wallengren, 1860) *Hepialus* (as *Hepiolus*)*aurifaber* (Felder, 1874) *Ptycholoma**capeneri* Janse, 1948*vansoni* (Janse, 1942) *Dalaca**Eudalaca* Viette, 1950*Eudalacina* Paclt, 1953*albiplumis* (Warren, 1914) *Gorgopis**albistriata* (Hampson, 1910) *Dalaca**ammon* (Wallengren, 1860) *Hepialus* (as *Hepiolus*)*fuscescens* (Hampson, 1910) *Dalaca**goniophora* (Hampson, 1910) *Dalaca**rhodesiensis* (Hampson, 1910) *Dalaca**amphiarma* (Meyrick, 1926) *Dalaca**aurifuscatus* (Janse, 1942) *Dalaca**bacotii* (Quail, 1900) *Gorgopis**cretata* (Distant, 1897) *Dalaca**crossosema* (Meyrick, 1921) *Dalaca**crudeni* (Janse, 1942) *Dalaca**crudeni*; Vári, 1958 *Dalaca**crudeni*; Janse, 1942 *Dalaca**eriogastra* (Meyrick, 1921) *Dalaca**exul** (Herrick-Schäffer, 1853) *Hepialus* (as *Epiolus*)*librata* (Walker, 1865) *Hepialus**metaleuca* (Hampson, 1910) *Dalaca**tumidifascia* (Hampson, 1910) *Dalaca**gutterata* (Janse, 1942) *Dalaca**hololeuca* (Hampson, 1910) *Dalaca**homostola* (Janse, 1942) *Dalaca**homoterma* (Meyrick, 1921) *Dalaca**ibex* (Wallengren, 1860) *Hepialus* (as *Hepiolus*)*albirivula* (Hampson, 1910) *Dalaca**infumata* (Janse, 1942) *Dalaca**isorrhoa* (Meyrick, 1921) *Dalaca**krooni* Mey, 2019*leniflua* (Janse, 1942) *Dalaca**leucocyma* (Hampson, 1910) *Dalaca**leucophaea* (Janse, 1919) *Dalaca**minuscula* (Janse, 1942) *Dalaca**mimuscular*; Janse, 1942 *Dalaca**nomaqua* (Walker, 1856) *Dalaca**namaqua*; Janse, 1917 *Dalaca**orthocosma* (Janse, 1942) *Dalaca**rivula* (Janse, 1942) *Dalaca**rufescens* (Hampson, 1910) *Dalaca**furva* (Hampson, 1910) *Dalaca**semicana* (Janse, 1919) *Dalaca**stictigrapha* (Hampson, 1910) *Dalaca**troglodytis* (Janse, 1919) *Dalaca**troglodytes*; Janse, 1942 *Dalaca**vaporalis* (Meyrick, 1921) *Dalaca**homostola* (Hampson, 1910) *Dalaca**vindex* (Meyrick, 1939) *Gorgopis**Gorgopis* Hübner, [1820]*Gorgopis*; Walker, 1856*angustiptera* (Janse, 1948) *Metahepialus**annulosa* Gaede, 1930*armillata* Meyrick, 1921*auratilis* Janse, 1919*aurifuscata* Janse, 1942*butleri* Dewitz, 1881*butleri* auct. *Gorgopis**caffra* Walker, 1856*cervina* (Wallengren, 1860) *Hepialus* (as *Hepiolus*)*centaurica* Meyrick, 1921*cochlia* Janse, 1942*crudeni* Janse, 1919*furcata* Janse, 1942*fuscalis* Janse, 1919*grisescens* Gaede, 1930*hunti* Janse, 1942*inornata* Janse, 1942*intervallata* Warren, 1914*leucopetala* Meyrick, 1921*libania** (Stoll, 1781) *Phalaena**abbottii* Holland, 1892*angolensis* Viette, 1956*limbopunctata* (Gaede, 1930) *Dalaca**lobata* Janse, 1942*olivaceonotata* Warren, 1914*pallidiflava* Janse, 1942*krooni* Mey, 2019*petersburgensis* Mey, 2019*pholidota* Meyrick, 1921*ptiloscelis* (Meyrick, 1919) *Hepialus**serangota* Janse, 1942*subrimosa* Janse, 1942*viljoenorum* Mey, 2019*zellerii* Dewitz, 1881*zelleri* auct. *Gorgopis**Leto* Hübner, [1820]*Ecto*; Pagenstecher, 1909*venus** (Cramer, 1780) *Phalaena**Metahepialus* Janse, 1942*Metahepialis*; Janse, 1948*Metahepialis*; Mey, 2011*plurimaculata** (Warren, 1914) *Gorgopis**xenoctenis* (Meyrick, 1926) *Hepialus**Prototheora* Meyrick, 1917*Metatheora* Meyrick, 1919*biserrata* Davis, 1996*cooperi* Janse, 1942*corvifera* (Meyrick, 1920) *Metatheora**drackensbergae* Davis, 1996*geniculata* Davis, 1996*merga* Davis, 1996*monoglossa* Meyrick, 1924*parachlora* (Meyrick, 1919) *Metatheora**paraglossa*; Janse, 1942 *Metatheora**petrosema** Meyrick, 1917*quadricornis* Meyrick, 1920*serruligera* Meyrick, 1920*zimbabwiensis* Meyrick, 2017

NEPTICULOIDEA**NEPTICULIDAE** Stainton, 1854

STIGMELLIDAE

Nepticulinae Stainton, 1854

Stigmellinae

Acalyptris Meyrick, 1921*Microcalyptris* Brown, 1925*Niepeltia* Strand, 1934*Weberia* Müller-Rutz, 1934*Weberina* Müller-Rutz, 1934 (unnecessary replacement name)*acumenta* (Scoble, 1980) *Niepeltia**bispinata* (Scoble, 1980) *Niepeltia**combrella* (Vári, 1955) *Stigmella**fagarivora* (Vári, 1955) *Stigmella**fulva* (Scoble, 1980) *Niepeltia**fuscofascia* (Scoble, 1980) *Niepeltia**krooni* (Scoble, 1980) *Niepeltia**lanneivora* (Vári, 1955) *Stigmella**lorantivora* (Janse, 1948) *Nepticula**lundiensis* (Scoble, 1980) *Niepeltia**mariepsensis* (Scoble, 1980) *Niepeltia**molleivora* (Scoble, 1980) *Niepeltia**obliquella* (Scoble, 1980) *Niepeltia**pundaensis* (Scoble, 1980) *Niepeltia**rubiaevara* (Scoble, 1980) *Niepeltia**sellata* (Scoble, 1980) *Niepeltia**umdoniensis* (Scoble, 1980) *Niepeltia**vacuolata* (Scoble, 1980) *Niepeltia**vepricola* (Vári, 1963) *Stigmella**vumbaensis* (Scoble, 1980) *Niepeltia**zeyheriae* (Scoble, 1980) *Niepeltia**Areticulata* Scoble, 1983*leucosideae** Scoble, 1983**Ectoedemia (Ectoedemia)** Busck, 1907*Dechiria* Beirne, 1945*commiphorella* Scoble, 1978*expeditionis* Mey, 2004*mauni* Scoble, 1979*nigrimacula* (Janse, 1948) *Nepticula**primaria* (Meyrick, 1913) *Nepticula**tersius* Mey, 2004**Ectoedemia (Fomoria)** Beirne, 1945*alexandria* Scoble, 1983*fuscata* (Janse, 1948) *Nepticula**hobohmi* (Janse, 1948) *Nepticula**incisaevora* Scoble, 1983*indicaevora* Scoble, 1983*kharuxabi* Mey, 2004*knysnaensis* Scoble, 1983*leptodictyae* Scoble, 1983*lucidae* Scoble, 1983*malelanensis* Scoble, 1983*myrtinaecola* Scoble, 1983*oleivora* (Vári, 1955) *Stigmella**pappeivora* (Vári, 1963) *Stigmella**portensis* Scoble, 1983*tecomariae* (Vári, 1955) *Stigmella**thermae* Scoble, 1983*uisebi* Mey, 2004*vannifera* (Meyrick, 1914) *Nepticula***Ectoedemia (Laqueus)** Scoble, 1983*bicarina* Scoble, 1983*capensis* Scoble, 1983*craspedota* (Vári, 1963) *Stigmella**crispae* Scoble, 1983*denticulata* Scoble, 1983*digitata* Scoble, 1983*furcella* Scoble, 1983*grandinosa** (Meyrick, 1911) *Nepticula**guerkiae* Scoble, 1983*gymnosporiae* (Vári, 1955) *Stigmella**insulata* (Meyrick, 1911) *Nepticula**jupiteri* Scoble, 1983*kowynensis* Scoble, 1983*limburgensis* Scoble, 1983*macrochaeta* (Meyrick, 1921) *Nepticula**primaria partim* Meyrick, 1913 *Nepticula**maritima* Scoble, 1983*nigrisquama* Scoble, 1983*nylstroomensis* Scoble, 1983*psarodes* (Vári, 1963) *Stigmella**rhabdophora* Scoble, 1983*royencola* (Vári, 1955) *Stigmella**scabridae* Scoble, 1983*simicola* Scoble, 1983*stimulata* (Meyrick, 1913) *Nepticula**subnitescens* (Meyrick, 1937) *Trifurcula**umdoniella* Scoble, 1983*undatae* Scoble, 1983*wilkinsoni* Scoble, 1983**Etainia** Beirne, 1945 (subjective replacement name)*Obrussa* Braun, 1915 (preoccupied)*crypsixantha* (Meyrick, 1918) *Nepticula**krugerensis* (Scoble, 1983) *Obrussa**nigricapitella* (Janse, 1948) *Nepticula**zimbabwiensis* (Scoble, 1983) *Obrussa***Simplimorpha** Scoble, 1983*lanceifoliella** (Vári, 1955) *Stigmella***Stigmella** Schrank, 1802*Astigmella* Puplesis, 1984*Dysnepictula* Börner, 1925*Nepticula* Heyden, 1843*abachausi* (Janse, 1948) *Nepticula**abutilonica* Scoble, 1978*allophylica* Scoble, 1978*alophilica*; Scoble, 1978*ampullata* Scoble, 1978*androflava* Scoble, 1978*angustivalva* Scoble, 1978*caliginosa* (Meyrick, 1921) *Nepticula**celtifoliella* Vári, 1955*charistis* Vári, 1963*confinalis* Scoble, 1978*crotonica* Scoble, 1978*dombeyivora* Scoble, 1978*fluida* (Meyrick, 1911) *Nepticula**galactacma* (Meyrick, 1924) *Nepticula**generalis* Scoble, 1978*geranica* Scoble, 1978*grewiae* Scoble, 1978*hortorum* Scoble, 1978*ingens* (Meyrick, 1913) *Nepticula**irrorata* (Janse, 1948) *Nepticula**krugeri* Vári, 1963*letabensis* Scoble, 1978*liota* Vári, 1963*naibabi* Mey, 2004*nigrata* (Meyrick, 1913) *Nepticula**panconista* (Meyrick, 1920) *Nepticula**parinarella* Vári, 1955*perplexa* (Janse, 1948) *Nepticula**platyzona* Vári, 1963*porphyreuta* (Meyrick, 1917) *Nepticula**potgieteri* Scoble, 1978*pretoriata* Scoble, 1978*protosema* (Meyrick, 1921) *Nepticula**rhynchosiella* Vári, 1955*satarensis* Scoble, 1978*tragilis* Scoble, 1978*triumfettica* Scoble, 1978*urbica* (Meyrick, 1913) *Nepticula**uwusebi* Mey, 2004*vari* Scoble, 1978*worcesteri* Scoble, 1983 (replacement name)*pallida* Scoble, 1978 (preoccupied)*xuthomitra* (Meyrick, 1921) *Nepticula***Trifurcula** Zeller, 1848*Trifurcella*; Chambers, 1878*barbertonensis* Scoble, 1980*pulla* Scoble, 1980**Varius** Scoble, 1983*ochnicolus** (Vári, 1955) *Stigmella*

NEPTICULOIDEA**OPOSTEGIDAE** Meyrick, 1893

Opostega Zeller, 1839
amphimitra Meyrick, 1913
cirrhacma Meyrick, 1911
diplardis Meyrick, 1921
granifera Meyrick, 1913
idiocoma Meyrick, 1918
melitardis Meyrick, 1918
orophoxantha Meyrick, 1921
pelocrossa Meyrick, 1928
phaeosoma Meyrick, 1928
praefusca Meyrick, 1913
radiosa Meyrick, 1913
symbolica Meyrick, 1914
tincta Meyrick, 1918

Pseudopostega Kozlov, 1985
bellicosa (Meyrick, 1911) *Opostega*
clastozena (Meyrick, 1913) *Opostega*
clastozena; Davis, 1989 *Pseudopostega*

ADELOIDEA**ADELIDAE** Bruand, 1850**Nematopogoninae** author, date***Ceromitia** Zeller, 1852

- Agisana* Möschler, 1883
Ceromitia; Nielsen, 1985
Exorectis Meyrick, 1906
Haplotypa Janse, 1945
Trichorrhhabda Meyrick, 1912
Ulometra Meyrick, 1912
albosparsa Janse, 1945
alternipunctella (Walsingham, 1881) *Nemophora*
amphichroa Meyrick, 1908
arata Meyrick, 1920
bipartita (Janse, 1945) *Haplotypa*
bipectinifera Janse, 1945

*to insert brevijuxta

brevilobata (Janse, 1945) *Haplotypa*

- centrologa* Meyrick, 1937
cerochlora Meyrick, 1921
crinigerella (Zeller, 1850) *Nematopogon*
decepta Janse, 1945
delta Janse, 1945
descripta Meyrick, 1924
devia (Janse, 1945) *Agisana*
dicksoni (Janse, 1945) *Haplotypa*
durbanica (Janse, 1945) *Haplotypa*
elongatella (Walsingham, 1881) *Nemophora*
somphodes Meyrick, 1912
fuscipunctella (Janse, 1945) *Agisana*
geminata Meyrick, 1914
gigantea Janse, 1945
graptosema Meyrick, 1914
grisata (Janse, 1945) *Haplotypa*
heteroloba (Janse, 1945) *Haplotypa*
holosticta Meyrick, 1918
impura (Janse, 1945) *Haplotypa*
indigna (Meyrick, 1912) *Ulometra*
intermedia (Janse, 1945) *Haplotypa*
jamaka Mey, 2011
laureata Meyrick, 1912
libropis Meyrick, 1908
melanodesma Meyrick, 1914
melanostrota Meyrick, 1912
mellicoma Meyrick, 1912
miocline Meyrick, 1921
mirata Meyrick, 1917
monopectinifera Janse, 1945
multipunctata Janse, 1945
nerina Meyrick, 1912
ochrotricha Meyrick, 1912
okatjikona Mey, 2011
palyntis Meyrick, 1908
phaeocoma Meyrick, 1912
mesosema Meyrick, 1921
phaeocomoides Janse, 1945
phyrsima Meyrick, 1911
pilularis Meyrick, 1921
rixata Meyrick 1924
praetexta Meyrick, 1924
punctulata Janse, 1945
resonans Meyrick, 1918
simpliciella (Janse, 1945) *Haplotypa*
spatalodes Meyrick, 1920
spilodesma Meyrick, 1908
sporaea Meyrick, 1908
stathmodes Meyrick, 1908
synchroma (Janse, 1945) *Haplotypa*
synneura Meyrick, 1921
systelitis Meyrick, 1921
transtrifera Meyrick, 1912
trigoniferella (Walsingham, 1881) *Nemophora*
trigonoflerella; Janse, 1945 *Ceromitia*
trilobata (Janse, 1945) *Haplotypa*
turpisella (Walker, 1863) *Nemophora*
caffrariella (Möschler, 1883) *Agisana*
flavicoma Meyrick, 1937
turpis; Meyrick, 1912 *Ceromitia*
tyrochlora Meyrick, 1908
benedicta Meyrick, 1918

unguiphora (Janse, 1945) *Haplotypa*

- vansoni* Janse, 1945
vari Mey, 2011
*wahlbergi** Zeller, 1852
xanthocoma Meyrick, 1917

Adelinae author, date*

- Adela** Latreille, [1796]
Adelo; Gistl, [1847]
Aedilis; Gistl, 1848
Capillaria Haworth, 1828
Mettallitis Sodoffsky, 1837 (unnecessary replacement name)
Odela; Christoph, 1882
culminicola Mey, 2011
cuneella Walsingham, 1891
droseropa Meyrick, 1921
electella (Walker, [1863]) *Micropterix* (as *Micropteryx*)
natalensis Stainton, 1860
albicornis Walker, 1863
siccana Mey, 2011

Nemophora Hoffmannsegg, 1798

- Elasmia*; Hübner, 1822 (original misspelling)
Elasmion Hübner, [1806] (unavailable)
Elasmion Hübner, 1822
Epityphia Hübner, [1825]
Eutypchia Hübner, [1825]
Nematois; Walsingham, 1907
Nemophora Agassiz, 1847 (unjustified emendation)
Nemotois Hübner, [1825]
Trichofrons Amsel, 1937
Ucetia Walker, 1866
humilis (Walsingham, 1891) *Nemotois* (as *Nematois*)

CECIDOSIDAE Bréthes, 1916

- Scyrotis** Meyrick, 1909
Liopseustis Meyrick, 1928
Ptisanora Meyrick, 1913
Scyrothis; Mey, 2011
alticolaria Mey, 2007
*athleta** Meyrick, 1909
brandbergensis Mey, 2007
diplopsamma (Meyrick, 1918) *Sapheneutis*
granosa (Meyrick, 1912) *Sapheneutis*
kochi Mey, 2007
matopensis Mey, 2007
namakaroensis Mey, 2007
natalensis Mey, 2011
pulleni Mey, 2007
trivialis (Meyrick, 1913) *Ptisanora*
planicola (Meyrick, 1928) *Liopseustis*

HELIOZELIDAE Heinemann & Wocke, 1876

- Antispila** Hübner, [1825]
argyrozona Meyrick, 1918

- Holocacista** Walsingham & Durrant, 1909
capensis van Nieukerken & Geertsema, 2015
salutans (Meyrick, 1921) *Antispila*
vari (Mey, 2011) *Antispilina*

INCURVARIIDAE Spuler, 1898

- Protaephagus** Scoble, 1980
*capensis** Scoble, 1980

PRODOXIDAE Riley, 1881

- Lampronia** Stephens, 1829
Setella Schrank, 1802
Tanysaccus Davis, 1978
albifusa Meyrick, 1926

- Sindonophora** Meyrick, 1917
*leucozona** Meyrick, 1917
sutrix Meyrick, 1926

TISCHERIOIDEA**TISCHERIIDAE** Spuler, 1898

Coptotriche Walsingham, 1890
africana Puplesis & Diškus, 2003
basipectinella Puplesis & Diškus, 2003
zimbabwiensis Puplesis & Diškus, 2003

Tischeria Zeller, 1839
Evexia Gistl, [1847]
Philodoxa Gistl, 1848
Tischera; Bruand, [1851]
antilope Puplesis, Diškus & Mey, 2003
sparrmanniae Puplesis & Diškus, 2003
martinkrugeri Puplesis & Diškus, 2003
zestica Meyrick, 1911

TINEOIDEA**PSYCHIDAE** Boisduval, 1829**Psychinae** Boisduval, 1829**Bacotia** Tutt, 1899
trimenii (Heylaerts, 1891) *Fumea***Barbaroscardia** Walsingham, 1891
*fasciata** Walsingham, 1891
metaclina Meyrick, 1920**Bythogenes** Meyrick, 1937
*atechna** Meyrick, 1937**Commotrias** Meyrick, 1924
*eucolapta** Meyrick, 1924
euclapta; Janse, 1968 *Commotrias***Criocharacta** Meyrick, 1939
*amphiactis** Meyrick, 1939**Cryptothalea** Duncan [& Westwood], 1841
zelleri (Heylaerts, 1884) *Eumeta***Ctenocompa** Meyrick, 1893
Psychanisa Walker, 1855
famula Meyrick, 1920
halophanta Meyrick, 1921
perlucescens Meyrick, 1927
 perluscens; Janse, 1968 *Ctenocompa*
vafra Meyrick, 1921
zascia Meyrick, 1920**Dissocetena** Staudinger, 1859
affinis Walsingham, 1891**Epaleura** Meyrick, 1917
*salaria** Meyrick, 1917**Epichnopteryx** Hübner, [1825] (see ENDNOTE page 10)
Echinopteryx; Hübner, [1826]
Echinopteryx; Pagenstecher, 1909
Epichnopteryx; Agassiz, 1847 (unjustified emendation)
Epignopteryx; Heylaerts, 1906
Epigynopteryx; Neave, 1939
 Whittleia Tutt, 1900
transvalica Hampson, 1910 (as *Epichnopteryx*)**Gymnelema** Heylaerts, 1891
discrepta Meyrick, 1924
holoperca Meyrick, 1924
leucopasta Hampson, 1910
pelverulenta Hampson, 1910
 imitata Janse, 1917
 pulverulenta; Janse, 1917 *Gymnelema*
plebigena Meyrick, 1924
*rougemontii** Heylaerts, 1891
 rougemonti auct. *Gymnelema*
stibarodes (Meyrick, 1909) *Melasina*
stygialis Hampson, 1910
vinca (Walker, 1865) *Cossus*
 incanescens (Butler, 1875) *Cossus***Lasioctena** Meyrick, 1887
bonaprospecti Mey, 2011
*sisyraea** Meyrick, 1887**Lytrophila** Meyrick, 1913
gracilis Mey, 2011
humida Meyrick, 1913
ingeminata Meyrick, 1914
*panarga** Meyrick, 1913
phaulopa Meyrick, 1921
sporarcha Meyrick, 1921**Mallobathra** Meyrick, 1888
zophaula Meyrick, 1920**Mesopherna** Meyrick, 1893
incultella (Walker, 1864) *Tinea***Patromasia** Meyrick, 1926
*petroglypta** Meyrick, 1926**Picrospora** Meyrick, 1912*Acorostoma* Meyrick, 1914
Chlorophytis Meyrick, 1912
Emphantica Meyrick, 1928
Encelidotis Meyrick, 1920
Halogenes Meyrick, 1937
Idiotechna Meyrick, 1920
Thrombogenes Meyrick, 1921
achlyota (Meyrick, 1926) *Tinea*
amalthea (Meyrick, 1937) *Halogenes*
anastrota Meyrick, 1912
*aarea** Meyrick, 1912
 aerea; Janse, 1968 *Picrospora*
chrysocalca (Meyrick, 1926) *Acorostoma*
coniographa (Meyrick, 1928) *Emphantica*
crocostacta (Meyrick, 1912) *Scythropia*
frigens (Meyrick, 1921) *Acorostoma*
furcifera (Meyrick, 1920) *Idiotechna*
inops (Meyrick, 1921) *Acorostoma*
invia (Meyrick, 1921) *Acorostoma*
isometra (Meyrick, 1926) *Acorostoma*
lithacopa Meyrick, 1920
medicata (Meyrick, 1914) *Acorostoma*
 mediata; Janse, 1968 *Acorostoma*
monoplecta (Meyrick, 1921) *Acorostoma*
ochrophragma (Meyrick, 1920) *Encelidotis*
oreotrephes Mey, 2011
protocentra Meyrick, 1921
purgata Meyrick, 1913
secura (Meyrick, 1912) *Chlorophytis*
selmatarcha (Meyrick, 1921) *Thrombogenes***Psyche** Schrank, 1801*Fumaria* Haworth, 1811
Fumea Haworth, 1812
Masonia Tutt, 1900
Phyche; Bechstein, 1818
Proutia Tutt, 1899
Saccofera Sodoffsky, 1837 (unnecessary replacement name)
Saccofora; Sodoffsky, 1837
Saccophora Agassiz, 1847 (unjustified emendation)
fatalis (Meyrick, 1926) *Fumea*
luticoma (Meyrick, 1918) *Fumea*
obscurata (Meyrick, 1917) *Fumea*
ominosa (Meyrick, 1918) *Fumea*
pinicola (Meyrick, 1937) *Fumea***Sapheneutis** Meyrick, 1907*certificata* Meyrick, 1918
galactodes Meyrick, 1915
thliipsias Meyrick, 1915**Sclerophricta** Meyrick, 1918
*tyreuta** Meyrick, 1918**Sematocera** Durrant, 1892
*fuliginipuncta** Durrant, 1892**Trichocossus** Hampson, 1910
*albiguttatus** Hampson, 1910
arvensis Janse, 1917**Zelomora** Meyrick, 1915
phyctidota Meyrick, 1920ENDNOTE: *Epichnopteryx* Hübner was transferred from Psychinae to Epichnopteriginae by Davis & Robinson in Kristensen (1999).**Typhoniinae** author, date***Lithopleurota** Meyrick, 1939
*monachopis** Meyrick, 1939**Penestoglossa** Rogenhofer, 1875 (replacement name)
Dyselpistis Meyrick, 1938
Psilotricha Wocke, 1871 (preoccupied)
Ulothrix; Rebel, 1940
capensis Felder & Rogenhofer, 1875
dyscrita Meyrick, 1926

TINEOIDEA***Typhonia*** Boisduval, 1834 (replacement name) (see ENDNOTE page 11)*Coracia* Hübner, [1819] (preoccupied)*Corasia*; Hübner, [1826]*Malasina*; Leraut, 1997*Melasina* Boisduval, 1840*abacodes* (Meyrick, 1908) *Melasina**amica* (Meyrick, 1908) *Melasina**animosa* (Meyrick, 1913) *Melasina**ominosa*; Dalla Torre & Strand, 1929 *Melasina**bettoni* (Butler, 1898) *Microcossus**hippias* (Meyrick, 1921) *Melasina**circophora* (Meyrick, 1909) *Melasina**cnaphalodes* (Meyrick, 1917) *Melasina**craphalodes*; Vári, 1958 *Melasina**craterodes* (Meyrick, 1917) *Melasina**cylindraula* (Meyrick, 1920) *Melasina**dissoluta* (Meyrick, 1908) *Melasina**effervescaens* (Meyrick, 1911) *Melasina**gypsopetra* (Meyrick, 1937) *Melasina**halieutis* (Meyrick, 1908) *Melasina**homoperca* (Meyrick, 1920) *Melasina**indigena* (Meyrick, 1917) *Melasina**interscissa* (Meyrick, 1924) *Melasina**inveterata* (Meyrick, 1915) *Melasina**linodyta* (Meyrick, 1921) *Melasina**liochra* (Meyrick, 1908) *Melasina**marmarodes* (Meyrick, 1920) *Melasina**mylica* (Meyrick, 1908) *Melasina**nectaritis* (Meyrick, 1915) *Melasina**nigrescens* (Meyrick, 1920) *Melasina**paraphrictis* (Meyrick, 1908) *Melasina**pelostrota* (Meyrick, 1927) *Melasina**petrodes* (Meyrick, 1914) *Melasina**picea* (Meyrick, 1917) *Melasina**salicoma* (Meyrick, 1918) *Melasina**stelitis* (Meyrick, 1908) *Melasina**stuepa* (Wallengren, 1875) *Euplocamus**stupens*; Gozmány & Vári, 1973 *Euplocamus**stupeus* (Wallengren, 1875) *Euplocamus**susurrans* (Meyrick, 1911) *Melasina**systolaea* (Meyrick, 1908) *Melasina**talaria* (Meyrick, 1924) *Melasina**tanyphaea* (Meyrick, 1924) *Melasina**tyrophanes* (Meyrick, 1917) *Melasina***Placodomiae** author, date****Australoplacodoma*** Sobczyk & Mey, 2007*bicolorata** Sobczyk & Mey, 2007***Placodoma*** Chrétien, 1915*brandbergensis* Sobczyk & Mey, 2007*fulva* Sobczyk & Mey, 2007*vista* Mey, 2011**Oiketicinae** author, date****Acanthopsyche*** Heylaerts, 1881*Eumetisa* Sonan, 1935*emiliae* (Heylaerts, 1890) *Chalia**roomei* Bourgogne, 1984*tristis* Janse, 1917***Albidopsis*** Bourgogne, 1975*major** (Heylaerts, 1890) *Monda****Bambalina*** Moore, [1883]*africa* Bourgogne, 1984***Deborreides*** Bourgogne, 1982*febrettina** (Bourgogne, 1965) *Deborrea****Diaphanopsyche*** Clench, 1959*rogenhoferi* (Heylaerts, 1890) *Monda****Eumeta*** Walker, 1855*cervina* Druce, 1887*hardenbergi* Bourgogne, 1955***Fallacipsyche*** Bourgogne, 1977*adelpha* Bourgogne, 1977***Janseides*** Bourgogne, 1979*subhyalina** (Janse, 1917) *Psyche****Kotochalia (Chaliopsis)*** Betrem & Ossowski, 1956*brunnescens* (ssp. of *junodi*) (Gaede, 1929) *Acanthopsyche**junodi brunnescens* (Gaede, 1929) *Acanthopsyche**junodi junodi* (Heylaerts, 1890) *Eumeta**joannis* (Oberthür, 1911) *Psyche**junodis*; Conte & Vaney, 1911 *Psyche**vuilleti* (Oberthür, 1909) *Psyche****Metisa*** Walker, 1855*Semimanatha* Janse, 1919***aethiops*** (Hampson, 1910) *Manatha**fumosa* (Janse, 1919) *Acanthopsyche**heylaerti* (Junod, 1898) *Monda**jansei* Bourgogne, 1973***Monda*** Walker, 1865*bicolor* Strand, 1911*delicatissima** Walker, 1865*delicatissima*; Gaede, 1929 *Monda****Oiketicoides*** Heylaerts, 1881*Oeceticodes* Kirby, 1882 (unjustified emendation)*Oeketicoides*; Pagenstecher, 1909*Oiketicina*; Tutt, 1900*maledicta* (Scheben, 1910) *Chalia****Pseudometisa*** Dierl, 1972*alba** (Janse, 1917) *Acanthopsyche***Taleporiinae** author, date****Amydria*** Clemens, 1859*Amadrya*; Chambers, 1878*poliodes* Meyrick, 1909***Taleporia*** Hübner, [1825]*Cochleophasia* Curtis, 1834*Cochliophasia* Agassiz, 1847 (unjustified emendation)*Solenobia* Duponchel, [1843]*Talaeporia*; Walker, 1855*Talaeporia*; Zeller, 1838*Talaeporina*; Seibold, 1879*Taleporia*; Guenée, 1846*discussa* Meyrick, 1921 (as *Talaeporia*)*discassa*; Riley, 1921 (as *Talaeporia*)*mesochlora* Meyrick, 1918 (as *Talaeporia*)*sciacta* Meyrick, 1921 (as *Talaeporia*)***Thranitica*** Meyrick, 1908*hemicopa** Meyrick, 1908**Naryciinae** author, date****Narycia*** Stephens, 1836*Xysmatodoma* Zeller, 1852*centropa* Meyrick, 1922*copiosa* Meyrick, 1921*isoxantha* Meyrick, 1920*prothyrodes prothyrodes* Meyrick, 1921*prothyrodes transvaalicola* Strand, 1929*transvaalicola* (ssp. of *prothyrodes*) Strand, 1929***Picronarycia*** Mey, 2011*antibatis* (Meyrick, 1926) *Narycia**deserta* Mey, 2011*karioscola* Mey, 2011*maculasquamosa* (Sobczyk & Mey, 2007) *Picrospora**richtersveldicola* Mey, 2011*transversa** Mey, 2011ENDNOTE: *Typhonia* Boisduval was transferred from Lypusinae to Typhoniidae by Davis & Robinson in Kristensen (1999).

TINEOIDEA**ERIOCOTTIDAE** Spuler, 1898**Eriocottinae** Spuler, 1898

*to fall away?

Comsocteninae author, date***Cathalistis** Meyrick, 1917

Cathalists; Fletcher, T.B., 1929

bispinosa Mey, 2011*orinephela** Meyrick, 1917*secularis* (Meyrick, 1918) *Eucryptogona***Comsoctena** Zeller, 1852*Galaria* Walker, 1866*Thapava* Walker, 1864*Tissa* Walker, 1863*aedifica* (Meyrick, 1908) *Melasina**africanella* (Strand, 1909) *Alavona**agria* (Meyrick, 1909) *Melasina**araeopis* (Meyrick, 1926) *Melasina**autoderma* (Meyrick, 1914) *Melasina**brachyctenis* (Meyrick, 1909) *Melasina**brandbergensis* Mey, 2007*connexalis* (Walker, 1863) *Tissa**cyclatma* (Meyrick, 1908) *Melasina**delocrossa* (Meyrick, 1921) *Melasina**dermatodes* (Meyrick, 1914) *Melasina**expers* (Meyrick, 1911) *Melasina**fossoria* (Meyrick, 1920) *Melasina**furciformis* (Meyrick, 1921) *Melasina**fruciformis*; Dierl, 1970 *Comsoctena**isopetra* (Meyrick, 1921) *Melasina**kaokoveldi* Mey, 2011*leucoconis* (Meyrick, 1926) *Melasina**lycophanes* (Meyrick, 1924) *Melasina**melitoploca* (Meyrick, 1927) *Melasina**microctenis* (Meyrick, 1914) *Melasina**tridentifera* (Meyrick, 1927) *Melasina**numeraria* (Meyrick, 1914) *Melasina**ochrastis* (Meyrick, 1937) *Melasina**ostracitis* (Meyrick, 1913) *Melasina**primella** Zeller, 1852*inquinalis* (Walker, 1863) *Tissa**inquinalis*; Pinhey, 1975 *Tissa**natalana* (Walker, 1864) *Thapava**subauratana* (Walker, 1866) *Galaria**psammosticha* (Meyrick, 1921) *Melasina**quassa* (Meyrick, 1921) *Melasina**rudis* (Meyrick, 1921) *Melasina**scriba* (Meyrick, 1921) *Melasina**spilophanes* (Meyrick, 1921) *Melasina**talarodes* (Meyrick, 1927) *Melasina**terrestris* (Meyrick, 1914) *Melasina*

TINEOIDEA**TINEIDAE** Latreille, 1810

Dryadaulinae author, date*
Archimeessiini

Dryadaula Meyrick, 1893
Archimeessia Zagulajev, 1970
Chorocosma Meyrick, 1893
Choropleca Durrant, 1914 (replacement name)
Cyane Chambers, 1873 (preoccupied)
Diachalastis Meyrick, 1920
Ditrigonophora Walsingham, 1897
Eressoxesta Gozmány & Vári, 1973
Opsodoca Meyrick, 1919
Reinhardia Sachkov, 1996
Slitereia Sachkov, 1996
Strophalinga Gozmány & Vári, 1973
Thermocrates Meyrick, 1936
zygodes (Meyrick, 1918) *Tinea*

Erechthiinae author, date*

Erechthias Meyrick, 1880
Acrocenotes Diakonoff, 1968
Aeolarchis Meyrick, 1935
Amphisyncentris Meyrick, 1933
Anemerarcha Meyrick, 1937
Calliceraspis auct.
Caryolestis Meyrick, 1934
Decadarchis Meyrick, 1886
Empaesta Bradley, 1956
Ereunetis Meyrick, 1880
Gongylodes Turner, 1933
Hectacma Meyrick, 1915
Lepidobregma Zimmerman, 1978
Malacograptis Meyrick, 1922
Mecomodica Zimmerman, 1978
Neodecadarchis Zimmerman, 1978
Nesoxena Meyrick, 1929
Pantheus Zimmerman, 1978
Tinexotaxa Gozmány, 1968
Triadogona Meyrick, 1937
Zanclopseustis Meyrick, 1921
glossophora (Meyrick, 1926) *Hectacma*

Hapsiferinae author, date*

Cimitra Walker, 1864
Scalidomia Walsingham, 1891
fetialis (Meyrick, 1917) *Hapsifera*
endroedyi (Gozmány, 1965) *Scalidomia*
corrigata (Gozmány, 1967) *Scalidomia*
horridella (Walker, 1863) *Tinea*
spinignatha (Gozmány, 1968) *Scalidomia*

Dasytes Durrant, 1903
colorata Gozmány, 1967
obliterata Gozmány, 1968
*rugosella** (Stainton, 1859) *Cerostoma*
hirsutella (Walsingham, 1881) *Psoricoptera*

Hapsifera Zeller, 1847

Euplocera Ragonot, 1895
Pseudohapsifera Amsel, 1935
Ptochoglyptis Meyrick, 1938
euschema Gozmány, 2004
glebata Meyrick, 1908
cervina Gozmány, 1965
marmorata Meyrick, 1914
meliceris Meyrick, 1908
ochroptila Meyrick, 1908
pardalea Meyrick, 1908
septica Meyrick, 1908

Hapsiferona Gozmány, 1967
*glareosa** (Meyrick, 1912) *Hapsifera*

Paraptica Meyrick, 1917
*concinerata** Meyrick, 1917

Phyciodyta Meyrick, 1918
*neritis** Meyrick, 1918

Pitharcha Meyrick, 1908
atrisecta (Meyrick, 1918) *Hapsifera*
*chalinaea** Meyrick, 1908
fasciata (Ghesquière, 1940) *Hapsifera*

Tiquadra Walker, 1863
Acoreuta; Bertkau, 1879
Acureuta Zeller, 1877
Cyathaula Meyrick, 1886
Manchana Walker, 1866
Mastigostoma Meyrick, 1911
Oscella Walker, 1864
Ventia Walker, 1866
goochii Walsingham, 1881
lichenea Walsingham, 1891

Hieroxestinae author, date*
Dendroneurinae
Oenophilidae

Amphixystis Meyrick, 1901
Coeliometopa Turner, 1923
Machimostola Meyrick, 1928
Orthochtha Meyrick, 1928 (preoccupied)
Orthochthella Fletcher, T.B., 1940 (replacement name)
Problastodes Meyrick, 1928
Sporadartha Meyrick, 1911
Ulocorys Meyrick, 1915
anchiala (Meyrick, 1909) *Gephyristis*
oxystyla (Meyrick, 1911) *Gephyristis*
certa (Meyrick, 1918) *Oinophila*
cymataula (Meyrick, 1926) *Sporadartha*
epirota (Meyrick, 1914) *Sporadartha*
serrata (Meyrick, 1914) *Oinophila*
syntricha (Meyrick, 1910) *Oinophila*

Gephyristis Meyrick, 1909
magica Gozmány, 2004

Oinophila Stephens, 1848
Oenophila; Dunning & Pickard, [1859]
*v-flava** (Haworth, 1828) *Gracillaria*

Opogona Zeller, 1853
Cachura Walker, 1864
Conchyliospila Wallengren, 1861
Dendroneura Walsingham, 1892
Exala Meyrick, 1912
Hieroxestis Meyrick, 1893
Lissocarena Turner, 1923
Loxostoma; Turner, 1917
Lozostoma Stainton, 1859
actaeon (Wollaston, 1879) *Tinea*
amphichorda Meyrick, 1921
anachoreta (Meyrick, 1921) *Hieroxestis*
anticella (Walker, 1875) *Cerostoma*
apicalis (Wollaston, 1879) *Tinea*
atlantica (Wollaston, 1879) *Tinea*
binotatella (Walker, 1875) *Tinea*
brunneomarmorata (Wollaston, 1879) *Tinea*
chlorophanes Meyrick, 1908
compositarum (Wollaston, 1879) *Tinea*
congenera (Wollaston, 1879) *Tinea*
cyrtomis Meyrick, 1915
*dimidiatella** Zeller, 1853
semisulphurea (Stainton, 1859) *Lozostoma*
divisa (Wollaston, 1879) *Tinea*
fasciculata (Wollaston, 1879) *Tinea*
flavotincta (Wollaston, 1879) *Tinea*
harpalea Meyrick, 1911
helenea (Wollaston, 1879) *Tinea*
helenaeoides (Wollaston, 1879) *Tinea*
indiscreta (Meyrick, 1917) *Hieroxestis*
iricharis (Meyrick, 1926) *Hieroxestis*
irrorata (Wollaston, 1879) *Tinea*
ischnoscia Meyrick, 1928
niveopicta (Wollaston, 1879) *Tinea*
omastiis Meyrick, 1937
omoscopa (Meyrick, 1893) *Hieroxestis*
apicalis (Swezey, 1909) *Opogona*
praematura (Meyrick, 1909) *Hieroxestis*
strassenella (Enderlein, 1903) *Gracillaria* (as *Gracilaria*)

TINEOIDEA*phaeochalca* Meyrick, 1908*phaeocrana* Meyrick, 1914*pyrometalla* (Meyrick, 1928) *Oinophila**recurva* (Wollaston, 1879) *Elachista**sacchari* (Bojer, 1856) *Alucita* *lignifera* (Walker, 1875) *Gelechia* *plumipes* (Butler, 1876) *Laverna* *sanctaehelenae* (Walker, 1875) *Gelechia* *subcervinella* (Walker, 1863) *Tinea**scalaris* (Wollaston, 1879) *Tinea**scaphopis* Meyrick, 1909*subaeneella* (Walker, 1875) *Tinea**trophis* Meyrick, 1913*ursella* (Walker, 1875) *Tinea**vilis* (Wollaston, 1879) *Tinea***Phaeoses** Forbes, 1922*Calamograptis* Meyrick, 1937*lithacma* (Meyrick, 1921) *Hieroxestis**pileigera* (Meyrick, 1913) *Hieroxestis***Wegneria** Diakonoff, 1951*speciosa* (Meyrick, 1914) *Opogona***Meessiinae** author, date*

Infurcitineinae

Celesticini

Lichenovorini

Novotineini

Tenaga Clemens, 1862*Lichenovora* Petersen, 1957*Macraeola* Meyrick, 1893*nigripunctella* (Haworth, 1828) *Tinea* *linobola* (Meyrick, 1893) *Macraeola* *moeniella* (Rössler, 1877) *Tinea* *pomiliella** Clemens, 1862 *sesquitertia* (Meyrick, 1909) *Tinea***Myrmecozelinae** author, date*

Ateliotini

Cephimallotini

Ceratuncini

Haplotineini

Hilaropterini

Phthoropoeinae

Prototaphreutini

Rhodobatinae

Syncalipsini

Ateliotum Zeller, 1839*Craterombris* Meyrick, 1921*Dysmasia* Herrich-Schäffer, 1853*Hylophygas* Meyrick, 1932*Hyoprora* Meyrick, 1908*Metarsiora* Meyrick, 1937*Saridocompsa* Meyrick, 1937*crymodes* (Meyrick, 1908) *Hyoprora**reluctans* (Meyrick, 1921) *Craterombris***Ellochotis** Meyrick, 1920*caligata* (Meyrick, 1913) *Amydria**ectocharis* Gozmány, 1976*exilis* Gozmány & Vári, 1973*fraudulenta* (Meyrick, 1912) *Amydria**infausta** Meyrick, 1920*leontopa* (Meyrick, 1908) *Amydria**lyncoedes* (Meyrick, 1921) *Myrmecozela**opifica* (Meyrick, 1908) *Amydria**picroxesta* (Meyrick, 1926) *Myrmecozela**purpurea* (Stainton, 1860) *Tinea**territa* (Meyrick, 1920) *Myrmecozela**trophias* (Meyrick, 1908) *Amydria**verecunda* (Meyrick, 1911) *Amydria* *vercunda*; Janse, 1917 *Amydria***Harmaclona** Busck, 1914 (see ENDNOTE on page 17)*Lophoseta* Fletcher, T.B., 1939 (replacement name)*Micrerethista* Meyrick, 1938*Ptychoxena* Meyrick, 1916*Syncopaca* Meyrick, 1938 (preoccupied)*natalensis* Bradley, 1953*natalensis*; Bradley, 1956 *Harmaclona***Janseana** Gozmány & Vári, 1973*sceptica* (Meyrick, 1910) *Barbaroscardia**vibrata** (Meyrick, 1913) *Phthoropoea* *crispa* (Meyrick, 1920) *Latypica***Myrmecozela** Zeller, 1852*Dulcana* Zagulajev, 1975*Flavida* Zagulajev, 1975*Myrmecocela*; Wocke, 1871*Proctolopha* Rebel, 1915*Promasia* Chrétien, 1905*Psecadioidea* Butler, 1881*Psephologa* Meyrick, 1921*isopsamma* Meyrick, 1920 *abyssinica* Gozmány, 1960 *ethiopica* Gozmány, 1960 *favens* Meyrick, 1917 (*partim*) (not available) *pelochlora* (Meyrick, 1920) *Tineola* *philoptica* Meyrick, 1931**Myrmecozela** auct.*pauroperma* Meyrick, 1926*polygonis* Meyrick, 1926**Orocrypsona** Gozmány, 2004*micraula* Gozmány, 2004*periacantha* Gozmány, 2004*punctirama** Gozmány, 2004*rhyparala* Gozmány, 2004**Phthoropoea** Walsingham, 1896*Aphanoptis* Meyrick, 1927*Gnathosaristis* Meyrick, 1936*Plemyristis* Meyrick, 1915*Polycompsistis* Meyrick, 1932*oenochares* (Meyrick, 1920) *Plemyristis***Propachyarthra** Gozmány & Vári, 1973*convallata** (Meyrick, 1918) *Myrmecozela***Rhodobates** Ragonot, 1895*Chliarostoma* Meyrick, 1913*Paraplutella* Rebel, 1901*Phaulogenes* Meyrick, 1938*Tineodoxa* Amsel, 1955*mirabilis* Mey, 2011*paracosma* (Meyrick, 1908) *Scardia* *relecta* (Meyrick, 1913) *Chliarostoma***Scalmatica** Meyrick, 1911*Epicnaptis* Meyrick, 1916*Latypica* Meyrick, 1916*gnathosella* Mey, 2011*myelodes* (Meyrick, 1921) *Hapsifera**phaulocentra* (Meyrick, 1921) *Latypica**saccusella* Mey, 2011**Tracheloteina** Gozmány, 1967*arctocephala* (Meyrick, 1909) *Amydria**bilobata* Gozmány, 1968*farraginella** (Zeller, 1852) *Tinea**ordinata* (Meyrick, 1921) *Myrmecozela**pelopatra* (Meyrick, 1917) *Amydria**percatis* (Meyrick, 1908) *Amydria**spinipenis* Gozmány, 1968*suspiciosa* (Meyrick, 1912) *Tinea* *favens* (Meyrick, 1917) *Myrmecozela* (*partim*) (not available)*virgo* Gozmány, 1967**Nemapogoninae** author, date*

Triaxomerini

Dinica Gozmány, 2004*vulcanica* Gozmány, 2004**Nemapogon** Schrank, 1802*Anemapogon* Zagulajev, 1963*Brosis* Hübner, 1822 (preoccupied)

TINEOIDEA

- Diaphthirusa* Hübner, [1825] (replacement name)
Longiductus Zagulajev, 1964
Nematopogon Agassiz, 1847 (unjustified emendation)
Nemopogon; Oken, 1815
Paranemopogon Zagulajev, 1964
Petalographis Zagulajev, 1962
granella* (Linnaeus, 1758) *Phalaena Tinea*
costotristrigella (Chambers, 1873) *Tinea*
domesticella (Scopoli, 1763) *Phalaena*
fenestrella (Scopoli, 1763) *Phalaena* (preoccupied)
fuscicomella (Wörz, 1958) *Tinea*
fuscomaculella (Chambers, 1875) *Tinea*
mancuniella (Hodgkinson, 1880) *Tinea*
marmorella (Chambers, 1873) *Tinea*
nebulosella (Fourcroy, 1785) *Tinea*
nigroatomella (Dietz, 1905) *Tinea*
tesserella (Fabricius, 1794) *Tinea*
- Perissomasticinae** author, date*
Episcardini
- Cylicobathra** Meyrick, 1920
argocoma (Meyrick, 1914) *Tineola*
*chionarga** Meyrick, 1920
leucomima (Meyrick, 1921) *Tinea*
- Ectabola** Gozmány, 1966
phaeocephala (Meyrick, 1918) *Tineola*
- Edosa** Walker, 1866
Bilobatana Zagulajev, 1975
Chrysoryctis Meyrick, 1886
Episcardia Ragonot, 1895
audens (Meyrick, 1921) *Tinea*
effulgens (Gozmány, 1965) *Episcardia*
gypsoptera (Gozmány, 1968) *Episcardia*
leucastis (Meyrick, 1908) *Tineola*
lissochlora (Meyrick, 1921) *Tinea*
namakwana Mey, 2011
oratrix (Meyrick, 1913) *Tineola*
periniphia (Gozmány, 1968) *Episcardia*
rholodesica (Gozmány, 1967) *Episcardia*
sanctifica (Meyrick, 1921) *Tinea*
- Hyperbola** Gozmány, 1965
chloristis (Meyrick, 1908) *Tineola*
mellichroa (Gozmány, 1968) *Hyperbola*
phocina (Meyrick, 1908) *Tineola*
- Neoepiscardia** Gozmány, 2004 *to mark type species
bicornuta Gozmány, 2004
namibiae Gozmány, 2004
- Perissomastix (Psolarcha)** Meyrick, 1933
Aphrodoxa Gozmány, 1959
Betroka Petersen, 1988 (preoccupied)
Boviceras Turati, 1919
Catabola Durrant, 1913
Crassicornella Agenjo, 1952
Denticlunicula Petersen, 1988
Lazocatena Gozmány, 1959
Malacyntis Meyrick, 1908
Neopsolarcha Petersen, 1988
Perrisomastix; Mey, 2011
Petersenia Gozmány, 1960 (preoccupied)
Praelongicera Amsel, 1956
Tineomorpha Amsel, 1956
Trokabe Viette, 1993
adamasta (Meyrick, 1909) *Tinea*
caryocephala (Meyrick, 1937) *Tineola*
christinae Gozmány, 1965
dannificella (Zeller, 1852) *Tinea*
ochropsamma (Meyrick, 1908) *Tineola*
dentifera Gozmány & Vári, 1973
fulvicoma (Meyrick, 1921) *Tinea*
holopsamma (Meyrick, 1908) *Tineola*
holopsana; Janse, 1917 *Perissomastix*
mascherata Gozmány, 1965
meretrix (Meyrick, 1908) *Tineola*
mili Gozmány, 1965
montis Gozmány, 1968
mucrapex Gozmány, 1968
nox Gozmány, 1968
- peltiger* Mey, 2011
perlata Gozmány, 1967
recurvata Gozmány, 1968
vari Gozmány, 1967
- Sphallesihasis** Gozmány, 1959
Sphallestasis; Petersen & Gaedike, 1982
catharinæ (Gozmány, 1968) *Episcardia*
ectofurca (Gozmány, 1965) *Episcardia*
euplocamis (Meyrick, 1918) *Tinea*
exarata (Gozmány, 1968) *Episcardia*
hyalodes (Meyrick, 1913) *Tinea*
janesei (Gozmány, 1965) *Episcardia*
mahunkai Gozmány, 1976
oenopis (Meyrick, 1908) *Tinea*
paramecis (Gozmány, 1969) *Episcardia*
paraxena (Meyrick, 1908) *Tinea*
spatulata (Gozmány, 1967) *Episcardia*
tanystis (Meyrick, 1908) *Tinea*
angulivalva (Gozmány, 1965) *Episcardia*
- Theatrocchora** Meyrick, 1921
*cosmophanes** Meyrick, 1921
- Scardiinae** author, date*
Semeolonchini
Tinissinae
- Morophaga** Herrich-Schäffer, 1853
Atabyria; Rebel, 1901
Atabyria Snellen, 1884
Microscardia Amsel, 1952
Osphretica Meyrick, 1910
soror Gozmány, 1965
- Tinissa** Walker, 1864
Polymnestra Meyrick, 1927
polystacta (Meyrick, 1918) *Scardia*
perilithas (Meyrick, 1927) *Polymnestra*
perilithias; Gozmány & Vári, 1973 *Polymnestra*
- Setomorphinae** author, date*
- Setomorpha** Zeller, 1852
Apotomia Dietz, 1905
Atticonviva Busck, 1935
Epilegis Dietz, 1905
Semioita Dietz, 1905
*rutella** Zeller, 1852
cariosella (Dietz, 1905) *Epilegis*
clemensella (Chambers, 1874) *Amydria*
contestata Meyrick, 1922
corticinella Snellen, 1885
discipunctella Rebel, 1894
dryas (Butler, 1881) *Chrestotes*
euryspoda (Lower, 1918) *Trisyntopa*
fractiliniella (Dietz, 1905) *Apotomia*
inamoenella Zeller, 1873
insectella auct.
majorella Dietz, 1905
margalaestriata Keuchenius, 1917
multimaculella (Chambers, 1878) *Gelechia*
nitella Vouet, 1935
operosella Zeller, 1873
ruderella Zeller, 1873
rupicella Zeller, 1852
sigmoidella Dietz, 1905
tineoides Dammerman, 1919
transversestrigella (Dietz, 1905) *Semioita*
- Lindera** Blanchard, 1852
Cervitinea Amsel, 1956
Chrestotes Butler, 1881 (preoccupied)
Paraneura Dietz, 1905
Safra Walker, 1864 (preoccupied)
*tessellella** Blanchard, 1852
bogotatella (Walker, 1864) *Safra*
calcularis (Meyrick, 1906) *Setomorpha*
cruciferella (Dietz, 1905) *Paraneura*
ehrhornella (Dietz, 1905) *Paraneura*
simulella (Dietz, 1905) *Paraneura*
variegella (Blanchard, 1852) *Palpula*

TINEOIDEA**Siloscinae** author, date**Organodesma* Gozmány, 1965
erinacea (Walker, 1863) *Tinea**Silosca* Gozmány, 1965
savannae Gozmány, 1968**Tineinae** author, date**Blabophaninae*
Monopinae
Phereoecini
Pringleophagini
*Trichophagini**Acridotarsa* Meyrick, 1893
Ectinocampa Silvestri, 1944*Emmetoeca* Meyrick, 1921
Holacarta Meyrick, 1917*Paraclystis* Meyrick, 1915*Passalactis* Meyrick, 1935*Plastopolypus* Silvestri, 1920*melipecta* (Meyrick, 1915) *Paraclystis*
comprehensa (Meyrick, 1921) *Latypica*
divisa (Silvestri, 1920) *Plastopolypus*
integra (Silvestri, 1920) *Plastopolypus*
melicosma (Meyrick, 1921) *Emmetoeca*
tentatrix (Meyrick, 1935) *Passalactis**Asymphyla* Gozmány & Vári, 1973
*asperata** (Meyrick, 1918) *Tinea**Ceratophaga* Petersen, 1957
ethadopa (Meyrick, 1938) *Tinea*
lichmodes (Meyrick, 1921) *Tinea*
neodryas Gozmány, 2004
obnoxia (Meyrick, 1917) *Tinea*
tragoptila (Meyrick, 1917) *Tinea*
vastella (Zeller, 1852) *Euplocamus*
gigantella (Stainton, 1860) *Tinea*
lucidella (Walker, 1863) *Tinea*
xanthastis (Meyrick, 1908) *Tineola*
tolma (Bradley, 1965) *Tinea**Clepticodes* Meyrick, 1927
*horocentra** Meyrick, 1927*Crypsithyris* Meyrick, 1907
cerodectis Meyrick, 1921
fuscocoma Meyrick, 1937
hemiphracta Meyrick, 1926
insolita Meyrick, 1918
spissa Meyrick, 1918*Enargocrasis* Gozmány & Vári, 1973
*galactopsis** (Meyrick, 1921) *Criticonoma**Monopis* Hübner, [1825]
Blabophanes Zeller, 1852
Eusynopa Lower, 1903
Hyalospila Herrich-Schäffer, 1853
Rhitia Walker, 1864
crocicapitella (Clemens, 1859) *Tinea*
amandatella (Walker, 1863) *Tinea*
cecconi Turati, 1919
dobrogica Georgescu, 1964
heringi (Richardson, 1893) *Blabophanes*
hyalinella (Staudinger, 1870) *Tinea*
lombardica (Hering, E., 1889) *Blabophanes*
prometopia (Gyen, 1913) *Amydria*
ptilophaga (Enderlein, 1909) *Blabophanes*
immaculata Gozmány, 1967
lamprostola Meyrick, 1918
megalodelta Meyrick, 1908
meyricki Gozmány, 1967
nepheloscope Meyrick, 1928
persimilis Gozmány, 1965
rejectella (Walker, 1864) *Tinea*
pellucida (Wallengren, 1875) *Blabophanes*
ubangi Gozmány, 1966
rutilicostella (Stainton, 1860) *Tinea*
ethelella Meyrick, 1909
perforata Meyrick, 1911*speculella* (Zeller, 1852) *Tinea*
transeans Gozmány, 1965*Nearolyma* Gozmány & Vári, 1973
*pyrsocoma** (Meyrick, 1937) *Tinea**Niditinea* Petersen, 1957*Tineidia* Zagulajev, 1960*fuscella* (Linnaeus, 1758) *Phalaena Tinea*
abligatella (Walker, 1863) *Tinea*
crinitella (Schrank, 1802) *Tinea*
distsans (Gozmány, 1959) *Tinea*
eurinella (Zagulajev, 1952) *Tinea*
frigidella (Packard, 1867) *Oecophora*
*fuscipunctella** (Haworth, 1828) *Tinea*
griseella (Chambers, 1873) *Tinea*
ignotella (Walker, 1864) *Tinea*
nubilipennella (Clemens, 1859) *Tinea*
spretella ([Denis & Schiffermüller], 1775) *Tinea**Ocnophilella* Fletcher, T.B., 1940 (replacement name)*Hilarochorda* Gozmány & Vári, 1973*Ocnophila* Meyrick, 1926 (preoccupied)*autocrypta** (Meyrick, 1926) *Ocnophila**tetraula* (Meyrick, 1926) *Ocnophila**Pringleophaga* Enderlein, 1905*Antipodesma* Salmon & Bradley, 1956*crozetensis* Enderlein, 1905*kerguelensis** Enderlein, 1905*kergulenensis*; Paulian, 1953*nigritarsis* Enderlein, 1905*marioni* Viette, 1968*Proterospastis* Meyrick, 1937*Paratinea* Petersen, 1957*antiphracta* (Meyrick, 1909) *Tinea**psacadias* (Meyrick, 1911) *Tinea**barystacta** Meyrick, 1937*brandbergica* Gozmány, 2004*craurota* (Meyrick, 1920) *Tinea**homestia* (Meyrick, 1908) *Tinea**megaspila* (Meyrick, 1913) *Tinea**platyphallos* Gozmány, 2004*taeniala* (Gozmány, 1968) *Tinea**trilinguis* (Meyrick, 1920) *Tinea**zebra* (Walsingham, 1891) *Tinea**Prothinodes* Meyrick, 1914*arvicola* Meyrick, 1924*Stemagoris* Meyrick, 1911*asylaea** Meyrick, 1911*Tetradladesa* Gozmány & Vári, 1973*chalcoxesta** (Meyrick, 1920) *Tinea**Tinea* Linnaeus, 1758*Acedes* Hübner, [1825]*Autoses* Hübner, [1825]*Dystinea* Börner, 1925*Monopina* Zagulajev, 1955 (unavailable)*Scleroplasta* Meyrick, 1919*Ses* Hübner, 1822*Taenia*; Walker, 1855*Tinaea* Geoffroy, 1762 (rejected name)*Tinaea*; Müller, 1764*Tinearia* Rafinesque, 1815*Tineopsis* Zagulajev, 1960*Tineopsis* Bradley, 1972*abactella* Walker, 1863*dubiella* Stainton, 1857*bispinella* Zagulajev, 1960*tenerifi* Zagulajev, 1960*turicensis* Müller-Rutz, 1920*melancholica* Gozmány, 1967*nesiastis* (Meyrick, 1911) *Tineola**pellionella** Linnaeus, 1758*albella* Costa, [1836]*demiurga* Meyrick, 1920*gerasimovi* Zagulajev, 1978*zoolegella* Scopoli, 1763*roesleri* Gozmány, 1969

TINEOIDEA

spinizona Gozmány, 1968
squalida Gozmány, 1968
subalbidella Stainton, 1867
arcanella Zagulajev, 1960
excavata Meyrick, 1914
frugivora Meyrick, 1917
insectivora Meyrick, 1932
liberiella (Zeller, 1879) *Monopis*
translucens Meyrick, 1917
fortificata Gozmány, 1968
leonhardi Petersen, 1957
margaritacea Gozmány, 1967
metonella Pierce & Metcalfe, 1934

***Tineola* Herrich-Schäffer, 1853**

Tinoola; Mina-Palumbo & Failla-Tedaldi, 1889
*bisselliella** (Hummel, 1823) *Tinea* (introduced accidentally)
biselliella auct.
crinella (Sodoffsky, 1830) *Tinea*
destructrix (Stephens, 1834) *Tinea*
flavifrontella (Thunberg, 1794) *Tinea* (preoccupied)
furciferella Zagulajev, 1954
lanariella (Clemens, 1859) *Tinea*
vestianella auct.

***Tineomigma* Gozmány, 2004**

*transiens** Gozmány, 2004

***Transmixta* Gozmány & Vári, 1973**

*fortuita** (Meyrick, 1920) *Tinea*

***Trichophaga* Ragonot, 1894**

cuspidata Gozmány, 1967
tapetzella (Linnaeus, 1758) *Tinea*
palaestrica (Butler, 1877) *Tinea*
pulchana (Fabricius, 1798) *Tinea*
pulchella (Fabricius, 1794) *Tinea*
tapetiella; Zeller, 1839
tapezana; Fabricius 1798
tapezella; Hübner, 1825 *Endrosis*

Unattributed as to a subfamily***Acanthocheira* Gozmány, 1968**

*loxopa** (Meyrick, 1914) *Amydria*

***Antigambra* Meyrick, 1927**

*amphitrocta** Meyrick, 1927

***Contralissa* Gozmány & Vári, 1973**

*catagrapta** (Meyrick, 1927) *Tinea*

***Cosmeombra* Gozmány & Vári, 1973**

*dodoxchares** (Meyrick, 1926) *Tinea*

***Criticonoma* Meyrick, 1910**

Etnodona Meyrick, 1915
Microsophista Meyrick, 1932
calligrapta Gozmány, 2004
*chelonaea** Meyrick, 1910
flaveata (Gozmány, 1968) *Etnodona*

***Dicanica* Meyrick, 1913**

*acrocentra** Meyrick, 1913

***Drosica* Walker, 1863**

*abjectella** Walker, 1863

***Eriozancla* Gozmány & Vári, 1973**

*trachyphephaea** (Meyrick, 1921) *Xylesthia*

***Exonomasis* Gozmány & Vári, 1973**

*exolescens** (Meyrick, 1926) *Tinea*

***Glaucostolella* Fletcher, T.B., 1940 (replacement name)**

Glaucostola Meyrick, 1926 (preoccupied)

*oxyteles** (Meyrick, 1926) *Glaucostola*

***Graphidivalva* Gozmány, 1965**

*genitalis** (Meyrick, 1913) *Scardia*

***Homalopsycha* Meyrick, 1920**

pericharacta Meyrick, 1924
rapida (Meyrick, 1909) *Amydria*
*aestuaria** Meyrick, 1920

***Lysitona* Meyrick, 1918**

Isozyga Meyrick, 1921
*uryacta** Meyrick, 1918
phasganopa (Meyrick, 1921) *Isozyga*

***Miarotagmata* Gozmány & Vári, 1973**

*penetrata** (Meyrick, 1911) *Tinea*
myelopis (Meyrick, 1927) *Tinea*

***Minicorona* Gozmány & Vári, 1973**

*tricarpa** (Meyrick, 1913) *Demobrotis*

***Nyctocyrmata* Gozmány & Vári, 1973**

*crotalopis** (Meyrick, 1921) *Macraeola*
amphicrossa (Meyrick, 1921) *Oinophila*
numeesia Mey, 2011

***Ochetoxena* Meyrick, 1920**

*phaneraula** Meyrick, 1920

***Oxymachaeris* Walsingham, 1891**

euryzancula Meyrick, 1918
zulella (Walsingham, 1881) *Lithocolletis*

***Parapacthyarthra* Gozmány & Vári, 1973**

euzona Gozmány, 2004
meyi Gozmány, 2004

***Pelecystola* Meyrick, 1920**

Neurozestis Meyrick, 1938
Zularcha Meyrick, 1937
melancharies (Meyrick, 1937) *Zularcha*
melancharis; Janse, 1968 *Zularcha*
tephrinitis (Meyrick, 1911) *Tinea*
tephrinistis; Janse, 1917 *Tinea*

***Probatostola* Meyrick, 1926**

*ochromalla** Meyrick, 1926

***Struthisca* Meyrick, 1905**

agitata Meyrick, 1913
areata Meyrick, 1908
hormotris Meyrick, 1908
omichlodes Meyrick, 1908

***Tinea* auct.**

aureomarmorata Wollaston, 1879
bicolor Wollaston, 1879
encausta Meyrick, 1912
fasciolata Wollaston, 1879
flavofimbriata Wollaston, 1879
minutissima Wollaston, 1879
pentametra Meyrick, 1921
piperata Wollaston, 1879
pulveripennis Wollaston, 1879
pulverulenta Wollaston, 1879
spilocoma Meyrick, 1920

ENDNOTE: (From page 14) *Harmaclonia* Busck was transferred from Myrmecozelinae to Harmacloninae by Davis & Robinson in Kristensen (1999).

REFERENCE:

DAVIS, D.R. & ROBINSON, G.S., 1999. 7. The Tineoidea and Gracillarioidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 91–118. W. de Gruyter, Berlin and New York.

GRACILLARIOIDEA**BUCCULATRICIDAE** Fracker, 1915

Bucculatrix Zeller, 1839

Ceroclastis Zeller, 1848

agilis Meyrick, 1920

albiradiosa Mey, 2019

anara Meyrick, 1913

anomalella Mey, 2019

anticolona Meyrick, 1913

damarana Mey, 2004

daures Mey, 2004

dulcis Meyrick, 1913

edocta Meyrick, 1921

eugenmaraisi Mey, 2004

facilis Meyrick, 1911

galeodes Meyrick, 1913

hobohmi Mey, 2004

inchoata Meyrick, 1913

karooedocta Mey, 2019

khakisana Mey, 2019

khomasi Mey, 2011

kirkspriggsi Mey, 2004

lenis Meyrick, 1913

lutaria Mey, 2004

magnosociata Mey, 2019

melipectia Meyrick, 1914

monelpis Meyrick, 1928

ochromeris Meyrick, 1928

ochroverticella Mey, 2019

porthmis Meyrick, 1908

praecipua Meyrick, 1918

quieta Meyrick, 1913

rectangulovalvata Mey, 2019

rupestralis Mey, 2019

villiersdorpella Mey, 2019

wittnebeni Mey, 2004

Leucoedemia Scoble & Scholtz, 1984

*ingens** (Scoble & Scholtz, 1984) *Bucculatrix*

GRACILLARIOIDEA**GRACILLARIIDAE** Stainton, 1854

CALOPTILIIDAE
EUCESTIDAE
GRACILLARIIDAE
LITHOCOLLETIDAE
ORNICHIDAE
PHYLLONORYCTERIDAE

Gracillariinae Stainton, 1854

Caloptiliinae
Gracilarianae

Acrocercops Wallengren, 1881

bifasciata Walsingham, 1891
chrysophylli Vári, 1961
columellina Vári, 1961
combrethicola Vári, 1961
dolichophila Vári, 1961
ehretiae Vári, 1961
ficina Vári, 1961
geyeri Vári, 1961
gossypii Vári, 1961
heterodoxa Meyrick, 1912
ochnifolii Vári, 1961
odontosema Vári, 1961
pavonicola Vári, 1961
syzygiena Vári, 1961
terminalina Vári, 1961
trigonidota Vári, 1961

Africephala Vári, 1986

Paracephala Vári, 1961 (preoccupied)
*timaea** (Meyrick, 1914) *Parectopa*

Amblyptila Vári, 1961

*cynanchi** Vári, 1961
strophanthina Vári, 1961

Apistoneura Vári, 1961

*psarochroma** Vári, 1961

Aristaea Meyrick, 1907

bathracma (Meyrick, 1912) *Parectopa*
eurygramma Vári, 1961
onychota (Meyrick, 1908) *Macarostola*
 onychote; Cilliers, 1991 *Aristaea*
thalassias (Meyrick, 1881) *Gracillaria* (as *Gracilaria*)

Aspilapteryx Spuler, 1910

Sabulopteryx Triberti, 1985
seriata (Meyrick, 1912) *Gracillaria* (as *Gracilaria*)

Callicercops Vári, 1961

*triceros** (Meyrick, 1926) *Acrocercops*
triactis Meyrick, 1930 *Acrocercops*

Caloptilia (*Caloptilia*) Hübner, [1825]

Antiolopha Meyrick, 1894
Calliptilia Agassiz, 1847 (unjustified emendation)
Coriscium Zeller, 1839
Gracilaria; Zeller, 1839
Gracilaria Walsingham, 1907 (unjustified emendation)
Gracillaria Haworth, 1828
Ornix Kollar, 1832
Poeciloptilia Hübner, [1825]
Xanthospilapteryx Spuler, 1910
aurita Triberti, 1989
azaleella (Brants, 1913) *Gracillaria* (as *Gracilaria*)
 anthracosperma (Meyrick, 1931) *Gracillaria* (as *Gracilaria*)
 azaleae; Busck, 1914
cataractias (Meyrick, 1921) *Gracillaria* (as *Gracilaria*)
celtina Vári, 1961
chrysoplaca Vári, 1961
corrugata (Meyrick, 1918) *Gracillaria* (as *Gracilaria*)
cryphia Vári, 1961
dicksoni Vári, 1961
grypota (Meyrick, 1914) *Gracillaria* (as *Gracilaria*)
isotoma (Meyrick, 1914) *Gracillaria* (as *Gracilaria*)
leptophanes (Meyrick, 1928) *Gracillaria* (as *Gracilaria*)
leptospila Vári, 1961
macropleura (Meyrick, 1932) *Gracillaria* (as *Gracilaria*)
 xanthochiria Vári, 1961

meyricki Vári, 1961

pentaplaca (Meyrick, 1911) *Acrocercops*
 filifera (Meyrick, 1912) *Gracillaria* (as *Gracilaria*)
poecilostola Vári, 1961
porphyranthes (Meyrick, 1921) *Gracillaria* (as *Gracilaria*)
prosticta (Meyrick, 1909) *Gracillaria* (as *Gracilaria*)
punctulata (Walsingham, 1891) *Gracillaria* (as *Gracilaria*)
pyrrhocroma Vári, 1961
rhusina Vári, 1961
semnophanes (Meyrick, 1918) *Gracillaria* (as *Gracilaria*)
sychnospila Vári, 1961
syngenica Vári, 1961
 titanitis (Meyrick, 1921) *Gracillaria* (as *Gracilaria*)
verecunda Triberti, 2004
vibrans (Meyrick, 1918) *Gracillaria* (as *Gracilaria*)
vicinola Vári, 1961
xanthocephala Vári, 1961

Caloptilia (*Sphyrophora*) Vári, 1961

*sapina** Vári, 1961

Calybites Hübner, 1822

Eucalybites Kumata, 1982
Euspilapteryx Stephens, 1835
 Euspilopteryx Agassiz, 1847 (unjustified emendation)
crypta (Vári, 1961) *Euspilapteryx*

Conopobathra Vári, 1961

carbunculata (Meyrick, 1912) *Acrocercops*
*geraea** Vári, 1961
 gravissima (Meyrick, 1912) *Acrocercops*
plethorhabda Vári, 1961

Conopomorpha Meyrick, 1885

chionosema Vári, 1961
euphanes Vári, 1961
fustigera (Meyrick, 1928) *Acrocercops*

Conopomorphina Vári, 1961

aptata (Meyrick, 1914) *Acrocercops*
 acmophanes (Meyrick, 1928) *Acrocercops*
gypsochroma Vári, 1961
*ochinivora** Vári, 1961

Corethrovalva Vári, 1961

*allophylina** Vári, 1961
goniosema Vári, 1961
paraplesia Vári, 1961

Cryptolecta Vári, 1961

capnodecta Vári, 1961
euryphanta (Meyrick, 1911) *Acrocercops*
*monodecta** (Meyrick, 1912) *Acrocercops*

Cuphodes Meyrick, 1897

Phrixosceles Meyrick, 1908
diospyri Vári, 1961
dolichocera Vári, 1961
leucocera Vári, 1961
melanostola (Meyrick, 1918) *Phrixosceles*

Dialectica Walsingham, 1897

Didactica; Tutt, 1900
Eutrichocnemis Spuler, 1910
carcharota (Meyrick, 1912) *Acrocercops*
cordiacola Vári, 1961
galactozona Vári, 1961
praegemina (Meyrick, 1917) *Acrocercops*
pyramidotata (Meyrick, 1918) *Acrocercops*

Diphtheroptila Vári, 1961

brideliae Vári, 1961
*oxyloga** (Meyrick, 1928) *Acrocercops*

Dysectopa Vári, 1961

*scalifera** Vári, 1961

GRACILLARIOIDEA***Ectropina*** Vári, 1961*citrinula* (Meyrick, 1912) *Gracillaria* (as *Gracilaria*)
ligata (Meyrick, 1912) *Gracillaria* (as *Gracilaria*)
*sclerochitonii** Vári, 1961***Epicephala*** Meyrick, 1880*Iraina* Diakonoff, 1955
haplodoxa Vári, 1961
homostola Vári, 1961
jansei Vári, 1961
pelopepla Vári, 1961
pyrrhogastera Meyrick, 1908
tephrostola Vári, 1961***Graphiocephala*** Vári, 1961*barbitias** (Meyrick, 1909) *Epicephala*
polysticha Vári, 1961
strigifera Vári, 1961***Lamprolectica*** Vári, 1961*apicistrigata** (Walsingham, 1891) *Gracillaria* (as *Gracilaria*)***Leucocercops*** Vári, 1961*dasmophora** (Meyrick, 1908) *Acrocercops****Liocrobyla*** Meyrick, 1916*tephrosiae* Vári, 1961***Macarostola*** Meyrick, 1907*flora* (Meyrick, 1926) *Parectopa*
noellineae Vári, 2002***Metacerops*** Vári, 1961*praesticta** (Meyrick, 1918) *Parectopa****Oligoneurina*** Vári, 1961*ficicola** Vári, 1961***Pareclectis*** Meyrick, 1937*adelospila* Vári, 1961
hobohmi Vári, 1961
invita (Meyrick, 1912) *Epicephala*
 *ancistraula** Meyrick, 1937
leucosticha Vári, 1961
mimetus Vári, 1961
prionota (Meyrick, 1928) *Acrocercops****Pleiomorpha*** Vári, 1961*dystacta* Vári, 1961
eumecees Vári, 1961
habrogramma Vári, 1961
*homotypa** Vári, 1961
symmetra Vári, 1961***Pogonocephala*** Vári, 1961*veneranda** (Meyrick, 1909) *Epicephala****Polydema*** Vári, 1961*hormophora** (Meyrick, 1912) *Acrocercops*
vansoni Vári, 1961***Polysoma*** Vári, 1961*aenictum* Vári, 1961
*clarki** Vári, 1961
lithochrysum (Meyrick, 1930) *Acrocercops*
tanysphena (Meyrick, 1928) *Acrocercops****Sauterina*** Kuznetzov, 1979*thypticosema* (Vári, 1961) *Acrocercops****Schedocercops*** Vári, 1961*maeruae** Vári, 1961***Semnocera*** Vári, 1961*procellaris** (Meyrick, 1914) *Acrocercops****Spulerina*** Vári, 1961*aphanosema* Vári, 1961
atactodesma Vári, 1961
catapasta Vári, 1961
hexalocha (Meyrick, 1912) *Acrocercops*
lochmaea Vári, 1961
marmorodes Vári, 1961***Stomphastis*** Meyrick, 1912*aphrocyma* (Meyrick, 1918) *Acrocercops*
cardamitis (Meyrick, 1921) *Parectropa*
conflua (Meyrick, 1914) *Acrocercops*
crotoniphila Vári, 1961
 crotoniphila; Swain & Prinsloo, 1986 *Stomphastis*
crotonis Vári, 1961
dodonaeae Vári, 1961
eugrapta Vári, 1961
mixograpta Vári, 1961
polygoni Vári, 1961
rorkei Vári, 1961
thraustica (Meyrick, 1908) *Acrocercops*
 *plectica** Meyrick, 1912
tremina Vári, 1961***Systoloneura*** Vári, 1961*Systroneura*; Kumata, 1982
*randiae** Vári, 1961***Lithocolletinae*** Stainton, 1854*Phyllonorycterinae*
*Phyllorycterinae****Cameraria*** Chapman, 1902*hexalobina* (Vári, 1961) *Lithocolletis*
varii De Prins, 2012***Phyllonorycter*** Hübner, 1822*Argyromiges* Curtis, 1829 (unjustified emendation)
Argyromis Stephens, 1829
Argyromus Agassiz, 1847 (unjustified emendation)
Argyromyges; Stephens, 1834
Eucesta; Hübner, [1826]
Eucestia Hübner, [1825]
Hirsuta Fletcher, T.B., 1929
Lithocolletes; Dyar, [1903]
Lithocolletis Hübner, [1825]
 Phyllorycter; Walsingham, 1914
anchista (Vári, 1961) *Lithocolletis*
brachylaenae (Vári, 1961) *Lithocolletis*
chionopa (Vári, 1961) *Lithocolletis*
didymopa (Vári, 1961) *Lithocolletis*
dombeyae De Prins, 2012
encaeria (Meyrick, 1911) *Lithocolletis*
grewiaecola (Vári, 1961) *Lithocolletis*
grewiella (Vári, 1961) *Lithocolletis*
 hexabolina; Vári, 1961 *Lithocolletis*
hibiscina (Vári, 1961) *Lithocolletis*
lantanae (Vári, 1961) *Lithocolletis*
leucaspis Triberti, 2004
loxozena (Meyrick, 1936) *Lithocolletis*
melanosparta (Meyrick, 1912) *Lithocolletis*
melhaniae (Vári, 1961) *Lithocolletis*
pavoniae (Vári, 1961) *Lithocolletis*
rhynchosiae (Vári, 1961) *Lithocolletis****Porphyrosela*** Braun, 1908*gautengi* De Prins, 2012
teramni Vári, 1961***Phyllocnistinae*** author, date**Oecophyllembiinae****Cryphiomystis*** Meyrick, 1922*cyanolampra* Vári, 1961***Metriocheira*** Busck, 1900*Oecophyllembius* Silvestri, 1908
argyrocelis Vári, 1961
pergulariae Vári, 1961
tylophorae Vári, 1961***Phyllocnistis*** Zeller, 1848*citrella* Stainton, 1856
pharetrucha Meyrick, 1921**REFERENCE:**

DAVIS, D.R. & ROBINSON, G.S., 1999. 7. The Tineoidea and Gracillarioidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 91–118. W. de Gruyter, Berlin and New York.

YPONOMEUTOIDEA**YPONOMEUTIDAE** Stephens, 1829**Yponomeutinae** Stephens, 1829

Cedestinae
Hofmanniinae
Hyponomeutinae
Zelleriinae

Yponomeutini**Dukeia** Agassiz, 2019*cyanea* (Meyrick, 1912) (*Gymnogramma*) *type species?**Embryonopsis** Eaton, 1875*hatalicella** Eaton, 1875**Swammerdamia** Hübner, 1825

Macarophanta Meyrick, 1932
Swammerdammia; Heinemann, 1870 (misspelling)
tobii Agassiz, 2019

Yxrosaris Meyrick, 1907*lucae* Agassiz, 2019*secreta* Meyrick, 1912**Yponomeuta** Latreille, [1796]

Choutinea Huang, 1982
Coeniphantes; Hübner, 1822
Coenyphanes Hübner, 1822
Erminea Haworth, 1811
Hyphantes Hübner, [1806] (suppressed)
Hypomeneuta; Zeller, 1846
Hyponomenta; Turner, 1898
Hyponomeuta Billberg, 1820 (unjustified emendation)
Hyponomeuta Sodoffsky, 1837 (unjustified emendation)
Nygma Hübner, [1825] (preoccupied)
Ptilotinea Gershenson & Ulenberg, 1998
Teinoptila Sauber, 1902
Ypomeneuta; Eversmann, 1844
africana Stainton, 1860 (as *Hyponomeuta*)
athyris Meyrick, 1928 (as *Hyponomeuta*)
atricator Agassiz, 2019
capensis Agassiz, 2019
fumigata Zeller, 1852 (as *Hyponomeuta*)
funesta Meyrick, 1914 (as *Hyponomeuta*)
glaphyropis Meyrick, 1908
griseomacula Agassiz, 2019
morbillosa Zeller, 1877 (as *Hyponomeuta*)
nigricola Meyrick, 1912
octocentra Meyrick, 1921 (as *Hyponomeuta*)
effeta Meyrick, 1924 (as *Hyponomeuta*)
puncticornis Walsingham, 1891
sistrophora Meyrick, 1909
parvipuncta Gershenson & Ulenberg, 1998
staudei Agassiz, 2019
strigillata Zeller, 1852 (as *Hyponomeuta*)
perficitellis; Janse, 1917 (as *Hyponomeuta*)
perficitella Walker, 1863 (as *Hyponomeuta*)
subplumbella Walsingham, 1881 (as *Hyponomeuta*)
malgasella (Viette, 1954) (*Parahyponomeuta*)
zambesica Agassiz, 2019

Zelleria Stainton, 1849

namibiensis Mey, 2011
oleastrella (Millière, 1864) (*Tinea*)

Genera removed from Yponomeutinae**Abacistis** Meyrick, 1913*hexanoma** Meyrick, 1913*teligera* Meyrick, 1914**Acrataula** Meyrick, 1921*catapachna** Meyrick, 1921**Amalthisa** Meyrick, 1914*lacteata* Meyrick, 1914**Exaulistis** Meyrick, 1911*trichogramma** Meyrick, 1911**Hesperarcha** Meyrick, 1918*pericentra** Meyrick, 1918**Morotripta** Meyrick, 1917*argillacea* Mey, 2011*fatigata** Meyrick, 1917**Palaetheta** Meyrick, 1909*innocua* Meyrick, 1911*ischnozona** Meyrick, 1909*ischnozena*; Janse, 1917 *Palaetheta***Parazelota** Meyrick, 1913*dryotoma** Meyrick, 1913**Parexaula** Meyrick, 1909*isomima** Meyrick, 1909**Steganosticha** Meyrick, 1921*remigera** Meyrick, 1921**Trochastica** Meyrick, 1913*albifrenis** Meyrick, 1913**Zygrapha** Meyrick, 1917*asaphochalcea** Meyrick, 1917**REFERENCE:**

DUGDALE J.S., KRISTENSEN, N.P., ROBINSON, G.S. & SCOBLE, M.J., 1999. 8. The Yponomeutoidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 119–130. W. de Gruyter, Berlin and New York.

ACROLEPIIIDAE *not recognized as a family in Kristensen *et al.* (2011)

Acrolepia Curtis, 1838
canachopis Meyrick, 1913
chalarodesma Meyrick, 1927
gelida Meyrick, 1921
trapezopa Meyrick, 1914
xylorrhagma (Meyrick, 1926) *Antispastis*

Digitivalva Gaedike, 1970
delaireae Gaedike & Krüger, 2002

ARGYRESTHIIDAE Bruand, 1850

Argyresthia Hübner, [1825]
Argyrosetia Stephens, 1829
Blastotere Ratzeburg, 1840
Ederesa Curtis, 1833
Ismene Stephens, 1834 (preoccupied)
Oligos Treitschke, 1830
Paraargyresthia Moriuti, 1969
Parargyresthia; Kyrki, 1984
liparodes Meyrick, 1914
pentanoma Meyrick, 1913
stilpnota Meyrick, 1913

ENDNOTE: Argyresthiidae were placed as a subfamily Argyresthiinae in Yponomeutinae by Dugdale, Kristensen, Robinson & Scoble in Kristensen (1999).

ATTEVIDAE Mosher, 1916**Atteva** Walker, 1854

Amblothridia Wallengren, 1861
Carthara Walker, 1866 (preoccupied)
Corinea Walker, 1863
Oeta Grote, 1865 (replacement name for *Poeciloptera* Clemens)
Poeciloptera Clemens, 1860 (preoccupied)
Scintilla Guenée, 1879
Syblis Guenée, 1879
Synadia Walker, 1866 (replacement name for *Carthara* Walker)
carteri (Walsingham, 1891) *Oeta*

YPONOMEUTOIDEA**BEDELLIIDAE** Meyrick, 1880

- Bedellia** Stainton, 1849
cathareuta Meyrick, 1911
somnulentella (Zeller, 1847) *Lyonetia*
 annuligera Meyrick, 1928
autoconis Meyrick, 1930
convolvulella Heydenreich, 1851
ipomoeae Bradley, 1953
mesileuca; Szöcs, 1967 *Bedellia*
mnesileuca Meyrick, 1928
*orpheella** Stainton, 1849
staintoniella Clemens, 1860

GLYPHIPTERIGIDAE Stainton, 1854

AECHMIDAE author, date*

Glyphipteriginae Stainton, 1854

- Chrysocentris** Meyrick, 1914
chrysozona (Meyrick, 1921) *Glyphipteryx*
urania Meyrick, 1920

Glyphipterix Hübner, [1825]

- Aechmia* Treitschke, 1833
Aecimia; Boisduval, 1836
Anacampsoides Bruand, [1851]
Apistomorpha Meyrick, 1880
Ciricea Meyrick, 1888
Diploschizia Heppner, 1981
Glyphypteryx; Chambers, 1881
Glyphipteryx; Christoph, 1882
Glyphipteryx Curtis, 1827 (unjustified emendation)
Glyphipteryx; Mann & Rogenhofer, 1878
Glyphipteryx; von Röslerstamm, 1841
Glyphopteryx Agassiz, 1847 (unjustified emendation)
Glyphopteryx; Turati, 1879
Glyphopteryx; Watt, 1920
Glyphypteryx Walker, 1864 (unjustified emendation)
Glyphypteryx; Hampson, 1918
Heribeia Stephens, 1829
Phryganostola Meyrick, 1880
amphipeda Meyrick, 1920 (as *Glyphipteryx*)
archimedica Meyrick, 1921 (as *Glyphipteryx*)
argophracta Meyrick, 1926 (as *Glyphipteryx*)
 argyrophracta; Meyrick, 1926 (as *Glyphipteryx*)
bohemani (Zeller, 1852) *Aechmia*
callithaea Meyrick, 1921 (as *Glyphipteryx*)
climacaspis Meyrick, 1920 (as *Glyphipteryx*)
decachrysa Meyrick, 1918 (as *Glyphipteryx*)
diploxta Meyrick, 1920 (as *Glyphipteryx*)
grapholithoides (Walsingham, 1891) *Ussara*
idiomorpha Meyrick, 1917 (as *Glyphipteryx*)
medica Meyrick, 1911 (as *Glyphipteryx*)
ortholeuca Meyrick, 1921 (as *Glyphipteryx*)
oxytricha Meyrick, 1928 (as *Glyphipteryx*)
stelucha Meyrick, 1909 (as *Glyphipteryx*)

Tetracmanthes Meyrick, 1925
*astrocosma** Meyrick, 1925**Ussara** Walker, 1864
Usara; Busck, 1934
polyastra Meyrick, 1937**LYONETIIDAE** Stainton, 1854**Lyonetiinae** Stainton, 1854

- Chrysolytis** Meyrick, 1937
*deliarcha** Meyrick, 1937

Copobathra Meyrick, 1911
*menodora** Meyrick, 1911**Cycloponympha** Meyrick, 1913
Cyclonympha; Neave, 1939
hermione Meyrick, 1921
*julia** Meyrick, 1913
perspicua Meyrick, 1913**Lyonetia** Hübner, [1825]
Gracillaroidea Bruand, [1851]
Lyonetiola Kuroko, 1964
Lyonnetia; Gistl, [1847]
Nocturno Gistl, [1847]
Olethria Gistl, 1848
Syncrobyla Meyrick, 1915
cotifraga Meyrick, 1909**Phyllobrostis** Staudinger, 1859
apathetica (Meyrick, 1921) *Phthinostoma*
argillosa Meyrick, 1911
calcaria Meyrick, 1911
karooleuca Mey, 2019
peninsulae Mey, 2011
Pilotocoma Meyrick, 1913
*tephroleuca** Meyrick, 1913**Cemistominae** author, date*
 Leucopterinae**Crobylophora** Meyrick, 1880
daricella Meyrick, 1881
metallifera (Walsingham, 1891) *Microthauma*
xanthochyta Meyrick, 1918**Leucoptera** Hübner, [1825]
Cemistoma Zeller, 1848
Cemisostoma; Marshall, 1873
Leucopteron Hübner, [1826]
Paraleucoptera Heinrich, 1918
Perileucoptera Silvestri, 1943
Proleucoptera Busck, 1902
autographa Meyrick, 1918
bifasciatella Mey, 2019
clerodendrella Vári, 1955
loxaula Meyrick, 1928
meyricki Ghesquière, 1940 (accidental introduction)
parinaricola Vári, 1955
pulchricola Vári, 1955
scammatias Meyrick, 1909

YPONOMEUTOIDEA**PLUTELLIDAE** Guenée, 1845

Baerenschenkia Mey, 2011
*umtrunkula** Mey, 2011

Gypsosaris Meyrick, 1909
*coniata** Meyrick, 1909

Lepocnemis Meyrick, 1913
*bascalopha** Meyrick, 1913

Deryxenistis Mey, 2011
africana (Mey, 2007) *Paraxenistis*
*serrata** (Mey, 2007) *Paraxenistis*

[*Paraxenistis* Meyrick, 1919
Bigotianella Legrand, 1965
*see note in Mey, 2011, Esp. Mem. 6: 183. To confirm if represented in sthn Africa.]

Plutella Schrank, 1802

Anadetia Hübner, [1825]
Creagria Sodoffsky, 1837 (unnecessary replacement name)
Euota Hübner, [1825]
Evota Agassiz, 1847 (unjustified emendation)
balanopis Meyrick, 1909
*xylostella** (Linnaeus, 1758) *Phalaena Tinea* (introd. accid.)
albovenosa Walsingham, 1897
annulatella Wood, 1839
brassicella Fitch, 1856
cicerella (Rondani, 1876) *Gelechia*
cinerea (Geoffroy, 1785) *Tinea*
cruciferarum Zeller, 1843
dubiosella (Beutennmüller, 1889) *Cerostoma*
limbipennella Clemens, 1860
macilipennis; Janse, 1917 *Plutella*
maculipennis (Curtis, 1832) *Cerostoma*
megapterella Bentinck, 1934
mollipedella Clemens, 1860
niveella Zetterstedt, 1839
xylostei; Fabricius, 1798 *Tinea*

Tonza Walker, 1864

Species A prob. introd. acc.

PRAYDIDAE Moriuti, 1977

Prays Hübner, [1825]
Pepilla Guenée, 1845
Pratys; Desmarest, 1857
citri (Millière, 1873) *Acrolepia*
liophaea Meyrick, 1927

PRODIDACTIDAE Epstein & Brown, 2003

Prodidactis Meyrick, 1921
*mystica** (Meyrick, 1918) *Crothaema*

ENDNOTE: *Prodidactis* Meyrick was removed from Limacodidae and placed in its own monotypic family by Epstein & Brown (2003).

YPSOLOPHIDAE Guenée, 1845**Ypsolophilinae** Guenée, 1845

Ypsolopha Latreille, [1796]
Abebaea Hübner, [1825]
Cerostoma Latreille, [1802]
Chaetochilus Stephens, 1834
Credemna; Forbes, 1923
Credemnon Wallengren, 1880
Credemon; Moriuti, 1977
Harpepteryx Sodoffsky, 1837 (unjustified emendation)
Harpipterix Hübner, [1825]
Harpipteryx; Stephens, 1834
Hypolepia Guenée, 1845
Hypsilophus Agassiz, 1847 (unjustified emendation)
Hypsolopha Billberg, 1820 (unjustified emendation)
Hypsolophus Illiger, 1801 (unjustified emendation)
Melitonympha Meyrick, 1927
Periclymenobius Wallengren, 1880

Pteroxia Guenée, 1845
Pycnopogon Chrétien, 1922
Theristis Hübner, [1825]
Trachoma Wallengren, 1880
Ypsilophus; Oken, 1815
Ypsolophus Fabricius, 1798 (unjustified emendation)
Ysolophus; Janse, 1950
exsularis (Meyrick, 1937) *Cerostoma*
scenites (Meyrick, 1909) *Ypsolophus*

GELECHIOIDEA

GELECHIIDAE Stainton, 1854

Anacampsinae author, date*

Anacampsis Curtis, 1827

Agriastis Meyrick, 1904

Anacampis; Janse, 1951

Anacompsis; Desmarest, 1857

Compsolechia Meyrick, 1918

Tachyptilia Heinemann, 1870

cosmia Meyrick, 1921

embrocha Meyrick, 1914

Anastomopteryx Janse, 1951

*angulata** Janse, 1951

Aproaerema Durrant, 1897

Schuetzeia Spuler, 1910

africanella (Janse, 1951) *Schuetzeia*

Bilobata Vári, 1986 (replacement name)

Biloba Janse, 1954 (preoccupied)

argosticha (Janse, 1954) *Biloba*

*subsecivella** (Zeller, 1852) *Gelechia* (*Brachmia*)

modicella (van Deventer, 1904) *Xystophora*

torninotella (Janse, 1954) *Biloba*

Unpublished (Buthelezi *et al.*, see comments by Sattler):

Bilobata Vári, 1986 (replacement name)

Biloba Janse, 1954 (preoccupied)

argosticha (Janse, 1954) *Biloba*

*subsecivella** (Zeller, 1852) *Gelechia* (*Brachmia*)

modicella (van Deventer, 1904) *Xystophora*

nertaria (Meyrick, 1906) *Anacampsis*

simplexella (Walker, 1864) *Gelechia*

simplicella (Meyrick, 1904) *Anacampsis* (unjustified emendation)

torninotella (Janse, 1954) *Biloba*

Blastovalva Janse, 1960

anisochora Janse, 1960

haplotypa Janse, 1960

*paltobola** (Meyrick, 1921) *Thiotricha*

Brachyacma Meyrick, 1886 *jun syn of *Mesophleps teste* Sattler

Brachiaca; Common, 1970

Brachyaema; Povolný, 1964

Lathontogenus Walsingham, 1897

Lipatia Busck, 1910

Paraspistes Meyrick, 1905

palpiga (Walsingham, 1891) *Gelechia*

adustipennis (Walsingham, 1897) *Lathontogenus*

crotalariaiella (Busck, 1910) *Lipatia*

epichorda Turner, 1919

itoloncha (Meyrick, 1905) *Paraspistes*

Excommatica Janse, 1951

*compsotoma** (Meyrick, 1921) *Commatica*

Gnosimacha Meyrick, 1927 *jun syn of *Mesophleps teste* Sattler

*catericta** Meyrick, 1927

Octonodula Janse, 1951

binotella Janse, 1951

*inumbrata** (Meyrick, 1914) *Anacampsis*

Parabola Janse, 1950

*butyraula** (Meyrick, 1913) *Idiophantis*

butyraula; Janse, 1950 *Idiophantis*

Polyhymno Chambers, 1874

Copocercia Zeller, 1877

Copoceria; Bertkau, 1879

Oegoconoides Matsumura, 1931

Plectrocosma Meyrick, 1921

blastophora Janse, 1950

centrophora (Meyrick, 1921) *Plectrocosma*

chionarcha Meyrick, 1913

deuteraula Meyrick, 1914

erratica Janse, 1950

eurydoxa Meyrick, 1909

furcatella Janse, 1950

hieracitis Meyrick, 1913

hostilis Meyrick, 1918

inermis Meyrick, 1913

intorta Meyrick, 1918

intortoides Janse, 1950

lignicolor Janse, 1950

multifida Meyrick, 1917

oxystola Meyrick, 1913

palinorsa Meyrick, 1909

paracma Meyrick, 1909

paraintortoides Bidzilya & Mey., 2011

pausimacha Meyrick, 1909

pernitida Janse, 1950

pleuracma Meyrick, 1926

tetragrapha Meyrick, 1913

thinoclasta Meyrick, 1926

tropaea Meyrick, 1908

walsinghami Janse, 1950

Sophronia Hübner, [1825]

aquilex Meyrick, 1926

Stomopteryx Heinemann, 1870

Inotica Meyrick, 1913

Instica; Sharpe, 1915

Kahelia Turati, 1922

Stenopteryx; Bodenheimer, 1930

Stomopterix; Turati, 1922

Stromopteryx; Pierce & Metcalfe, 1935

anxia (Meyrick, 1917) *Paraspectris*

bathrarcha Meyrick, 1921

batrarcha; Janse, 1951 *Stomopteryx*

biangulata Meyrick, 1921

circaea (Meyrick, 1911) *Anacampsis*

circae; Janse, 1951 *Stomopteryx*

cirrhocoma (Meyrick, 1914) *Anacampsis*

creedula (Meyrick, 1927) *Leuronoma*

difficilis Janse, 1951

elaeocoma (Meyrick, 1918) *Anacampsis*

eremopis (Meyrick, 1921) *Leuronoma*

frivola Meyrick, 1926

officiosa Janse, 1951

oncodes (Meyrick, 1913) *Anacampsis*

pallidipes Janse, 1951

thoracica (Meyrick, 1911) *Anacampsis*

trachyphylla Janse, 1960

Syncopacma Meyrick, 1925

Harpagus Stephens, 1834 *invalid? Preoccupied?

consimilis Janse, 1951

lutea Janse, 1960

monochromella Janse, 1951

oxympila (Meyrick, 1909) *Anacampsis*

*acrophylla** (Meyrick, 1911) *Telphusa*

nerteria (Meyrick, 1906) *Anacampsis* (partim)

perfuscata Janse, 1951

polychromella (Rebel, 1902) *Anacampsis*

faceta (Meyrick, 1914) *Anacampsis*

Thiotricha Meyrick, 1886

Mistax; von Caradja, 1920

Mystax von Caradja, 1920

Reutitia Hofmann, 1898

Thiotricha; Hartig, 1956

Thiotricha; Inoue, 1954

Thistricha; Meyrick, 1885

tenuis (Walsingham, 1891) *Polyhymno*

Anomologinae Meyrick, 1926

Angustiphylla Janse, 1960

*hylotricha** Janse, 1960

Anomologa Meyrick, 1926

demens Meyrick, 1926

*dispulsa** Meyrick, 1926

Aristotelia Hübner, [1825] *to Aristoteliini Le Marchand, 1947

Anaphaula Walsingham, 1904

Apodia Heinemann, 1870

Argyritis Heinemann, 1870

Aristoteliodes Zimmerman, 1958

Doryphora Heinemann, 1870

GELECHIOIDEA

- Doryphorella* Cockerell, 1888
Enchrysa Zeller, 1873
Ergatis Heinemann, 1870 (preoccupied)
Eucatoptus Walsingham, 1897
Evagora Clemens, 1860
Isochasta Meyrick, 1886
Lamprotes Heinemann, 1870
Monochroa Heinemann, 1870
Parapodia Joannis, 1912
Ptochenusa; Kirby, 1871
Ptocheusa; Constant, 1892
Ptocheuusa Heinemann, 1870
Ptochuusa; Le Marchand, 1947
Syneunetis Wallengren, 1881
Syneuntis; Fletcher, T.B., 1929
Tsochasta Meyrick, 1885
Xystophora Wocke, [1876]
balanocentra Meyrick, 1914
chlorographa Meyrick, 1914
comis Meyrick, 1913
dryonota Meyrick, 1926
ptilastis Meyrick, 1909
swierstrai Janse, 1950
swierstrae; Janse, 1950 *Aristotelia trematas* Meyrick, 1913
- Chrysoesthia*** Hübner, [1825]
Chrysestha Agassiz, 1847 (unjustified emendation)
Chrysia Bruand, [1851]
Chrysopora Clemens, 1860 (replacement name)
Mannodia; Busck, 1908
Micosetia; Keifer, 1937
Microsetia Stephens, 1829
Microsteia; Popescu-Gorj & Nemes, 1965
Miorosetia; Fletcher, T.B., 1929
Nannodia Heinemann, 1870
Nannonia; Kirby, 1875
Nomia Clemens, 1860
isocharis (Vári, 1963) *Microsetia mimetis* (Vári, 1963) *Microsetia stipelloides* (Janse, 1950) *Microsetia Clepsimorpha* Janse, 1960
*inconspicua** Janse, 1960
- Deltophora*** Janse, 1950
diversella Sattler, 1979
*typica** Sattler, 1979
- Euryctista*** Janse, 1963
*hobohmi** Janse, 1963
- Ischnocraspedus*** Janse, 1958
Ichnocraspedus; Janse, 1958
*peracuta** (Meyrick, 1920) *Megacraspedus Megacraspedus* Zeller, 1839
Autoneda Busck, [1903]
Magacraspedus; Janse, 1960
Megacraspedas; Barnes & McDunnough, 1917
Neda Chambers, 1874 (preoccupied)
Pycnobathra Lower, 1901
Toxicoceras Chrétien, 1923 (replacement name)
Toxoceras Chrétien, 1915 (preoccupied)
serica Meyrick, 1909
- Metzneria*** Zeller, 1839
Archimetzneria Amsel, 1936
Cleodora Stephens, 1834
Parasia Duponchel, [1846]
acrena (Meyrick, 1908) *Aristotelia brandbergi* Janse, 1963
heptacentra Meyrick, 1911
- Ornativalva*** Gozmány, 1955
Pelostola Janse, 1960
kalahariensis (Janse, 1960) *Pelostola*
- Parathectis*** Janse, 1958
*farinata** (Meyrick, 1913) *Epithectis sordidula* (Meyrick, 1913) *Epithectis Phanerophalla* Janse, 1960
*knavensis** Janse, 1960
- Proselotis*** Meyrick, 1914
idiobela Turner, 1919
strictula (Meyrick, 1937) *Metzneria*
- Pycnodynitis*** Meyrick, 1918
*erebaula** Meyrick, 1918
- Pyncostola*** Meyrick, 1917 *to Anomologini
Pyncostola; Meyrick, 1918
Pynocostola; Meyrick, 1918
abnormalis Janse, 1950 (as *Pyncostola*)
albicorella Janse, 1950 (as *Pyncostola*)
alloea Janse, 1950 (as *Pyncostola*)
auturga Meyrick, 1921 (as *Pyncostola*)
celeris Meyrick, 1920 (as *Pyncostola*)
crateraula Meyrick, 1918 (as *Pyncostola*)
dicksoni Janse, 1956 (as *Pyncostola*)
flavostriga Janse, 1950 (as *Pyncostola*)
fusca Janse, 1950 (as *Pyncostola*)
fuscofascia Janse, 1950 (as *Pyncostola*)
grandicornuta Bidzilya & Mey, 2011
hiberna (Meyrick, 1912) *Paltodora illuminata* (Meyrick, 1913) *Paltodora invida* (Meyrick, 1911) *Paltodora iospila* (Meyrick, 1909) *Paltodora lacteata* Janse, 1950 (as *Pyncostola*)
magninima (Meyrick, 1912) *Paltodora melanactra* (Meyrick, 1910) *Paltodora merista* Meyrick, 1918 (as *Pyncostola*)
monophanes Janse, 1960 (as *Pyncostola*)
nigrinotata Janse, 1950 (as *Pyncostola*)
ochraula Meyrick, 1918 (as *Pyncostola*)
oeconomica Meyrick, 1920 (as *Pyncostola*)
*operosa** (Meyrick, 1909) *Paltodora sperosa*; Meyrick, 1909 *Paltodora pachyaema* Meyrick, 1926 (as *Pyncostola*)
pachyacmon; Gaede, 1937 (as *Pyncostola*)
pammacha (Meyrick, 1913) *Paltodora pentacentra* (Meyrick, 1912) *Paltodora perlustrata* Meyrick, 1920 (as *Pyncostola*)
powelli Janse, 1950 (as *Pyncostola*)
semnochroa (Meyrick, 1913) *Paltodora suffusella* (Walsingham, 1891) *Megacraspedus tanylopha* Janse, 1960 (as *Pyncostola*)
variegata Janse, 1950 (as *Pyncostola*)
varigata; Janse, 1949 *Pycnostola veronica* Janse, 1950 (as *Pycnostola*)
xanthomacula Janse, 1963 (as *Pycnostola*)
- Apatetrinae*** author, date*
- Acutitorinus*** Janse, 1951
kalahariensis Janse, 1958
leucostola Janse, 1958
liebenbergi Janse, 1963
munroi Janse, 1958
perseptus Krüger, 2015
- Anapatetris*** Janse, 1951
*crystallista** (Meyrick, 1911) *Epiphthora*
- Cerofrontia*** Janse, 1951
*griseotincta** Janse, 1951
- Curvisignella*** Janse, 1951
*leucogaea** (Meyrick, 1921) *Apatetris*
- Filisignella*** Janse, 1951
*cirrhaea** (Meyrick, 1914) *Epiphthora*
- Grandipalpa*** Janse, 1951
*robusta** Janse, 1951
- Ischnophylla*** Janse, 1963
*similicolor** Janse, 1963
- Lanceoaptera*** Janse, 1960
*panochra** Janse, 1960
- Macrocalcara*** Janse, 1951
sporima Janse, 1960

GELECHIOIDEA*undina** (Meyrick, 1921) *Apatetris**Namatetris* Bidzilya & Mey, 2011 *to Gelechiinae: Apatetrini
*rhinoceros** Bidzilya & Mey, 2011*Neopatetris* Janse, 1960
*tenuis** Janse, 1960*Radionerva* Janse, 1951
*collecta** (Meyrick, 1921) *Apatetris**Rotundivalva* Janse, 1951
*blanda** Janse, 1951**Chelariinae** Le Marchand, 1947*Amblyphylla* Janse, 1960
*lophozancla** Janse, 1960 *jun syn of *loxosaris teste* Sattler*Anarsia* Zeller, 1839
 Ananarsia Amsel, 1959
 agricola Walsingham, 1891
 albibasella Janse, 1963
 amalleuta Meyrick, 1913
 antisaris (Meyrick, 1913) *Chelaria*
 balioneura Meyrick, 1921
 callicosma Janse, 1960
 carbonaria Meyrick, 1913
 carbanaria; Clarke, 1955
 citromitra Meyrick, 1921
 eriozona (Meyrick, 1921) *Chelaria*
 gravata Meyrick, 1911
 ambitiosa Meyrick, 1913
 gravate; Janse, 1954
 inculta Walsingham, 1891
 mitescens Meyrick, 1913
 nigrimacula Janse, 1949
 nimbosa Meyrick, 1913
 permissa Meyrick, 1926
 pustulata Janse, 1949
 sciograpta (Meyrick, 1921) *Chelaria*
 sciotona Meyrick, 1927
 semnopa Meyrick, 1921
 spicata Meyrick, 1918
 subfulvescens Meyrick, 1918
 vectaria Meyrick, 1918*Dactylethrella* Fletcher, T.B., 1940 (replacement name)
 Dactylethra Meyrick, 1906 (preoccupied)
 chionitis (Meyrick, 1910) *Nothris*
 leuconota Bidzilya & Mey, 2011
 siccifolii (Walsingham, 1881) *Ypsolopha* (as *Ypsolophus*)
 tetrametra (Meyrick, 1913) *Nothris**Haplovalva* Janse, 1958
*ametris** (Meyrick, 1921) *Gelechia**Hypatima* Hübner, [1825]
 Allocota Meyrick, 1904 (preoccupied)
 Allocotaniana Strand, 1913 (replacement name)
 Cellaria; Neave, 1939
 Chelaria Haworth, 1828
 Cheleria; Lhomme, [1948]
 Cymatomorpha Meyrick, 1904
 Deuteroptila Meyrick, 1904
 Episactia Turner, 1919
 Hypatina; Stephens, 1835
 Hypatopa Walsingham, 1907
 Psoricoptera; Stainton, 1854
 Semodicritis Meyrick, 1909
 Stomylia Snellen, 1878
 Tituacia Walker, 1864
 albogrisea (Walsingham, 1881) *Chelaria*
 albeogrisea; Janse, 1954
 austerodes (Meyrick, 1918) *Chelaria*
 binummulata (Meyrick, 1929) *Chelaria*
 dissidens (Meyrick, 1913) *Nothris*
 formidolosa (Meyrick, 1916) *Chelaria*
 improba (Meyrick, 1913) *Chelaria*
 isosema (Meyrick, 1921) *Chelaria*
 lecticata (Meyrick, 1926) *Chelaria*
 loxosaris (Meyrick, 1918) *Chelaria*
 mancipata (Meyrick, 1913) *Chelaria*
 melanecta (Meyrick, 1914) *Chelaria*
 nigrogrisea Janse, 1949*probolaea* (Meyrick, 1913) *Chelaria*
solutrix (Meyrick, 1911) *Chelaria*
stasimodes (Meyrick, 1931) *Chelaria*
tetraptila (Meyrick, 1909) *Semodictis*
triannulata (Meyrick, 1911) *Chelaria**Metatactis* Janse, 1949
*griseobrunnea** Janse, 1949*Paraselotis* Janse, 1960
*pelochroa** Janse, 1960*Ptychovalva* Janse, 1958
 *obruta** (Meyrick, 1921) *Gelechia*
 galatea (Meyrick, 1926) *Gelechia*
 trigella (Zeller, 1852) *Brachmia* *to Autostichidae teste Sattler, genus?
 trimaculata Janse, 1960**Dichomeridinae** author, date**Aeolotrocha* Meyrick, 1921
 delogrampta Janse, 1960
 *generosa** Meyrick, 1921
 paroptila Janse, 1960
 phaeoptera Janse, 1960*Allophlebia* Janse, 1960
 *hemizancla** Janse, 1960*Aphnogenes* Meyrick, 1921
 *zonaea** Meyrick, 1921*Argophara* Janse, 1963
 *epaxia** Janse, 1963*Dichomeris* Hübner, 1818
 Acanthophila Heinemann, 1870
 Acantophila; Osthelder, 1951
 Anorthodisca; Gaede, 1937
 Anorthosia Clemens, 1860
 Begoe Chambers, 1872
 Brochometis Meyrick, 1923
 Carna Walker, 1864 (replacement name)
 Dectobathra Meyrick, 1904
 Elasmion Hübner, [1808] (unavailable)
 Euryvara Turner, 1919
 Euryzanca Turner, 1919
 Gaesia Walker, 1864
 Gomphocrates Meyrick, 1925
 Macrozancla Turner, 1919
 Malachotricha; Chambers, 1878
 Malachotriche; Busck, 1903
 Malacotricha Zeller, 1873
 Malacotriche; Busck, 1903
 Mimomeris Povolný, 1978
 Oxybelia Hübner, [1825]
 Plocamosaris Meyrick, 1912
 Rhinosia Treitschke, 1833
 Rhobonda Walker, 1864 (preoccupied)
 Sagaritis Chambers, 1872*Dichomeris* (*Dichomeris*) Hübner, 1818
 acuminata (Staudinger, 1876) *Mesophleps*
 ianthes (Meyrick, 1887) *Ypsolopha* (as *Hypsolophus*)
 ochrophanes (Meyrick, 1907) *Ypsolopha* (as *Ypsolophus*)
 agathopa Meyrick, 1921
 agathope; Janse, 1950 *Dichomeris*
 antizyga Meyrick, 1913
 aphanopa Meyrick, 1921
 aphanope; Janse, 1950 *Dichomeris*
 argentaria Meyrick, 1913
 attenta Meyrick, 1921
 basistriata (Walsingham, 1897) *Ypsolopha* (as *Ypsolophus*)
 cotifera Meyrick, 1913
 contifera; Janse, 1950 *Dichomeris*
 cotyfera; Janse, 1954 *Dichomeris*
 erixantha (Meyrick, 1914) *Trichotaphe*
 eustacta Meyrick, 1921
 exsecta Meyrick, 1927
 fluitans Meyrick, 1920
 hyllurga Meyrick, 1921
 impigra Meyrick, 1913

GELECHIOIDEA

marmorata (Walsingham, 1890) *Ypsolopha* (as *Ypsolophus*)
meridionella (Walsingham, 1881) *Nothris*
metrodes Meyrick, 1913
oleata Meyrick, 1913
pladarota Meyrick, 1921
stasimopa Meyrick, 1937
stromatias Meyrick, 1918
ventosa Meyrick, 1913
xanthodeta Meyrick, 1913
kestobyrsa Meyrick, 1921

Onebala Walker, 1864
Helcystogramma Zeller, 1877
Onebale; Janse, 1954
brunneotincta Janse, 1954
obsoleta Janse, 1954
probolaspis Meyrick, 1929
semiluna Janse, 1954
zulu (Walsingham, 1881) *Gelechia*

Gelechiinae Stainton, 1854
Gelechiini Stainton, 1854

Allotelphusa Janse, 1958
*lathridia** (Meyrick, 1909) *Telphusa*

Aphanostola Meyrick, 1931
pentastigma (Janse, 1960) *Lanceopenna*
 Sp. 1 Brandberg
 Sp. 2 Brandberg
 Sp. 3 Brandberg
 Sp. 4 Brandberg
 Sp. 5 Sneeuberg
 Sp. 6 Hoedspruit

Araeophalla Janse, 1960
*barbertonensis** Janse, 1960

Araeovalva Janse, 1960 (replacement name)
Stenovalva Janse, 1958 (preoccupied)
*albiflora** (Meyrick, 1920) *Gelechia*
minor Janse, 1960

Athrips Billberg, 1820
Cremona Busck, 1934
Epithectis Meyrick, 1895
Leobates; Amsel, 1955
Leobatus Walsingham, 1904
Rhynchospha Staudinger, 1871
Ziminiola Gerasimov, 1930
albibasella Bidzilya, 2010
albicostella Bidzilya, 2010
angustisacula Bidzilya, 2010
bruneosparsa (Janse, 1958) *Parapsectris*
cretulata (Meyrick, 1927) *Gelechia*
cretula; Janse, 1958 *Gelechia*
dorsimaculata Bidzilya, 2010
flavida Bidzilya, 2010
helicala (Meyrick, 1912) *Paltodora*
hirtopalpa Bidzilya, 2010
latipalpella Bidzilya, 2010
mappigera (Meyrick, 1914) *Parapsectris*
meyi Bidzilya, 2010
neograpta (Meyrick, 1914) *Parapsectris*
nigrinervosa Bidzilya, 2010
pallida Bidzilya, 2010
phoenaula (Meyrick, 1913) *Gelechia*
profusa (Meyrick, 1921) *Epithectis*
punctosa Bidzilya, 2010
ptychophora (Meyrick, 1914) *Epithectis*
ptycophora; Janse, 1950 *Epithectis*
ravidinigra Bidzilya, 2010
syncopaula (Meyrick, 1937) *Gelechia*
zetterstedtiella (Zeller, 1852) *Gelechia*
zetterestedtiella; Bidzilya, 2010 *Athrips*

Flexiptera Janse, 1958
*revoluta** (Meyrick, 1918) *Gelechia*

Furcaphora Janse, 1958
*caelata** (Meyrick, 1913) *Telphusa*
triscelis (Meyrick, 1917) *Gelechia*

Gelechia Hübner, [1825]
Aroga Busck, 1914
Aruga; Janse, 1958
Cirrha Chambers, 1872
Ficulea Walker, 1864
Galechia; Desmarest, 1857
Gelschia; Nowicki, 1865
Guenea Bruand, 1850
Lita Treitschke, 1833 (preoccupied)
Oeseis Chambers, 1875
Prolita Leraut, 1993
Pseudochelaria Dietz, 1900

Gelechia (Gelechia) Hübner, [1825]
abjunctella Walker, 1864
aglossella Walker, 1866
anagramma Meyrick, 1921
arotrias Meyrick, 1908
chionomima Meyrick, 1929
epiphloea Meyrick, 1913
secunda Meyrick, 1918
flavipalpella Walsingham, 1881
lactiflora Meyrick, 1921
liberata Meyrick, 1910
omphalopis Meyrick, 1926
rescissella Zeller, 1852
resecta Meyrick, 1913
sematica (Meyrick, 1913) *Telphusa*
tetraleuca Meyrick, 1921
xylophaea Meyrick, 1921
xylophoea; Janse, 1960 *Gelechia*

Leuronoma Meyrick, 1918
*chlorotoma** Meyrick, 1918
eodryas (Meyrick, 1918) *Acompsia*
magna Janse, 1958
nigridorsis Meyrick, 1921
oenochyta (Meyrick, 1921) *Acompsia*
textifera (Meyrick, 1913) *Gelechia*
veterascens Meyrick, 1918
zymotis (Meyrick, 1909) *Telphusa*

Melitoxoides Janse, 1958
*cophias** (Meyrick, 1913) *Gelechia*
leucodoxa (Meyrick, 1920) *Gelechia*

Neotelphusa Janse, 1958
anisogrisea Janse, 1958
bimaculata Janse, 1958
*castrigera** (Meyrick, 1913) *Telphusa*
cirrhomacula Janse, 1958
craterota (Meyrick, 1913) *Telphusa*
ferruginea Janse, 1958
flavinotata Janse, 1958
fuscisparsa Janse, 1958
limenaea (Meyrick, 1920) *Telphusa*
melicentra (Meyrick, 1921) *Gelechia*
obliquifascia Janse, 1960
ochlerodes (Meyrick, 1926) *Telphusa*
ochlorodes; Gaede, 1937 *Telphusa*
ochroptalma (Meyrick, 1927) *Telphusa*
ochroptalma; Janse, 1960
pallidistola Janse, 1958
phaeomacula Janse, 1958
similella Janse, 1958
tapinota Janse, 1958

Parapsectris Meyrick, 1911
Pseudothrips Povolný, 1986
Pseudothrips; Bidzilya, 2010
alfonsi Bidzilya, 2010
carinata (Meyrick, 1911) *Epithectis*
emerita (Meyrick, 1921) *Epithectis*
curvisacula Bidzilya, 2010
extincta (Meyrick, 1911) *Gelechia*
extincta; Janse, 1950 *Epithectis*
fastidiosae Meyrick, 1911
ferax (Meyrick, 1913) *Gelechia*
feraxoides Bidzilya, 2010
ferulata Meyrick, 1918
griseoflavida Bidzilya, 2010

GELECHIOIDEA

- konradi* Bidzilya, 2010
lacunosa (Meyrick, 1918) *Epithectis*
modica Bidzilya, 2010
nigrifasciata Bidzilya, 2010
ochrocosma (Meyrick, 1911) *Epithectis*
ochrocomata; Meyrick, 1921 *Epithectis*
ochrostigma Bidzilya, 2010
opaula (Meyrick, 1911) *Gelechia*
savannae Bidzilya, 2010
*tholaea** Meyrick, 1911
tholea; Janse, 1958 *Parapsectris*
violae Bidzilya, 2010
- Paratelphusa** Janse, 1958
*griseoptera** Janse, 1958
reducta Janse, 1958
- Pithanurga** Meyrick, 1921
*chariphila** Meyrick, 1921
- Platyphalla** Janse, 1951
*ochrinotata** Janse, 1951
- Pseudotelphusa** Janse, 1958
Klaussattleria; Căpușe, 1968
Klaussattleria Căpușe, 1968
Pseudotelphusa; Janse, 1960
Sattleria Căpușe, 1968
albisignata Janse, 1960
albopasta Janse, 1960
confixa (Meyrick, 1918) *Telphusa*
cycota (Meyrick, 1911) *Gelechia*
devia (Meyrick, 1913) *Gelechia*
griseotincta Janse, 1958
oxychasta (Meyrick, 1929) *Telphusa*
paracycota Janse, 1958
*probata** (Meyrick, 1909) *Telphusa*
tornimacula Janse, 1958
trinephela (Meyrick, 1929) *Telphusa*
- Schistovalva** Janse, 1960
*trachyptera** Janse, 1960
- Schizovalva** Janse, 1951
ablepta Janse, 1960
adelo sema Janse, 1960
alaopsis (Meyrick, 1921) *Stomopteryx*
anisofascia Janse, 1960
bistrigata Janse, 1951
brunneotincta Janse, 1951
brunneovesta Janse, 1960
catharodes (Meyrick, 1920) *Gelechia*
catarodes; Janse, 1960 *Schizovalva*
catherodes; Janse, 1960 *Schizovalva*
celidota Janse, 1960
cytogramma Janse, 1960
ebenostriga Janse, 1960
episema Janse, 1960
exenota (Meyrick, 1918) *Gelechia*
exsulata (Meyrick, 1918) *Anacampsis*
guillarmodi Janse, 1960
hyperythra (Meyrick, 1921) *Stomopteryx*
isochorda (Meyrick, 1921) *Gelechia*
isophanes Janse, 1960
leptochora Janse, 1960
leucogrisea Janse, 1951
matutina (Meyrick, 1913) *Gelechia*
mesacta (Meyrick, 1909) *Gelechia*
naufraga (Meyrick, 1911) *Gelechia*
nigrifasciata Janse, 1951
nigrosema Janse, 1960
nubila Janse, 1960
ochnias (Meyrick, 1913) *Gelechia*
ochrotincta Janse, 1951
ophitis (Meyrick, 1913) *Gelechia*
perirrorata Janse, 1951
peronectis (Meyrick, 1909) *Gelechia*
peronectus; Janse, 1951 *Schizovalva*
polygramma (Meyrick, 1914) *Gelechia*
prioleuca (Meyrick, 1911) *Gelechia*
rhodochra (Meyrick, 1913) *Gelechia*
rhodochroa; Janse, 1958 *Schizovalva*
- rubigitincta* Janse, 1951
sarcographa (Meyrick, 1917) *Gelechia*
sphenopsis (Meyrick, 1921) *Acompsia*
stasiarcha (Meyrick, 1913) *Gelechia*
trachypalpella Janse, 1960
triplacopia (Meyrick, 1912) *Gelechia*
*trisignis** (Meyrick, 1908) *Gelechia*
unitincta Janse, 1960
xerochroa Janse, 1951
xylotincta Janse, 1951
- Stegasta** Meyrick, 1904
sattleri Bidzilya & Mey, 2011
*variana** Meyrick, 1904
- Streyella** Janse, 1958
*pallidigrisea** Janse, 1958
- Synelechia** Janse, 1958
*psimythota** (Meyrick, 1913) *Gelechia*
emphanista (Meyrick, 1921) *Telphusa*
- Telphusa** Chambers, 1872
Adrasteia Chambers, 1872
Adrastia Kirby, 1874 (unjustified emendation)
Geniadophora Walsingham, 1897
Telelia Heinemann, 1870
Telphusa; Beirne, 1938
Xenolechia Meyrick, 1895
amphichroma Meyrick, 1913
calathaea Meyrick, 1913
iosticta Meyrick, 1937
iriditis Meyrick, 1920
iriditus; Clarke, 1955
objecta Meyrick, 1921
reecta Meyrick, 1921
syndelta Meyrick, 1921
deltocrates (Meyrick, 1927) *Nothris*
- Thriophora** Meyrick, 1911
*ovulata** Meyrick, 1911
- Tricerophora** Janse, 1958
Leucophylla Janse, 1960
*commaculata** (Meyrick, 1921) *Telphusa*
nigribasis Janse, 1960
- Trychnopalpa** Janse, 1958
Synthesiopalpa Povolný, 1966
*fornacaria** (Meyrick, 1913) *Gelechia*
- Tuta** Kieffer & Jörgensen, 1910
Tuta Strand, 1911 (preoccupied) *to confirm
absoluta (Meyrick, 1917) *Phthorimaea* *invasive alien
- Gnorimoschemini** Povolný, 1964
- Ephysteris (Ephysteris)** Meyrick, 1908
Ephisteris; Mey, 2011
Ephystereris; Janse, 1960
aellographa Janse, 1960
fuscocrossa Janse, 1960
gobabensis Bidzilya & Mey, 2011
gondwana Bidzilya & Mey, 2011
infirma (Meyrick, 1912) *Gnorimoschema*
neosirota (Janse, 1950) *Aristotelia*
ornata (Janse, 1950) *Aristotelia*
parasynecta Janse, 1963
pentamacula Janse, 1958 *see Bidzilya in Mey, 2007: 103
pentamaculata; Povolný, 1966 *Ephysteris*
promptella (Staudinger, 1859) *Gelechia*
australiae Povolný, 1977
cacomicta (Walsingham, 1907) *Aristotelia*
*chersaea** Meyrick, 1908
despectella Walker, 1863
dispensata (Meyrick, 1921) *Phthorimaea*
fanatica (Meyrick, 1921) *Phthorimaea*
oschophora (Meyrick, 1910) *Epithectis*
parvula Staudinger, 1879
petiginella (Mann, 1867) *Epithectis*

GELECHIOIDEA

phanatica auct. *Scrobipalpa*
promtella; Sattler, 1978 *Ephysteris*
xanthorhabda (Gozmány, 1951) *Metzneria*
sirota (Meyrick, 1908) *Aristotelia*
fluidescens (Meyrick, 1914) *Aristotelia*
subdiminutella (Stainton, 1867) *Gelechia*
bucolica (Meyrick, 1904) *Gnorimoschema*
crocoleuca (Meyrick, 1923) *Phthorimaea*
erecnista; Janse, 1951 *Scrobipalpa*
ericnista (Meyrick, 1914) *Phthorimaea*
extorris (Meyrick, 1923) *Phthorimaea*
ferritincta (Turner, 1919) *Aristotelia*
pulverea (Janse, 1950) *Aristotelia*
turgida (Janse, 1951) *Scrobipalpa*

***Ephysteris* (*Microcraspedus*) Janse, 1958**

Echinoglossa Clarke, 1965
Ochrodia Povolný, 1964
Opacopsis Povolný, 1964
brachypogon (Meyrick, 1937) *Megacraspedus*
brauchypogon; Janse, 1960
brachypodum; Povolný 1964 *Megacraspedus*
eremaula (Janse, 1960) *Microcraspedus*
gobabensis Bidzilya & Mey, 2011
photinopa (Meyrick, 1925) *Megacraspedus*
synecta (Meyrick, 1909) *Gnorimoschema*

***Hedma* Dumont, 1932**

Megalocypha Janse, 1960
maculata Povolný, 1978
microcasis (Meyrick, 1929) *Phthorimaea*
*abzacella** Dumont, 1932
hyoscyami (Amsel, 1935) *Teleia*
micradelpha (Walsingham, 1900) *Gelechia*
polioptera (Janse, 1960) *Megalocypha*
rhamnifoliae (Amsel & Hering, 1931) *Lita*

***Phthorimaea* Meyrick, 1902**

Phthorimaea; Turner, 1919
Phthorimea; Diakonoff, 1967
Phthorimoea; Forbes, 1923
Phtorimaea; Povolný & Zakopal, 1951
Ptyorimaea; Turner, 1919
Pthorimaea; Issiki, 1957
*operculella** (Zeller, 1873) *Gelechia* (accidental introduction)
piscipellis (Zeller, 1873) *Gelechia*
sedata (Butler, 1880) *Gelechia*
solanella (Boisduval, 1874) *Bryotropha*
tabacella (Ragonot, 1879) *Gelechia*
terella; Pinhey, 1975 *Gelechia*
terrella (Walker, 1864) *Gelechia*

***Scrobipalpa* (*Ergasiola*) Povolný, 1967**

*ergasima** (Meyrick, 1916) *Phthorimaea*
argasima; Povolný, 1966 *Scrobipalpa*
epithymella auct. *Lita*
intestina (Meyrick, 1921) *Phthorimaea*
magnatella (Caradja, 1920) *Lita*
mirabilis (Gregor & Povolný, 1955) *Gnorimoschema*
pervada (Clarke, 1962) *Gnorimoschema*

***Scrobipalpa* (*Scrobipalpa*) Janse, 1951**

Euscrobipalpa Povolný, 1967
Ilseopsis Povolný, 1965
aptatella (Walker, 1864) *Gelechia*
*heliopa** (Lower, 1900) *Gelechia*
brandbergensis Bidzilya & Mey, 2011
chersophila (Meyrick, 1909) *Gelechia*
colasta (Meyrick, 1921) *Phthorimaea*
concreta (Meyrick, 1914) *Phthorimaea*
costimacula Janse, 1960
cretigena (Meyrick, 1914) *Phthorimaea*
dispensata (Meyrick, 1921) *Phthorimaea*
diversa (Janse, 1950) *Aristotelia*
geomicta (Meyrick, 1918) *Phthorimaea*
hospes (ssp. of *obsoletella*) Povolný, 1964
incola (Meyrick, 1912) *Megacraspedus*
bletrias (Meyrick, 1913) *Gelechia*
meridioafricana Bidzilya & Mey, 2011
nomias (Meyrick, 1921) *Phthorimaea*
obsoletella hosipes Povolný, 1964
ocyphanes (Meyrick, 1937) *Homaloxestis*
pendens (Meyrick, 1918) *Phthorimaea*

phalacrodes (Meyrick, 1913) *Gnorimoschema*
phelotris (Meyrick, 1909) *Gelechia*
sibila (Meyrick, 1921) *Phthorimaea*
swakopi Bidzilya & Mey, 2011
trychnophylla Janse, 1960
trichnophylla; Povolný, 1964 *Scrobipalpa*
vicaria (Meyrick, 1921) *Phthorimaea*
tineiformis Povolný, 1967
xylochroa Janse, 1963

Pexicopiinae Hodges, 1986

Asapharcha Meyrick, 1920
Asapharca; Clarke, 1955
crateropa Meyrick, 1930
*strigifera** Meyrick, 1920

Aspades Vári, 1986 (replacement name)
Asiasiodes Janse, 1958 (preoccupied)
armatavalva (Janse, 1963) *Asiasiodes*
*hutchinsonella** (Walsingham, 1891) *Gelechia*
luteomaculata Bidzilya & Mey, 2011

Lacistodes Meyrick, 1921
brunneostola Janse, 1960
fuscomaculata Bidzilya & Mey, 2011
*tauropis** Meyrick, 1921

Lasiarchis Meyrick, 1937
hirsuta Janse, 1958
pycnode (Meyrick, 1909) *Nothris*
*elaeoxyla** Meyrick, 1937

Melitoxestis Meyrick, 1921
*centrotypa** Meyrick, 1921
centrotypa; Janse, 1958 *Melitoxestis*
entrotypa; Vári, 1958 *Melitoxestis*

Mometa Durrant, 1914
*zemiodes** Durrant, 1914

Pectinophora Busck, 1917
*gossypiella** (Saunders, 1844) *Depressaria* (accidental introduction)
umbripennis (Walsingham, 1885) *Gelechia*

Sitotroga Heinemann, 1870
Nesolechia Meyrick, 1921
Silotroga; Kirby, 1871
Sititroga; Lima, 1945
Sitotrega; Borg, 1932
Sitotrogus; Matsumura, 1931
Syngenomictis Meyrick, 1927
*cerealella** (Olivier, 1789) *Alucita* (introduced accidentally)
aenictopa (Meyrick, 1927) *Syngenomictis*
arctella (Walker, 1864) *Gelechia*
coarctatella Zeller, 1877
coarcetella; Gaede, 1937 *Sitotroga*
hordei (Kirby, 1815) *Tinea*
melanarthra (Lower, 1900) *Gelechia*
ochrescens (Meyrick, 1938) *Aristotelia*
palearis (Meyrick, 1913) *Epithecis*
exquisita Bidzilya & Mey, 2011
psacasta (Meyrick, 1908) *Paltodora*
celyphodes Meyrick, 1909
nea Walsingham, 1920

Pycnobathra group

Photodotis Meyrick, 1911
Photodotus; Janse, 1917
abachaesi Janse, 1958
pellochroa Janse, 1960
*prochalina** Meyrick, 1911
spilodoma Meyrick, 1918

Unplaced genera

Autodectis Meyrick, 1937 Apatetrinae?
*atelarga** Meyrick, 1937
Coniogryra Meyrick, 1921
*dilucescens** Meyrick, 1921
Encentrotis Meyrick, 1921

GELECHIOIDEA

- catagrapha**** Meyrick, 1921
catagrapta; Gaede, 1937 *Encentrotis*
- Lachnostola*** Meyrick, 1918
*amphizeucta** Meyrick, 1918
amphizeuta; Janse, 1960 *Lachnostola*
- Lanceopenna*** Janse, 1950
prominula (Meyrick, 1913) *Aristotelia*
*pseudogaleotis** Janse, 1950
- Panicotricha*** Meyrick, 1913
*prographa** Meyrick, 1913
- Thaumaturgis*** Meyrick, 1934
*craterocrossa** Meyrick, 1934
- Thymosopha*** Meyrick, 1914
*antileuca** Meyrick, 1914
- Residue – genera still to assign to subfamily or added since re-sorting of collection by K. Sattler**
- Acraeologa*** Meyrick, 1921
Acraeologa; Janse, 1963
Araeologa; Janse, 1963
delotypa Janse, 1963
xanthobasalis Janse, 1963
*xerochroa** Meyrick, 1921
- Acribologa*** Meyrick, 1923
cymotrocha (Meyrick, 1913) *Nothris*
- Afrotelphusa*** Bidzilya & Mey, 2011 *to Litini
Afrotelphusa Bidzilya & Mey, 2011
*accensa** (Meyrick, 1921) *Telphusa*
- Benguelasa*** Bidzilya & Mey, 2011 *to Litini
*major** Bidzilya & Mey, 2011
minor Bidzilya & Mey, 2011
- Brachmia*** Hübner, [1825]
Apethistis Meyrick, 1908 (unnecessary replacement name)
Aulacomima Meyrick, 1904
Bracunia; Stephens, 1834
Ceratophora Heinemann, 1870 (preoccupied)
Cladodes Heinemann, 1870 (preoccupied)
Eudodaces Snellen, 1889 (replacement name)
apricata Meyrick, 1913
convolvuli Walsingham, 1907
cryspsilochna Meyrick, 1914
cryspsilochna; Janse, 1954 *Brachmia*
dryadopa Meyrick, 1918
effera (Meyrick, 1918) *Lecithocera*
craticula Meyrick, 1921
fiscinata Meyrick, 1918
fiscinate; Janse, 1954 *Brachmia*
fuscogramma Janse, 1960
graphicodes Meyrick, 1914
hemiopa Meyrick, 1921
nesidias Meyrick, 1911
malacogramma Meyrick, 1909
musicopa Meyrick, 1908
neurograpta Meyrick, 1921
pantheropa Meyrick, 1913
septella (Zeller, 1852) *Gelechia* (*Nothris*)
digitata (Meyrick, 1914) *Onebala*
spilopis Meyrick, 1927
velitaris Meyrick, 1913
verberata Meyrick, 1911
- Bucolarcha*** Meyrick, 1929
*geodes** Meyrick, 1929
- Calliphylla*** Janse, 1963
*retusa** Janse, 1963
- Capnosema*** Janse, 1958
*celidota** Janse, 1958
- Catelaphris*** Meyrick, 1925
*torrefacta** (Meyrick, 1914) *Brachmia*
- torrefacto*; Janse, 1954 *Brachmia*
- Cymatoplicella*** Fletcher, T.B., 1940 (replacement name)
Cymatoplex Meyrick, 1925 (preoccupied)
*aestuosa** (Meyrick, 1913) *Homaloxestis*
aplectodes (Janse, 1960) *Cymatoplex*
- Daemonarcha*** Meyrick, 1918
amblopis Janse, 1954
atactodes Janse, 1954
*cyprophanes** Meyrick, 1918
hamata Janse, 1954
heterobela Janse, 1954
oncera Janse, 1954
- Deltolophos*** Janse, 1960
*haplopa** Janse, 1960
- Epicharta*** Meyrick, 1926
chlorophracta (Meyrick, 1921) *Dichomeris*
*gnomonodes** Meyrick, 1926
- Eporgastis*** Meyrick, 1921
conclusa (Meyrick, 1918) *Trichotaphe*
*matura** Meyrick, 1921
syngrapta (Meyrick, 1921) *Trichotaphe*
torrescens Meyrick, 1921
- Ereboscaeas*** Meyrick, 1937
*amorpha** Meyrick, 1937
- Erikssonella*** Janse, 1960
Erickssonella; Janse, 1960
Eriksonella; Janse, 1960
*permagna** (Meyrick, 1920) *Compsolechia*
- Frumenta*** Busck, 1939
nephelomicta (Meyrick, 1930) *Asapharcha*
- Holaxyra*** Meyrick, 1913
acuta (Meyrick, 1927) *Dichomeris*
ithyaula (Meyrick, 1926) *Dichomeris*
picrophanes (Meyrick, 1913) *Dichomeris*
- Iochares*** Meyrick, 1921
lachoris; Janse, 1960
locharis; Janse, 1958
*festa** Meyrick, 1921
straminis (Walsingham, 1881) *Ypsolopha* (as *Ypsolophus*)
- Istriani*** Meyrick, 1918 *to Litini Brundt, 1859 (= Teleiodini Piskunov, 1973)
fynbosella Bidzilya & Mey, 2011
- Khoisa*** Bidzilya & Mey, 2011
epicentra (Meyrick, 1909) *Gelechia*
dryadopsis (Meyrick, 1926) *Gelechia*
glauca (Janse, 1960) *Melitoxoides*
panaula (Meyrick, 1909) *Gelechia*
eusebasta (Meyrick, 1926) *Gelechia*
panuala; Mey, 2011 *Khoisa*
triloba (Janse, 1960) *Scrobipalpa*
- Leuropalpa*** Janse, 1960
*reducta** (Janse, 1951) *Holaxyra*
- Machlotricha*** Meyrick, 1912
Machotricha; Janse, 1960
griseostola Janse, 1960
latipalpis (Walsingham, 1881) *Ypsolopha* (as *Ypsolophus*)
*caeca** Meyrick, 1912
- Musurga*** Meyrick, 1923
turgida (Meyrick, 1918) *Trichotaphe*
- Neopachnistis*** Janse, 1954
amblystola Janse, 1954
autophanta (Meyrick, 1921) *Pachnistis*
autoplanta; Janse, 1954 *Pachnistis*
finitima (Meyrick, 1921) *Pachnistis*
*microphanta** (Meyrick, 1921) *Pachnistis*
parochroma Janse, 1954
pseudomorpha Janse, 1954
tephrodes (Meyrick, 1909) *Ypsolopha*

GELECHIOIDEA***Parabrachmia*** Janse, 1960*anomala* Janse, 1960*trisignella** Janse, 1960***Paristhmia*** Meyrick, 1909*barathrodes** Meyrick, 1909***Picroptera*** Janse, 1960*aulotoma* (Meyrick, 1917) *Dichomeris**interamna* (Meyrick, 1926) *Dichomeris****orthacma**** (Meyrick, 1926) *Dichomeris**taphrites* (Meyrick, 1937) *Megacraspedus**taphritis*; Janse, 1958 *Megacraspedus****Schematistis*** Meyrick, 1911*analoxa** Meyrick, 1911***Trichotaphe*** Clemens, 1860*Tricotaphe*; Riley, 1890***amblychroa*** Janse, 1954***asteropis*** (Meyrick, 1921) *Dichomeris**byrsoxantha* Meyrick, 1918*claviculata* Meyrick, 1909***coenulenta*** (Meyrick, 1927) *Cymotricha****condylodes*** Meyrick, 1921***dysnotata*** Janse, 1954***excepta*** (Meyrick, 1914) *Dichomeris****externella*** (Zeller, 1852) *Gelechia* (*Nothris*)***famosa*** Meyrick, 1914***furrella*** (Zeller, 1852) *Ypsolopha* (as *Ypsolophus*)***hercogramma*** Meyrick, 1921***homaloxesta*** Meyrick, 1921***hortulana*** Meyrick, 1918***inclusa*** (Meyrick, 1927) *Cymotricha****introspiciens*** Meyrick, 1926***ironica*** Meyrick, 1909***ligyra*** Meyrick, 1913***molybdea*** Janse, 1954***monococca*** Meyrick, 1921***ochroxesta*** Meyrick, 1921***oenombra*** Meyrick, 1914***opsorrhoda*** Meyrick, 1929***oxygrapha*** Meyrick, 1913***physeta*** Meyrick, 1913***pleuropa*** Meyrick, 1921***plumbosa*** Meyrick, 1913***pyrrhitis*** Meyrick, 1911*pyrrhitus*; Janse, 1954 *Trichotaphe****quadrifurcata*** Janse, 1954***rubidula*** Meyrick, 1913***skukzae*** Janse, 1954***subiridescens*** Janse, 1954***tapinostola*** Janse, 1954***tridentata*** Janse, 1954***Tricyanaula*** Meyrick, 1925***metallica*** (Walsingham, 1891) *Strobisia****Zalithia*** Meyrick, 1894*Zalitheia*; Janse, 1963***deltophora*** Janse, 1954***octophora*** (Meyrick, 1918) *Brachmia****xanthophylla*** Janse, 1963

New arrangement

Preliminary note. Hodges (1999) recognized only Physoptilinae, Gelechiinae (with numerous synonyms), Dichomeridinae, and Pexicopiinae (p. 147). See overview on p. 158 for authors/dates.

Karsholt *et al.* (2013) accept seven subfamilies:

Anacampsinae

Dichomeridinae

Brachmini

Apatetrinae

Apatetriini Le Marchand, 1947

Pexicopiini

Thiotrichinae Karsholt *et al.*, 2013

Anomologinae

Gelechiinae Stainton, 1854

Anacampsini

Physoptilinae (not included in study)

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

...

GELECHIOIDEA**AUTOSTICHIDAE** Le Marchand, 1947**Autostichinae** Le Marchand, 1947*Apotactis* Meyrick, 1918 *transferred from Gelechiidae teste Sattler
*drimylota** Meyrick, 1918*Araeophylla* Janse, 1954 *transferred from Gelechiidae teste Sattler
*spiladias** (Meyrick, 1921) *Lecithocera***Autosticha** Meyrick, 1886 (replacement name)*Automola* Meyrick, 1883 (preoccupied)*Prosomura* Turner, 1919*emmetra* Meyrick, 1921*nothropis* Meyrick, 1921*Dicranucha* Janse, 1954 *transferred from Gelechiidae teste Sattler*Dichanucha*; Janse, 1954*Dichranucha*; Janse, 1954*albicincta* (Meyrick, 1921) *Brachmia**crateropis* (Meyrick, 1921) *Brachmia**dicksoni* Janse, 1963*homochroma* Janse, 1954*legalis* (Meyrick, 1921) *Brachmia**nephelopis* (Meyrick, 1921) *Brachmia**ochrostoma* (Meyrick, 1913) *Brachmia**serialis* (Meyrick, 1908) *Brachmia**ochyrota* (Meyrick, 1920) *Brachmia**sterictis** (Meyrick, 1908) *Brachmia**strepisgramma* (Meyrick, 1937) *Brachmia**Diophila* Meyrick, 1937*bathrota* (Meyrick, 1911) *Mompha**claricomata** Meyrick, 1937*Pachnistis* Meyrick, 1907 *transferred from Gelechiidae teste Sattler*craniota* (Meyrick, 1913) *Lecithocera**consors* Meyrick, 1921*propitia* (Meyrick, 1913) *Lecithocera**protitia*; Janse, 1954 *Pachnistis**Parallactis* Meyrick, 1925 *transferred from Gelechiidae teste Sattler*ochrobyrsa* (Meyrick, 1921) *Brachmia**panchlora* (Meyrick, 1911) *Brachmia**plaesiodes** (Meyrick, 1920) *Pachnistis**derogata* (Meyrick, 1921) *Brachmia**zorophanes* Janse, 1954*Procometis (Hyostola)* Meyrick, 1908*acharma** Meyrick, 1908*oxypora* Meyrick, 1908*terrena* Meyrick, 1908*Procometis (Procometis)* Meyrick, 1890*Macrozygona* Lower, 1903*limitata* Meyrick, 1911*milvina* Meyrick, 1914*ochricilia* Meyrick, 1921*Syrmadaula* Meyrick, 1918 *transferred from Gelechiidae teste Sattler
*automorpha** Meyrick, 1918**Holcopogoninae** author, date***Holcopogon** Staudinger, 1879*Cyrmia*; von Caradja, 1920*Cyrmia* Walsingham, 1900*rhyodes* (Meyrick, 1909) *Nothris**amphicentra* (Meyrick, 1913) *Epistomotis**scaeocentra* Meyrick, 1921*tucki* Vives Moreno, 1999**BATRACHEDRIDAE** Heinemann & Wocke, 1876**Batrachedra** Herrich-Schäffer, 1853*Batrachedra* Stainton, 1854 (preoccupied)*Batrachetra*; Dyar, [1903]*Eustaintonia* Spuler, 1910*epombra* Meyrick, 1914*granosa* Meyrick, 1911*helota* Meyrick, 1913*isochtha* Meyrick, 1914*microbias* Meyrick, 1914*oemias* Meyrick, 1909*phaneropa* Meyrick, 1914*sauota* Meyrick, 1911**Enscepastra** Meyrick, 1920*Sandaloea* Meyrick, 1920*acutissima* Mey, 2011*curvipalpata* Mey, 2011*cognica* Mey, 2011*lathraea* Meyrick, 1920*longirostris* Meyrick, 1926*plagiopa** Meyrick, 1920*recurvata* Mey, 2011*scolopaxica* Mey, 2011**Idioglossa** Walsingham, 1881*Idiostoma* Walsingham, 1882 (unnecessary replacement name)*bigemma** Walsingham, 1881*triumphalis* Meyrick, 1918**BLASTOBASIDAE** Meyrick, 1894 (see ENDNOTE page 32)**Blastobasini** Meyrick, 1894**Blastobasis** Zeller, 1855*Agnoea* Walsingham, 1907*Epistetus* Walsingham, 1894*Euresia* Dietz, 1910*Prosthesia* Walsingham, 1908*Valentinia* Walsingham, 1907*brysodepta* Meyrick, 1913*determinata* Meyrick, 1921*egens* Meyrick, 1918*fatigata* Meyrick, 1914*indigesta* Meyrick, 1931*industria* Meyrick, 1913*millcentae* Adamski, 2010*taricheuta* Meyrick, 1909*trachelista* Meyrick, 1921*trachilista*; Adamski, 2010 *check**Neoblastobasis** Kuznetsov & Sinev, 1985[*N. indigesta* (Meyrick) transferred back to *Blastobasis* by Adamski *et al.*, 2010]**Zenodochium** Walsingham, 1908*Xenodochium*; Fletcher, T.B., 1929[(i) *B. arguta* Meyrick transferred to *Calosima* by Adamski *et al.*, 2010(ii) *Zenodochium* was treated as a jun. subj. syn. of *Blastobasis* by Adamski & Brown, 1989]**Holcocerini** Adamski & Brown, 1989**Calosima** Dietz, 1910*arguta* (Meyrick, 1918) *Blastobasis***Holcocera** Clemens, 1863*Syndroma* Meyrick, 1914*extensa* (Meyrick, 1918) *Blastobasis**irroratella* (Walsingham, 1891) *Blastobasis***Tecmerium** Walsingham, 1907[*B. irroratella* Walsingham, 1891 was transferred to *Holcocera* by Adamski *et al.*, 2010]ENDNOTE: Blastobasidae were treated as a subfamily of Coleophoridae by Hodges *in* Kristensen (1999). *acc. to Adamski *et al.*, 2010: 1, check***BLASTODACNIDAE**

(to fall away)

GELECHIOIDEA

COLEOPHORIDAE Bruand, 1850
EUPISTIDAE

Augasma Herrich-Schäffer, 1853
nidifica Meyrick, 1912

Coleophora Hübner, 1822
Apista Hübner, [1825]
Astyages Stephens, 1834
Caleophora; Căpușe, 1973
Casas Wallengren, 1881
Casigneta Wallengren, 1881
Castignetella; Strand, 1928
Corythangela Meyrick, 1897
Damophila Curtis, 1832
Eupista Hübner, [1825]
Galleria Vallot, 1818
Haploptilia Hübner, [1825]
Heringiella Börner, 1944
Metallosetia Stephens, 1834
Porrectaria Haworth, 1828
Protocryptis Meyrick, 1931
acanthophallica Baldizzone, 2019
acmura Meyrick, 1914
afrotropicalis Baldizzone & van der Wolf, 2004
albadomina Baldizzone & van der Wolf, 2004
aphanombra Meyrick, 1913
aquaecadensis Baldizzone & van der Wolf, 2004
arens Baldizzone & van der Wolf, 2004
austrina Baldizzone & van der Wolf, 2004
blandula Baldizzone, 2019
brandbergella Baldizzone & van der Wolf, 2004
capricornis Baldizzone & van der Wolf, 2004
corniapiella Baldizzone, 2019
damarella Baldizzone & van der Wolf, 2004
diffusa Meyrick, 1913
efflua Meyrick, 1911
eremodes Meyrick, 1912
euchromella Baldizzone, 2019
gampsonuchosas Baldizzone, 2019
halmodes Meyrick, 1911
hirundicauda Baldizzone, 2019
illustrata Meyrick, 1913
intensa Meyrick, 1913
kruegeri Baldizzone & van der Wolf, 2004
kuruensis Baldizzone, 2019
leucaula Meyrick, 1911
megaloptila Meyrick, 1909
meyi Baldizzone & van der Wolf, 2004
mirabibella Baldizzone, Mey & van der Wolf, 2011
molesta Meyrick, 1921
monticola Baldizzone & van der Wolf, 2004
namella Baldizzone & van der Wolf, 2004
namibiae Baldizzone & van der Wolf, 2004
niphocrossa Meyrick, 1920
oligosticta Baldizzone, 2019
ordinaria Meyrick, 1913
orphanoceros Meyrick, 1937
orthocerasella Baldizzone, 2019
oxyphaea Meyrick, 1913
pallidula Baldizzone, 2019
presbytica Meyrick, 1921
purifica Meyrick, 1921
rhabdophaeella Baldizzone, 2019
sanella Baldizzone & van der Wolf, 2004
scaleuta Meyrick, 1911
scariphota Meyrick, 1911
selerisacula Baldizzone, 2019
sneeuwbergensis Baldizzone, 2019
swartbergensis Baldizzone, 2019
terenaula Meyrick, 1927
textoria Meyrick, 1921
triflua Meyrick, 1911
ugabensis Baldizzone & van der Wolf, 2004

GELECHIOIDEA**COSMOPTERIGIDAE** Heinemann & Wocke, 1876**Cosmopteriginae** Heinemann & Wocke, 1876**Anatrachyntis** Meyrick, 1915

Anatrachyntis; Edwards & Nielsen, 1996
coriacella (Snellen, 1901) *Batrachedra rileyi* (Walsingham, 1882) *Batrachedra stigmatophora* Walsingham, 1897
tripola (Meyrick, 1909) *Stagmatophora*

Axiarcha Meyrick, 1921*discosema** Meyrick, 1921**Coccidiphila** Danilevskii, 1950*stegodyphobia* (Walsingham, 1903) *Batrachedra***Cosmopterix** Hübner, [1825]

Cosmopteryx Agassiz, 1847 (unjustified emendation)
Cosmopteryx Zeller, 1839 (unjustified emendation)
ancistraea Meyrick, 1913 (as *Cosmopteryx*)
antichorda Meyrick, 1909 (as *Cosmopteryx*)
bactrophora Meyrick, 1908 (as *Cosmopteryx*)
callinympha Meyrick, 1913 (as *Cosmopteryx*)
circe Meyrick, 1921 (as *Cosmopteryx*)
cleophanes Meyrick, 1937 (as *Cosmopteryx*)
cognita Walsingham, 1891 (as *Cosmopteryx*)
diplozona Meyrick, 1921 (as *Cosmopteryx*)
emmolybda Meyrick, 1914 (as *Cosmopteryx*)
lienigiella (Lienig & Zeller, 1846) *Cosmopterix*
macroglossa Meyrick, 1913 (as *Cosmopteryx*)
oxyglossa Meyrick, 1909 (as *Cosmopteryx*)
scaligera Meyrick, 1909 (as *Cosmopteryx*)
tabellaria Meyrick, 1908 (as *Cosmopteryx*)
tetrophthalma Meyrick, 1921 (as *Cosmopteryx*)

Dorodoca Meyrick, 1915*eometalla* Meyrick, 1926**Erechthiodes** Meyrick, 1914*audax** Meyrick, 1914**Eteobalea** Hodges, 1962

pentagama (Meyrick, 1928) *Stagmatophora*
phanoptila (Meyrick, 1911) *Stagmatophora*
quinquecristata (Walsingham, 1891) *Laverna*

Ischnobathra Meyrick, 1937

*balanobola** Meyrick, 1937
dormiens Meyrick, 1937

Isidiella Riedl, 1965*divitella* (Constant, 1885) *Stagmatophora***Labdia** Walker, 1864

caulota Meyrick, 1918
diophanes Meyrick, 1927
macrobela Meyrick, 1918
macobela; Vári, 1958 *Labdia*

Limnaecia Stainton, 1851

Limnoecia; Meyrick, 1895
Lymnaecia; Dyar, [1903]
Ptilochares Meyrick, 1887
chlorodeta Meyrick, 1928 (as *Limnoecia*)
chloronephes Meyrick, 1924 (as *Limnoecia*)
conuncta Meyrick, 1921 (as *Limnoecia*)
effulgens Meyrick, 1918 (as *Limnoecia*)
effluens; Vári, 1958 *Limnaecia*
eretmota Meyrick, 1909 (as *Limnoecia*)
explanata Meyrick, 1921 (as *Limnoecia*)
ichnographa Meyrick, 1908 (as *Limnoecia*)
neurogramma Meyrick, 1909 (as *Limnoecia*)
phragmitella Stainton, 1851
recidiva Meyrick, 1911 (as *Limnoecia*)
sarcanches Meyrick, 1921 (as *Limnoecia*)
semisecta Meyrick, 1928 (as *Limnoecia*)

Melanozestis Meyrick, 1930*heterodesma** Meyrick, 1930**Parathystas** Meyrick, 1913
*porphyrantha** Meyrick, 1913**Pycnagorastis** Meyrick, 1937
*tanyopa** Meyrick, 1937**Pyroderees** Herrich-Schäffer, 1853
— *Laeceiferophaga* Zagulajev, 1959
— *Sathrobrota* Hedges, 1962
— *Syntomactis* Meyrick, 1889Probably to fall away after transfer of *rileyi* and *tripola* to *Anatrachyntis*.**Stagmatophora** Herrich-Schäffer, 1853

Parastagmatophora Riedl, 1965
basanitis Meyrick, 1909
narcota Meyrick, 1909
phalacra Meyrick, 1909
pilana Meyrick, 1913
trimitra Meyrick, 1913
trimetra; Vári, 1958 *Stagmatophora*

Strenophila Meyrick, 1913
*hyptiota** Meyrick, 1913**Chrysopeleiinae** author, date***Ascalenia** Wocke, [1876]
albitergus Meyrick, 1926
melanogastra (Meyrick, 1918) *Cholotis* (as *Chototis*)
nudicornis (Meyrick, 1913) *Cholotis*
phaneracma Meyrick, 1921
pulverata (Meyrick, 1913) *Cholotis*
staurocentra (Meyrick, 1915) *Cholotis***Bifascioides** Kasy, 1968

Sp. A
 Sp. B

Gisilia Kasy, 1968

antidesma (Meyrick, 1913) *Limnaecia* (as *Limnoecia*)
cardinata (Meyrick, 1918) *Cholotis*
conformata (Meyrick, 1921) *Ascalenia*
meyi Sinev, 2007
sclerodes (Meyrick, 1909) *Stagmatophora*
stagnans (Meyrick, 1921) *Ascalenia*
stereodoxa (Meyrick, 1925) *Ascalenia*

Stilbosis Clemens, 1860

antibathra (Meyrick, 1914) *Mompha*
rhachitis (Meyrick, 1913) *Mompha*

Antequerinae author, date***Allocrita** Staudinger, 1859
Dhahrania Amsel, 1958
Proceleustis Meyrick, 1914
*paraphracta** (Meyrick, 1914) *Proceleustis*
plumbaria (Meyrick, 1921) *Proceleustis*
zelotypa (Meyrick, 1918) *Proceleustis*
xylodesma Meyrick, 1911**Allotalanta** Meyrick, 1913
clonomicta Meyrick, 1927**Chalcocolona** Meyrick, 1921
*cyananthes** (Meyrick, 1911) *Cnemidolophus***Cnemidolophus** Walsingham, 1881
*lavernellus** Walsingham, 1881**Gibeauxiella** Koster & Sinev, 2003
genitrix (Meyrick, 1927) *Macrobatra***Macrobatra** Meyrick, 1883
Leurozancia Turner, 1933
anisodora Meyrick, 1924
fasciata (Walsingham, 1891) *Stagmatophora*
peraeota Meyrick, 1921
recrepans Meyrick, 1926

GELECHIOIDEA

Scaeosophinae author, date*

Hyalochna Meyrick, 1918
*allevata** Meyrick, 1918

Streptothyris Meyrick, 1918
*tanyacta** Meyrick, 1918

ENDNOTE: Chrysopeleiinae were treated as a distinct family by Sinev (2004) but not Kristensen *et al.* (2011).

GELECHIOIDEA**ELACHISTIDAE** Bruand, 1850

APHELOSETIIDAE author, date*
CYCNOIDIIDAE author, date*

Elachistinae Bruand, 1850***Elachista*** Treitschke, 1833

Aphelosetia Stephens, 1834

Aphigalia Dyar, [1903]

Atachia Wocke, [1876]

Biselachista Traugott-Olsen, 1977

Cynnodia Herrich-Schäffer, 1853

Elachista Kollar, 1832 (unavailable)

Euproctodes Viette, 1954

Hecista Wallengren, 1881

Irenicodes Meyrick, 1919

Neaera Chambers, 1880

Phigalia Chambers, 1875

crocogastra Meyrick, 1908

gypsophila Meyrick, 1911

justificata Meyrick, 1926

merimnaea Meyrick, 1920

nymphaea Meyrick, 1911

sparsula Meyrick, 1921

Perittia Stainton, 1854

Mendesia Joannis, 1902

Mendesina; Amsel, 1935

Syphoristis Meyrick, 1918

Triboloneura Wallengren, 1908

aganopa (Meyrick, 1911) *Mendesia*

aganope auct. *Mendesia*

eselkopensis Mey, 2011

inscia (Meyrick, 1913) *Mendesia*

nimbifera (Meyrick, 1913) *Elachista*

ptychospila (Meyrick, 1918) *Syphoristis*

secutrix (Meyrick, 1914) *Mendesia*

Urodeteta Stainton, 1869

acinacella Sruoga & De Prins, 2012

maculata (Mey, 2007) *Phthinostoma*

quadrifida Sruoga & De Prins, 2012

teaniata (Mey, 2007) *Phthinostoma*

trilobata Sruoga & De Prins, 2012

Note. According to Kaila (2004) and Heikkilä *et al.* (2014) the redefined family Depressariidae is comprised of the subfamilies Depressariinae, Stenomatinae, Cryptolechiinae, and Ethmiinae.

Depressariinae author, date****Agonopterix*** Hübner, [1825]

Agonopteryx Treitschke, 1833 (unjustified emendation)

Agonopteryx; Stephens, 1834

Drepanula Frölich, 1828

Epeleustia Hübner, [1825]

Epileustia; Stephens, 1834

Haemilis; Duponchel, 1838

Haemylis Treitschke, 1832

Pinaris Hübner, [1825]

Tichonia Hübner, [1825]

communis (Meyrick, 1920) *Depressaria*

compacta (Meyrick, 1914) *Depressaria*

crypsicosma (Meyrick, 1920) *Depressaria*

dryocrates (Meyrick, 1921) *Depressaria*

glyphidopa (Meyrick, 1928) *Depressaria*

goughi (Bradley, 1958) *Dimorphinotuctua*

grammatopha (Meyrick, 1920) *Depressaria*

homogenes (Meyrick, 1920) *Depressaria*

neoxesta (Meyrick, 1918) *Depressaria*

trimenella (Walsingham, 1881) *Depressaria*

***Depressaria* (*Depressaria*) Haworth, 1811**

Depressia; Staudinger, 1879

Piesta Billberg, 1820

Schistodepressaria Spuler, 1910

Volucra; Latreille, 1829

Volucrum Berthold, 1827

clausulata Meyrick, 1911

orthobathra Meyrick, 1918

panurga Meyrick, 1920

prospicua Meyrick, 1914

rhodoscelis Meyrick, 1920***Eutorna*** Meyrick, 1889

Heterozancla Turner, 1919

diluvialis Meyrick, 1913

Martyrhilda Clarke, 1941

melanarcha (Meyrick, 1913) *Depressaria*

Orophia Hübner, [1825]

Cephalispheira Bruand, [1851]

Cryptolechia Zeller, 1852 *See Lvovsky in Mey, 2007: 78

Lampros Kollar, 1832

Lamprus Agassiz, 1847 (unjustified emendation)

ammopleura (Meyrick, 1920) *Cryptolechia*

castella (Zeller, 1852) *Cryptolechia*

costella; Walker, 1864 *Cryptolechia*

eariasella (Walker, 1864) *Cryptolechia*

eariasella; Janse, 1917 *Cryptolechia*

hadromacha (Meyrick, 1937) *Cryptolechia*

haeresiella (Wallengren, 1875) *Cryptolechia*

languidula (Meyrick, 1921) *Cryptolechia*

ochroxyla (Meyrick, 1937) *Cryptolechia*

pachystoma (Meyrick, 1921) *Cryptolechia*

roseoflava (Walsingham, 1881) *Cryptolechia*

straminella (Zeller, 1852) *Cryptolechia*

straminella; Walsingham, 1881 *Cryptolechia*

tetrasticta (Meyrick, 1917) *Cryptolechia*

tranquila (Meyrick, 1927) *Cryptolechia*

transfuga (Meyrick, 1911) *Cryptolechia*

xanthosarea (Meyrick, 1917) *Cryptolechia*

Pisinidea Butler, 1883

exsuperans Meyrick, 1920

Ethmiinae author, date*

Azininae

Ethmia Hübner, [1819]

Aedia Duponchel, 1837 (preoccupied)

Anesychia Hübner, [1825]

Azinis Walker, 1863

Babaiaxa Busck, 1902

Ceratophysetis Meyrick, 1887

Chalybe Duponchel, 1837

Disthymnia Hübner, [1825]

Melanoleuca Stephens, 1829

Psecadia Hübner, [1825]

Tamarrha Walker, 1864

Theoxenia Walsingham, [1887]

Wiltshireia Amsel, 1949 (preoccupied)

anikini Mey & Shovkoon, 2014

austronomibiensis Mey, 2011

circumdatella (Walker, 1863) *Yponomeuta* (as *Hyponomeuta*)

coscineutis Meyrick, 1911

dactylia Meyrick, 1911

epiloxa Meyrick, 1914

fluviatilis Mey & Shovkoon, 2014

glandifera Meyrick, 1918

grandifera; Vári, 1958 *Ethmia*

hamaxastra Meyrick, 1930

judicialis Meyrick, 1921

karasbergensis Mey & Shovkoon, 2014

kuisibi Mey & Shovkoon, 2014

kunenica Mey & Shovkoon, 2014

leucocirrha Meyrick, 1926

livida (Zeller, 1852) *Psecadia*

namella Mey, 2011

oculigera (Möschler, 1883) *Psecadia*

oculifera; Pagenstecher, 1907 *Psecadia*

pericentrota Meyrick, 1926

rhomboidella Walsingham, 1897

sabiella (Felder & Rogenhofer, 1875) *Psecadia*

vulcanica Kun, 2004

Stenomatinae author, date****Antaeotricha*** Zeller, 1854

Antaeotricha; Walsingham, 1881

ovata Walsingham, 1881

GELECHIOIDEA

Stenoma Zeller, 1839
Diastoma Möschler, 1882
dicentra Meyrick, 1913
modicola Meyrick, 1911
reticens Meyrick, 1917
simulatrix Meyrick, 1914
stolida Meyrick, 1911

Agonoxeninae author, date*

Colonophora Meyrick, 1914
ictifera Meyrick, 1937

Haplochrois Meyrick, 1897
ganota (Meyrick, 1911) *Platybathra*
halans (Meyrick, 1924) *Batrachedra*
hysterota (Meyrick, 1918) *Platybathra*
picropa (Meyrick, 1921) *Platybathra*

Ischnopsis Walsingham, 1881
Amblyxena Meyrick, 1914
Iriothysa Meyrick, 1908
*angustella** Walsingham, 1881
melanogma (Meyrick, 1908) *Iriothysa*
pilifera (Meyrick, 1921) *Amblyxena*

Microcolona Meyrick, 1897
omphalias Meyrick, 1913
pantomima Meyrick, 1917

Pauroptila Meyrick, 1913
*galenitis** Meyrick, 1913

Porotica Meyrick, 1913
*astragalis** Meyrick, 1913

Trachydora Meyrick, 1897
iocharis Meyrick, 1918
rhachitis Meyrick, 1913
scandalotis Meyrick, 1921

Genus incertae sedis, tentatively placed in Elachistidae:

Cleroptila Meyrick, 1914
*chelonitis** (Meyrick, 1909) *Elachista*

Genera excluded from Elachistidae by Parenti (1988) without indication of alternative systematic placement:

Cryphioxena Meyrick, 1921
*haplomorpha** Meyrick, 1921

Myrrhinitis Meyrick, 1913
*sporeuta** Meyrick, 1913

Phthinostoma Meyrick, 1914
*infumata** Meyrick, 1914
pachyzona Meyrick, 1921

GELECHIOIDEA**LECITHOCERIDAE** Le Marchand, 1947*Atrichozancla* Janse, 1954*cosymbota* (Meyrick, 1920) *Eridachtha*
gymnopalpa Janse, 1963
*phaeocrossis** (Meyrick, 1937) *Eridachtha**Cophomantella* Fletcher, T.B., 1940 (replacement name)*Cophomantis* Meyrick, 1925 (preoccupied)
bifrenata (Meyrick, 1921) *Onebala*
furnaria (Meyrick, 1913) *Lecithocera*
homogramma (Meyrick, 1918) *Onebala**Dragmatucha* Meyrick, 1908*Drachmatucha*; Janse, 1954
bivia Meyrick, 1918
*proaula** Meyrick, 1908*Encolpotis* Meyrick, 1909 *transferred from Gelechiidae *teste* Sattler*argyrophanes* Meyrick, 1937
*xanthoria** Meyrick, 1909*Epimactis* Meyrick, 1907*atropunctella* (Walsingham, 1881) *Cryptolechia**Eridachtha* Meyrick, 1910*Corthyntis* Meyrick, 1916
Eridacha; Janse, 1963
crossogramma (Meyrick, 1921) *Corthyntis**Frisilia* Walker, 1864*Friselia*; Janse, 1963
Macrernis Meyrick, 1887
Tipasa Walker, 1864
compsostoma Meyrick, 1921*Homaloxestis* Meyrick, 1910*Hamaloxestis*; Meyrick, 1931
cholopis (Meyrick, 1906) *Lecithocera*
lophophora Janse, 1954*Idiopteryx* Walsingham, 1891*obliquella** (Walsingham, 1881) *Cryptolechia*
obliquella; Janse, 1917 *Idiopteryx*
obsepta (Meyrick, 1918) *Dragmatucha**Isotypa* Janse, 1954*Isotypa*; Janse, 1954
*discopuncta** Janse, 1954
discopunctata; Janse, 1954 *Isotypa**Lecithocera* Herrich-Schäffer, 1853*Andusia* Walker, 1866
Brachyerga Meyrick, 1925
Lecitocera; Janse, 1958
Leviptera Janse, 1954
Macrotona Meyrick, 1904
Patouissa Walker, 1864
Periphorectis Meyrick, 1925
Siovata Walker, 1866
Syntetarca Gozmány, 1978
Tirasia Walker, 1864
Tiriza Walker, 1864
Titana Walker, 1864
Xanthocera Amsel, 1953
Xanthocerodes Amsel, 1955*Lecithocera* (*Lecithocera*) Herrich-Schäffer, 1853*aenicta* Janse, 1954
anthologella Wallengren, 1875
binotata Meyrick, 1918
flavipalpis Walsingham, 1891
flavipalpis; Vári & Kroon, 1986 *Lecithocera*
ideologa Meyrick, 1937
lucernata Meyrick, 1913
myopa Meyrick, 1913
officialis Meyrick, 1911*Odites* Walsingham, 1891*Eciteles*; Christoph, 1882
Enolmis Lhomme, 1949
Euteles Heinemann, 1870*Paradoris* Meyrick, 1907*assidua* Meyrick, 1914
balsamias Meyrick, 1911
citrantha Meyrick, 1908
consignata Meyrick, 1921
crocota Meyrick, 1912
cuculans Meyrick, 1918
dilutella (Walsingham, 1881) *Cryptolechia*
emensa Meyrick, 1921
exterrita Meyrick, 1937
fessa Meyrick, 1921
hemiperca Meyrick, 1914
incolumis Meyrick, 1918
incusata Meyrick, 1921
insons Meyrick, 1912
inversa Meyrick, 1914
laconica Meyrick, 1927
laconia; Vári & Kroon, 1986
meloxantha Meyrick, 1927
metaclista Meyrick, 1915
metaphracta Meyrick, 1909
metascia Meyrick, 1937
*natalensis** Walsingham, 1891
nubeculosa Meyrick, 1918
obumbrata Meyrick, 1925
obvia Meyrick, 1914
sucinea Meyrick, 1915
superscripta Meyrick, 1926*Plagiocrossa* Janse, 1954*picrodora** (Meyrick, 1913) *Lecithocera**Protolychnis* Meyrick, 1925*Protolichnis*; Janse, 1963
*maculata** (Walsingham, 1881) *Lecithocera*
marginata (Walsingham, 1881) *Lecithocera**Symbatica* Meyrick, 1910 *transferred from Gelechiidae *teste* Sattler*cryphias** Meyrick, 1910

GELECHIOIDEA**LYPUSIDAE** Herrich-Schäffer, 1857

AMPHISBATIDAE Spuler, 1910

Anchinia Hübner, [1825] *to Depressariidae *teste* Mey*Fugia* Duponchel, [1846]*Palpula* Kollar, 1832*furculata* Meyrick, 1924*oenochares* Meyrick, 1920*Hypercallia* Stephens, 1829 *to Depressariidae *teste* Mey*sincera* Meyrick, 1909*subreticulata* Walsingham, 1881*Paratemelia* Lvovsky, 2007 *to Depressariidae *teste* Mey*meyi* Lvovsky, 2007*namibiella** Lvovsky, 2007**MOMPHIDAE** Herrich-Schäffer, 1857*Mompha* (*Mompha*) Hübner, [1825]

(to fall away)

GELECHIOIDEA**OECOPHORIDAE** Bruand, 1850**Oecophorinae** Bruand, 1850

METACHANDIDAE

Agroecodes Meyrick, 1937
*comata** Meyrick, 1937

Alabonia Hübner, [1825]

Enicostoma Stephens, 1829
Henicostoma Agassiz, 1847 (unjustified emendation)
coarctata (Walsingham, 1881) *Enicostoma*

Amphipseustis Meyrick, 1921
*disputanda** Meyrick, 1921

Areocosma Meyrick, 1917
*orsobela** Meyrick, 1917

Aulotropha Meyrick, 1918
*pentasticta** Meyrick, 1918

Batia Stephens, 1834
Chirocampala; Morley & Rait-Smith, 1933
Chirocompa Meyrick, 1914
Discolata Spuler, 1910
decurrens (Meyrick, 1918) *Chirocompa*

Borkhausenia Hübner, [1825]
Amaurosetia Stephens, 1835
intumescens Meyrick, 1921

Briarostoma Meyrick, 1920
*pyrrhopsamma** Meyrick, 1920

Ceranthes Meyrick, 1918
apellodora Meyrick, 1926
syncrotaula Meyrick, 1926
*thiota** Meyrick, 1918

Chalcorectis Meyrick, 1937
Chalcocrates; Meyrick, 1937
*argoplecta** Meyrick, 1937

Choronoma Meyrick, 1926
*isoxysta** Meyrick, 1926

Coesyra Meyrick, 1883
Caesyra; Lower, 1894
Casyra; Lower, 1893
balantias Meyrick, 1908
campylotis Meyrick, 1914
centrobola Meyrick, 1914
rutila Meyrick, 1912

Crystallogenes Meyrick, 1937
*chalcoschista** Meyrick, 1937

Diocosma Meyrick, 1909
Dioscoma; Neave, 1939
*callichroa** Meyrick, 1909
ceramopis Meyrick, 1909
eotrocha Meyrick, 1918
molybdela Meyrick, 1917
obliquestrigella (Walsingham, 1881) *Oecophora*
obliquistrigella; Vári & Kroon, 1986 *Diocosma*
tricycla Meyrick, 1909
zarifa Meyrick, 1921

Doxomeres Meyrick, 1917
*dianantha** Meyrick, 1917

Endrosis Hübner, [1825]
psammadora Meyrick, 1921
sarcitrella (Linnaeus, 1758) *Phalaena Tinea* (introd. accid.)
antarctica Staudinger, 1898
betulinella (Fabricius, 1787) *Alucita*
fenestrella (Scopoli, 1763) *Phalaena*
kennicottella Clemens, 1860 *Endrosis*
*lactella** ([Denis & Schiffermüller], 1775) *Tinea*
lacteella; Kloet & Hincks, 1972 *Endrosis*
sarcitea (Haworth, 1828) *Recurvaria*
sarcitella; Linnaeus, 1761 *Tinea*

subditella (Walker, 1863) *Gelechia*

Epiphractis Meyrick, 1908
aulica Meyrick, 1912
crocoplecta Meyrick, 1913
imbellis Meyrick, 1914
rubricata Meyrick, 1913
sarcopa (Meyrick, 1909) *Proscarotra*
thysanarcha Meyrick, 1918

Erotis Meyrick, 1910
hesperanthes Meyrick, 1921

Eucleodora Walsingham, 1881
*chalybeella** Walsingham, 1881
ingrata Meyrick, 1913

Eulechria Meyrick, 1883
Cormotypa Meyrick, 1914
Eriodyta Meyrick, 1883
Eulecria; Turner, 1912
Utidana Turner, 1935 (*nomen nudum*)
phaeopsamma Meyrick, 1913

Fabiola Busck, 1908
callipetala Meyrick, 1921

Harpella Schrank, 1802
scolopistis Meyrick, 1909

Hednophora Meyrick, 1911
*pyritis** Meyrick, 1911

Hofmannophila Spuler, 1910
*pseudospretella** (Stainton, 1849) *Oecophora* (introd. accid.)
improbella (Walker, 1869) *Gelechia*
pseudopretella; Lower, 1897 *Hofmannophila*
pseudoprettella; Lower, 1903 *Hofmannophila*
punctipinguinella (Bruand, 1856) *Litoides*

Isocrita Meyrick, 1909
eremasta Meyrick, 1914
ithydoxa Meyrick, 1920
phlyctidopa Meyrick, 1921
protophanes Meyrick, 1927
psalactis Meyrick, 1912
*stolarcha** Meyrick, 1909

Lasiomactra Meyrick, 1921
*acharista** Meyrick, 1921

Meloteles Meyrick, 1920
*xanthodoxa** Meyrick, 1920

Metachanda Meyrick, 1911
citrodesma (Meyrick, 1911) *Macrosaces*
oxyacma Meyrick, 1928
trimetropa Meyrick, 1937

Ocyphron Meyrick, 1921
*oxyphylla** Meyrick, 1921

Ocystola Meyrick, 1885
Oxystola; Hodges, 1999
proxena Meyrick, 1914

Opsigenes Meyrick, 1918
*parastacta** Meyrick, 1918

Orygocera Walsingham, 1897
recordata Meyrick, 1921

Oxyscopa Meyrick, 1926
*dealbata** Meyrick, 1926

Parapleuris Meyrick, 1937
*oxycrena** Meyrick, 1937

Pelochares Meyrick, 1933
palpata Mey, 2011

Philametris Meyrick, 1924
*aethalopa** Meyrick, 1924

GELECHIOIDEA***Philobota*** Meyrick, 1883*Antidica* Meyrick, 1883*Atribasta* Turner, 1916*Latometus* Butler, 1882 (preoccupied)*Mesolecta* Meyrick, 1883*Oenochrodes* Lower, 1907*Talantis* Meyrick, 1889*chalinitis* Meyrick, 1909*dryinota* Meyrick, 1914*erastis* Meyrick, 1910*tectifera* Meyrick, 1909*virgo* Walsingham, 1891***Phratriodes*** Meyrick, 1926*curvisignis** Meyrick, 1926***Picrogenes*** Meyrick, 1917*bactrospila** Meyrick, 1917***Plesiosticha*** Meyrick, 1921*acida* (Meyrick, 1911) *Borkhausenia**endocentra* (Meyrick, 1914) *Borkhausenia**galactaea** (Meyrick, 1908) *Borkhausenia**galactea*; Vári & Kroon, 1986 *Plesiosticha**galactoea*; Sharp, 1910 *Thiotricha****Pleurota*** Hübner, [1825]*Acropogona* Sodoffsky, 1857*Eupleuris* Hübner, [1825]*Macrochila* Stephens, 1829*Palpula* Treitschke, 1833*Protasis* Herrich-Schäffer, 1853*drucella* (Walsingham, 1881) *Topeutis****Porthmologa*** Meyrick, 1914*deltophanes* Meyrick, 1918***Promalactis*** Meyrick, 1908*geometrica* Meyrick, 1913*recurva* Meyrick, 1914*scalmotoma* Meyrick, 1918*sphaerograptia* Meyrick, 1937*veridica* Meyrick, 1913***Protomacha*** Meyrick, 1883*conservata* Meyrick, 1918*sosigona* Meyrick, 1920***Rhoeocoptera*** Meyrick, 1909*gigas** (Walsingham, 1891) *Ypsolophus****Saropla*** Meyrick, 1883*dryozona* Meyrick, 1913***Schiffermuelleria*** Hübner, [1825]*Disqueia* Spuler, 1910*helminthias* Meyrick, 1918*pedicata* Meyrick, 1918***Selidoris*** Meyrick, 1926*deligata** (Meyrick, 1921) *Cryptolechia****Tanyzancla*** Meyrick, 1918*diorycta* Meyrick, 1920*semistricta* Meyrick, 1920***Teratopsis*** Walsingham, 1881*tunicella** Walsingham, 1881***Thamnocrana*** Meyrick, 1927*haemorrhoa** Meyrick, 1927***Thyestarcha*** Meyrick, 1912*acrogypsa* Meyrick, 1917*edax** Meyrick, 1912***Xenophanta*** Meyrick, 1914*ecliptis** Meyrick, 1914**PTEROLONCHIDAE** Meyrick, 1918

PTEROLOCHIDAE; Mey, 2011

Anathyrsa Meyrick, 1920*macroxyla** Meyrick, 1920

to insert verberata

Plexippica Meyrick, 1912*Kruegerius* Vives Moreno, 1999*fuscinervosa* Mey, 2011*verberata** Meyrick, 1912*terebrata* (Meyrick, 1924) *Pterolonche*

GELECHIOIDEA**SCYTHRIDIDAE** Rebel, 1901*Apostibes* Walsingham, 1907*deckerti* Bengtsson, 2014*halmyrodes* (Meyrick, 1921) *Scythris ilyopa* (Meyrick, 1921) *Scythris**Eretmocera* Zeller, 1852*Aeraula* Meyrick, 1897*Castorura* Meyrick, 1887*Exodomorpha* Walker, 1864*Leuroscelis* Turner, 1926*Staintonia* Staudinger, 1859*basistrigata* Walsingham, 1889*contermina* Meyrick, 1926*florifera* Meyrick, 1909*fuscipennis** Zeller, 1852*carteri* Walsingham, 1889*derogatella* (Walker, 1864) *Exodomorpha**inclusella* (Walker, 1864) *Exodomorpha**lunifera* Zeller, 1852*miniatia* Walsingham, 1889*kochi* Bengtsson, 2014*laetissima* Zeller, 1852*divisella* (Walker, 1864) *Exodomorpha**letabensis* Bengtsson, 2014*lyneborgi* Bengtsson, 2014*maelanensis* Bengtsson, 2014*meyi* Bengtsson, 2014*monophaea* Meyrick, 1927*scatospila* Zeller, 1852*syleuta* Meyrick, 1926*Haploscythris* Viette, 1956*albifuscella* Bengtsson, 2014*brachiohirsutella* Bengtsson, 2014*brachiotruncella* Bengtsson, 2014*brunneopicta* Bengtsson, 2014*canispera* (Meyrick, 1913) *Scythris**chloraema* (Meyrick, 1887) *Batalis**obstans* (Meyrick, 1928) *Scythris**paulianella* Viette, 1956*coffeella* Bengtsson, 2014*eberti* Bengtsson, 2014*haackei* Bengtsson, 2014*indecorella* Bengtsson, 2014*kuboosensis* Bengtsson, 2014*melanodora* (Meyrick, 1912) *Scythris**ochrosuffusella* Bengtsson, 2014*pugilella* Bengtsson, 2014*quadrivalvella* Bengtsson, 2014*richtersveldensis* Bengtsson, 2014*scoblei* Bengtsson, 2014*sordidella* (Bengtsson, 2002) *Scythris**streyi* Bengtsson, 2014*valvaearcinitus* Bengtsson, 2014*vansonii* Bengtsson, 2014*vredendalensis* Bengtsson, 2014*vulturoides* Bengtsson, 2014*youngai* Bengtsson, 2014*Paralogistis* Meyrick, 1913*Homothamnis* Meyrick, 1921*litholeuca* (Meyrick, 1921) *Homothamnis**ochrura** Meyrick, 1913*Proterochyta* Meyrick, 1918 *check, not to Elachistidae?*epicoena** (Meyrick, 1914) *Elachista**Scythris* (*Scythris*) Hübner, [1825]*Butalis* Treitschke, 1833 (preoccupied)*Catascythris* Amsel, 1935*Colinita* Busck, 1907*Copida* Sodoffsky, 1837 (repl. name for *Butalis* Treitschke, 1833)*Galanthia* Hübner, [1825]*kebirella* group*alainensis* Bengtsson, 2014*cretiflua* Meyrick, 1913*fonticola* Meyrick, 1911*hanseni* Bengtsson, 2014*hermanusensis* Bengtsson, 2014*kebirella* (Amsel, 1935) *Catascythris**piriformis* Bengtsson, 2014*shingwedziensis* Bengtsson, 2014*stagnosa* group*stagnosa* Meyrick, 1913*vulgata* Meyrick, 1914*gaboronensis* group*gaboronensis* Bengtsson, 2014*calciflua* group*brachyplecta* Meyrick, 1928*calciflua* Meyrick, 1921*eburiplicella* Bengtsson, 2014*etoshensis* Bengtsson, 2014*farrata* Meyrick, 1913*helskloofensis* Bengtsson, 2014*jamakensis* Bengtsson, 2014*meyi* Bengtsson, 2014*nylsvleyensis* Bengtsson, 2014*scholzi* Bengtsson, 2014*vogelfederbergensis* Mey, 2011*nigrispersa* group*eburnipterella* Bengtsson, 2014*hirudoformis* Bengtsson, 2014*nigrispersa* Meyrick, 1918*rivigera* Meyrick, 1911*fluctuosa* Meyrick, 1914*tenebrella* Bengtsson, 2002*ochranta* group *to confirm spelling*distactica* Meyrick, 1921*ochrantha* Meyrick, 1909*homoxantha* Meyrick, 1921*exsoluta* group*exsoluta* Meyrick, 1920*griseella* Bengtsson, 2014*subgriseella* Bengtsson, 2014*uniclavella* Bengtsson, 2014*valvaerimella* Bengtsson, 2014*valvaearcella* group*cooperi* Bengtsson, 2014*dicksoni* Bengtsson, 2014*durbanensis* Bengtsson, 2014*krooni* Bengtsson, 2014*strydomi* Bengtsson, 2014*aerariella* group*matopensis* Bengtsson, 2014*anaecapitella* group*anaecapitella* Bengtsson, 2014*aquaria* Meyrick, 1913*brevimanubriella* Bengtsson, 2014*kruegeri* Bengtsson, 2014*paarlensis* Bengtsson, 2014*snymani* Bengtsson, 2014*wolframii* Bengtsson, 2014*zimbabwensis* Bengtsson, 2014*roseola* group*bernardi* Bengtsson, 2014*clarki* Bengtsson, 2014*clemens* Meyrick, 1921*dimensa* Meyrick, 1920*jansei* Bengtsson, 2014*marginifuscella* Bengtsson, 2014*messinensis* Bengtsson, 2014*munroi* Bengtsson, 2014*roseola* Meyrick, 1912*subcurvipilella* Bengtsson, 2014*subroseola* Bengtsson, 2014*vari* Bengtsson, 2014*pelochyta* group*abachaensis* Bengtsson, 2014*autochlorella* Paulian & Viette, 1956*eloquens* Meyrick, 1921

GELECHIOIDEA

pelochyta Meyrick, 1909
psamathota Meyrick, 1913

abyanensis group

glaphyropa Meyrick, 1914
kavangensis Bengtsson, 2014
patiens Meyrick, 1921
potgieteri Bengtsson, 2014
sericiella Bengtsson, 2014

accumulata group

accumulata Meyrick, 1914
magnipedella Bengtsson, 2014
waterbergensis Bengtsson, 2014

aratrella group

aratrella Bengtsson, 2014
eburnella Bengtsson, 2014
pulveratella Bengtsson, 2014

concurrens group

albiangulella Bengtsson, 2002
concurrens Meyrick, 1921
geminella Bengtsson, 2014
subconcurrens Bengtsson, 2014

fibigeri group

brandbergensis Bengtsson, 2014
popensis Bengtsson, 2014
simplicella Bengtsson, 2014

Unplaced as to species group

albipunctella Bengtsson, 2014
anthracodelta Meyrick, 1911
asinella Bengtsson, 2014
aulaeella Bengtsson, 2014
balantiella Bengtsson, 2014
bicalamella Bengtsson, 2014
bisacculella Bengtsson, 2014
bitterfonteinica Bengtsson, 2014
bontebokensis Bengtsson, 2014
bosicornella Bengtsson, 2014
camelella Walsingham, 1907
delodelta Meyrick, 1930
capilliverticella Bengtsson, 2014
cederbergensis Bengtsson, 2014
claudioculella Bengtsson, 2014
cometa Meyrick, 1909
conimarginella Bengtsson, 2014
cottrelli Bengtsson, 2014
dorsifuscella Bengtsson, 2014
ellipsiella Bengtsson, 2014
faeculenta Meyrick, 1912
heniaeguttella Bengtsson, 2014
humeriformis Bengtsson, 2014
justifica Meyrick, 1911
erudita Meyrick, 1917
melanopleura Meyrick, 1914
meligastra Meyrick, 1920
kalaharii Bengtsson, 2014
kalkrandensis Bengtsson, 2014
lactanea Meyrick, 1913
lactifuscella Bengtsson, 2014
latebrosa Meyrick, 1913
malelanensis Bengtsson, 2014
mesoplecta Meyrick, 1921
meyeri Bengtsson, 2014
naukluftensis Bengtsson, 2014
nyangensis Bengtsson, 2014
nylstroomensis Bengtsson, 2014
ochrocrusella Bengtsson, 2014
ochroplicella Bengtsson, 2014
octotornella Bengtsson, 2014
oculella Bengtsson, 2014
otaviensis Bengtsson, 2014
palmwagensis Bengtsson, 2014
pelinaula Meyrick, 1916
pangalactis Meyrick, 1933
piriensis Bengtsson, 2014
pretoriensis Bengtsson, 2014
sacharissa Meyrick, 1913
saccharissa; Bengtsson, 2014

satarensis Bengtsson, 2014
setaelongella Bengtsson, 2014
skukuzensis Bengtsson, 2014
tubulella Bengtsson, 2014
ugabensis Bengtsson, 2014
umtaliensis Bengtsson, 2014
vanderwolfi Bengtsson, 2014
wankiensis Bengtsson, 2014
worcesterensis Bengtsson, 2014

GELECHIOIDEA**STATHMOPODIDAE** Janse, 1917*Aeoloscelis* Meyrick, 1897*Aeloscelis*; Meyrick, 1927
tripoda Meyrick, 1913*Oedematopoda* Zeller, 1852*Atkinsonia* Stainton, 1859*illucens* (Meyrick, 1914) *Eremocera*
*princeps** (Zeller, 1852) *Eremocera**Pachyrhabda* Meyrick, 1897*triplecta* Meyrick, 1913
unctoria Meyrick, 1911*Stathmopoda* Herrich-Schäffer, 1853*Agrioscelis* Meyrick, 1913*Boocara* Butler, 1880*Erineda* Busck, 1909*Kakivoria* Nagano, 1916*Placostola* Meyrick, 1887*aegotricha* Meyrick, 1921*arcata* Meyrick, 1913*auriferella* (Walker, 1864) *Gelechia**adulatrix* Meyrick, 1917*cirrhaspis* Meyrick, 1922*crocophanes* Meyrick, 1897*divisa* Walsingham, 1891*ischnotis* Meyrick, 1897*tharsalea* Meyrick, 1914*theoris* (Meyrick, 1906) *Aeoloscelis**autoxantha* Meyrick, 1913*citrinopsis* Meyrick, 1927*crassella* Walsingham, 1891*ficivora* Kasy, 1973*ficipastica* Bradley, [1973] 1974*glyceropa* Meyrick, 1915*hemiplecta* Meyrick, 1921*luminata* Meyrick, 1911*lychnacma* Meyrick, 1927*maculata* Walsingham, 1891*pomifera* Meyrick, 1913*revincta* Meyrick, 1921*teleozona* Meyrick, 1921*trichodora* Meyrick, 1909*xanthoplitis* Meyrick, 1908*Tortilia* Chrétien, 1908

Sp. A

SYMMOCIDAE *not treated as a distinct family in Kristensen *et al.* (2011)*Gambrostola* Meyrick, 1926 *transferred from Gelechiidae teste Sattler
*imposita** Meyrick, 1926*Oegoconia* Stainton, 1854*Apatema* Walsingham, 1900*Clerogenes* Meyrick, 1921*Microgonia* Popescu-Gorj & Căpușe, 1965*Oecogonia*; Dunning & Pickard, [1859]*Oecogonia*; Hartmann, 1880*meledantis* (Meyrick, 1921) *Clerogenes**cyrota* Meyrick, 1921*syndesma* Meyrick, 1926*Phthoracma* Meyrick, 1921 *transferred from Gelechiidae teste Sattler
*blanda** Meyrick, 1921*Symmoca* Hübner, [1825]*Asarista* Meyrick, 1935*Conquassata* Gozmány, 1957*Parasymmoca* Rebel, 1903*Simoca*; Weiler, 1877*Symmoletria* Gozmány, 1963*crocodesma* Meyrick, 1911**XYLORYCTIDAE** Meyrick, 1890

Cryptophasinae

Belovalva Janse, 1963 *transferred from Gelechiidae teste Sattler
*nigripuncta** Janse, 1963*Cladophantis* Meyrick, 1918*pristina* Meyrick, 1925*spilozeucta* Meyrick, 1927*xylophracta** Meyrick, 1918*Eporycta* Meyrick, 1908*chionaula* Meyrick, 1920*incanescens* Meyrick, 1921*lurida* Mey, 2011*tarbalea** Meyrick, 1908*Eupetochira* Meyrick, 1917*axysta* Meyrick, 1927*xystopala** (Meyrick, 1908) *Nephantis**Exacristis* Meyrick, 1921*euryopa** Meyrick, 1921*Gemorodes* Meyrick, 1925*diclera** Meyrick, 1925*Glycynympha* Meyrick, 1925*roseocostella** (Walsingham, 1881) *Cryptolechia**sandycopa* (Meyrick, 1917) *Epimactus**Lacharissa* Meyrick, 1937 *transferred from Gelechiidae teste Sattler*tanyzancla** Meyrick, 1937*tanyzanelia*; Janse, 1958 *Lacharissa**Microphidias* Meyrick, 1937*bacteriopsis** Meyrick, 1937*Xylorycta* Meyrick, 1890*Neodrepta* Turner, 1898*Xyloricta*; Lucas, T.P., 1894*artigena* Meyrick, 1914

COSMOIDEA**COSSIDAE** Leach, [1815]

ZEUZERIDAE

Cossinae Leach, [1815]

Trypaninae

Afroarabiella Yakovlev, 2008*poliopelta* (Clench, 1959) *Arctiocossus***Arctiocossus** Felder, 1874*antargyreus** Felder, 1874*antargyreus*; Felder, 1874*farinalis* Mey, 2015*martinkruegeri* Mey, 2015*namaquensis* Mey, 2015**Brachylia** Felder, 1874*bipedes* Mey, 2016*camparia* Mey, 2016*contusa* Mey, 2016*eutelia* Clench, 1959*eberti* Yakovlev, 2011*fusca* Mey, 2016*incanescens* (Butler, 1875) *Cossus**lineata* Mey, 2016*minor* Mey, 2016*plumbata* Mey, 2016*terebroides** Felder, 1874*tenebroides*; Dalla Torre, 1923 *Cossus**vukuta* Yakovlev & Lenz, MS*windhoeokensis* (Strand, 1913) *Cossus***Coryphodema** Felder, 1874*steineri* (Grünberg, 1910) *Cossus**coelebs* (Clench, 1959) *Macrocossus**steineri*; Dalla Torre, 1923 *Cossus**tristis* (Drury, 1782) *Phalaena**capensis** Felder, 1874**Cossus** Fabricius, 1793*caseus*; Castelnau, 1840*cassus*; Dyar, 1905*lyonetii* Rafinesque, 1815*teredo* Hübner, 1806*trypanus* Rambur, 1866

*to fall away?

Lichtensteiniana Mey, 2015*alooides** Mey, 2015*brandbergensis* Mey, 2015*fuscoalaria* Mey, 2015*maritima* Mey, 2016*orania* Mey, 2016*punctulata* (Walker, 1856) *Cossus**strigulata* (Gaede, 1929) *Arctiocossus**tessellata* (Clench, 1959) *Arctiocossus***Macrocossus** Aurivillius, 1900*toluminus* (Druce, 1887) *Cossus**rudis** Aurivillius, 1900**Meyoarabiella** Yakovlev, 2008*karooensis* Mey, 2016*meyi** Yakovlev, 2008**Mirocossus** Schoorl, 1990*badiulus** (Fletcher, 1958) *Brachylia***Namibiocossus** Mey, 2015*gaerdesi** (Daniel, 1956) *Pecticossus**punctifer* (Gaede, 1929) *Arctiocossus**danieli* (Clench, 1959) *Arctiocossus**uhligorum* Mey, 2015**Pecticossus** Gaede, 1929*castaneus** Gaede, 1929**Rethona** Walker, 1855*albifasciata* (Hampson, 1910) *Coryphodema**strigosa** Walker, 1855**Zeuzerinae** Boisduval, [1828]**Aethalopteryx** Schoorl, 1990*atrireta** (Hampson, 1910) *Phragmataecia* (as *Phragmatoecia*)*dictyotephra* (Clench, 1959) *Xyleutes**obscurascens* (Gaede, 1930) *Xyleutes* *1930?*pindarus* (Fawcett, 1916) *Duomitus**pindara*; Schoorl, 1990 *Aethalopteryx**squamatus* (Distant, 1902) *Duomitus**atriglaza* (Le Cerf, 1919) *Azygophleps**sameus*; Dalla Torre, 1923 *Xyleutes**tristis* (Gaede, 1915) *Hyleutes**forsteri* (Clench, 1959) *Xyleutes**mesosticta* (Hampson, 1916) *Duomitus* *to confirm, syn. not in Mey (2016)**Alophonotus** Schoorl, 1990*rauanus** (Strand, 1909) *Chalcidica* (*Duomitus*)*langi* (Holland, 1920) *Callocossus***Azygophleps** Hampson, [1893]*aburae* (Plötz, 1880) *Zeuzera**albovittata* Bethune-Baker, 1908*asylas* (Cramer, 1779 [1777]) *Noctua**strigulosa* (Walker, 1856) *Cossus**asylasiformis* Mey, 2016*atrifasciata* Hampson, 1910*canadensis* (Herrich-Schäffer, [1854]) *Zeuzera**godswinow* Yakovlev & Saltaides, 2011*cooksoni* Pinhey, 1968*inclusa* (Walker, 1856) *Zeuzera**kilimandjarae* Le Cerf, 1914 *to confirm, syn. not in Mey (2016)*petax* (Wallengren, 1860) *Zeuzera**junkeri* Yakovlev & Witt, 2017*leopardina* Distant, 1902*borchmanni* Grünberg, 1910*leopardinae*; Dalla Torre, 1923 *Azygophleps**liturata* (Aurivillius, 1879) *Zeuzera**aurivillii* (Kirby, 1892) *Zeuzera**aurivilli*; Vári & Kroon, 1986 *Zeuzera**nubilosa* Hampson, 1910*pusilla* (Walker, 1856) *Zeuzera**scalaris* (Fabricius, 1775) *Hepialus**sponda* (Wallengren, 1875) *Zeuzera**defreinai* Yakovlev & Witt, 2011*thoracostigalis* Mey, 2019**Eulophonotus** Felder, 1874*Callocossus* Aurivillius, 1910*Engyophlebus* Karsch, 1900*Zeuzerops* Strand, 1910*myrmeleon** Felder, 1874*obesus* (Karsch, 1900) *Engyophlebus**stephanius* (Druce, 1887) *Zeuzera***Oreocossus** Aurivillius, 1910*kilimanjarensis** (Holland, 1892) *Duomitus**kilimandjaronis*; Gaede, 1929 *Oreocossus**occidentalis* Strand, 1912**Phragmataecia** Newman, 1850*Macrogaster* Duponchel, [1845] (preoccupied)*Phragmataecia*; Walker, 1865*Pragmataecia*; Viette, 1974*andarana* Clench, 1959*boisduvalii* (Herrich-Schäffer, 1854) *Zeuzera**innominata* Dalla Torre, 1923*reticulata* Hampson, 1910*irrorata* Hampson, 1910*okovangae* Clench, 1959**Strigocossus** Houlbert, 1916*Hylocossus* Houlbert, 1916*capensis* (Walker, 1856) *Zeuzera**flavincta* Hampson, 1910 *Azygophleps**ochricosta* (Fletcher, D.S., 1968) *Azygophleps**ochricostus*; Schoorl, 1990 *Strigocossus***Xyleutes** Hübner, [1820]*Himaea* Moore, [1883]*Melanostrigus* Houlbert, 1916*Strigoides* Guérin-Méneville, [1844]*Strigomorphus* Houlbert, 1916

COSMOIDEA

Xylocossus Houlbert, 1916
sjoestedti (Aurivillius, 1900)
vosseleri Gaede, 1929

Zeuzera Latreille, 1804
Aegolia Billberg, 1820
Latagia Hübner, [1820]
Zenzena; Latreille, [1805]
coffeeae Nietner, 1861
buergeri Gaede, 1933
oblita Swinhoe, 1890
reticulata Joicey & Talbot, 1916

Genera removed from Cossidae: *Pseudurgis* group

Kariosa Mey, 2011
albulata Mey, 2011
*autumnaria** Mey, 2011

Nomima Durrant, 1916
Pectitinea Amsel, 1953
Theatrista Meyrick, 1917
Zesticodes Meyrick, 1918
cyanoscia (Meyrick, 1918) *Zesticodes*
deserticola Mey, 2007
gaerdesi Mey, 2007
montisusti Mey, 2007
subnigrata (Meyrick, 1917) *Theatrista*

Pseudurgis Meyrick, 1908
acosmetos Mey, 2011
karoo Mey, 2011
leucosema Meyrick, 1914
maacki Mey, 2007
minorata Mey, 2011
mollis Mey, 2011
nephelicta Meyrick, 1913
ochrolychna Meyrick, 1914
ochrolchna; Janse, 1917 *Pseudurgis*
poliastis (Meyrick, 1937) *Melasina*
polychorda Meyrick, 1913
protracta Meyrick, 1924
sciocolona Meyrick, 1914
scutifera Meyrick, 1912
*tectonica** Meyrick, 1908
tineiformis Mey, 2011
undulata (Meyrick, 1911) *Melasina*
vernalis Mey, 2011

REFERENCE:

EDWARDS, E.D., GENTILI, P., HORAK, M., KRISTENSEN, N.P. & NIELSEN, E.S., 1999. 11. The Cossoid/Sesioid Assemblage. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 181–198. W. de Gruyter, Berlin and New York.

COSSEOIDEA**BRACHODIDAE** Agenjo, 1966

ATYCHIDAE
BRADYPTESIDAE

Brachodinae Agenjo, 1966***Archaeotychia*** Kallies, 2016

- albiciliata* (Walsingham, 1891) *Atychia*
- metaspila* (Meyrick, 1926) *Atychia*
- dentata* Kallies, 2006
- dicksoni* Kallies, 2006
- khoisanorum* Kallies, 2006
- krooni* Kallies, 2006
- quiris** (Felder & Rogenhofer, 1875) *Atychia*
- semicuprea* Kallies, 2006

Brachodes Guenée, 1845

- *Atychia* Latreille, 1809
- *Palameris* Meyrick, 1906

Nothobrachodes Kallies, 2016

- infanda** (Meyrick, 1920) *Atychia* *to confirm gender
- nycteropis* (Meyrick, 1920) *Atychia*

Phycodinae author, date****Atractoceros*** Meyrick, 1936

- xanthoprocta** (Meyrick, 1914) *Phycodes*

Nigilgia Walker, 1863

- Nigilica*; Turner, 1929
- albitogata* (Walsingham, 1891) *Phycodes*
- crocea* Kallies, 2006
- eucallynta* (Meyrick, 1937) *Phycodes*
- mochlophanes* (Meyrick, 1921) *Phycodes*
- pseliota* (Meyrick, 1920) *Phycodes*
- scoblei* Kallies, 2006

Phycodes Guenée, 1852

- punctata* Walsingham, 1891

REFERENCE:

EDWARDS, E.D., GENTILI, P., HORAK, M., KRISTENSEN, N.P. & NIELSEN, E.S., 1999. 11. The Cossoid/Sesioid Assemblage. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 181–198. W. de Gruyter, Berlin and New York.

COSMOIDEA**DUDGEONEIDAE** Berger, 1958*Dudgeonea* Hampson, 1900*Dudgeona*; Turner, 1902*leucosticta** *sierraleonensis* Strand, 1916*sierraleonensis* (ssp. of *leucosticta**) Strand, 1916**METARBELIDAE** Strand, 1909*Arbelodes* Karsch, 1896*collaris* Aurivillius, 1921*franziskae* Lehmann, 2010*griseata* (Janse, 1925) *Metarbela**heringi* Janse, 1930*kroonae* Lehmann, 2007*meridialis** Karsch, 1896*meridionalis*; Dalla Torre & Strand, 1923 *Arbelodes**shimonii* Lehmann, 2010*Indarbela* Fletcher, T.B., 1922 (replacement name)*Arbela* Moore, 1879 (preoccupied)*Lepidarbela* Dalla Torre & Strand, 1923*tegula* (Distant, 1897) *Arbela**Kroonia* Lehmann, 2010*fumealis* (Janse, 1925) *Lebedodes**heikeae* Lehmann, 2010*honeyi* Lehmann, 2010*natalica* (Hampson, 1910) *Lebedodes**Lebedodes* Holland, 1893*Lebedodes*; Grünberg, 1912*castanea* Janse, 1925*reticulata* Gaede, 1929*wichgrafi* (Grünberg, 1910) *Hollandella**durbanica* Hampson, 1910*Marshalliana* Aurivillius, 1901*bivittata** Aurivillius, 1901*jansei* Gaede, 1929*Metarbela* Holland, 1893*albitorquata* Hampson, 1910*costistrigata* Hampson, 1920*cymaphora* Hampson, 1910*neurosticta* (Hampson, 1910) *Teragra**dialeuca* Hampson, 1910*flavicolor* Janse, 1925*iridescents* Janse, 1925*kobesi* Lehmann, 2007*leucostigma* (Hampson, 1910) *Teragra**naumannii* Mey, 2005*trisignata* Gaede, 1929*tuckeri* (Butler, 1875) *Cryptothlea**weinmanni* Lehmann, 2007*Metarbelodes* Strand, 1909*sticticosta* (Hampson, 1910) *Teragra**umtaliana** (Aurivillius, 1901) *Metarbela**Ortharbela* Aurivillius, 1910*albivenata* (Hampson, 1910) *Arbelodes**rufithorax* (Hampson, 1910) *Lebedodes**Paralebedella* Strand, 1923 (replacement name)*Paralebeda* Hampson, 1910 (preoccupied)*carnescens** (Hampson, 1910) *Paralebeda**Salagena* Walker, 1865*Catarbela* Aurivillius, 1901*Pettigramma* Karsch, 1895*Selagena*; Hampson, 1910*albovenosa* Mey, 2011*meyi* Lehmann, 2007*nurses* Fawcett, 1916*obsolescens* Hampson, 1910*reticulata* Janse, 1925*tessellata* Distant, 1897*transversa** Walker, 1865*spiculata* (Karsch, 1895) *Pettigramma**strigosa* (Aurivillius, 1901) *Catarbela**Teragra* Walker, 1855*althodes* Hampson, 1920*cammae* Lehmann, 2007*conspersa** Walker, 1855*guttifera* Hampson, 1910*irvingi* Janse, 1925*macroptera* Mey, 2011*punctana* Mey, 2011*vogti* Bethune-Baker, 1927

SESIODEA**SESHIDAE** Boisduval, 1828AEGERIIDAE
TROCHILIIDAE**Tinthiinae** Le Cerf, 1917**Tinthiini** Le Cerf, 1917
Paranthreninae**Conopsia** Strand, [1913]
flavimacula Kallies, 2000**Sesiinae** Boisduval, 1828Aegeriinae
Paranthreninae**Melittiini** Le Cerf, 1917**Afromelittia** Gorbunov & Arita, 1997
caerulea Bartsch, 2016
haematopis (Fawcett, 1916) *Melittia natalensis* (Butler, 1874) *Melittia***Agriomelissa** Meyrick, 1931
ursipes (Walker, 1856) *Melittia hirtipes* (Boisduval, 1875) *Poderis***Melittia** Hübner, [1819]
Eumallopoda Wallengren, 1858 *1859?
Melitha; Kirby, 1879
Melittina; Le Cerf, 1917 *not a misspelling?
Neosphexia Le Cerf, 1916
Pansa Aurivillius, 1879 *ex Bartsch, confirm
Pansa Wallengren, 1865 (replacement name)
Parasa Wallengren, 1863 (preoccupied)
Premelittia Le Cerf, 1916
Trochilium Westwood, 1848
*aureosquamata** (Wallengren, 1863) *Parasa houlberti* (Le Cerf, 1917) *Melittia* *not in Bartsch
aurociliata (Aurivillius, 1879) *Pansa bouletti* Le Cerf, 1917
ectothyrus Hampson, 1919
endoxantha Hampson, 1919
fiebigi Bartsch, 2016
ignidiscata Hampson, 1910
laniremis (Wallengren, 1858) *Eumallopoda lanireniis*; Dalla Torre, 1925 *Melittia lentistriata* Hampson, 1919
occidentalis Le Cerf, 1917
oedipoedes Strand, 1913
oedipus Oberthür, 1878
 oedippus; Le Cerf, 1917
pyropis Hampson, 1919
rufodorsa Hampson, 1910**Paranthrenini** Niculescu, 1964**Paranthrene** Hübner, [1819] *syn listed by Bartsch, confirm others
Fatua Edwards, 1882 *
Leptocimbicina Bryk, 1947
Memythrus Newman, 1832 *
Paranthrena; Herrich-Schäffer, 1846 *
Parathrene; Busck, 1909
Paranthrenella Strand, 1916
Phlogothauma Butler, 1852
Pramila Moore, 1879
Pseudosesia Marshall, 1873
Pseudosetia Felder, 1861
Scapteron Staudinger, 1854 *
 Sciapteron; Bartel, 1912 *
Tarsa Walker, 1856 *
dukei Bartsch, 2008 *2013?
mesothyris Hampson, 1919
 merothyris; Dalla Torre, 1925
xanthosoma (Hampson, 1910) *Sciapteron***Sura** Walker, 1856*Sara*; Druce, 1882
melanochalcia (Le Cerf, 1917) *Episannina melancholica*; Gaede, 1929 *Sura xanthopyga* (Hampson, 1919) *Paranthrene* *not in Bartsch
*xylocopiformis** Walker, 1856
 bicolor Le Cerf, 1917 (replacement name)
xylocopiformis Le Cerf, 1916 (preoccupied)**Thyanthrene** Hampson, 1919*adumbrata* Bartsch, 2008 *2013?
capensis de Freina, 2011
metazonata Hampson, 1919
pyrophora (Hampson, 1919) *Homogyna xhosarum* de Freina, 2011**Osminiini** Duckworth & Eichlin, 1977**Aenigmina** Le Cerf, 1916
critheis (Druce, 1899) *Aegeria***Cabomina** de Freina, 2008
chalyspa (Hampson, 1919) *Chamanthedon dracomontana* de Freina, 2008
flavivertex Bartsch, 2016
helostoma (Meyrick, 1926) *Chamanthedon hilariformis* (Walker, 1856) *Aegeria leucopleura* (Hampson, 1919) *Critonia monicae** de Freina, 2008
ruthmuellerae Bartsch, 2016
tiresa (Druce, 1899) *Aegeria tsomoana* de Freina, 2011**Echidgnathia** Hampson, 1919
khomasana de Freina, 2011
*vitrificata** (Hampson, 1910) *Tinthia vitrifascia*; Dalla Torre, 1925 *Echidgnathia***Erismatica** Meyrick, 1933
endopyra (Hampson, 1910) *Tinthia erythropis** Meyrick, 1933**Halictina** Bartsch, 2016
andraenipennis (Walker, 1856) *Melittia andraeniformis*; Boisduval, 1874 *Melittia***Homogyna** Le Cerf, 1911
dukei Bartsch, 2016
ignivittata Hampson, 1919
nama Bartsch, 2016
sanguipennis (Meyrick, 1926) *Paranthrene xanthomelaena* Bartsch, 2016
xanthophora (Hampson, 1910) *Tinthia***Noctusphecia** de Freina, 2011
kgalagadia Bartsch, 2016
rubra Bartsch, 2016**Osminia** Le Cerf, 1917
Signaphora Engelhardt, 1946
namibiana Kallies, 2004**Sesiini** Boisduval, 1828
Aegeriini Stephens, 1828
Afrokonini Fischer, 2006
Euthrenini Fischer, 2006**Alonina** Walker, 1856
fusca Bartsch, 2013
luteopunctata (de Freina, 2011) *Monopetalotaxis pyrethra* (Hampson, 1919) *Sciapteron pyrocraspis* (Hampson, 1910) *Sciapteron rufa* Bartsch, 2013
*rygchiiformis** Walker, 1856
 difformis Hampson, 1919

SESIODEA

- rhyngiformis*; Dalla Torre & Strand, 1925 *Alonina*
rhyngiformis; Hampson, 1919 *Alonina*
rychiformis; Boisduval, 1875 *Alonina*
rynciiformis; Gaede, 1929 *Alonina*
- Anaudia** Wallengren, 1863
*felderii** Wallengren, 1863
thyranthrena Bartsch, 2013
- Austrosetia** Felder, C. & Felder, R., 1874
*semirufa** Felder, C. & Felder, R., 1874
- Camaegeria** Strand, 1914
sophax (Druce, 1899) *Aegeria*
- Cicinnoscelis** Holland, 1893
Cicinoscelis; Dalla Torre & Strand, 1925
flavipes Bartsch, 2013
gigas Bartsch, 2013 *(not in AfroMoths)
krooni Bartsch, 2013
- Coccophila** Bartsch, 2015
*pythes** (Druce, 1899) *Aegeria*
- Crinipus** Hampson, 1896
Hyanthedon Hampson, 1919
marisa (Druce, 1899) *Aegeria*
marisca; Dalla Torre, 1925 *Hyanthedon*
vassei (Le Cerf, 1917) *Aegeria*
- Felderiola** Naumann, 1971 (replacement name)
Trochilina Felder, C. & Felder, R., 1874 (preoccupied)
*candescens** (Felder, C. & Felder, R., 1874) *Trochilina*
karooensis Bartsch, 2013
xanthogaster Bartsch, 2013
- Hagnogyna** Bartsch, 2013
bartschi (de Freina, 2011) *Homogyna*
sanguicosta (Hampson, 1919) *Homogyna*
- Microsesia** Bartsch, 2015
*nana** Bartsch, 2015
- Monopetalotaxis** Wallengren, 1858
doleriformis (Walker, 1856) *Aegeria*
taylori (Druce, 1899) *Aegeria*
*wahlbergi** Wallengren, 1858
- Tipulamima** Holland, 1893
Tipulomima; Meyrick, 1928
tricincta (Le Cerf, 1916) *Macrotarsipodes*
- Vespanthedon** Le Cerf, 1917
*cerceris** Le Cerf, 1917
- Synanthonedonini** Le Cerf, 1917
- Synanthonedon** Hübner, [1819] *listed in Bartsch, to confirm others
Canopia; Wileman & South, 1918 *
Carmenta Edwards, 1881
Conopia Hübner, [1819] *
Ichneumonoptera Hampson, [1893]
Montezumia Dampf, 1930 *
Pyrrhoetaenia Grote, 1875 *
Ramosia Engelhardt, 1946 *
Sanninoidea Beutenmüller, 1896 *
Scabisa; Naumann, 1971
Scasiba Matsumura, 1931
Sylvora Engelhardt, 1946 *
Synathedon; Wolfsberger, 1961 *
Teinotarsina Felder, 1874
Thamnosphecia Spuler, 1910 *
Tipulia Králicek & Povolný, 1977 *
Trochilia Heinemann, 1859
Vespanima Beutenmüller, 1894 *
elymais (Druce, 1899) *Aegeria*
- flavipalpis* (Hampson, 1910) *Lepidopoda*
mesochoriformis (Walker, 1856) *Aegeria*
monozena (Hampson, 1910) *Aegeria*
ochracea (Walker, 1864) *Aegeria*
platyuriformis (Walker, 1856) *Aegeria*
rhodia (Druce, 1899) *Aegeria*
stenothyris (Meyrick, 1933) *Aegeria*
tapeina Hampson, 1919
tipuliformis (Clerck, 1759) *Sphinx* (introduced accidentally)
ophioniformis (Hübner, [1813]) *Sphinx*
salmachus (Linnaeus, 1758) *Sphinx* (suppressed)
tipula (Retzius, 1783) *Sphinx*
xanthopasta (Hampson, 1919) *Chamanthedon*

Unassigned as to tribe*Chamanthedon* Le Cerf, 1916 *to fall away?*Grypopalpia* Hampson, 1919 *to fall away?
*iridescens** Hampson, 1919*Pseudomelittia* Le Cerf, 1917 *to fall away?

TORTRICOIDEA**TORTRICIDAE** Latreille, 1803 [1802]

AGAPETIDAE
ANCHYLOPERIDAE
APHELIIDAE
ATTERIDAE
CARPOCAPSIDAE
CERACIDAE
CHIMATOPHILIDAE
CNEPHASIIDAE
COCHYLIDAE
COMMOPHILIDAE
CONCHYLIDAE
EPIBLEMIDAE
EUCOSMIDAE
EXAPATIDAE
GRAPHOLITHIDAE
LOZOPERIDAE
MELANALOPHIDAE
OLETHREUTIDAE
PERONEIDAE
PHALONIIDAE
PLATYOMIDAE
SCHOENOTENIDAE
SCIAPHILIDAE
SERICORIDAE
SPARGANOTHIDAE
STIGMONOTIDAE
TRICHOPHORIDAE

Tortricinae Latreille, 1803 [1802]

Apheliinae
Cacoecinae
Sciaphilinae
Sparganothinae

Tortricini Latreille, 1803 [1802]

Chimatophilidae Kirby, 1897
Peroneidae Stainton, [1858]

Acleris Hübner, [1825]

Alceris; Fernald, [1903]
Argrotoxa; Pierce & Metcalfe, 1922
Argyrotosia; Curtis, 1835
Argyrotoxa Agassiz, 1847 (unjustified emendation)
Argyrotoza Stephens, 1829
Croeesia; Fernald, 1908
Croeses; Diakonoff, 1960
Croesia Hübner, [1825]
rubi Razowski, 2005

Algoforma Razowski, 2005

*algoana** (Felder & Rogenhofer, 1875) *Teras paralgoana* Razowski, 2005

Apotoforma Busck, 1933

Emeralda Diakonoff, 1960
uncifera Razowski, 1964

Brachiolia Razowski, 1964

obscurana Razowski, 1966

Cornesia Razowski, 1981

*ormoperla** Razowski, 1981

Pseudeboda Razowski, 1964

*africana** Razowski, 1964

Tortrix auctt. nec Linnaeus, 1758

agroeca Meyrick, 1908
capitana Felder & Rogenhofer, 1875
diluticiliiana Walsingham, 1881
furtiva Meyrick, 1911
myroxesta Meyrick, 1924
platystega Meyrick, 1920
polytechna Meyrick, 1924
praeclinata Meyrick, 1921
reciproca (Walker, 1863) *Teras spilographa* Meyrick, 1937
spilographa; Vári, 1958 *Tortrix sporadias* (Meyrick, 1920) *Tortrix*

Cochylini Guenée, 1845

Conchylinae [Dunning & Pickard], [1859] 1858
Hysterosiinae Heslop, 1938
Phaloniidae Meyrick, 1895

Cochylimorpha Razowski, 1959

cataracta (Aarvik, 2004) *Eugnosta namibiana* (Aarvik, 2004) *Eugnosta*

Eugnosta Hübner, [1825]

Argyrolepia Stephens, 1829
Argyrolepis Agassiz, 1847 (unjustified emendation)
Carolella Busck, 1939
Eupecilia; Razowski, 1977
Eupecilia Herrich-Schäffer, 1851 *still valid?
Gefra; von Caradja, 1920
Safra Walker, 1863
Trachybrysia Meyrick, 1927
anxifera Razowski, 1993
assecula (Meyrick, 1909) *Pharmacis feriata* (Meyrick, 1913) *Pharmacis heteroclitae* Razowski, 1993
lukaszii Razowski, 2005
meyi Aarvik, 2004
misella Razowski, 1993
niveicaput Razowski, 2005
parmisella Razowski, 2005
replicata (Meyrick, 1913) *Pharmacis stigmatica* (Meyrick, 1909) *Pharmacis trimeni* (Felder & Rogenhofer, 1875) *Conchylis umbraculata* (Meyrick, 1918) *Euxanthis umtamvuna* Razowski, 2015
umtamvuna; Razowski, 2015
recorda Razowski, 1993
xanthochroma Razowski, 1993

Eupoecilia Stephens, 1829

Arachniotes Diakonoff, 1952
Clyisia Hübner, [1825] (preoccupied)
Clyiana Fletcher, T.B., 1940 (replacement name)
kruegeriana Razowski, 1993

Phtheochroa Stephens, 1829

Arce Joannis, 1919
Durrantia Razowski, 1960
Hysterosia Stephens, 1852
Idiographis Lederer, 1859
Parahysterosia Razowski, 1960
Propira Durrant, 1914
natalica Razowski, 2005

Archipini Pierce & Metcalfe, 1923**Aphelia** Hübner, 1826 [1825]

corrobodata (Meyrick, 1918) *Tortrix finita* (Meyrick, 1924) *Cnephasia*

Archips (Archips) Hübner, 1822

— *Archipe*; Weiss & Dickerson, 1921
— *Archippus*; Freeman, 1958
— *Cacoecia* Hübner, [1825]
— *Pararchips* Kuznetsov, 1970

Probably to fall away following the transfer of *heliaspis* and *occidentalis* to *Choristoneura*. If not, to add six synonyms following Brown (2005)

Cacoecimorpha Obraztsov, 1954

*pronubana** (Hübner, 1799) *Tortrix* *prob. extrazonal
ambustana (Frölich, 1830) *Tortrix hermineana* (Duponchel, 1835) *Tortrix perochreana* (Herrich-Schäffer, 1856) *Tortrix*

Catamacta Meyrick, 1911

scrutatrix Meyrick, 1912

Choristoneura Lederer, 1859

Choristoneura; Razowski, 2008
heliaspis (Meyrick, 1909) *Cacoecia heliaspis*; Pinhey, 1975 *Cacoecia occidentalis* (Walsingham, 1891) *Cacoecia psoricodes* (Meyrick, 1911) *Tortrix*

TORTRICOIDEA**Clepsis** Guenée, 1845

- biformis* (Meyrick, 1920) *Tortrix*
- crispata* (Meyrick, 1912) *Tortrix*
- gnathocera* Razowski, 2006
- intensa* (Meyrick, 1921) *Tortrix*
- monochroa* Razowski, 2006

Doridostoma Diakonoff, 1973

- symplecta* (Meyrick, 1910) *Tortrix*

Droceta Razowski, 2006

- cedrota** (Meyrick, 1908) *Tortrix*

Epichorista Meyrick, 1909

- galeata* Meyrick, 1921
- perversa* Meyrick, 1912

Epichoristodes Diakonoff, 1960

- acerbella* (Walker, 1864) *Depressaria*
- iocoma* (Meyrick, 1908) *Tortrix*
- ionephela** (Meyrick, 1909) *Proselena*
- adustana* (Walsingham, 1881) *Cacoecia*
- bispina* Razowski, 2015
- capensana* (Walker, 1863) *Teras*
- cinerata* (Meyrick, 1920) *Epichorista*
- dorsiplagana* (Walsingham, 1881) *Lozotaenia*
- examinata* (Meyrick, 1920) *Epichorista*
- kangoana* Razowski, 2015
- meridionana* (Walker, 1863) *Teras*
- meridionara*; Pinhey, 1975 *Tortrix*
- niphosema* (Meyrick, 1917) *Epichorista*
- phalarea* (Meyrick, 1920) *Epichorista*
- pleuroptila* (Meyrick, 1937) *Tortrix*
- spinulosa* (Meyrick, 1924) *Tortrix*

Goniotorna Meyrick, 1933

*to fall away?

Hectaphelia Razowski, 2006

- hectaea* (Meyrick, 1911) *Argyrotoxa*
- kapakoana* Razowski, 2006
- mensaria* (Meyrick, 1912) *Tortrix*
- metapyrha* (Meyrick, 1918) *Tortrix*
- periculosa** Razowski, 2006
- pharetrata* (Meyrick, 1909) *Tortrix*
- pharetracta*; Vári, 1958 *Tortrix*
- tortuosa* (Meyrick, 1912) *Epichorista*
- vestigialis* (Meyrick, 1914) *Epichorista*
- wintertonia* Razowski, 2015

Homona Walker, 1863

- Ericia* Walker, 1866 (preoccupied)
- Ericiana* Strand, 1910 (replacement name)
- Godana* Walker, 1866
- polyarcha* Meyrick, 1924

Lozotaenia Stephens, 1829

*to fall away?

capensana better placed here than in *Epichoristodes* (L. Aarvik, pers. comm., March 2017)**Metamesia** Diakonoff, 1960

- catadryas* (Meyrick, 1937) *Tortrix*
- designata* (Meyrick, 1921) *Cnephasia*
- elegans* (Walsingham, 1881) *Lozotaenia*
- hedrastis* (Meyrick, 1908) *Cacoecia*
- prona* (Meyrick, 1911) *Tortrix*
- episema* Diakonoff, 1960
- incepta* (Meyrick, 1912) *Cnephasia*

Nkandla Razowski & Brown, 2009

- flavisepta** (Meyrick, 1918) *Cnephasia*
- macrostoma* (Meyrick, 1920) *Cnephasia*

Orilesa Razowski, 2006

- olearis** (Meyrick, 1912) *Cnephasia*

Paramesiodes Diakonoff, 1960

- albescens* (Meyrick, 1912) *Tortrix*
- chloradelpha* (Meyrick, 1912) *Epichorista*
- geraeas* (Meyrick, 1909) *Epichorista*
- temulenta* (Meyrick, 1912) *Cnephasia*

Phalarotortrix Razowski, 2015

- ergastularis* (Meyrick, 1911) *Cnephasia*
- phalarocosma** (Meyrick, 1937) *Cnephasia*

Phlebozemia Diakonoff, 1985

- sandrinae** Diakonoff, 1985

Procrica Diakonoff, 1960

- intrepida* (Meyrick, 1912) *Tortrix*
- mariepskopa* Razowski, 2008
- pilgrima* Razowski, 2008

Syndemis Hübner, [1825]

- saburrana* Zeller, 1852

Tuckia Razowski, 2001

- africana* (Walsingham, 1881) *Conchylis*
- zuluana** Razowski, 2001

Worcesteria Razowski, 2006

- recondita** Razowski, 2006

Unplaced Genera in Tortricinae**Cnephasia** auct. nec Curtis, 1826

- captiva* Meyrick, 1911
- catastrepta* Meyrick, 1926
- chlorocrossa* Meyrick, 1926
- opsarias* Meyrick, 1911
- pachydesma* Meyrick, 1918
- tigrina* (Walsingham, 1891) *Argyrotoxa*

Olethreutinae**Bactrini** Falkovitsh, 1962

- Endotheniini

Bactra (Bactra) Stephens, 1834

- Aphelia* Stephens, 1829 (preoccupied)
- Bracta*; Pierce & Metcalfe, 1922
- Leptia* Guenée, 1845 (preoccupied)
- Noteraula* Meyrick, 1892
- Protobactra* Diakonoff, 1964
- confusa* Diakonoff, 1963
- dolia* Diakonoff, 1963
- graminivora* Meyrick, 1922
- pythonia* Meyrick, 1909
- hebetata* Meyrick, 1911
- scrupulosa* Meyrick, 1909
- tradens* Diakonoff, 1963

Bactra (Chilooides) Butler, 1881

- adelpha* Diakonoff, 1963
- botswanae* Razowski, 2015
- fasciata* Diakonoff, 1963
- homoiosa* Razowski, 2015
- jansei* Diakonoff, 1963
- janseni*; Razowski, 2015
- punctistrigana* Mabille, 1900
- rhabdonoma* Diakonoff, 1963
- salpictris* Diakonoff, 1963
- sinassula* Diakonoff, 1963
- sordidata* Diakonoff, 1963
- stagnicolana* Zeller, 1852
- siccella* (Walker, 1866) *Ancylolomia*
- triceps* Diakonoff, 1963
- trimera* Diakonoff, 1963
- tylophora* Diakonoff, 1963
- venosana* (Mabille, 1900) *orig. comb.

Bactra (Nannobactra) Diakonoff, 1956

- aciculata* Diakonoff, 1963
- dasioma* Diakonoff, 1963
- legitima* Meyrick, 1911
- sardonia* (Meyrick, 1908) *Pamplusia*

Bactra (Spinobactra) Diakonoff, 1963

- spinosa** Diakonoff, 1963

Emrahia Koçak, 1981(replacement name)

- Scoliographa* Diakonoff, 1975 (preoccupied)
- tenuivalva* Razowski & Trematerra, 2008

TORTRICOIDEA**Olethreutini** Walsingham, 1895

Eudemini Falkovitsh, 1962
Lobesiini Falkovitsh, 1962
Neopotamiina Diakonoff, 1973 (as *Neopotamiae*)
Olethreutini Walsingham, 1895
Rhodocosmariina Diakonoff, 1973 (as *Rhodocosmiae*)
Sorolophina Diakonoff, 1973 (as *Sorolophae*)
Statherotina Diakonoff, 1973 (as *Statherorides*)
Sycacanthina Diakonoff, 1973 (as *Sycacanthea*)
Syricorinae Guenée, 1845 (as *Syricoridi*)
Zomariina Diakonoff, 1973

Afroploce Aarvik, 2004

mabalingwae Razowski, 2008
mabalinguae; Razowski, 2008
turiana Aarvik, 2004

Cosmorrhyncha Meyrick, 1913

Cosmorryncha; Razowski, 2012
acrocosma (Meyrick, 1908) *Eccopsis*
microcosma Aarvik, 2004
*ocellata** (Mabille, 1900) *Tortrix*

Diakonoffiana Koçak, 1981

graziani Razowski, 2015

Dudua Walker, 1864

adocima Diakonoff, 1981

Eccopsis Zeller, 1852

Eccopsis; Razowski, 1977
affluens (Meyrick, 1921) *Argyroploce*
fluctuatana Walsingham, 1881
incultana (Walker, 1863) *Batodes*
trixiphias (Meyrick, 1939) *Argyroploce*
undosa Diakonoff, 1981
nebulana Walsingham, 1891
oscolacona Razowski, 2008
orichlora (Meyrick, 1920) *Argyroploce*
praecedens Walsingham, 1897
chromatica Diakonoff, 1983
ptilonota (Meyrick, 1921) *Argyroploce*
*wahlbergiana** Zeller, 1852

Eudemis Hübner, [1825] 1816

globigera (Meyrick, 1914) *Argyroploce*

Geita Aarvik, 2004

micrograpta (Meyrick, 1921) *Argyroploce*

Lobesia Guenée, 1845

Analdes Turner, 1916
Byrsoptera Lower, 1901 (preoccupied)
Lomaschizodes Diakonoff, 1954
Paralobesia Obraztsov, 1953
Pirireisia Koçak, 1981 (replacement name)
Steriphotos Meyrick, 1911

Lobesia (Harmosma) Diakonoff, 1963

*harmonia** (Meyrick, 1908) *Polychrosis*

Lobesia (Lomaschiza) Lower, 1901

quadratica (Meyrick, 1911) *Bactra*

Lobesia (Polychrosis) Ragonot, 1894

ephippias (Meyrick, 1907) *Chrosis*
metachlora (Meyrick, 1913) *Polychrosis*
primaria (Meyrick, 1909) *Polychrosis*
scorpiodes (Meyrick, 1908) *Polychrosis*
stenaspis (Meyrick, 1921) *Polychrosis*
stericta (Meyrick, 1911) *Polychrosis*

Megalota Diakonoff, 1966

lobotona (Meyrick, 1921) *Argyroploce*
namibiana Aarvik, 2004
sponditis (Meyrick, 1918) *Argyroploce*
spondylis; Razowski & Trematerra, 2010

Metendothenia Diakonoff, 1973

Metendotheina; Mey, 2011

balanacma (Meyrick, 1914) *Argyroploce*
anaclina (Meyrick, 1921) *Argyroploce*

Neaspasia Diakonoff, 1989

brevibasana (Walsingham, 1891) *Penthina*
orthacta (Meyrick, 1908) *Argyroploce*
rhodesiae Razowski & Brown, 2009

Olethreutes (Argyroploce) Hübner, [1825]

Argyroploce; Taylor, 1927
Argyloploce; Matsumura, 1931
Argyploce; Diakonoff, 1953
Argyrophoce; Stephens, 1834
Argyroploce Hübner, [1825]
Biscopa Diakonoff, 1973
Mixodia Guenée, 1845
Roxana Stephens, 1834
arsiptera (Meyrick, 1921) *Argyroploce*
asterota (Meyrick, 1918) *Argyroploce*
caryocoma (Meyrick, 1918) *Argyroploce*
criopis (Meyrick, 1928) *Argyroploce*
dirempanta (Walker, 1863) *Carpocapsa*
erythropa (Meyrick, 1918) *Argyroploce*
glaphyrapis (Meyrick, 1921) *Argyroploce*
iorrhoea (Meyrick, 1914) *Argyroploce*
lutipennis (Meyrick, 1921) *Argyroploce*
mochlaspis (Meyrick, 1921) *Argyroploce*
nectarodes (Meyrick, 1921) *Argyroploce*
niphadastra (Meyrick, 1921) *Argyroploce*
phoenioides (Meyrick, 1921) *Argyroploce*
propitia (Meyrick, 1918) *Argyroploce*
sagata (Meyrick, 1913) *Argyroploce*
scabellana (Zeller, 1852) *Syricoris* (as *Sericoris*)
sistrata (Meyrick, 1911) *Argyroploce*
transformis (Meyrick, 1921) *Argyroploce*
trithyra (Meyrick, 1921) *Argyroploce*

Paraecopsis Aarvik, 2004

botswanae Aarvik, 2014
deltophora (Meyrick, 1921) *Polychrosis*
exilarata (Meyrick, 1918) *Argyroploce*
acrolecta (Meyrick, 1921) *Argyroploce*
eoplecta (Meyrick, 1925) *Polychrosis*
*insellata** (Meyrick, 1920) *Argyroploce*
nucleata (Meyrick, 1913) *Argyroploce*
phoenioides (Meyrick, 1921) *Argyroploce*
windhoeaca Razowski, 2008

Promodra Razowski, 2008

nigrata Razowski, 2008
*prodroma** (Meyrick, 1913) *Argyroploce*

Recaraceria Razowski *et al.*, 2010

*carceraria** (Meyrick, 1913) *Argyroploce*

Rufeccopsis Razowski, 2008

brunneograpta Razowski, 2008
*rufescens** (Meyrick, 1913) *Eucosma*

Vacanara Razowski & Brown, 2009

*caravanica** Razowski & Brown, 2009

Zellereccopsis Razowski, 2008

*caffreana** Razowski, 2008

"Argyroploce" Hübner, [1825] 1816

calchantis Meyrick, 1914

Eucosmini Meyrick, 1909**Brachioxena** Diakonoff, 1968

lutrocpota (Meyrick, 1914) *Eucosma*
*psammactia** (Meyrick, 1908) *Cydia*

Cosmetra Diakonoff, 1977

accipitrina (Meyrick, 1913) *Eucosma*
calliarma (Meyrick, 1909) *Eucosma*
mafikana Razowski, 2015
spiculifera (Meyrick, 1913) *Eucosma*
spiculifera; Razowski, 2015
thalameuta (Meyrick, 1918) *Eucosma*
tumulata (Meyrick, 1908) *Cydia*
neka Razowski & Brown, 2009

TORTRICOIDEA***Crocidosema* Zeller, 1847**

- Crocidosoma*; Walker, 1863
Crosidosema; Kennel, 1907
Heligmocera Walsingham, 1892
Parasuleima Clarke, 1965
leptozena (Meyrick, 1921) *Eucosma*
*plebejana** Zeller, 1847
altheana (Mann, 1855) *Penthina*
blackburnii (Butler, 1881) *Proteopteryx*
charmera (Turner, 1946) *Eucosma*
insulana Aurivillius, 1922
lavaterana (Millière, 1863) *Paedisca*
obscura (Wollaston, 1879) *Steganoptycha*
peregrinana (Möschler, 1866) *Grapholita*
philadelphia; Diakonoff, 1983
plebeiana; Meyrick, 1881
ptiladelphia Meyrick, 1917
signatana (Walsingham, 1894) *Steganoptycha*
synneurota Meyrick, 1926
tornocycla (Turner, 1946) *Eucosma*
thematica (Meyrick, 1918) *Eucosma*

***Doliochastis* Meyrick, 1920**

- homograpta** Meyrick, 1920

***Epiblema* Hübner, [1825]**

- didimum* Razowski, 2015

***Epinotia* Hübner, [1825]**

- Acalla* Hübner, [1825]
Astasia Hübner, [1825]
Asthenia Hübner, [1825]
Cartella Guenée, 1845
Catastega Clemens, 1861
Curtella; Stainton, 1859
Epinotis; Kearfott, 1907
Griselda auct.
Halonota Stephens, 1852
Hamuligera Obraztsov, 1946
Hypermezia Guenée, 1845
Lithographia Stephens, 1852
Neurasthenia Pierce & Metcalfe, 1922
Paedisca Treitschke, 1830
Pamplasia; Desmarest, 1857
Pamplusia Guenée, 1845
Panoplia Hübner, [1825]
Paragrapha Sodoffsky, 1837 (unnecessary replacement name)
Phlaeodes Guenée, 1845
Phloeodes; South, 1884
Phthoroblastis Lederer, 1859
Poecilochroma Stephens, 1829
Poedisca; Guenée, 1845
Proleopteryx; Blackmore, 1921
Proteopteryx Walsingham, 1879
Steganoptera; Herrich-Schäffer, [1851]
Steganoptycha Stephens, 1829
Stegaroptica; Moffat, 1889

***Epinotia (Evetria)* Hübner, [1825]**

- Evertia*; Matsumura, 1931
Evetria Hübner, [1825]
infausta (Walsingham, 1881) *Steganoptycha*

***Eucosma (Eucosma)* Hübner, 1823**

- Affa* Walker, 1863
Astenodes Kuznetsov, 1966
Calosetia Stainton, 1859
Catoptria Guenée, 1845
Exentera Grote, 1877
Exenterella Grote, 1883 (unnecessary replacement name)
Ioplocama Clemens, 1860
Joplocama; Walker, 1864
Palpocrinia Kennel, 1919
amara Meyrick, 1913
chloroterra Meyrick, 1913
drastica Meyrick, 1918
florescens Meyrick, 1925
glypticodes Meyrick, 1918
gomphacma Meyrick, 1928
habrotoma Meyrick, 1934
haematospila Meyrick, 1921
inscita Meyrick, 1913 (unplaced Eucosmini)
insolens Meyrick, 1909

***leucopetra* Meyrick, 1908**

- lochmaea* Meyrick, 1920
marmara Meyrick, 1909 (unplaced Eucosmini)
nasuta Meyrick, 1911
passiva Meyrick, 1913
riciniata Meyrick, 1911
salticola Meyrick, 1913
siccescens Meyrick, 1912
sollennis Meyrick, 1913
tenax Meyrick, 1920

***Gypsonoma* Meyrick, 1895**

- opsonoma* (Meyrick, 1918) *Eucosma*
paradelta (Meyrick, 1925) *Eucosma*
picrodelta (Meyrick, 1932) *Eucosma*
projecta (Meyrick, 1921) *Eucosma*
scenica (Meyrick, 1911) *Eucosma*

***Herpybris* Meyrick, 1911**

- capeana* Razowski & Brown, 2009

***Malolotia* Razowski, 2015**

- alboellus* (Razowski & Trematerra, 2008) *Thiodia*
galactitis (Meyrick, 1912) *Eucosma*
*malolotiana** Razowski, 2015
niphaspis (Meyrick, 1928) *Eucosma*

***Plutographa* Diakonoff, 1970**

- encharacta* (Meyrick, 1918) *Argyroploce*

***Ricifalca* Razowski & Trematerra, 2008**

- clarifica* (Meyrick, 1913) *Eucosma*
tremula (Meyrick, 1909) *Eucosma*

***Spilonota* Stephens, 1829**

- Tmetocera* Lederer, 1859
rhothia Meyrick, 1910

***Strepsicrates* Meyrick, 1888**

- badplasia* Razowski, 2015
sinuosa (Meyrick, 1917) *Spilonota*

***Thiodia* Hübner, [1825]**

- actuosa* (Meyrick, 1913) *Eucosma*
alboellus Razowski & Trematerra, 2008
excavana Aarvik, 2004
gracilia Razowski, 2015
nasifera Razowski & Trematerra, 2008

***Xenosocia* Diakonoff, 1989**

- conica* (Meyrick, 1911) *Spilonota*
desipiens (Meyrick, 1918) *Eucosma*
paracremna (Meyrick, 1913) *Eucosma*

***Grapholitini* Guenée, 1845**

- Laspeyresiini Heinrich, 1923

***Celsumaria* Brown & Timm, 2017**

- grandis* Brown & Timm, 2017
*knyssa** Brown & Timm, 2017

***Coccothera* Meyrick, 1914**

- spissana** (Zeller, 1852) *Grapholita*
victrix (Meyrick, 1918) *Laspeyresia*

***Coniostola* Diakonoff, 1961**

- calculosa* (Meyrick, 1913) *Eucosma*
lobostola (Meyrick, 1918) *Eucosma*
stereoma (Meyrick, 1912) *Eucosma*
symbola (Meyrick, 1909) *Eucosma*

***Cryptophlebia* Walsingham, 1899**

- Pogonozada* Hampson, 1905
macrops Diakonoff, 1959
peltastica (Meyrick, 1921) *Argyroploce*
praesiliens (Meyrick, 1924) *Argyroploce*
xylodelta (Meyrick, 1928) *Argyroploce*
rhizophorae Vári, 1981
semilunana (Saalmüller, 1880) *Carpocapsa*
williamsi Bradley, 1953

***Cydia (Cydia)* Hübner, [1825]**

TORTRICOIDEA

Adenoneura Walsingham, 1907
Aspila Stephens, 1834
Carpocampa Harris, 1841 (unjustified emendation)
Carpocapsa Treitschke, 1829
Cerata Stephens, 1852
Cirrhiphora Obraztsov, 1951
Coccox Treitschke, 1829
Coptoloma Lederer, 1859
Crobilophora; Obraztsov, 1959
Crobylophora Kennel, 1908 (preoccupied)
Danilevskia Kuznetsov, 1970
Dicraniana Diakonoff, 1984
Encelis; Stephens, 1834
Endopisa Guenée, 1845
Endopiza; Clemens, 1860
Ephippiophora Agassiz, 1847 (unjustified emendation)
Ephippiphora Duponchel, 1834
Erminea Kirby & Spence, 1826 (preoccupied)
Erminia; Obraztsov, 1959
Eucelis Hübner, [1825]
Eucells; von Caradja, 1916
Eudopisa; Desmarest, 1857
Euspila Stephens, 1834
Hedulia Heinrich, 1926
Kenneliola Paclt, 1951
Lasperesia; Wu, 1938
Laspeyresia Hübner, [1825] (preoccupied)
Lespeyresia; Gozmány, 1957
Melissopus Riley, 1881
Melissopus; Fernald, 1882
Melissopus; Fernald, 1908
Opadia Guenée, 1845
Orchemia Guenée, 1845
Phanetoprepa Obraztsov, 1968
Pseudotomia Stephens, 1829
Pseudotomoides Obraztsov, 1959
Semasia Stephens, 1829
Stigmonota Guenée, 1845
Strobila Sodoffsky, 1837 (preoccupied)
Trycheris Guenée, 1845
campestris (Meyrick, 1914) *Laspeyresia*
malesana (Meyrick, 1920) *Laspeyresia*
platydryas (Meyrick, 1932) *Laspeyresia*
choleropa (Meyrick, 1913) *Laspeyresia*
cyanocephala (Meyrick, 1921) *Laspeyresia*
excoriata (Meyrick, 1918) *Laspeyresia*
leptogramma (Meyrick, 1913) *Laspeyresia*
leucatma (Meyrick, 1925) *Laspeyresia*
malacodes (Meyrick, 1911) *Eucosma*
marientali Razowski, 2015
modica (Meyrick, 1913) *Laspeyresia*
moesta (Busck, 1916) *Laspeyresia* (introduced accidentally)
nicomacha (Meyrick, 1921) *Laspeyresia*
phaulomorpha (Meyrick, 1927) *Laspeyresia*
platydryas (Meyrick, 1932) *Laspeyresia*
plerota (Meyrick, 1921) *Laspeyresia*
*pomonella** (Linnaeus, 1758) *Phalaena Tinea* (introd. acc.)
aeneana (Villers, 1789) *Phalaena Tortrix*
nitens (Fourcroy, 1785) *Phalaena* (as *Phaloena*)
pomona; Fabricius, 1793 *Papilio*
pomona; [Denis & Schiffermüller], 1775 *Tortrix*
putaminana (Staudinger, 1859) *Carpocapsa*
stelocosma (Meyrick, 1925) *Laspeyresia*
tricentra (Meyrick, 1907) *Laspeyresia*
trigonoptila (Meyrick, 1921) *Laspeyresia*
violescens (Meyrick, 1918) *Laspeyresia*

Dichrorampha (*Dichrorampha*) Guenée, 1845 (see ENDNOTE page 56)

Balbis Walsingham, 1897
Dichroramphodes Obraztsov, 1953
Dichrorhampha; Desmarest, 1857
Dicrorampha; Doubleday, [1849]
Lepidoptycha; Dyar, 1901
Lipoptycha Lederer, 1859
Lipoptychodes Obraztsov, 1953
Paralipoptycha Obraztsov, 1958
embolaea (Meyrick, 1918) *Hemimene*

*African spp. probably misplaced (Aarvik, pers. comm. 2017)

Endotera Agassiz, 2011
areata (Meyrick, 1918) *Laspeyresia*
aerata; Razowski, 2015

Eucosmocydia Diakonoff, 1988
antidora (Meyrick, 1921) *Eucosma*
oedipus Diakonoff, 1988
pharangodes (Meyrick, 1920) *Eucosma*
prolixa Razowski & Wojtusiak, 2012 *Eucosma*

Dracontogena Diakonoff, 1970
deltozyga (Meyrick, 1928) *Eucosma*
*check AfroMoths for others

Fulcrifera Danilevsky & Kuznetsov, 1968
aphrospila (Meyrick, 1921) *Laspeyresia*
halmyris (Meyrick, 1909) *Laspeyresia*
ichthyura (Meyrick, 1926) *Laspeyresia*
incrassa Razowski, 2015
namutomi Razowski, 2015
ocnogramma (Meyrick, 1910) *Laspeyresia*
periculosa (Meyrick, 1913) *Laspeyresia*
cynicopis (Meyrick, 1938) *Laspeyresia*
phruda (Razowski & Wojtusiak, 2012) *Cydia*
psamminitis (Meyrick, 1913) *Laspeyresia*

Grapholita Treitschke, 1829
euclera (Meyrick, 1921) *Laspeyresia*
gameae Razowski, 2015
miranda (Meyrick, 1911) *Laspeyresia*
sabiae Razowski, 2015

Leguminivora Obraztsov, 1960
anthracotis (Meyrick, 1913) *Laspeyresia*

Mesotes Diakonoff, 1988
chromataspis (Meyrick, 1921) *Laspeyresia*

Parapammene Obraztsov, 1960
*to add four syns (teste Razowski, 2015: 70)
acutapex Razowski, 2015

Selania Stephens, 1834
costifuscana Aarvik, 2004

Thaumatomibia Zacher, 1915
batrachopa (Meyrick, 1908) *Enarmonia*
batochopa; Chambers, 1995
colivora (Meyrick, 1932) *Argyroploce*
leucotreta (Meyrick, 1913) *Argyroploce*

Enarmoniini Diakonoff, 1953

Ancylis (*Ancylis*) Hübner, [1825]
Anchylopera Stephens, 1829
Ancyloides Diakonoff, 1982
Ancylópera Agassiz, 1847 (unjustified emendation)
Anticlea Stephens, 1834 (preoccupied)
Epicharis Hübner, [1825] (preoccupied)
Palaeobia Meyrick, 1881
Philaclea; Razowski, 1977
Philalcea Stephens, 1835
Phoxopteria; Walcott, 1923
Phoxopteris Treitschke, 1829
Phoxopteryx Sodoffsky, 1837 (unjustified emendation)
Siderea; Stanton, 1859
Sideria Guenée, 1845
argenticiliiana Walsingham, 1897
falsicoma Meyrick, 1914
halisparta Meyrick, 1909
impatiens (Meyrick, 1921) *Eucosma*
natalana (Walsingham, 1881) *Phoxopteris*

Anthozela Meyrick, 1913
*chrysanthä** Meyrick, 1913

Camptrodoxa Meyrick, 1925
Stenentoma Diakonoff, 1969
bisecta (Meyrick, 1918) *Eucosma*
plectocosma (Meyrick, 1921) *Laspeyresia*
inlyta Meyrick, 1925

Dasodis Diakonoff, 1982
rimosa (Meyrick, 1921) *Ancylis*

TORTRICOIDEA

Hystrichophora Walsingham, 1879
kwazuluana Razowski, 2015

Namasia Diakonoff, 1983
monitrix (Meyrick, 1909) *Eucosma*

Selanaia Stephens, 1834
leptota Razowski, 2015

Tetramoera Diakonoff, [1968]
isogramma (Meyrick, 1908) *Cydia*

Microcorsini Kuznetsov, 1970

Cryptaspasma Walsingham, 1900
Acharneodes Meyrick, 1926
Allobrachygona Fernald, 1908 (replacement name)
Bakia Koçak, 1981 (replacement name)
Brachygonia Walsingham, 1900
Idiomorpha Turner, 1946 (preoccupied)
Microcorses Walsingham, 1900

Cryptaspasma (Metaspasma) Diakonoff, 1959
caryothicta (Meyrick, 1920) *Argyroploce*
*atrinodis** (Meyrick, 1926) *Acharneodes*

Chlidanotinae Meyrick, 1906**Chlidanotini** Meyrick, 1906

Electracma Meyrick, 1906
minyops Razowski & Giliomee, 2014

Trymalitis Meyrick, 1905
Trimalitis; Razowski & Trematerra, 2010
Trymaltis; Meyrick, 1911
scalifera Meyrick, 1912

ENDNOTE: *Dichrorampha* Guenée was placed in the tribe Grapholitini by Horak *in* Kristensen (1999).

REFERENCE:

HORAK, M. 1999. 12. The Tortricoidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 200–216. W. de Gruyter, Berlin and New York.

GALACTICOIDEA**GALACTICIDAE** Minet, 1986

Homadaula Meyrick, 1907

albida Mey, 2004

ravula Mey, 2004

wieseri Mey, 2011

CHOREUTOIDEA**CHOREUTIDAE** Stainton, 1858HEMEROPHILIDAE
SIMAETHIDAE**Brenthiinae** author, date***Brenthia** Clemens, 1860*Microaethia* Chambers, 1878 (unavailable)
leucatoma Meyrick, 1918
pleiadopa Meyrick, 1921
virginalis Meyrick, 1912**Choreutinae** Stainton, 1858**Choreutis** Hübner, [1825]*Allonyma*; Fracker, 1915
Allonomyia; Ferguson, 1975
Allononyma Busck, 1904
Chloreutis; Viette, 1948
Chorentes; Morris, 1871
Chorentis; Turner, 1838
Choreutes Treitschke, 1835 (unjustified emendation)
Choreuthis; Hackman, 1947
Choreutidia Sauber, 1902
Cloreutis; Kautz, 1930
Entomoloma Ragonot, 1875
Eutromula Frölich, 1828
Hemerophila Hübner, [1806]
Macropia Costa, [1836]
aegyptiaca (Zeller, 1867) *Simaethis*
hypocroca (Diakonoff, 1978) *Eutromula*
dryodora (Meyrick, 1921) *Simaethis*
entechna (Meyrick, 1920) *Simaethis*
gratiosa (Meyrick, 1911) *Simaethis*
irridens (Meyrick, 1921) *Simaethis*
plectodes (Meyrick, 1921) *Simaethis*
stereocrossa (Meyrick, 1921) *Simaethis***Tebenna** Billberg, 1820*Porpe* Hübner, [1825]
Tebeuna; Danilevsky, 1969
dialecta (ssp. of *micalis*) Diakonoff, 1985
micalis dialecta Diakonoff, 1985
bjerkandrella auct. *Choreutis*
australis (Zeller, 1847) *Choreutis*

ZYGAENOIDEA**ZYGAENIDAE** Latreille, 1809**Procridinae** author, date***Astyloneura** Gaede, 1914*glennia* (Jordan, 1907) *Saliunca**meridionalis* (Hampson, 1920) *Saliunca**trefurthi** Gaede, 1914*cyanopis* Hampson, 1919**Janseola** Hopp, 1923*titaea* (Druce, 1896) *Brachartona**fitaea*; Swierstra, 1917 *Brachartona***Malambria** Jordan, 1907*Malarbela*; Neave, 1940*durbanica** Jordan, 1907**Saliunca** Walker, [1865]*assimilis* Jordan, 1907*homochroa* (Holland, 1897) *Pompostola**meruana* Aurivillius, 1910*styx* (Fabricius, 1775) *Zygaena***Saliuncella** Jordan, 1907*marshalli** Jordan, 1907**Tascia** Walker, 1856*Parasyntomis* Distant, 1897*Tassia*; Druce, 1910*finalis* (Walker, 1854) *Euchromia**aethiops* (Distant, 1897) *Parasyntomis**chrysotelus** Walker, 1856*rhabdophora* Vári, 2002*virescens* Butler, 1876**Tasema** Walker, 1856*fulvithorax* Hampson, 1919**Phaudinae** author, date* /accorded family rank by van Nieukerken et al., 2011**Anticrates** Meyrick, 1905*crocodphaea* Meyrick, 1921*electropis* Meyrick, 1921**Coptoproctis** Zeller, 1852*languida** (Zeller, 1852) *Psecadia* (*Coptoproctis*)**Zygaeninae** author, date*

Anthrocerinae *Antho-?

Epiorna Alberti, 1954*abessynica* (Koch, 1865) *Zygaena**holoxanthina* (Mabille, 1892) *Zygaena**procrocioides** (Butler, 1893) *Neurosymploca**xanthosoma* (Jordan, 1907) *Epizygaena**ochreipennis* (Butler, 1874) *Zygaena**nigromarginata* (Bethune-Baker, 1911) *Neurosymploca**occidentalis* (Hering, M., 1929) *Epizygaena**tricolorata* (Westwood, 1881) *Zygaena***Neurosymploca** Wallengren, 1858*Neosymploca*; Barrett, 1901*Callosymploca* Vári, 1986*affinis* Jordan, 1907*aurora* (ssp. of *naumanniola*) Hofmann, 2017*caffra* (Linnaeus, 1764) *Sphinx**concinna concinna** (Dalman, 1823) *Zygaena**pulchella* (Guérin-Méneville, 1832) *Zygaena**wallengreni* Kirby, 1892 (unnecessary replacement name)*concinna dimorpha* Hofmann, 2017*concinna sesioides* Hofmann, 2017*dukeorum* Hofmann, 2017*geertsemai* Hofmann, 2017*hottentota* (Herrich-Schäffer, [1854]) *Zygaena**kamieskronensis* (ssp. of *naumanniola*) Hofmann, 2017*kruegeri* Hofmann, 2017*kushaica kushaica* Hofmann, 2017*kushaica sani* Hofmann, 2017*meterythra* Hampson, 1920*naumanniola aurora* Hofmann, 2017*naumanniola kamieskronensis* Hofmann, 2017*naumanniola naumanniola* Hofmann, 2017*naumanniola vanrhynsdorpi* Hofmann, 2017*pagana* Kirby, 1892*sani* (ssp. of *kushaica*) Hofmann, 2017*vanrhynsdorpi* (ssp. of *naumanniola*) Hofmann, 2017**Orna** Kirby, 1892 (replacement name)*Euctenia* Felder, 1874 (preoccupied)*contraria* (Walker, 1854) *Procris**pectinicornis* (Schaufuss, 1870) *Zygaena**postrosea* (Hampson, 1920) *Neurosymploca**subdiaphana* (Felder, 1874) *Zygaena**subdiaphana*; Swain & Prinsloo, 1986 *Orna**zygaenoides** (Felder, 1874) *Euctenia**nebulosa* (Guérin-Méneville, 1832) *Procris**hyalina* (Hampson, 1920) *Neurosymploca***Praezygaena** Alberti, 1954*agria* (Distant, 1892) *Neurosymploca**cigria*; Swain & Prinsloo, 1986 *Praezygaena**muraena* (Druce, 1899) *Zygaena**conjuncta* (Hampson, 1920) *Neurosymploca**lateralis* (Jordan, 1907) *Epizygaena**microsticha* (Jordan, 1907) *Epizygaena**myodes** (Druce, 1899) *Zygaena**mitisi* (Dziurzyński, 1906) *Zygaena**ochroptera* (Felder, 1874) *Zygaena***Zutulba** Kirby, 1892 (replacement name)*Anteris* Wallengren, 1865 (preoccupied)*namaqua namaqua* (Boisduval, 1847) *Zygaena**ampla* (Walker, 1854) *Zygaena**namaqua zelleri** (Wallengren, 1860) *Neurosymploca**octo* (Mabille, 1892) *Zygaena**transversalis* (Westwood, 1889) *Zygaena**ocellaris* (Felder, 1874) *Zygaena**sesioides* (ssp. of *concinna*) Hofmann, 2017*zelleri** (ssp. of *namaqua*) (Wallengren, 1860) *Neurosymploca*

ZYGANOIDEA**ANOMOEOTIDAE***Anomoeotes* Felder, 1874*Anamoetes*; Holland, 1893*Anomocoetes*; Strand, 1912*Anomoetes*; Neave, 1940*levis** Felder, 1874*nigrivenosus* Butler, 1893*Dianeura* Butler, 1888*goochii** Butler, 1888*Thermochrous* Hampson, 1910*Termochrous*; Hering, M., 1937*stenocraspis* Hampson, 1910**EPIPYROPIDAE** Dyar, 1903*Epipyrops* Bowring, 1852*Fulgoraecia* Newman, 1851*fulvipunctata* Distant, 1913*fulvipuncta*; Janse, 1917 *Epipyrops***HIMANTOPTERIDAE** Rogenhofer, 1884*Doratopteryx* Rogenhofer, 1883*africana** Rogenhofer, 1883*plumigera* Butler, 1888*Pedoptila* Butler, 1885*Petoptila*; Bethune-Baker, 1911*nemopteridia** Butler, 1885*Semioptila* Butler, 1887*brachyura* Hering, M., 1937*flavidiscata* Hampson, 1910*fulveolans* (Mabille, 1897) *Himantopterus**longipennis* Hering, M., 1937*lufirensis* Joicey & Talbot, 1921*marshalli* Rothschild, 1907*mashuna* (ssp. of *torta**) Rothschild, 1907*torta** *mashuna* Rothschild, 1907*trogoloba xanthophila* Hering, M., 1937*xanthophila* (ssp. of *trogoloba*) Hering, M., 1937**LACTURIDAE** Heppner, 1995*Gymnogramma* Zeller, 1852*eoxantha* Meyrick, 1921*flavivitella* (Walsingham, 1881) *Eustixis**hutchinsoni* Walsingham, 1891*privata* Meyrick, 1924*psyllodecta* Meyrick, 1924*pyrozancla* Meyrick, 1911*racemosa* Meyrick, 1918*rhodoneura* Meyrick, 1909*rufiventris** (Zeller, 1852) *Psecadia**acclinatella* (Walker, 1865) *Lithosia***SOMABRACHYIDAE** Hampson, 1920*Parapsycharium* Geertsema, 2000*paarlense** Geertsema, 2000*Psycharium* Herrich-Schäffer, [1856]*barnardi* Geertsema, 1998*kammanassiense* Geertsema, 1998*montanum* Geertsema, 1998*natalense* Geertsema, 1998*pellucens** Herrich-Schäffer, [1856]

ZYGAENOIDEA**LIMACODIDAE** Duponchel, 1845

APODIDAE
COCHLIDIIDAE
COCHLIDIONIDAE
EUCLEIDAE
HETEROGENEIDAE

Limacodinae Duponchel, 1845***Afraltha*** Hering, M., 1955

*chionostola** (Hampson, 1910) *Altha*
luxuriosa (Hering, M., 1928) *Niphadolepis*

Afrobirthama Hering, M., 1955

*flaccidia** (Druce, 1899) *Narosa*
flaccidea; Janse, 1964 *Afrobirthama*
hobohmi Janse, 1964
hohbomi; Mey, 2011
reducta Hering, M., 1928

Afromiresa Janse, 1964

*ustitermina** (Hampson, 1910) *Miresa*

Apluda Wallengren, 1863

*plebeja** Wallengren, 1863
plebeia auct. *Apluda*

Apretophanes Janse, 1964

*stevensonii** Janse, 1964

Arctozygaena Gaede, 1926

*quinquemaculata** Gaede, 1926

Astatophlebia Janse, 1964

auctera Mey, 2011
*marmorobrunnea** Janse, 1964

Brachia Karsch, 1896

albivata (Hampson, 1910) *Thosea*
amblygrapta Janse, 1964
breijeri (Janse, 1964) *Omocenoides*
breyeri; Vári & Kroon, 1986 *Omocenoides*

Brachypecta Janse, 1964

*perobliqua** Janse, 1964

Caffricola Hampson, 1920

*cloeckneria** *cloeckneria* (Stoll, 1781) *Phalaena*
clockneria; Stoll, 1781 *Phalaena*
cloeccneria; Hampson, 1920 *Caffricola*
cloeckneri; Hübner, 1820 *Crameria*
cloeckeneria; Wallengren, 1856 *Ariithela*
kenyensis Talbot, 1932
vicina Alberti, 1954

Chrysamma Karsch, 1896

amabilis Clench, 1955
*purpuripulcra** *purpuripulcra* Karsch, 1896
ansorgei (Bethune-Baker, 1911) *Altha*
purpuripulchra auct. *Chrysamma*

Coenobasis Felder, 1874

Caenobasis; Distant, 1903
albiramosa (Walker, 1865) *Parasa*
*amoena** Felder, 1874
amaena; Distant, 1903 *Caenobasis*
argentininea Aurivillius, 1899
argentillata; Grünberg, 1910
hemichlora Grünberg, 1910
hermichlora; Janse, 1964 *Caenobasis*
intermedia Janse, 1964
panochra Janse, 1964
turneri West, 1937

Cosuma Walker, 1855

pobana Druce, 1887
pobana; Hering, M., 1928 *Cosuma*

Crothaema Butler, 1880

conspicua Janse, 1964
decorata Distant, 1892
schoutedeni Hering, M., 1954

sericea* Butler, 1880***Ctenolita*** Karsch, 1896

melanosticta (Bethune-Baker, 1909) *Miresa*
habenichti Wichgraf, 1913
habernichti; Fletcher, D.S., 1968 *Ctenolita*

Delorhachis Karsch, 1896

Delorachis; West, 1940
kilosa West, 1940

Deltoptera Janse, 1964

*iphia** Janse, 1964

Exanthica Meyrick, 1913

Exanthia; Gershenson, 1998
atelacma Meyrick, 1926
*trigonella** (Felder & Rogenhofer, 1875) *Semioscopis*

Gavara Walker, [1858]

Heterolepis Felder, 1874
Pletura Wallengren, 1863
*velutina** Walker, [1858]
leprosa (Felder, 1874) *Heterolepis*
squamosa (Wallengren, 1860) *Heterogenea*

Halseya Fletcher, D.S., 1982

Paraphanta; Bethune-Baker, 1909
Paryphanta Karsch, 1896
basiclara (Hering, M., 1937) *Paryphanta*
bisecta (Butler, 1898) *Paryphanta*
bisceta; Janse, 1917 *Paryphanta*
biunbrata (Hampson, 1910) *Paryphanta*
intacta (Hering, M., 1937) *Paryphanta*
pseudobisecta (Hering, M., 1937) *Paryphanta*
rectifascia (Hering, M., 1937) *Paryphanta*
rufilinea (Bethune-Baker, 1909) *Paryphanta*
tamsi (Hering, M., 1937) *Paryphanta*

Homosusica Janse, 1964

*eugrapha** Janse, 1964

Inous Walker, 1855

*nigripalpis** Walker, 1855

Isozinara Janse, 1964

*pallidifascia** Janse, 1964

Jordaniiana Hering, M., 1955

*lactea** (Pagenstecher, 1903) *Niphadolepis*

Latoia Guérin-Méneville, [1844]

Asteria Felder, 1874
Euphaga Guénée, 1865
Lemuriostroter Hering, M., 1957
albicosta (Hampson, 1910) *Somara*
anagaura Janse, 1964
angustifascia (ssp. of *nivosa*) Hering, M., 1928
eremotropha Janse, 1964
eretromorpha; Pinhey, 1968
johannes (Distant, 1898) *Parasa*
latistriga (Walker, 1855) *Neaera*
nivosa angustifascia Hering, M., 1928
urda (Druce, 1887) *Parasa*
karschi (Dyar, 1912) *Parasa*
viridicosta (Hampson, 1910) *Somara*
viridifascia Holland, 1893
viridimixta Janse, 1964
vitilena (Karsch, 1896) *Parasa*
vitilinea; van Eecke, 1925 *Parasa*
vividia (Walker, 1865) *Nyssia*
arcuata (Karsch, 1896) *Parasa*
neumannii (Karsch, 1896) *Parasa*

Latoiola Hering, M., 1955

pusilla (Aurivillius, 1899)

Lepidorytis Aurivillius, 1900

*sulcata** Aurivillius, 1900

Macroplecta Hampson, [1893]

Microplecta; Grünberg, 1912
meridionalis Hering, M., 1928

ZYGAENOIDEA

- obliquilinea* Hampson, 1910
rufopallens Hampson, 1910
tripunctata Mabille, 1900
- Micraphe** Karsch, 1896
*lateritia** Karsch, 1896
coccinea (Hampson, 1910) *Miresa*
haematoessa (Hampson, 1910) *Miresa*
haematoessula; Strand, 1916 *Miresa*
intensior (Rothschild, 1921) *Miresa*
- Monopecta** Janse, 1964
*castanea** Janse, 1964
- Natada** Walker, 1855
chrysaspis Hampson, 1910
chrysaspodes Strand, 1916
kochi Janse, 1964
- Neogavara** Janse, 1964
*imitans** Janse, 1964
- Neomocena** Janse, 1964
brunneocrossa Janse, 1964
*convergens** (Hering, M., 1928) *Omocena*
- Niphadolepis** Karsch, 1896
bipunctata Hering, M., 1929
- Omocenoides** Janse, 1964
*isophanes** Janse, 1964
- Pantocenia** Felder, 1874
Panocenia; Pinhey, 1975
*gemmans** Felder, 1874
- Parapluda** Aurivillius, 1900
*invitabilis** (Wallengren, 1860) *Heterogenea*
inevitabilis; van Eecke, 1925 *Heterogenea*
similis (Distant, 1897) *Parasa*
neglecta (Hering, M., 1928) *Latoia*
- Probalintha** Walker, 1865
*inclusa** Walker, 1865
- Pseudothosea** Janse, 1964
Pseudothosea; Janse, 1964
*albisignata** Janse, 1964
- Scotinochroa** Butler, 1897
Parathosea Aurivillius, 1921
diplothyrsana Tams, 1932
*inconsequens** Butler, 1897
peringueyi (Aurivillius, 1921) *Parathosea*
rufescens Janse, 1964
- Semyrilla** Aurivillius, 1900
Hyphormoides Strand, 1914
Symyrilla; Fletcher, D.S., 1982
*lineata** (Holland, 1893) *Semyra*
obliquestrigata (Strand, 1914) *Hyphormoides*
- Sporetolpis** Karsch, 1899
platti Janse, 1964
- Stroter** Karsch, 1899
*capillatus** Karsch, 1899
capillatis; Janse, 1964 *Stroter*
tripartita (Bethune-Baker, 1911) *Parasa*
dukei Janse, 1964
intermissa (Walker, 1865) *Nyssia*
- Susicina** Hering, M., 1955
*pyrocausta** (Hampson, 1910) *Susica*
- Taeda** Wallengren, 1863
*aetitis** Wallengren, 1863
aethitis; Janse, 1964
aetites; Janse, 1964
albipuncta (Druce, 1888) *Pantocenia* (as *Panocenia*)
albipunctata; Distant, 1903 *Pantocenia*
argentifera (Westwood, 1881) *Limacodes*
aureliae Krüger, 2004
- connexa* (Janse, 1964) *Pantocenia*
prasina Butler, 1896
- Trachyptena** Bethune-Baker, 1911
Narosana Bethune-Baker, 1915
Uniserrata Janse, 1964
- holobrunnea* (Janse, 1964) *Uniserrata*
holobrunnea; Janse, 1964 *Uniserrata*
- Trogocrada** Tams, 1953
*deleter** Tams, 1953
dimorpha Janse, 1964
dimorphia; Janse, 1964 *Trogocrada*
- Unipectiphora** Janse, 1964
*delosignata** Janse, 1964
- Unithosea** Vári, 1984
Neothosea Janse, 1964
Neothosia; Janse, 1964
*albilineata** (Hampson, 1910) *Thosea*
gainsfordi Mey, 2011
- Zarachella** Jordan, 1915
*specularis** Jordan, 1915
- Zinara** Walker, 1869
discophora Hampson, 1910
*nervosa** Walker, 1869
- Zorostola** Janse, 1964
*melanoxantha** Janse, 1964
- Chrysopolominae** Aurivillius, 1895
- Chrysopoloma** Druce, 1886
bicolor (Distant, 1897) *Stenoglene*
flaviceps Aurivillius, 1901
isabellina Aurivillius, 1895
pallens Hering, M., 1923 (replacement name)
similis Distant, 1903 (preoccupied)
paupera Hering, M., 1925
restricta Distant, 1899
rosea Druce, 1886
*rudis** (Walker, 1865) *Lasiocampa*
similis Aurivillius, 1895
varia Distant, 1899
- Hamartia** Hering, M., 1937
clarissa Hering, M., 1937
clarissina; Vári & Kroon, 1986 *Hamartia*
*medora** *medora* Hering, M., 1937
- Scotinocerides** Hering, M., 1937
fasciata Hering, M., 1937
flavina (ssp. of *pseudorestricta*) Hering, M., 1937
pseudorestricta *flavina* Hering, M., 1937
pseudorestricta *pseudorestricta* Hering, M., 1937
- Ectropinae** Hering, 1937
- Ectropa** Wallengren, 1863 (see ENDNOTE page 62)
*ancilis** Wallengren, 1863

ENDNOTE: *Ectropa* Wallengren was placed in Chrysopolominae by Epstein, Geertsema, Naumann & Tarmann in Kristensen (1999).

IMMOIDEA

IMMIDAE Common, 1979

Imma Walker, [1859]

Davendra Moore, 1887

Dysapura Turner, 1936

Pingrasa Walker, 1859

Pingrassa; Heppner, 1982

Pseudotortrix Turner, 1900

Thylacopleura Meyrick, 1886

Topaza Walker, 1864

Tortricomorpha Felder, 1861

Vinzela Walker, 1866

arsisceles Meyrick, 1937

quaestoria Meyrick, 1911

tormentata Meyrick, 1921

CARPOSINOIDEA

CARPOSINIDAE Walsingham, 1897

Carposina Herrich-Schäffer, 1853

autologa Meyrick, 1910

sysciodes Turner, 1947

brachycentra Meyrick, 1914

conobathra Meyrick, 1928

exsanguis Meyrick, 1918

impavida Meyrick, 1913

irata Meyrick, 1914

longipalpis Mey, 2007

proconsularis Meyrick, 1921

siturga Meyrick, 1912

socors Meyrick, 1928

subselliata Meyrick, 1921

thermurga Meyrick, 1929

ferruginea Meyrick, 1925

Meridarchis Zeller, 1867

regalis Mey, 2007

COPROMORPHIDAE Meyrick, 1905

Copromorpha Meyrick, 1886

Trychnostola Turner, 1916

aeruginea Meyrick, 1917

Rhynchoferella Strand, 1915

Sisyroxena Meyrick, 1916

syncentra (Meyrick, 1916) *Sisyroxena*

ALUCITOIDEA, EPERMENIOIDEA

ALUCITIDAE Leach, 1815
ORNEODIDAE

Alucita Linnaeus, 1758
Aleucita; Chambers, 1878
Allucita; Billberg, 1820
Alucitina Heydenreich, 1851
Euchiradia Hübner, [1825]
Orneodes Latreille, [1796]
Rhipidophora Hübner, 1822
acalyptra (Meyrick, 1913) *Orneodes*
brachyzona (Meyrick, 1920) *Orneodes*
butleri Wallengren, 1875
capensis Felder & Rogenhofer, 1875
certifica (Meyrick, 1909) *Orneodes*
compsoxantha (Meyrick, 1924) *Orneodes*
crococyma (Meyrick, 1937) *Orneodes*
endophaea Meyrick, 1930
ferruginea Walsingham, 1881
flaviserta (Meyrick, 1921) *Orneodes*
granata (Meyrick, 1921) *Orneodes*
habrophila (Meyrick, 1920) *Orneodes*
homotrocha (Meyrick, 1921) *Orneodes*
huebneri (Wallengren, 1859) *Orneodes*
ithycypha (Meyrick, 1927) *Orneodes*
libraria (Meyrick, 1911) *Orneodes*
phanerarcha (Meyrick, 1924) *Orneodes*
photaula (Meyrick, 1918) *Orneodes*
spicifera (Meyrick, 1911) *Orneodes*
tesserata (Meyrick, 1918) *Orneodes*

Microschismus Fletcher, T.B., 1909 [October]
Macrembola Meyrick, 1909 [November]
antennatus Fletcher, T.B., 1909
cato Meyrick, 1927
columnella Meyrick, 1927
ctenias Meyrick, 1911 (replacement name)
fortis Meyrick, 1910 (preoccupied)
cymatias Meyrick, 1918
*fortis** (Walsingham, 1881) *Alucita*
premnias Meyrick, 1913
sceletias Meyrick, 1911
serricornis Meyrick, 1914

TINEODIDAE Meyrick, 1885
OXYCHIROTIDAE

Species A

EPERMENIIDAE Spuler, 1910
CHAULIODIDAE

Epermeniinae Spuler, 1910

Epermenia (*Calotripis*) Hübner, [1825]
bicornis Gaedike, 2004
bulbosa Gaedike, 2004

Epermenia (*Epermenia*) Hübner, [1825]

Acanthendra Meyrick, 1917
Calotripis Hübner, [1825]
Calotrypis Agassiz, 1847 (unjustified emendation)
Cataplectica Walsingham, 1894
Chauliodus Treitschke, 1833 (preoccupied)
Chauliomorpha Blanchard, 1840 (replacement name)
Epermeniola Gaedike, 1968
Heydenia Hofmann, 1868 (preoccupied)
Lophonotus Stephens, 1834
Tichotripis Hübner, [1825]
Trichotripis; Leraut, 1980
conioptila Meyrick, 1921
criticodes Meyrick, 1913
ithycentra Meyrick, 1926
ochrodesma Meyrick, 1913
proserga Meyrick, 1913

Temeluchella Fletcher, T.B., 1940 (replacement name)

Temelucha Meyrick, 1909 (preoccupied)
*xeropa** (Meyrick, 1909) *Temelucha*

Ochromolopinae author, date*

Ochromolopis Hübner, [1825]
namibica Gaedike, 2004
praefumata (Meyrick, 1911) *Epermenia*

PTEROPHOROIDEA

PTEROPHORIDAE Latreille, 1802

Pterophorinae Latreille, 1802

Platyptilinae

Adaina Tutt, 1905

gentilis Meyrick, 1911

periarga Meyrick, 1913

periarcha; Vári, 1958 *Adaina*

propria Meyrick, 1921

Amblyptilia Hübner, [1825]

Amblyptilus; Wallengren, 1862

Amplyptilia; Tutt, 1905

direptalis (Walker, 1864) *Oxyptilus*

Cosmoclostis Meyrick, 1886

brachybela Fletcher, T.B., 1947

pesseuta (Janse, 1917) *Diacrotricha*

Crassuncus author, date*

pacificus (Meyrick, 1911) *Marasmarcha*

Crombruggchia Tutt, 1906

Combruggchia; Neave, 1939

richardi (Ustjuzhanin & Kovtunovich, 2010) *Stenodacma*

wahlbergi (Zeller, 1851) *Pterophorus*

pyrrhodes (Meyrick, 1889) *Trichoptilus*

rutilalis (Walker, 1864) *Pterophorus*

Deuterocopus Zeller, 1852

socotranus Rebel, 1907

Exelastis Meyrick, 1907

Marasmarcha auct.

crepuscularis (Meyrick, 1909) *Pterophorus*

pavidus (Meyrick, 1908) *Pterophorus*

tenax (Meyrick, 1913) *Marasmarcha*

vuattouxi Bigot, 1970

Gypsochares Meyrick, 1890

aulotes (Meyrick, 1911) *Pselnophorus*

londti Ustjuzhanin & Kovtunovich, 2011

Hellinsia Tutt, 1905

Leioptilus Wallengren, 1862

Lioptilus Zeller, 1867 (emendation; preoccupied)

acuminata (Meyrick, 1920) *Pterophorus*

adumbrata (Walsingham, 1881) *Aciptilus*

ambitiosa (Meyrick, 1911) *Pterophorus*

ammonias (Meyrick, 1909) *Pterophorus*

basuto Kovtunovich & Ustjuzhanin, 2011

brandbergi Arenberger, 2004

callida (Meyrick, 1913) *Pterophorus*

colubrata (Meyrick, 1909) *Pterophorus*

furfurosa (Meyrick, 1911) *Pterophorus*

illuta (Meyrick, 1917) *Pterophorus*

invidiosa (Meyrick, 1911) *Pterophorus*

orchatias (Meyrick, 1908) *Pterophorus*

pura (Meyrick, 1913) *Pterophorus*

serpens (Meyrick, 1909) *Pterophorus*

sordidata (Meyrick, 1912) *Pterophorus*

sphenites (Meyrick, 1913) *Pterophorus*

subnotata (Walker, 1875) *Pterophorus*

timida (Meyrick, 1908) *Pterophorus*

tripunctata (Walsingham, 1881) *Aciptilus*

laquatius; Vári, 1958 *Pterophorus*

laqueata (Meyrick, 1913) *Pterophorus*

Lantanophaga Zimmerman, 1958

*pusillidactyla** (Walker, 1864) *Oxyptilus*

brevipennis (Zeller, 1874) *Platyptilia*

hemimetra (Meyrick, 1886) *Platyptilia*

lantana (Busck, 1914) *Platyptilia*

lantanadactyla (Amsel, 1951) *Platyptilia*

technidion (Zeller, 1877) *Platyptilia*

tecnidion; Arenberger & Wojtusiak, 1996 *Platyptilia*

Macrotinactis Meyrick, 1912

*stenodactylus** (Fletcher, T.B., 1911) *Oxyptilus*

Marasmarcha Meyrick, 1886

bonaespei (Walsingham, 1881) *Lioptilus*

sisyrodes Meyrick, 1921

verax (Meyrick, 1909) *Pterophorus*

Megalorrhripida Amsel, 1935

leptomeres (Meyrick, 1886) *Trichoptilus*

vivax (Meyrick, 1909) *Trichoptilus*

Merrifieldia Tutt, 1905

aurea Ustjuzhanin & Kovtunovich, 2015

innae Kovtunovich & Ustjuzhanin, 2011

Oxyptilus Zeller, 1841

erythrodactylus Fletcher, T.B., 1911

secutor Meyrick, 1911

variegatus Meyrick, 1920

vibrans Meyrick, 1921

Platyptilia Hübner, [1825]

Fredericina Tutt, 1905

Gillmeria Tutt, 1905

Mariana Tutt, 1906

Platyptilus Zeller, 1841 (emendation)

amphiloga Meyrick, 1909

barbara Ustjuzhanin & Kovtunovich, 2010

bowkeri Kovtunovich & Ustjuzhanin, 2011

bullifera Meyrick, 1918

corniculata Meyrick, 1913

empedota Meyrick, 1908

locharcha Meyrick, 1924

maligna Meyrick, 1913

moloias Meyrick, 1906

benitensis Strand, 1912

odiosa Meyrick, 1924

patriarcha Meyrick, 1912

periacta Meyrick, 1910

sabia (Felder & Rogenhofer, 1875) *Mimeseoptilus*

africana (Walsingham, 1881) *Amblyptilus*

sciophaea Meyrick, 1920

sochikvoi Kovtunovich & Ustjuzhanin, 2011

Pselnophorus Wallengren, 1881

Crasimetus Meyrick, 1890

astragalotes Meyrick, 1909

pachyceros Meyrick, 1921

Pterophorus Schäffer, 1766

Aciptilia Hübner, [1825]

Aciptilus Zeller, 1841 (unjustified emendation)

Acoptilia Agassiz, 1847 (unjustified emendation)

Acopilus; Agassiz, 1847

Acyptilus; de Graaf, 1852

Alucita auct.

Plumiger Valmont-Bomare, 1791 (unavailable)

Porritia Tutt, 1905

Pterophora Hübner, [1806] (suppressed)

Pterophora Hübner, 1822

Ptorophora; Zeller, 1841

Pterophorus Geoffroy, 1762 (suppressed)

africanus Ustjuzhanin & Kovtunovich, 2010

albidus (Zeller, 1852) *Aciptilia*

endogramma (Meyrick, 1922) *Alucita*

sufficiatus (Yano, 1963) *Aciptilia*

candidalis (Walker, 1864) *Aciptilus*

dallastai Gielis, 1991

endophaeus (Meyrick, 1930) *Alucita*

ischnodactylus (Treitschke, 1833) *Alucita*

rhyparias (Meyrick, 1908) *Alucita*

centrobrates (Meyrick, 1933) *Alucita*

Sphenarches Meyrick, 1886

Geina Tutt, 1906

Sphenarchis; Tutt, 1905

Sphenarchus; Janse, 1917

Sphenarctes; Carus, 1887

*anisodactyla** (Walker, 1864) *Oxyptilus*

chroesus Strand, 1913

diffusalis (Walker, 1864) *Pterophorus*

dolichos (Matsumura, 1931) *Pselnophorus*

synophrys Meyrick, 1886

caffra (Zeller, 1852) *Pterophorus*

PTEROPHOROIDEA

- walkeri* (Walsingham, 1881) *Oxyptilus*
- Stenoptilia*** Hübner, [1825]
- Adkina*; Yano, 1963
 - Adkinia* Tutt, 1905
 - Buszkoiana* Koçak, 1981
 - Doxosteres* Meyrick, 1886
 - Mimaesoptilus* Wallengren, 1862
 - Mimaesioptilus*; Barrett, 1904
 - Mimaesoptilus*; Snellen, 1884
 - Mimeseoptilus* Zeller, 1867 (emendation)
 - Richardia* Buszko, 1978
 - johnistella* Ustjuzhanin & Kovtunovich, 2010
 - longalis* (Walker, 1864) *Pterophorus*
 - natalensis* Ustjuzhanin & Kovtunovich, 2010
- Stenoptilodes*** Zimmerman, 1958
- taprobanes* (Felder & Rogenhofer, 1875) *Amblyptilia*
- Titanoptilus*** Hampson, 1905
- patellatus* Meyrick, 1913
- Trichoptilus*** Walsingham, 1880
- animosus* Meyrick, 1921
 - cryphias* Meyrick, 1912
 - festus* Meyrick, 1920
 - maceratus* Meyrick, 1909
 - negotiosus* Meyrick, 1926
 - varius* Meyrick, 1909
 - viduus* Meyrick, 1917
- Agdistinae** Tutt, 1907
- Agdistis*** Hübner, [1825]
- Adactyla* Zeller, 1841 (unjustified emendation)
 - Adactylus* Curtis, 1833
 - Agdistes*; Stephens, 1835
 - Ernestia* Tutt, 1906
 - Herbertia* Tutt, 1906
 - africana* Arenberger, 1986
 - anikini* Kovtunovich & Ustjuzhanin, 2009
 - arenbergeri* Gielis, 1986
 - buffelsi* Kovtunovich & Ustjuzhanin, 2014
 - capensis* Kovtunovich & Ustjuzhanin, 2010
 - clara* Arenberger, 1986
 - cretifera* Meyrick, 1909
 - criocephala* Meyrick, 1909
 - danutae* Kovtunovich & Ustjuzhanin, 2009
 - darwini* Arenberger, 2009
 - dazdraperma* Kovtunovich & Ustjuzhanin, 2009
 - dentalis* Arenberger, 1986
 - dicksoni* Kovtunovich & Ustjuzhanin, 2009
 - dimetra* Meyrick, 1924
 - eberti* Arenberger, 2009
 - endrodyi* Kovtunovich & Ustjuzhanin, 2009
 - furcata* Arenberger, 1986
 - gibberipennis* Arenberger, 1986
 - gibberipenis*; Kovtunovich & Ustjuzhanin, 2009
 - gornostaevi* Kovtunovich & Ustjuzhanin, 2010
 - infumata* Meyrick, 1912
 - iversoni* Kovtunovich & Ustjuzhanin, 2010
 - jansei* Kovtunovich & Ustjuzhanin, 2009
 - karischi* Kovtunovich & Ustjuzhanin, 2009
 - kaunda* Kovtunovich & Ustjuzhanin, 2014
 - kevintucki* Kovtunovich & Ustjuzhanin, 2009
 - krooni* Kovtunovich & Ustjuzhanin, 2009
 - kruegeri* Kovtunovich & Ustjuzhanin, 2009
 - lomholdti* Gielis, 1990
 - malitiosa* Meyrick, 1909
 - malleana* Arenberger, 1988
 - meyi* Arenberger, 2008
 - mostovskii* Kovtunovich & Ustjuzhanin, 2010
 - myburgi* Kovtunovich & Ustjuzhanin, 2009 *myburghi?
 - namibiana* Arenberger, 1988
 - nikolaii* Kovtunovich & Ustjuzhanin, 2010
 - pala* Arenberger, 1986
 - piccolo* Gielis, 1990
 - potgieteri* Kovtunovich & Ustjuzhanin, 2009
 - prisoner* Kovtunovich & Ustjuzhanin, 2009
 - pustulalis* Walker, 1864
 - quagga* Arenberger, 2009
 - reciprocanus* Meyrick, 1924

- sanctaehelenae* (Wollaston, 1879) *Adactyla*
- spinosa* Arenberger, 1986
- swierstri* Kovtunovich & Ustjuzhanin, 2009 *to confirm spelling
- tsumkwe* Arenberger, 2001
- unguica* Arenberger, 1988
- vansonii* Kovtunovich & Ustjuzhanin, 2014
- vari* Kovtunovich & Ustjuzhanin, 2009
- violaceus* Kovtunovich & Ustjuzhanin, 2010

Note. Kovtunovich & Ustjuzhanin (2011) place *Platyptilia*, *Stenoptilia*, *Megalorhipida* and *Oxyptilus* in *Platyptilinae* Tutt, 1906 and *Adaina*, *Hellinsia*, *Merrifieldia* and *Pterophorus* in *Pterophorinae* Zeller, 1841. To establish subfamily placement of other genera with exception of *Agdistis*.

HYBLAEOIDEA**HYBLAEIDAE** Hampson, 1903

Hyblaea Fabricius, 1793

Aenigma Strecker, 1876 (preoccupied)

Nabara Walker, 1866

Nychophila Billberg, 1820

fontainei Berio, 1967

occidentalium Holland, 1894

dilatata Gaede, 1917

uryzona Prout, A.E., 1921

flavifasciata Hampson, 1910

flavipicta Hampson, 1910

inferna Gaede, 1917

rosacea Gaede, 1917

puera (Cramer, 1777) *Noctua*

apricans (Boisduval, 1833) *Heliothis*

insulsa Gaede, 1917

limacodella (Walker, 1866) *Nabara*

mirificum (Strecker, 1876) *Aenigma*

*saga** (Fabricius, 1787) *Noctua*

unxia (Hübner, [1813]) *Noctua*

THYRIDOIDEA**THYRIDIDAE** Herrich-Schäffer, 1846

THYRIDAE

Argyrotypinae author, date**Chrysoty whole* Butler, 1879*Chrysotypes*; Kenrick, 1914*dawsoni* Distant, 1897*ansorgei* (Warren, 1899) *Proterozeuxis**arcuatalis* (Gaede, 1917) *Proterozeuxis**brunneus* (Warren, 1908) *Proterozeuxis**pectinifer* (Hampson, 1906) *Plagiosella**reticulatus* Whalley, 1971*splendidus* (Warren, 1899) *Proterozeuxis**subflavus* Whalley, 1971**Striglininae** author, date**Stiglinae*; Whalley, 1967

STRIGILINIDAE; Whalley, 1964

Banisia Walker, [1863]*Durdara* Moore, 1882*Neobanisia* Whalley, 1967*Trophoessa* Turner, 1911*Vernifilia* Schultze, 1907*aldabrana cana* Whalley, 1971*cana* (ssp. of *aldabrana*) Whalley, 1971*elaralis* (ssp. of *myrsusalis*) (Walker, 1859) *Pyralis**joccatia* (Whalley, 1971) *Neobanisia**myrsusalis elaralis* (Walker, 1859) *Pyralis**idalialis* (Walker, 1859) *Pyralis**lobata* (Moore, 1879) *Durdara**myrsalis* (Turner, 1911) *Striglina* (emendation)*pyraliata* (Moore, 1882) *Durdara**zonula* (Swinhoe, 1885) *Durdara**zamia* (Whalley, 1971) *Neobanisia***Pachythyrinae** author, date* (see ENDNOTE on page 70)**Dysodia** Clemens, 1860*Pachythryris* Felder & Rogenhofer, 1875*Platythyris* Grote & Robinson, 1866*Varnia* Walker, [1863]*antennata* Whalley, 1968*binoculata* Warren, 1901*brandbergensis* Thiele, 2004*constellata* Warren, 1908*crassa* (Walker, 1865) *Varnia**fenestratella* Warren, 1900*flammata* (ssp. of *vitrina*) Warren, 1904*flavidula* Warren, 1908*fumida* Whalley, 1968*incognita* Whalley, 1968*intermedia* (Walker, 1865) *Varnia**meyi* Thiele, 2004*namibiensis* Thiele, 2004*parvita* Whalley, 1971*subsignata* Warren, 1908*vitrina flammata* Warren, 1904*hyalotypa* Bethune-Baker, 1911**Siculodinae** author, date*

Siculinae

Bupota Whalley, 1971*galbana* Whalley, 1971*triquilla** *tranquilla* Whalley, 1971**Cecidothyris** Aurivillius, 1910*guttulata** (ssp. of *pexa*) Aurivillius, 1910*orbiferalis* (Gaede, 1917) *Proterozeuxis**pexa guttulata** Aurivillius, 1910*pexa pexa* (Hampson, 1906) *Rhodoneura***Cornuterus** Whalley, 1971*nigropunctulus** (Pagenstecher, 1892) *Siculodes**seriatus* (Warren, 1897) *Rhodoneura***Epaena** Karsch, 1900*candida* Whalley, 1971*danista* Whalley, 1971*trijuncta* (Warren, 1898) *Dixoa**multipunctata* (Gaede, 1917) *Rhodoneura***Gnathodes** Whalley, 1971*helvelia** Whalley, 1971**Hapana** Whalley, 1967*carcealis* Whalley, 1971*obscuralis* auct. nec Hampson *Betousa**minima* Whalley, 1971*verticalis** (Warren, 1899) *Hypolamprus***Hypolamprus** Hampson, [1893]*curvifluus* (Warren, 1898) *Banisia**gangaba* Whalley, 1971**Kalenga** Whalley, 1971*ansorgei* (Warren, 1899) *Pharambara**discata* (Warren, 1905) *Banisia**pusillata* (Warren, 1902) *Banisia**culanota* Whalley, 1971*maculanota** Whalley, 1971**Kuja** Whalley, 1971*squamigera* (Pagenstecher, 1892) *Siculodes**rostrifera* (Warren, 1898) *Pharambara***Lelymena** Karsch, 1900*misalis** Karsch, 1900*palealides* (Hampson, 1906) *Rhodoneura***Nakawa** Whalley, 1971*fuscibasis** (Hampson, 1910) *Rhodoneura***Nemea** Whalley, 1971*nivosa* Whalley, 1971**Rhodoneura (Isothauma)** Warren, 1899*serraticornis* Warren, 1899*cymaesticha*; Bethune-Baker, 1911 *Tridesmodes* (as *Iridesmiodes*)*cymoeasticha* (Bethune-Baker, 1911) *Tridesmodes* (as *Iridesmiodes*)*nudicornis* Gaede, 1917*phoenicophora* Hampson, 1914*phricosticha* (Bethune-Baker, 1911) *Tridesmodes* (as *Iridesmiodes*)**Rhodoneura (Rhodoneura)** Guenée, 1858*Osca* Walker, [1863]*abacha* Whalley, 1971*disjuncta* (Gaede, 1929) *Betousa**flavicina* Hampson, 1906*arcuata* Gaede, 1929*lacunosa* Whalley, 1971*roseola* Whalley, 1971*sordidula* (Plötz, 1880) *Siculodes**acaciensis* auct.**Charideinae** author, date***Arniocera** Hopffer, 1857*Archalca* Wallengren, 1858*Archalea*; Hampson, 1918*auriguttata** Hopffer, 1857*aurigutta*; Aurivillius, 1899 *Arniocera**auxiguttata*; Janse, 1917 *Arniocera**chrysosticta* Butler, 1898*melanopyga* (Wallengren, 1858) *Archalca**borotsana* (ssp. of *cyanoxantha*) Jordan, 1915*barotzana*; Hampson, 1918 *Arniocera**borotzana*; Gaede, 1926 *Arniocera**cyanoxantha borotsana* Jordan, 1915*cyanoxantha cyanoxantha* (Mabille, 1893) *Zygaena**cyanoxantha elegans* (Weymer, 1903) *Archalca**cyanoxantha meyeri* Alberti, 1957*elata* Jordan, 1915*elegans* (ssp. of *cyanoxantha*) (Weymer, 1903) *Archalca**erythropyga* (Wallengren, 1860) *Archalca**erythropyga*; Weymer, 1903 *Archalca**negamica* (Walker, 1865) *Zygaena**lugubris* Gaede, 1926*meyeri* (ssp. of *cyanoxantha*) Alberti, 1957*zambesina* (Walker, 1866) *Zygaena***Dilophura** Hampson, 1918*caudata** (Jordan, 1907) *Byblisia*

THYRIDOIDEA

Lamprochrysa Hampson, 1918
*scintillans** (Butler, 1893) *Diospage*

Marmax Rafinesque, 1815
Chariclea; Hampson, 1918
Charidea Dalman, 1816
Glaukopis Fabricius, 1807
Pompostola Hübner, [1819]
smaragdina (Butler, 1888) *Pompostola*

Netrocera Felder, 1874
hemichrysa (Hampson, 1910) *Pompostola*
*setioides** Felder, 1874

Toosa Walker, 1856
*glaucopiformis** Walker, 1856

ENDNOTE: Pachytyrinae [sic] were treated as synonymous with Thyridinae by Dugdale, Kristensen, Robinson & Scoble *in* Kristensen (1999).

PAPILIONOIDEA**HESPERIIDAE** Latreille, 1809**Hesperiinae** Latreille, 1809*Acada* Evans, W.H., 1937*biseriata** (Mabille, 1893) *Pamphila*
zimbazo (Trimen, 1894) *Pamphila***Acleros** Mabille, [1885]*mackenii* (Trimen, 1868) *Pamphila*
aurifrons Strand, 1921
instabilis Mabille, 1890
nyassicola Strand, 1921
olaus (Plötz, 1884) *Apaustus* (preoccupied)
ploetzi Mabille, 1890
*leucopygus** (Plötz, 1879) *Apaustus* (preoccupied)**Ampittia** Moore, [1882]*capenae** *capenae* (Hewitson, 1868) *Cyclopides*
derbice (Hewitson, 1877) *Cyclopides***Andronymus** Holland, 1896*Acromecis* Mabille, 1904
*caesar philander** (Hopffer, 1855) *Pamphila*
neander neander (Plötz, 1884) *Apaustus*
neander torosa Evans, W.H., 1947
producta (Trimen, 1889) *Ancyloxypha*
*philander** (ssp. of *caesar*) (Hopffer, 1855) *Pamphila***Artitropa** Holland, 1896*erinnys** *erinnys* (Trimen, 1862) *Pamphila*
erynnis; Carcasson, 1981 *Artitropa*
erinnys nyasae Riley, 1925
nyasae (ssp. of *erinnys*) Riley, 1925
reducta Aurivillius, 1925**Astictopterus** Felder, C. & R., 1860*inornatus* (Trimen, 1864) *Cyclopides*
inoratus; Peters, 1952 *Astictopterus*
mineni (ssp. of *stellatus*) (Trimen, 1894) *Cyclopides*
stellatus mineni (Trimen, 1894) *Cyclopides***Borbo** Evans, W.H., 1949*barnesi* (ssp. of *fanta*) (Evans, W.H., 1949) *Pelopidas*
*borbonica** *borbonica* (Boisduval, 1833) *Hesperia*
borbonica var. *continentalis* Strand, 1912
senegalensis (Klug, 1842) *Parnara*
chagwa (Evans, W.H., 1937) *Pelopidas*
guttana (Evans, W.H., 1947) *Parnara*
kilwa (Evans, W.H., 1937) *Pelopidas*
detecta (Trimen, 1893) *Pamphila*
auritinctus (Butler, 1898) *Baoris*
dedecta; Pagenstecher, 1903 *Parnara*
fallata (Holland, 1896) *Pamphila*
pyrrhobaphe (Mabille, 1898) *Pamphila*
dondo (ssp. of *ferruginea*) Evans, W.H., 1956
fallax (Gaede, 1916) *Parnara*
fanta barnesi (Evans, W.H., 1949) *Pelopidas*
fatuella fatuella (Hopffer, 1855) *Pamphila*
caffraria (Plötz, 1883) *Hesperia*
cinerea (Holland, 1896) *Pamphila* (invalid)
ferruginea dondo Evans, W.H., 1956
gemila (Mabille, 1884) *Pamphila*
holtzi (Plötz, 1883) *Hesperia*
aequalis (Gaede, 1917) *Baoris*
aures (Mabille, 1883) *Pamphila*
caesia (Gaede, 1917) *Baoris*
cana (Lathy, 1901) *Baoris*
hiltzii; Swanepoel, 1953 *Pelopidas*
holtzii auct. *Borbo*
rougeoti (Picard, 1949) *Pelopidas*
lugens (Hopffer, 1855) *Pamphila*
maranga (Butler, 1900) *Boaris*
plana (Swinhoe, 1915) *Suastus*
xylos (Mabille, 1890) *Pamphila*
micanus (Holland, 1896) *Parnara***Chondrolepis** Mabille, 1904*Chioneigia* Heron, 1909
niveicornis niveicornis (Plötz, 1883) *Hesperia*
albicornis (Butler, 1896) *Perichares*
chirala (Trimen, 1894) *Pamphila*
mirandus (Butler, 1902) *Kedestes**murga** (Mabille, 1890) *Pamphila***Fresna** Evans, W.H., 1937*nyassae* (Hewitson, 1878) *Hesperia*
roncilgonis (Plötz, 1882) *Hesperia***Gegenes** Hübner, [1819]*Gegenis*; Claassens, 2000
Philoodus Rambur, [1840]
hottentota (Latreille, 1824) *Hesperia*
hottentotta auct. *Pamphila*
obumbrata (Trimen, 1891) *Pamphila*
niso niso (Linnaeus, 1764) *Papilio*
hottentotta ocrta Evans, W.H., 1937
indica (Mabille, 1883) *Pamphila*
letterstedti (Wallengren, 1857) *Hesperia*
*pumilio** (Hoffmannsegg, 1804) *Papilio*
aetna (Boisduval, 1840) *Hesperia*
gambica (Mabille, 1878) *Pamphila*
lefebvrii (Rambur, [1840]) *Philoodus*
monochroa Rebel, 1907
occulta (Trimen, 1891) *Pamphila*
pygmaeus (Cyrillo, 1787) *Papilio*
ursula (Holland, 1896) *Parnara***Gorgyra** Holland, 1896*Odaloneura* Mabille, 1904
johnstoni (Butler, 1893) *Aeromachus***Herila** Larsen & Collins, 2012*herilus* (Hopffer, 1855) *Pamphila*
numa (Druce, 1901) *Parosmodes***Kedestes** Watson, 1893*alba* (ssp. of *lenis*) Henning, G.A. et al., 1997
barberae barberae (Trimen, 1873) *Cyclopides*
barbarae; Henning, G.A. 1997 *Kedestes*
barberae bonsa Evans, W.H., 1956
barberae bunta Evans, W.H., 1956
barbarae bunta; Claassens, 2000 *Kedestes*
bonsa (ssp. of *barberae*) Evans, W.H., 1956
bunta (ssp. of *barberae*) Evans, W.H., 1956
callicles (Hewitson, 1868) *Cyclopides*
aleta (Plötz, 1883) *Hesperia*
chaca (Trimen, 1873) *Pyrgus*
lema linka Evans, W.H., 1956
lenis alba Henning, G.A. et al., 1997
lenis lenis Riley, 1932
*lepenula** (Wallengren, 1857) *Hesperia*
chersisia (Hewitson, 1877) *Cyclopides*
linka (ssp. of *lema*) Evans, W.H., 1956
macomo (Trimen, 1862) *Cyclopides*
marshalli Aurivillius, 1925
marshallii; Evans, W.H., 1937 *Kedestes*
michaeli Gardiner & Hancock, 1982
mohozutza (Wallengren, 1857) *Hesperia*
mohozutza; Pinhey, 1949 *Kedestes*
monosticha Hancock & Gardiner, 1982
nerva nerva (Fabricius, 1793) *Hesperia*
tucusa (Trimen, 1883) *Pyrgus*
niveostriga niveostriga (Trimen, 1864) *Pamphila*
niveostriga schloszi Pringle & Schlossz, 1997
saraha Henning, G.A. & Henning, S.F., 1998
schloszi (ssp. of *niveostriga*) Pringle & Schlossz, 1997
sublineata Pennington, 1953
wallengrenii wallengrenii (Trimen, 1883) *Thymelicus*
wallengrenii auct. *Kedestes***Metisella** Hemming, 1934 (replacement name)*Watsonia* Tutt, [1906] (preoccupied)
abdeli (Krüger, C., 1929) *Pamphila* (replacement name)
orientalis orientalis (Aurivillius, 1925) *Cyclopides* (preoccupied)
aegipan aegipan (Trimen, 1868) *Cyclopides*
aegipan inyangana Evans, W.H., 1956
inyanga (ssp. of *aegipan*) Evans, W.H., 1956
malgacha malgacha (Boisduval, 1833) *Steropes*
limpopona (Wallengren, 1857) *Hesperia*
malgacha orina Vári, 1976
menina (Trimen, 1873) *Cyclopides*
argenteostriata (Plötz, 1886) *Cyclopides*
argentostriatus; Plötz, 1886 *Cyclopides*
*metis** *metis* (Linnaeus, 1764) *Papilio*
metis paris Evans, W.H., 1937

PAPILIONOIDEA

orina (ssp. of *malgacha*) Vári, 1976
paris (ssp. of *metis*) Evans, W.H., 1937
syrinx (Trimen, 1868) *Cyclopides*
willemi (Wallengren, 1857) *Heteropterus*
cheles (Hewitson, 1868) *Cyclopides*

Moltena Evans, W.H., 1937
*fifara** (Butler, 1870) *Proteides*
fara; Pennington, 1963 *Moltena*
natalica (Plötz, 1882) *Hesperia* (invalid)

Parnara Moore, [1881]
Baorynnis Waterhouse, 1932
monasi (Trimen, 1889) *Pamphila*
monazi; Swanepoel, 1953 *Parnara*

Parosmodes Holland, 1896
*morantii** *morantii* (Trimen, 1873) *Pamphila*
icteria (Mabille, 1891) *Pamphila*
moranti; Carcasson, 1981 *Parosmodes*
ranoha (Westwood, 1881) *Pamphila*

Pelopidas Walker, 1870
Chapra Moore, [1881]
inconspicua (ssp. of *thrax*) (Bertoloni, 1850) *Hesperia*
mathias (Fabricius, 1798) *Hesperia*
albirostris (Mabille, 1887) *Pamphila*
elegans (Mabille, 1877) *Gegenes*
matthias; Pagenstecher, 1893 *Pamphila*
octofenestrata (Salmüller, 1884) *Pamphila*
umbrata (Butler, 1879) *Pamphila*
thrax inconspicua (Bertoloni, 1850) *Hesperia*
lodra (Plötz, 1879) *Hesperia*
micipsa (Trimen, 1862) *Pamphila*
mohopaani (Wallengren, 1857) *Hesperia*

Platylesches Holland, 1896
affinissima Strand, 1921
ayresii (Trimen, 1889) *Pamphila*
dolomitica Henning, G.A. & Henning, S.F., 1997
galesa (Hewitson, 1877) *Pamphila*
depygata Strand, 1921
nigerrima (Butler, 1894) *Halpe*
nigricans Holland, 1896
langei Evans, W.H., 1937
moritili (Wallengren, 1857) *Hesperia*
amadhu (Mabille, 1891) *Pamphila*
heterophyla (Mabille, 1891) *Pamphila*
zephora (Plötz, 1884) *Apaustus*
neba (Hewitson, 1877) *Hesperia*
*picanini** (Holland, 1894) *Parnara*
goetzei Grünberg, 1907
junodi (Oberthür, 1909) *Pamphila*
robusta robusta Neave, 1910
erli Gaede, 1917
shona Evans, W.H., 1937
tina Evans, W.H., 1937

Semalea Holland, 1896
arela (Mabille, 1891) *Hypoleucus*
nox (Mabille, 1891) *Pamphila*
*pulvina** (Plötz, 1879) *Hesperia*
carbo (Mabille, 1890) *Cobalus*
ilias (Plötz, 1879) *Hesperia*
paucipunctata (Bethune-Baker, 1908) *Ceratrichia*
tenebricosa (Plötz, 1882) *Hesperia* (invalid)

Teniorhinus Holland, 1892
Oxypalpus Holland, 1892
Teinorhinus Watson, 1893 (invalid)
haronus (Westwood, 1881) *Pamphila*
ruso (Mabille, 1891) *Pamphila*
ruso var. *merops* (Weymer, 1901) *Oxypalpus* (*Pamphila*)

Tsitana Evans, W.H., 1937
dicksoni Evans, W.H., 1956
kaplani (ssp. of *tulbagha*) Dickson, 1976
*tsita** (Trimen, 1870) *Cyclopides*
monochroma (Mabille, 1891) *Steropes*
tulbagha kaplani Dickson, 1976
tulbagha tulbagha Evans, W.H., 1937
uitenhaga Evans, W.H., 1937

Xanthodisca Aurivillius, [1925]
*vibia** (Hewitson, 1878) *Astictopterus*

Zenonia Evans, W.H., 1935
*zeno** (Trimen, 1864) *Pamphila*
coanza (Plötz, 1883) *Hesperia*
splendens (Mabille, 1877) *Pamphila*
watsoni (Butler, 1894) *Padraona*
zeno var. *zenides* (Strand, 1918) *Padraona*
zenonia; Evans, W.H., 1935 *Zenonia*

Zophopetes Mabille, 1904
*dysmephila** (Trimen, 1868) *Pamphila*
mucorea (Karsch, 1892) *Hesperia*
quaterna (Mabille, 1876) *Pamphila*
schulzi (Plötz, 1882) *Hesperia*

Pyrginae Burmeister, 1878 *to confirm

Abantis Hopffer, 1855
Abantiades Fairmaire, 1894 (unnecessary replacement name)
Sapaea Plötz, 1879
arctomarginata Lathy, 1901
hamptoni Collins & Larsen, 1994
bicolor (Trimen, 1864) *Leucochitonea*
paradisea (Butler, 1870) *Leucochitonea*
namaquana (Westwood, 1874) *Hesperia* (*Oxynetra*)
*tettensis** Hopffer, 1855
tellensis; Mabille, 1903 *Abantis*
venosa Trimen, 1889
plerotica Karsch, 1896
umkulensis (Sharpe, 1890) *Leucochitonea*
zambesiaca (Westwood, 1874) *Hesperia* (*Oxynetra*)
trimeni (Butler, 1895) *Sapaea*

Alenia Evans, W.H., 1935
namaqua Vári, 1974
*sandaster** (Trimen, 1868) *Pyrgus*

Calleagris Aurivillius, 1925 to Tagiadini*
*jamesoni** *jamesoni* (Sharpe, 1890) *Antigonus*
kobela (Trimen, 1864) *Nisoniades*
krooni Vári, 1974

Caprona Wallengren, 1857
Abaratha Moore, [1881] (based on extrazonal type species)
Stethotrix Mabille, 1890
casualalla Bethune-Baker, 1911
casualalla auct. *Caprona*
*pillamaa** Wallengren, 1857
heterogyna (Mabille, 1890) *Stethotrix*

Celaenorhinus Hübner, [1819]
Ancistrocampta Felder, C. & R., 1862 (based on extrazonal type species)
Apallaga Strand, 1911
Gehloa Doherty, 1889 (based on extrazonal type species)
Hantana Moore, [1881] (based on extrazonal type species)
Narga Mabille, 1891 (based on extrazonal type species)
bettoni Butler, 1902
bethoni; Aurivillius, 1925 *Celaenorhinus*
hypoxanthinus (Mabille & Boullet, 1916) *Sarangesa*
modestus Rebel, 1914
obscuripennis Strand, 1913
galenus (Fabricius, 1793) *Hesperia*
biseiata; Butler, 1888 *Plesioneura*
biseriatus (Butler, 1888) *Plesioneura*
bryki Aurivillius, 1925
fulgens (Mabille, 1877) *Pardaleodes*
galenus var. *alluaudi* Mabille & Boullet, 1916
hoehneli (Rogenhofer, 1891) *Plesioneura*
maculatus (Hampson, 1891) *Coladenia*
opalinus Butler, 1901
opalinus var. *jeannelli* Mabille & Boullet, 1916
mokeezi mokeezi (Wallengren, 1857) *Pterygospidea*
amaponda (Trimen, 1862) *Hesperia*
mozeeki; Peters, 1952 *Celaenorhinus*
mokeezi separatus (Strand, 1911) *Apallaga*
separatus (ssp. of *mokeezi* Strand, 1911) *Apallaga*

PAPILIONOIDEA

Eagris Guenée, 1863

Tricosemeia Holland, 1892

kneysna (ssp. of *nottoana*) Evans, W.H., 1947

nottoana kneysna Evans, W.H., 1947

nottoana nottoana (Wallengren, 1857) *Pterygospidea*

flavipalpis (Plötz, 1884) *Nisoniades*

melancholica Mabille, 1890

phyllophila (Trimen, 1883) *Nisoniades*

phyllophyle; Ackery *et al.*, 1995 *Nisoniades*

quadrimaculata (Neustetter, 1916) *Sarangesa*

Eretis Mabille, 1891

djaelaelae (Wallengren, 1857) *Pterygospidea*

djaelalae; Pagenstecher, 1893 *Pterygospidea*

djaeloeiae; Trimen, 1866 *Nisoniades*

*melanias** Mabille, 1891

perpaupera (Holland, 1892) *Sarangesa*

nox (ssp. of *umbra*) (Neave, 1910) *Sarangesa*

umbra nox (Neave, 1910) *Sarangesa*

umbra umbra (Trimen, 1862) *Nisoniades*

norica (Plötz, 1884) *Nisoniades*

Gomalia Moore, 1879

Tavetana Picard, 1949

elma elma (Trimen, 1862) *Pyrgus*

jeannelli (Picard, 1949) *Tavetana*

Kobelana Larsen & Collins, 2013 *to Tagiadini

*kobelana** (Trimen, 1864) *Nisoniades*

krooni (Vári, 1974) *Calleagris*

Leucochitonea Wallengren, 1857

*levubu** Wallengren, 1857

lactea (Plötz, 1885) *Sapaea*

lewubu; Mabille, 1903 *Leucochitonea*

Netrobalane Mabille, 1903

*canopus** (Trimen, 1864) *Caprona*

canopus var. *orientalis* (Aurivillius, 1925) *Caprona*

Sarangesa Moore, [1881]

Hyda Mabille, 1890 (preoccupied)

Sape Mabille, 1891

Tabraca Holland, 1896

Ulva Lindsey, 1925 (replacement name)

astrigera Butler, [1894]

neavei Riley, 1921

durbana (ssp. of *seineri*) Evans, W.H., 1937

gaerdesi gaerdesi Evans, W.H., 1949

gaerdesi smithae Vári, 1976

laelia (Mabille, 1877) *Pterygospidea*

coelia (de Fleury, 1926)

laelioides Riley, 1921

synestalmenus Karsch, 1893

tristis Rebel, 1914

lucidella lucidella (Mabille, 1891) *Sape*

ganyi Bethune-Baker, 1906

motozi (Wallengren, 1857) *Pterygospidea*

helmi Karsch, 1896

ophthalmica (Mabille, 1891) *Sape*

ophthalmicodes Strand, 1912

ophthalmicodes; Evans, W.H., 1937 *Sarangesa*

pato (Trimen, 1862) *Nisoniades*

pertusa (Mabille, 1891) *Sape*

phidyle (Walker, 1870) *Cyclopides*

besa (Mabille, 1891) *Achlyodes*

eliminata (Holland, 1896) *Sape*

eliminata deserticola Rebel, 1907

phydile; Dickson, 1978 *Sarangesa*

ruona Evans, W.H., 1937

seineri durbana Evans, W.H., 1937

seineri seineri Strand, 1909

seineri tanga Evans, W.H., 1937

smithae (ssp. of *gaerdesi*) Vári, 1976

Spialia Swinhoe, [1912]

Powellia Tutt, [1906] (based on extrazonal type species) (preoccupied)

agylla agylla (Trimen, 1889) *Pyrgus*

agylla bamptoni Vári, 1976

asterodia (Trimen, 1864) *Pyrgus*

asteriodia; Wallengren, 1875 *Syrichthus*

australis (ssp. of *depauperata*) de Jong, 1978

bamptoni (ssp. of *agylla*) Vári, 1976

colotes transvaaliae (Trimen, 1889) *Pyrgus*

confusa confusa (Higgins, 1924) *Hesperia*

fasciata (Higgins, 1924) *Hesperia*

delagoae (Trimen, 1898) *Pyrgus*

depauperata australis de Jong, 1978

dioma dioma (Hopffer, 1855) *Pyrgus*

ferax pauperata (Strand, 1911) *Hesperia*

machacoana (Butler, 1899) *Pyrgus*

dioma ferax (Wallengren, 1863) *Syrichtus*

abscondita (Plötz, 1884) *Pyrgus* (*Syrichtus*)

lacreuzei (Oberthür, 1912) *Syrichtus*

droma (Plötz, 1884) *Pyrgus*

droma var. *elongata* Higgins, 1924

droma var. *meridionalis* Higgins, 1924

leucomelas (Oberthür, 1912) *Syrichtus*

melaleuca (Oberthür, 1912) *Syrichtus*

zaira (Plötz, 1884) *Pyrgus*

ferax (ssp. of *dioma*) (Wallengren, 1863) *Syrichtus*

ferox; Aurivillius, 1879 *Hesperia*

mafa mafa (Trimen, 1870) *Pyrgus*

aurivillii (Shepard, 1935) *Pyrgus* (replacement name)

oberthueri (Aurivillius, 1925) *Hesperia*

nana (Trimen, 1889) *Pyrgus*

paula (Higgins, 1924) *Hesperia*

sataspes (Trimen, 1864) *Pyrgus*

secessa (Trimen, 1891) *Pyrgus*

spio (Linnaeus, 1764) *Papilio*

vindex (Stoll, [1781]) *Papilio*

transvaaliae (ssp. of *colotes*) (Trimen, 1889) *Pyrgus*

transvaalica; Swierstra, 1909 *Pyrgus*

Tagiades Hübner, [1819]

Pterygospidea Wallengren, 1857

flesus (Fabricius, 1781) *Papilio*

fesus; Swanepoel, 1953 *Tagiades*

ophion (Drury, 1782) *Papilio*

Coeliadinae Evans, 1937 *to confirm

Coeliades Hübner, [1818]

Rhopalocampa Wallengren, 1857

*forestan** *forestan* (Stoll, [1782]) *Papilio*

forestan auct. *Hesperia*

keithloa (Wallengren, 1857) *Rhopalocampa*

stella (Trimen, 1862) *Ismene*

tancred (Plötz, 1884) *Ismene*

libeon (Druce, 1875) *Ismene*

andonginis (Plötz, 1884) *Ismene*

brussauxi (Mabille, 1891) *Ismene*

unicolor (Mabille, 1877) *Ismene*

lorenzo Evans, W.H., 1946

pisistratus (Fabricius, 1793) *Hesperia*

valmaran (Wallengren, 1857) *Rhopalocampa*

sejuncta (Mabille & Vuillet, 1891) *Ismene*

Pyrrhiades Lindsey & Miller, 1965

anchises anchises (Gerstaeker, 1871) *Ismene*

taranis (Hewitson, 1876) *Ismene*

PAPILIONOIDEA

PAPILIONIDAE Latreille, 1802

Papilioninae Latreille, 1802

Leptocircini author, date*

Graphium (Arisbe) Hübner, [1819]

Ailus Billberg, 1820 (replacement name)

Zelima Fabricius, 1807 (invalid)

angolana *angolana* (Goeze, 1779) *Papilio*

anthemenes (Wallengren, 1857) *Papilio*

corrineus (Bertoloni, 1850) *Papilio*

corineus auct. *Papilio*

pylades lapydes (Suffert, 1904) *Papilio*

antheus (Cramer, [1779]) *Papilio*

antheus auct. *Papilio*

antharis (Godart, [1819]) *Papilio*

antheus evombaroides (Eimer, 1889) *Papilio*

antheus latepictulus (Strand, 1914) *Papilio*

hollandi (Grose-Smith & Kirby, 1894) *Papilio* (preoccupied)

lurlinus (Butler, 1883) *Papilio*

mercutius (Grose-Smith & Kirby, 1894) *Papilio*

nyassae (Butler, 1877) *Papilio*

utuba (Hampson, 1891) *Papilio*

colonna (Ward, 1873) *Papilio*

colonna auct. *Papilio*

colona; Peters, 1952 *Papilio*

colonna loncana (Suffert, 1904) *Papilio*

tragicus (Butler, 1876) *Papilio*

junodi (Trimen, 1893) *Papilio*

*leonidas** *leonidas* (Fabricius, 1793) *Papilio* (replacement name)

brasidas (Felder, C. & R., 1864) *Papilio*

onidale (Suffert, 1904) *Papilio*

similis (Cramer, [1775]) *Papilio* (preoccupied)

similis umanus (Rothschild & Jordan, 1905) *Papilio*

morania (Angas, [1849]) *Papilio*

policenes *policenes* (Cramer, [1775]) *Papilio*

agapenor (Fabricius, 1793) *Papilio*

policenes laurentia (Le Cerf, 1924) *Papilio*

policenes var. *sudanicus* (Schultze, 1916) *Papilio*

polixenus (Godart, [1819]) *Papilio*

polycenes; Wallengren, 1857 *Papilio*

polycestes (Gebhardt, 1912) *Papilio*

pompilius (Herbst, 1788) *Papilio*

scipio (Palisot de Beauvois, [1805]) *Papilio*

polistratus (Grose-Smith, 1889) *Papilio*

richelmanni (Weymer, 1892) *Papilio*

sisenna (Mabille, 1890) *Papilio*

porthaon porthaon (Hewitson, 1865) *Papilio*

porthaon vernayi (van Son, 1936) *Papilio*

schaffgotschi (Niepelt, 1927) *Papilio*

schaffgotschi auct. *Graphium*

Papilionini author, date*

Papilio (Princeps) Hübner, [1807]

Achillides Hübner, [1819] (based on extralimital type species)

Araminta Moore, 1886 (based on extralimital type species)

Charus Moore, [1881] (based on extralimital type species)

Druryia Aurivillius, 1881

Eques Kirby, 1896 (preoccupied)

Harimala Moore, [1881] (based on extralimital type species)

Icarus Röber, 1898 (preoccupied)

Iliades Hübner, [1819] (based on extralimital type species)

Iterus Donitz, 1899 (replacement name for *Icarus* Röber)

Melindopsis Aurivillius, 1898

Menelaides Hübner, [1819] (based on extralimital type species)

Mimbyasa Moore, 1842 (based on extralimital type species)

Nestorides Hübner, [1819] (based on extralimital type species)

Orpheides Hübner, [1819]

Pangeranopsis Wood-Mason & de Nicéville, 1886 (based on extralimital type species)

Sadengia Moore, [1902] (based on extralimital type species)

Sainia Moore, 1882 (based on extralimital type species)

Sarbaria Moore, [1881] (based on extralimital type species)

Tamera Moore, 1888 (based on extralimital type species)

ayresi (ssp. of *ophidicephalus*) van Son, 1939

cenea (ssp. of *dardanus*) (Stoll, [1790]) *Papilio*

chirinda (ssp. of *ophidicephalus*) van Son, 1939

chirindanus (ssp. of *echerioides*) van Son, 1956

constantinus *constantinus* Ward, 1871

dardanus cenea Stoll, [1790]

canea; Felder, 1864 *Papilio*

cenea acene Suffert, 1904

cennea; Saalmüller, 1884 *Papilio*

rechila (Godart, [1819]) *Danais*

*demodocus** *demodocus* Esper, [1798]

demodocus albicans Suffert, 1904

demodocus decusdemo Suffert, 1904

demoleus var. *nubila* Caponnier, 1881

echerioides chirindanus van Son, 1956

echerioides echerioides Trimen, 1868

echerioides; Bryk, 1928 *Papilio*

entabeni (ssp. of *ophidicephalus*) van Son, 1939

euphranor Trimen, 1868

euphranor moratus Le Cerf, 1924

lyaeus (ssp. of *nireus*) Doubleday, 1845

lyaeus; Pringle, 1994 *Papilio*

nireus lyaeus Doubleday, 1845

lyaeus aelyus Suffert, 1904

mantitheus Ehrmann, 1920

ophidicephalus Oberthür, 1878

menestheus auct.

ophidecephalus; Pennington, 1963 *Papilio*

opidocephalus; Kirby, 1879 *Papilio*

ophidicephalus ayresi van Son, 1939

ophidicephalus chirinda van Son, 1939

ophidicephalus entabeni van Son, 1939

ophidicephalus phalusca Suffert, 1904

ophidicephalus transvaalensis van Son, 1939

ophidicephalus zuluensis van Son, 1939

phalusca (ssp. of *ophidicephalus*) Suffert, 1904

transvaalensis (ssp. of *ophidicephalus*) van Son, 1939

transvaalensis; Swanepoel, 1953 *Papilio*

zuluensis (ssp. of *ophidicephalus*) van Son, 1939

ENDNOTE

Lamproterini replaced by Leptocircini (Smith, C.R. & Vane-Wright, R.I., 2001).

PAPILIONOIDEA**PIERIDAE** Swainson, 1820**Coliadinae** author, date***Catopsilia** Hübner, [1819]

- Murtia* Hübner, [1819] (based on extralimital type species)
florella (Fabricius, 1775) *Papilio*
aleurona Butler, 1876
castalia (Doubleday, 1847) *Callidryas*
hyblaea (Boisduval, 1836) *Callidryas*
marcellina (Bertoloni, 1850) *Pontia*
minna (Boisduval, 1836) *Callidryas*
pyrene (Swainson, 1821) *Colias*
rhadia (Boisduval, 1836) *Callidryas*
rufosparsa Butler, 1880
swainsoni (Westwood, 1881) *Callidryas*

Colias Fabricius, 1807

- Coliastes* Hemming, 1931 (based on extralimital type species)
Eriocolias Watson, 1895 (based on extralimital type species)
Eurymus Horsfield, [1829] (based on extralimital type species)
Megonostoma Reakirt, 1863 (based on extralimital type species)
Scalidoneura Butler, 1871 (based on extralimital type species)
Zerene Hübner, [1819] (based on extralimital type species)
electo electo (Linnaeus, 1763) *Papilio*
aurivillius Keferstein, 1883
electra (Linnaeus, 1767) *Papilio*

Eurema (Eurema) Hübner, [1819]

- Abaeis* Hübner, [1819] based on extralimital type species
Kibreeta Moore, [1906] (based on extralimital type species)
Maiva Grose-Smith & Kirby, 1893 (based on extralimital type species)
Nirmula Moore, [1906] (based on extralimital type species)
Pyrisitia Butler, 1870 (based on extralimital type species)
Sphaenogona Butler, 1870 (based on extralimital type species)
Teriocolias Röber, [1909] (based on extralimital type species)
Xanthidia Boisduval & Leconte, [1830] (invalid)
brigitta brigitta (Stoll, [1780]) *Papilio*
australis (Wallace, 1867) *Terias*
caffra (Felder, C. & R., 1865) *Terias*
candace (Felder, C. & R., 1865) *Terias*
eximia (Thurau, 1903) *Terias*
serruli; Pinhey, 1976 *Terias*
seruli (Westwood, 1881) *Terias*
sulphurea (Grose-Smith & Kirby, 1893) *Maiva*
sulphura; Talbot, 1935 *Eurema*
yoe; Wallengren, 1872 *Terias*
zoe (Hopffer, 1855) *Terias*
desjardinsii marshalli (Butler, 1898) *Terias*
desjardinii auct. *Terias*
desjardini; d'Abraira, 1980 *Eurema*
desjardini auct. *Terias*
disjardini; Möschler, 1883 *Eurema*
marshalli (ssp. of *desjardini*) (Butler, 1898) *Terias*
regularis (Butler, 1876) *Terias*
oberthuri (Mabille, 1877) *Terias*

Eurema (Terias) Swainson, [1821]

- hapale* (Mabille, 1882) *Terias*
hapale var. *hibernia* Neustetter, 1916
hecate solifera* (Butler, 1875) *Terias*
aethiopica (Trimen, 1889) *Terias*
bewsheri (Butler, 1879) *Terias*
bisinuata (Butler, 1876) *Terias*
butleri (Trimen, 1889) *Terias*
chalcomiaeta (Butler, 1879) *Terias*
dentilimbata (Butler, 1879) *Terias*
ethiopica auct. *Eurema*
leonis (Butler, 1886) *Terias*
orientis (Butler, 1888) *Terias*
senegalensis (Boisduval, 1836) *Terias*
brenda (Doubleday, [1847]) *Terias*
solifera (ssp. of *hecate*) (Butler, 1875) *Terias*

Pierinae Swainson, 1820**Euchloini** author, date***Pinacopteryx** Wallengren, 1857

- Herpaenia* Butler, 1870
eriphia eriphia* (Godart, [1819]) *Pieris*

eriphia var. *nyassae* (Lanz, 1896) *Herpaenia***Pierini** Swainson, 1820**Afrodryyas** Stoneham, 1957 (replacement name)

- Dryas* Boisduval, 1847 (preoccupied)
leda (Boisduval, 1847) *Dryas*
leda cygnophila (Suffert, 1904) *Eronia*
leda var. *inargyrata* (Gaede, 1916) *Eronia*
tekoukoule (Guérin-Méneville, 1849) *Anthocharis*
trimeni (Oberthür, 1878) *Eronia*
wahlbergi (Wallengren, 1857) *Dryas*

Appias (Glutophrissa) Butler, 1887

- contracta* (ssp. of *epaphia*) (Butler, 1888) *Glutophrissa*
epaphia contracta (Butler, 1888) *Glutophrissa*
epaphia eurynome Stoneham, 1957
mahoboides (Holland, 1896) *Pieris*
lasti natalensis Neustetter, 1927
natalensis (ssp. of *lasti*) Neustetter, 1927
nyasana (ssp. of *sylvia*) (Butler, 1896) *Phrissura*
phoebe (ssp. of *sabina*) (Butler, 1901) *Phrissura*
sabina phoebe (Butler, 1901) *Phrissura*
haendeli Suffert, 1904
isokani var. *dubia* Aurivillius, 1898
semiepaphia Strand, 1911
udei Suffert, 1904
undei; Peters, 1952 *Appias*
weberi Suffert, 1904
sylvia nyasana (Butler, 1897) *Phrissura*

Belenois Hübner, [1819]

- Anaphaeis* Hübner, [1819]
Glycestha Billberg, 1820 (based on extralimital type species)
Pseudanaphaeis Bernardi, 1953
Pseudohuphina Stoneham, 1940
abyssinica (ssp. of *gidica*) (Lucas, 1852) *Pieris*
aurota aurota (Fabricius, 1793) *Papilio*
augusta (Olivier, 1807) *Papilio*
auriginea Butler, 1886
lordaca (Walker, 1870) *Pieris*
mesentina (Cramer, [1780]) *Papilio* (preoccupied)
syrinx (Wallengren, 1860) *Pinacopteryx*
creona severina (Stoll, [1781]) *Papilio*
agrippina (Felder, C. & R., [1865]) *Pieris*
cneora; (Fabricius, 1793) *Papilio*
guaranii (Köhler, 1923) *Pieris*
infida Butler, 1888
severerina; Swierstra, 1917 *Pieris*
gidica abyssinica (Lucas, 1852) *Pieris*
allica (Oberthür, 1878) *Pieris*
doubledayi (Wallengren, 1857) *Pinacopteryx*
gidica centralis (Stoneham, 1957) *Anaphaeis* (as *Anapheis*)
gidica var. *pallida* (Gaede, 1916) *Pieris*
occidentis Butler, 1888
westwoodi (Wallengren, 1857) *Pinacopteryx*
[ogygia ogygia] (Trimen, 1883) *Pieris* (hybrid)
severina (ssp. of *creona*) (Stoll, [1781]) *Papilio*
thysa thysa (Hopffer, 1855) *Pieris*
larima alarmi (Suffert, 1904) *Pieris*
sabrata Butler, 1870
thysa var. *balangensis* Rebel & Rogenhofer, 1894
thysa var. *obumbrata* (Weymer, 1903) *Pieris*
zochalia zochalia (Boisduval, 1836) *Pieris*
hyoma (Boisduval, 1836) *Pieris*
zochalia var. *immaculata* (Wichgraf, 1913) *Pieris*
zochalia var. *pondoana* (Neustetter, 1916) *Pieris*

Colotis Hübner, [1819]

- Anthopsyche* Wallengren, 1857
Aphrodite Hübner, [1819] (preoccupied)
Calicharis Oberthür, 1876
Callosu ne Doubleday, [1847]
Cuneacolotis Henning, G.A., et al., 1997 (as subgenus)
Idmais Boisduval, 1836
Madais Swinhoe, [1909] (based on extralimital type species)
Ptychopteryx Wallengren, 1857 (preoccupied)
Thespia Wallengren, 1858 (replacement name)
*amata** *calais* (Cramer, [1775]) *Papilio*
dynamene (Klug, 1829) *Pontia*
amata williami Henning, G.A., & Henning, S.F., 1994
amina (ssp. of *celimene*) (Hewitson, 1866) *Anthocharis*
anima; Peters, 1952 *Colotis*

PAPILIONOIDEA

- anna annae* (Wallengren, 1857) *Thesrias cinerascens*: Talbot, 1934
cinerescens (Butler, 1873) *Teracolus confusa* (Westwood, 1889) *Callosune wallengrenii* (Butler, 1876) *Teracolus antevippe gavisa* (Wallengren, 1857) *Anthopsyche achine* (Stoll, [1781]) *Papilio antivippe*; Boisduval, 1836
damarensis (Aurivillius, 1879) *Callosune fumidus* (Swinhoe, 1884) *Teracolus haevernicki* (Staudinger, 1885) *Callosune harmonides* (Butler, 1876) *Teracolus hero* (Butler, 1876) *Teracolus hippocrene* (Butler, 1876) *Teracolus hyperides* (Butler, 1876) *Teracolus ignifer* (Butler, 1876) *Teracolus ithonus* (Butler, 1876) *Teracolus luederitzii* (Suffert, 1904) *Teracolus simplex* (Butler, 1876) *Teracolus subgavisa* Dufrane, 1947 *Colotis* (replacement name)
trimeni (Butler, 1876) *Teracolus antigone* (ssp. of *evagore*) (Boisduval, 1836) *Anthocharis argillaceus* (ssp. of *vesta*) (Butler, 1877) *Teracolus auxo* (Lucas, 1852) *Anthocharis increta* (Butler, 1881) *Teracolus keiskamma* (Trimen, 1862) *Anthocharis syrtinus* (Butler, 1876) *Teracolus topa* (Wallengren, 1860) *Anthopsyche vulnerata* (Staudinger, 1885) *Callosune calais* (ssp. of *amata*) (Cramer, [1775]) *Papilio casta* (ssp. of *evenina*) (Gerstaecker, 1871) *Callosune celimene amina* (Hewitson, 1866) *Anthocharis culimeni*; Wallengren, 1872 *Callosune celimene pholoe* (Wallengren, 1860) *Anthopsyche phaenon* (Trimen, 1863) *Anthocharis danae walkeri* (Butler, 1884) *Teracolus dissociatus* (Butler, 1897) *Teracolus doubledayi* (Hopffer, 1862) *Idmais aurigineus angolanus* (Talbot, 1929) *Teracolus doubledayi*; Pinhey, 1968 *Colotis flavilus* Henning, G.A., et al., 1997
hewitsoni (Kirby, 1871) *Idmais euippe mediatella* Talbot, 1939 (as *evippe mediata*)
evippe auct. (unjustified emendation)
paradoxa Dufrane, 1947
euippe omphale (Godart, [1819]) *Pieris acte* (Felder, C. & R., 1865) *Anthopsyche hybridus* (Butler, 1876) *Teracolus omphalooides* (Butler, 1876) *Teracolus procne* (Wallengren, 1857) *Anthopsyche pseudocale* (Butler, 1876) *Teracolus theogone* (Boisduval, 1836) *Anthocharis eunoma eunoma* (Hopffer, 1855) *Pieris chromiferus* (Rothschild, 1894) *Teracolus evagore antigone* (Boisduval, 1836) *Anthocharis bifasciatus* (Sharpe, 1890) *Teracolus comptus* (Butler, 1888) *Teracolus coniger* (Butler, 1882) *Teracolus delphine* (Boisduval, 1836) *Anthocharis demagore* (Felder, C. & R., 1865) *Anthopsyche eione* (Boisduval, 1836) *Anthocharis emini* (Butler, 1891) *Teracolus flaminia* (Butler, 1876) *Teracolus friga* (Butler, 1876) *Teracolus galathinus* (Butler, 1876) *Teracolus gelasinus* (Butler, 1876) *Teracolus glycera* (Butler, 1876) *Teracolus heuglini* (Felder, C. & R., 1859) *Teracolus interruptus* (Butler, 1872) *Teracolus isaura* (Lucas, 1852) *Anthocharis jamesi* (Butler, 1886) *Teracolus lucullus* (Butler, 1876) *Teracolus lyaeus* (Butler, 1876) *Teracolus lycoreis* (Butler, 1876) *Teracolus metagone* (Holland, 1896) *Teracolus minans* (Butler, 1882) *Teracolus phlegetonia* (Boisduval, 1836) *Anthocharis pseudetrida* (Westwood, 1881) *Callosune ramaquabana* (Westwood, 1881) *Callosune subfumosus* (Butler, 1876) *Teracolus xanthus* (Swinhoe, 1884) *Teracolus evenina casta* (Gerstaecker, 1871) *Callosune evenina evenina* (Wallengren, 1857) *Anthopsyche deidamia* (Wallengren, 1860) *Anthopsyche deidamoides* (Aurivillius, 1879) *Callosune evinina*; Wallengren, 1879 *Callosune inornata* (Westwood, 1881) *Callosune omphalooides* var. *corda* (Möschler, 1891) *Teracolus evenina siyulus* (Swinhoe, 1884) *Teracolus gavisa* (ssp. of *antevippe*) (Wallengren, 1857) *Anthopsyche ione* (Godart, [1819]) *Pieris aurivillii*; Swierstra, 1917 *Teracolus bacchus* (Butler, 1888) *Teracolus bacchus hydrophobus* (Suffert, 1904) *Teracolus bethoni*; Aurivillius, 1910 *Teracolus bettoni* (Butler, 1898) *Teracolus buxtoni* (Butler, 1876) *Teracolus coliagenes* (Butler, 1867) *Euchloe difficultis* (Sharpe, 1900) *Teracolus hydrophobus* (Suffert, 1904) *Teracolus imperator* (Butler, 1876) *Teracolus ione aurivillii* (Suffert, 1904) *Teracolus jalone* (Butler, 1869) *Euchloe jalone* var. *natalensis* (Staudinger, 1885) *Callosune jalone* auct. *Anthocharis mrogoroana* (Vuillet, 1891) *Callosune phlegyas* (Butler, 1865) *Anthocharis schuberti* (Suffert, 1904) *Teracolus lais* (Butler, 1876) *Teracolus mediata* (ssp. of *euippe*) Talbot, 1939
mutans (ssp. of *vesta*) (Butler, 1877) *Teracolus omphale* (ssp. of *euippe*) (Godart, [1819]) *Pieris omphala*; Swierstra, 1915 *Teracolus pallene* (Hopffer, 1855) *Anthocharis cinctus* (Butler, 1883) *Teracolus halyattes* (Butler, 1876) *Teracolus infumatus* (Butler, 1896) *Teracolus infumatus* var. *seineri* (Strand, 1909) *Teracolus weissmanni*; Talbot, 1934 *Colotis wissmanni* (Suffert, 1904) *Teracolus pholoe* (ssp. of *celimene*) (Wallengren, 1860) *Anthopsyche regina* (Trimen, 1863) *Anthocharis anax* (Grose-Smith, 1889) *Callosune eliza* (Sharpe, 1890) *Teracolus regina louisa* (Suffert, 1904) *Teracolus siyulus* (ssp. of *evenina*) (Swinhoe, 1884) *Teracolus vesta argillaceus* (Butler, 1877) *Teracolus vesta mutans* (Butler, 1877) *Teracolus williamsi* (ssp. of *amata*) Henning, G.A., & Henning, S.F., 1994
- Dixiea** Talbot, 1932
*charina** *charina* (Boisduval, 1836) *Pieris anactoriae* (Doubleday, 1842) *Pieris doxo parva* Talbot, 1943
leucophanes Vári, 1976
parva (ssp. of *dexo*) Talbot, 1943
pigea (Boisduval, 1836) *Pieris alba* (Wallengren, 1857) *Pinacopteryx astarte* (Butler, 1900) *Pinacopteryx elia* (Strand, 1912) *Pieris (Pinacopteryx) inana* (Butler, 1870) *Belenois kueckenii* (Suffert, 1904) *Pieris leplaei* (Hulstaert, 1924) *Pieris rubrobasalis* var. *nitida* (Aurivillius, 1898) *Pieris saalmuelleri* (Aurivillius, 1898) *Pieris wagneri* (Suffert, 1904) *Pieris spilleri* (Spiller, 1884) *Pieris gallenga* (Grose-Smith, 1887) *Pieris*
- Eronia** Hübner, [1823]
*cleodora** *cleodora* Hübner, [1823]
erxia Hewitson, 1867
- Leptosia** Hübner, [1818]
Nina Horsfield, [1928] (based on extralimital type species)
Nychitona Butler, 1870
alcesta inalcesta Bernardi, 1959
inalcesta (ssp. of *alcesta*) Bernardi, 1959
nupta nupta (Butler, 1873) *Nychitona*
- Mylothris** Hübner, [1819]
Pseudomylothris Neustetter, 1929
agathina agathina (Cramer, [1779]) *Papilio agatina*; Herbst, 1792 *Papilio xantholeuca* (Hübner, [1819]) *Cathaemaria attenuata* (ssp. of *rubricosta*) Talbot, 1944

PAPILIONOIDEA

carcassoni van Son, 1948
haemus (ssp. of *rueppellii*) (Trimen, 1879) *Pieris*
rubricosta attenuata Talbot, 1944
rueppellii haemus (Trimen, 1879) *Pieris*
rueppelli; Pinhey, 1949
rueppelli; Ackery *et al.*, 1995 *Mylothris*
rueppelli; Oberthür, 1878 *Pieris*
rupellii; Pinhey, 1949 *Mylothris*
rupelli; Swierstra, 1909 *Mylothris*
rupelli; Swierstra, 1909 *Mylothris*
sagala umtaliana d'Abraera, 1980
trimenia (Butler, 1869) *Pieris*
umtaliana (ssp. of *sagala*) d'Abraera, 1980
yulei yulei Butler, 1897
yulei sulphurascens Berger, 1954

Nepheronia Butler, 1870

Lepteronia Stoneham, 1957
Leuceronia Aurivillius, 1895
argia mhondana (Suffert, 1904) *Eronia*
argia giara (Suffert, 1904) *Eronia*
usambara (Aurivillius, 1907) *Eronia*
argia varia (Trimen, 1864) *Eronia*
argia aurora (Suffert, 1909) *Eronia*
argia variegata Henning, G.A., 1994
buquetii buquetii (Boisduval, 1836) *Callidryas*
buquetti; Swierstra, 1917 *Eronia*
buqueti auct. *Nepheronia*
buquetii adam (Suffert, 1904) *Eronia*
buquetii var. *arabica* (Hopffer, 1862) *Eronia*
buquetii var. *capensis* (Hopffer, 1862) *Eronia*
buquetii var. *mossambicensis* (Hopffer, 1862) *Eronia*
zelinda (Ward, 1873) *Eronia*
mhondana (ssp. of *argia*) (Suffert, 1904) *Eronia*
sinalata (ssp. of *thalassina*) (Suffert, 1904) *Eronia*
thalassina sinalata (Suffert, 1904) *Eronia*
varia (ssp. of *argia*) (Trimen, 1864) *Eronia*
variegata (ssp. of *argia*) Henning, G.A., 1994

Pieris Schrank, 1801

Andropodium Hübner, 1822 (based on extralimital type species)
Artogeia Verity, 1947
Ganoris Dalman, 1816 (based on extralimital type species)
Mancipium Hübner, [1806] (unavailable)
Tachyptera Berge, 1842 (based on extralimital type species)
*brassicae** (Linnaeus, 1758) *Papilio*
chariclea Stephens, 1827

Pontia Fabricius, 1807

Leucochloe Röber, [1907]
Mancipium Hübner, [1807]
helice helice (Linnaeus, 1764) *Papilio*
hellica (Linnaeus, 1767) *Papilio* (unjustified emendation)
raphani (Esper, [1783]) *Papilio*

Teracolus Swainson, [1833]

agoye agoye (Wallengren, 1857) *Anthopsyche*
eosphorus; Carcasson, 1981 *Colotis*
eosphorus (Trimen, 1863) *Anthocharis*
esophorus; Talbot, 1934 *Colotis*
agoye bowkeri Trimen, 1883
bowkeri (ssp. of *agoye*) Trimen, 1883
eris eris (Klug, 1829) *Pontia*
abyssinicus Butler, 1876
eris damara (Talbot, 1939) *Colotis*
eris var. *erioides* Strand, 1912
eris var. *punctiger* (Lanz, 1896) *Idmais*
fatma (Felder, C. & R., 1865) *Idmais*
johnstoni Butler, 1886
mainuma; Swierstra, 1915
maimouna (Kirby, 1880) *Idmais*
opalescens Butler, 1886
teitensis Sharpe, 1898
*subfasciatus** Swainson, 1833
bohemani (Wallengren, 1857) *Ptychopteryx*
ganymedes Trautmann, 1927

PAPILIONOIDEA

NYMPHALIDAE Rafinesque, 1815

Satyrinae Boisduval, 1833 *to confirm

Melanitini author, date*

Gnophodes Westwood, [1849]

*betsimena** *diversa* (Butler, 1880) *Cyllo*

diversa (ssp. of *betsimena*) (Butler, 1880) *Cyllo*

Melanitis Fabricius, 1807

Cyllo Boisduval, 1832

Hipio Hübner, [1819] (based on extralimital type species)

helena (ssp. of *leda*) (Westwood, [1851]) *Cyllo*

*leda** *helena* (Westwood, [1851]) *Cyllo*

fulvescens (Guenée, 1863) *Cyllo*

leda africana Fruhstorfer, 1908

libya Distant, 1882

lybia; Carcasson, 1981 *Melanitis*

lybia nyassae Bartel, 1905

Elymniini author, date*

Aphysoneura Karsch, 1894

Raphiceropsis Sharpe, 1894

*pigmentaria** *vumba* Kielland, 1989

vumba (ssp. of *pigmentaria*) Kielland, 1989

Bicyclus Kirby, 1871 (replacement name)

Dicothrys Karsch, 1893

Idiomorphus Doumet, 1861 (preoccupied)

Monotrichitis Hampson, 1891

Mycalesis Hübner, 1818 *to delete?

angulosus selousi (Trimen, 1895) *Mycalesis*

anyhana anyhana (Butler, 1879) *Mycalesis*

vicarius (Thurau, 1903) *Mycalesis*

vicarius var. *neglectus* (Thurau, 1903) *Mycalesis*

campinus campinus (Aurivillius, 1901) *Mycalesis*

campinus var. *goetzei* (Thurau, 1903) *Mycalesis*

fuelleborni (Bartel, 1905) *Mycalesis*

goetzi auct. *Mycalesis*

condamini van Son, 1963

cooksoni (Druce, 1905) *Mycalesis*

cottrelli (van Son, 1952) *Mycalesis*

cottrelli harti (van Son, 1952) *Mycalesis*

ena (Hewitson, 1877) *Mycalesis*

gambius (Doubleday, 1847) *Mycalesis*

safitza safitza (Westwood, [1850]) *Mycalesis*

caffra (Wallengren, 1857) *Mycalesis*

delila (Fabricius, 1793) *Papilio* (preoccupied)

eusirus (Hopffer, 1855) *Mycalesis*

evenus (Hopffer, 1855) *Mycalesis*

injustus (Wallengren, 1857) *Mycalesis*

selousi (ssp. of *angulosus*) (Trimen, 1895) *Mycalesis*

Henotesia Butler, 1879

perspicua (Trimen, 1873) *Mycalesis*

maevia (Staudinger, 1887) *Mycalesis*

simonsii (Butler, 1877) *Mycalesis*

birsha (Hewitson, 1877) *Mycalesis*

simonsi; Riley, 1921 *Henotesia*

victorina (Westwood, 1881) *Mycalesis*

Dirini Verity, date*

(*Aeropetes*, *Dingana*, *Dira*, *Paralethe*, *Serradinga*, *Tarsocera*, *Torynesis*)

Aeropetes Billberg, 1820

Aeropetes auct.

Meneris Doubleday, 1844

*tulbaghia** (Linnaeus, 1764) *Papilio*

tulbachii; Hübner, [1819] *Tisiphone*

tulbachius; Herbst, 1796 *Papilio*

Dingana van Son, 1955

alaedeus Henning, G.A. & Henning, S.F., 1984

alticola Henning, G.A. & Henning, S.F., 1996

angusta Henning, G.A. & Henning, S.F., 1996

clara (van Son, 1940) *Leptoneura*

*dingana** (Trimen, 1873) *Leptoneura*

fraterna Henning, G.A. & Henning, S.F., 1996

jerinae Henning, G.A. & Henning, S.F., 1996

Dira Hübner, [1819]

Leptoneura Wallengren, 1857

*clytus** *clytus* (Linnaeus, 1764) *Papilio*

clyte; Hübner, [1819] *Dira*

tisiphone (Rottemburg, 1775) *Papilio*

clytus eurina Quickeberge, 1978

eurina (ssp. of *clytus*) Quickeberge, 1978

isolata (ssp. of *swanepoeli*) van Son, 1955

jansei (Swierstra, 1909) *Leptoneura*

jansel; Swanepoel, 1953 *Dira*

oxylus (Trimen, 1881) *Leptoneura*

swanepoeli isolata van Son, 1955

swanepoeli swanepoeli (van Son, 1939) *Leptoneura*

swanepoeli; Carcasson, 1981 *Dira*

Paralethe van Son, 1955

albina (ssp. of *dendrophila*) van Son, 1955

dendrophila albina van Son, 1955

*dendrophila** *dendrophila* (Trimen, 1862) *Satyrus*

dendrophila indosa (Trimen, 1879) *Debis*

dendrophila var. *albomaculata* (Staudinger, 1887) *Lethe*

dendrophila junodi (van Son, 1935) *Meneris*

indosa (ssp. of *dendrophila*) (Trimen, 1879) *Debis*

junodi (ssp. of *dendrophila*) (van Son, 1935) *Meneris*

Serradinga Henning, G.A. & Henning, S.F., 1996

amissivallis (ssp. of *clarki*) Henning, G.A. & Henning, S.F., 1996

bella (ssp. of *bowkeri*) (van Son, 1955) *Dingana*

bowkeri bella (van Son, 1955) *Dingana*

*bowkeri** *bowkeri* (Trimen, 1870) *Leptoneura*

clarki amissivallis Henning, G.A. & Henning, S.F., 1996

clarki clarki (van Son, 1955) *Dingana*

clarki dracomontana Henning, G.A. & Henning, S.F., 1996

clarki ocrea Henning, G.A. & Henning, S.F., 1996

dracomontana (ssp. of *clarki*) Henning, G.A. & Henning, S.F., 1996

kammanassiensis (Henning, S.F. & Henning, G.A., 1994) *Dingana*

ocra (ssp. of *clarki*) Henning, G.A. & Henning, S.F., 1996

Tarsocera Butler, 1899

Cassus van Son, 1955

*cassina** (Butler, 1868) *Leptoneura*

casina; d'Abraera, 1997 *Tarsocera*

cassus cassus (Linnaeus, 1764) *Papilio*

cassus outeniqua Vári, 1971

dicksoni (van Son, 1962) *Cassus*

fulvina Vári, 1971

imitator Vári, 1971

namaquensis Vári, 1971

namaquensis; d'Abraera, 1997 *Tarsocera*

outeniqua (ssp. of *cassus*) Vári, 1971

outeniqua; Ackery et al., 1995 *Tarsocera*

southeyae Dickson, 1969

Torynesis Butler, 1899

Mintha van Son, 1955

hawequas Dickson, 1973

magna (van Son, 1941) *Leptoneura*

*mintha** *mintha* (Geyer, [1837]) *Dira*

mintha piquetbergensis Dickson, 1967

orangica Vári, 1971

piquetbergensis (ssp. of *mintha*) Dickson, 1967

pringlei Dickson, 1979

Satyrini author, date*

Cassionympha van Son, 1955

camdeboo (Dickson, 1981) *Pseudonympha*

*cassius** (Godart, [1824]) *Satyrus*

hyperboides (Wallengren, 1857) *Pseudonympha*

detecta (Trimen, 1914) *Pseudonympha*

perissinottoi Pringle, 2013

Coenya Hewitson, 1865

aurantiaca Riley, 1938

*hebe** (Trimen, 1862) *Ypthima*

corycia Hewitson, 1865

heba; van der Merwe & Grobler, 1959 *Coenya*

rufiplaga Trimen, 1906

PAPILIONOIDEA

Coenyropsis van Son, 1958

bera (Hewitson, 1877) *Ypthima*

*natalii** *natalii* (Boisduval, 1847) *Satyrus*

schultzei (Grünberg, 1910) *Pseudonympha*

natalii poetulodes Vári, 1971

poetuloides; Carcasson, 1981 *Coenyropsis*

poetulodes (ssp. of *natalii*) Vári, 1971

Mashuna van Son, 1955

Yptimorpha Overlaet, 1955

*mashuna** (Trimen, 1895) *Ypthima*

Melampias Hübner, [1819]

huebneri huebneri van Son, 1955 (replacement name; as *hübneri*)

*hyperbius** (Linnaeus, 1764) *Papilio* (preoccupied)

huebneri steniptera Vári, 1971

steniptera (ssp. of *huebneri*) Vári, 1971

Neita van Son, 1955

durbani (Trimen, 1887) *Pseudonympha*

extensa (Butler, 1898) *Neocoenyra*

duplex var. *major* (Trimen, 1906) *Neocoenyra*

lotenia (van Son, 1949) *Melampias*

*neita** (Wallengren, 1875) *Pseudonympha*

Paternympha Henning, G.A., & Henning, S.F., 1997

loxopthalma (Vári, 1971) *Pseudonympha*

narycia (Wallengren, 1857) *Pseudonympha*

Physcaeneura Wallengren, 1857

Periplygia Gerstaeker, 1871

*panda** (Boisduval, 1847) *Satyrus*

pione Godman, 1880

johnstoni (Butler, 1894) *Periplygia*

pione var. *lucida* Butler, 1897

poina; Pinhey, 1965 *Physcaeneura*

Pseudonympha Wallengren, 1857

arnoldi van Son, 1941

cyclops van Son, 1955

gaika Riley, 1938

*hippia** (Cramer, [1779]) *Papilio*

montana (Burchell, 1822) *Hipparchia*

kamiesbergensis (ssp. of *southeyi*) Dickson, 1967

machacha Riley, 1938

magooides van Son, 1955

magus (Fabricius, 1793) *Papilio*

sabacus (Trimen, 1866) *Erebia*

namaquana (ssp. of *trimenii*) van Son, 1966

nieuwveldensis (ssp. of *trimenii*) Dickson, 1966

paludis Riley, 1938

paragaika Vári, 1971

paragaike; Henning, G.A., 1990 *Pseudonympha*

penningtoni Riley, 1938

poetula Trimen, 1891

paetula auct. *Melampias*

ruthae (ssp. of *trimenii*) Dickson, 1966

southeyi kamiesbergensis Dickson, 1967

southeyi southeyi (Pennington, 1953) *Melampias*

southeyi wykehama Dickson, 1967

swanepoeli van Son, 1955

swanepoeli; Carcasson, 1981 *Pseudonympha*

trimenii namaquana van Son, 1966

trimenii nieuwveldensis Dickson, 1966

trimenii ruthae Dickson, 1966

trimenii trimenii Butler, 1868

trimeni auct. *Pseudonympha*

varii van Son, 1955

wykehama (ssp. of *southeyi*) Dickson, 1967

Stygionympha van Son, 1955

coetzeri (ssp. of *scotina*) Henning, G.A. & Henning, S.F., 1994

curlei Henning, S.F. & Henning, G.A., 1996

dicksoni (Riley, 1938) *Pseudonympha*

geraldi Pennington, 1970

grisea (ssp. of *wichgrafi*) Henning, S.F. & Henning, G.A., 1996

irrorata (Trimen, 1873) *Erebia*

lannini (ssp. of *wichgrafi*) van Son, 1966

robertsoni (Riley, 1932) *Pseudonympha*

scotina coetzeri Henning, G.A. & Henning, S.F., 1994

scotina scotina Quickeberge, 1977

vansoni (Pennington, 1953) *Melampias*

*vigilans** (Trimen, 1887) *Pseudonympha*

wichgrafi grisea Henning, S.F. & Henning, G.A., 1996

wichgrafi wichgrafi van Son, 1955

vigilans var. *johannesburgensis* (Wichgraf, 1911) *Pseudonympha*

wichgrafi auct. *Stygionympha*

wichgrafi williami Henning, S.F. & Henning, G.A., 1996

williami (ssp. of *wichgrafi*) Henning, S.F. & Henning, G.A., 1996

Ypthima Hübner, [1818]

Dallacha Moore, [1893] (based on extrazonal type species)

Kolasa Moore, [1893] (based on extrazonal type species)

Lohana Moore, [1893] (based on extrazonal type species)

Nadiria Moore, [1893] (based on extrazonal type species)

Pandima Moore, [1893] (based on extrazonal type species)

Thympha Moore, [1893] (based on extrazonal type species)

antennata antennata van Son, 1955

asterope asterope (Klug, 1832) *Hipparchia*

asetrope; van Son, 1955 *Hipparchia*

asterope hereroica van Son, 1955

condamini condamini Kielland, 1982

granulosa Butler, 1883

cataracta; Kielland, 1982 *Ypthima*

cataractae van Son, 1955

hereroica (ssp. of *asterope*) van Son, 1955

impura paupera Ungemach, 1932

paupera (ssp. of *impura*) Ungemach, 1932 (as ssp. of *Y. pupillaris*)

pupillaris pupillaris Butler, 1888

gazana van Son, 1955

rhodesiana Carcasson, 1961

Yptimomorpha van Son, 1955

*itonia** (Hewitson, 1865) *Ypthima*

hoehneli (Holland, 1896) *Ypthima* (as *Yphthima*)

itonia var. *quadriocellata* (Strand, 1909) *Ypthima*

Charaxinae author, date*

Charaxes Ochsenheimer, 1816

Anthora Doubleday, 1844

Eriboea Hübner, [1819]

Euxanthe Hübner, [1819]

Godartia Lucas, 1843

Hadrodontes Stoneham, 1964 (invalid)

Haridra Moore, [1880] (based on extrazonal type species)

Jasia Swainson, 1832 (invalid)

Monura Mabille, 1876 (preoccupied)

Paphia Fabricius, 1807 (preoccupied)

Stonehamia Cowan, 1968 (replacement name for *Hadrodontes* Stoneham)

Zingha Hemming, 1939 (replacement name for *Monura* Mabille)

achaemenes achaemenes Felder, C. & R., [1867]

achaemenes fasciatus Siffer, 1904

acuminatus vumba van Someren, 1963

alpinus van Someren & Jackson, 1957

argynnides (ssp. of *jahlusa*) Westwood, 1864

azota (ssp. of *protocelea*) (Hewitson, 1877) *Philognoma*

baumanni selousi Trimen, 1894

selousi; van Someren, 1975 *Charaxes*

baumanni whytei Butler, 1894

bavenda (ssp. of *xiphares*) van Son, 1935

binghami (ssp. of *ethalion*) Henning, S.F., 1982

bohemani Felder, C. & R., 1859

bohemanni auct. *Charaxes*

brainei van Son, 1966

brutus natalensis Staudinger, 1885

capio (Godart, [1824]) *Nymphalis*

viridicostatus Aurivillius, 1879

capensis (ssp. of *karkloof*) van Someren, 1966

castor flavifasciatus Butler, 1895

castor var. *orientalis* Lanz, 1896

castori; Hübner, [1819] *Eriboea*

chittyi Rydon, 1980

cinadon (ssp. of *druceanus*) Hewitson, 1870

cithaeron cithaeron Felder, C. & R., 1859

cithaeron joanae van Someren, 1964

draconis (ssp. of *xiphares*) Jordan, 1936

druceanus cinadon Hewitson, 1870

druceanus druceanus Butler, 1869

druceanus entabeni van Someren, 1963

druceanus moerens Jordan, 1936

druceanus proximans Joicey & Talbot, 1922

druceanus solitarius Henning, S.F. & Henning, G.A., 1992

druceanus stevensoni van Someren, 1963

entabeni (ssp. of *druceanus*) van Someren, 1963

etesipe tavezensis Rothschild, 1894

PAPILIONOIDEA

etesippe; van Son, 1979 *Charaxes*
etisepe; Gifford, 1965 *Charaxes*
ethalion binghami Henning, S.F., 1982
ethalion ethalion (Boisduval, 1847) *Nymphalis*
aethalion; Swierstra, 1917 *Charaxes*
erithalion Doubleday, [1849] *Nymphalis* (invalid)
erythalion; Chenu, 1853 *Nymphalis*
rosae Butler, 1895
flavifasciatus (ssp. of *castor*) Butler, 1895
fulguratus Aurivillius, 1899
gallagheri van Son, 1962
gazanus (ssp. of *pollux*) van Someren, 1967
guderiana guderiana (Dewitz, 1879) *Nymphalis*
guderiana; Pinhey, 1965 *Charaxes*
jahlusa argynnides Westwood, 1864
jahlusa jahlusa (Trimen, 1862) *Nymphalis*
jahlusa rex Henning, S.F., 1978
*jasius** *saturnus* Butler, 1866
castor var. *flavicinctus* Butler, 1895
unedonis (Hübner, [1819]) *Eriboea*
joanae (ssp. of *cithaeron*) van Someren, 1964
karkloof capensis van Someren, 1966
karkloof karkloof van Someren & Jackson, 1957
karkloof trimeni Rydon, 1994
kenwayi (ssp. of *xiphares*) Poulton, 1929
leonus (ssp. of *nichetes*) Butler, 1895
macclounii Butler, 1895
lasti var. *flavescens* Lanz, 1896
macclouni; Ackery *et al.*, 1995
manica Trimen, 1894
dewitzi Butler, 1895
marieps van Someren & Jackson, 1957
melloni (ssp. of *violetta*) Fox, 1963
moerens (ssp. of *druceanus*) Jordan, 1936
natalensis (ssp. of *brutus*) Staudinger, 1885
nichetes leoninus Butler, 1895
occidentalis (ssp. of *xiphares*) Pringle, 1995
pelias (Cramer, [1775]) *Papilio*
pelopia (Hübner, [1819]) *Eriboea*
penningtoni (ssp. of *xiphares*) van Son, 1953
penricei penricei Rothschild, 1900
penrici; Joicey & Talbot, 1922 *Charaxes*
peculiaris Lathy, 1906
phaeus Hewitson, 1877
pollux gazanus van Someren, 1967
pondoensis van Someren, 1967
protoclea azota (Hewitson, 1877) *Philognoma*
calliclea Grose-Smith, 1889
nyasana Butler, 1895
protoclea var. *aequidistans* Gaede, 1916
proximans (ssp. of *druceanus*) Joicey & Talbot, 1922
pseudophaeus van Someren, 1975
rex (ssp. of *jahlusa*) Henning, S.F., 1978
saturnus (ssp. of *jasius*) Butler, 1866
selousi (ssp. of *baumannii*) Trimen, 1894
solitarius (ssp. of *druceanus*) Henning, S.F. & Henning, G.A., 1992
staudei (ssp. of *xiphares*) Henning, S.F. & Henning, G.A., 1992
stevensonii (ssp. of *druceanus*) van Someren, 1963
tavetensis (ssp. of *etesipe*) Rothschild, 1894
thyestes (ssp. of *xiphares*) (Stoll, [1790]) *Papilio*
thyestessa; Hübner, [1819] *Eriboea*
trimeni (ssp. of *karkloof*) Rydon, 1994
vansonii van Someren, 1975
vanson; van Someren & Jackson, 1957
varanes varanes (Cramer, [1777]) *Papilio*
varanes volorgeses (Mabille, 1876) *Palla*
nigrescens Butler, 1896
varanes brachycarda Le Cerf, 1923
violetta melloni Fox, 1963
violetta violetta Grose-Smith, 1885
vologeses (ssp. of *varanes*) (Mabille, 1876) *Palla*
vumba (ssp. of *acuminatus*) van Someren, 1963
vumbui (ssp. of *xiphares*) van Son, 1936
wakefieldi (Ward, 1873) *Godartia*
wakefieldii auct. *Euxanthe*
whytei (ssp. of *baumannii*) Butler, 1893
xiphares bavenda van Son, 1935
xiphares draconis Jordan, 1936
xiphares kenwayi Poulton, 1929
xiphares occidentalis Pringle, 1995
xiphares penningtoni van Son, 1953
xiphares staudei Henning, S.F. & Henning, G.A., 1992
xiphares thyestes (Stoll, [1790]) *Papilio*

thurius (Godart, 1824) *Nymphalis*
xiphares elatias Jordan, 1936
xiphares reducta Rothschild, 1929
xiphares vumbui van Son, 1936
xiphares xiphares (Stoll, [1781]) *Papilio*
xiphares; Herbst, 1790 *Papilio*
xyparis; Hübner, [1819] *Eriboea*
zambeziensis Henning, S.F. & Henning, G.A., 1992
zoolina zoolina (Westwood, [1850]) *Nymphalis*
neanthes (Hewitson, 1854) *Nymphalis*
neanthes obscuratus Suffert, 1904

Heliconiinae Swainson, 1822 *to confirm

Acraeini author, date*
Acraeina author, date*

Acraea (Acraea) Fabricius, 1807
Aphanopeltis Mabille, 1887 (preoccupied)
Miyana Fruhstorfer, [1914] (based on extralimital type species)
Phanopeltis Mabille, 1887
Solenites Mabille, 1887
acara acara Hewitson, 1865
caffra Felder, C. & R., [1865]
sufferti Le Cerf, 1927 (replacement name)
zetes mhondana Suffert, 1904 (preoccupied)
mondhana; van Son, 1963
zetes tescea Suffert, 1904
zetes ukerevensis Le Doux, 1923
acara melanophanes Le Cerf, 1927
anemosa Hewitson, 1865
anemona; Oberthür, 1878 *Acraea*
anemosa dubiosa Suffert, 1904
anemosa macrosticta Storace, 1949
anemosa mosana Suffert, 1904
arcticincta Butler, 1883
welwitschi; Riley, 1921 *Acraea*
welwitschii Rogenhofer, 1893
welwitschii lobemba Eltringham, 1912
welwitschii lutea Riley, 1921 (as *welwitschi*)
welwitschii nivea Riley, 1921 (as *welwitschi*)
barberi Trimen, 1881
barkeri; Swierstra, 1909 *Acraea*
boopis boopis Wichgraf, 1914
brainei Henning, G.A., 1986
cuva Grose-Smith, 1889
dammi nidama Suffert, 1904
gorongozae (ssp. of *insignis*) van Son, 1963
*horta** (Linnaeus, 1764) *Papilio*
hypoleuca Trimen, 1898
insignis gorongozae van Son, 1963
machequena Grose-Smith, 1887
melanophanes (ssp. of *acara*) Le Cerf, 1927
neobule neobule Doubleday, [1847]
arabica Rebel, 1899
mhondana Vuillot, 1891
neobule socotrina Rebel, 1907
zambesina Aurivillius, 1909
perlucida (ssp. of *rabbiae*) Henning, G.A. & Henning, S.F., 1996
rabbiae perlucida Henning, G.A. & Henning, S.F., 1996
rabbiae; O'Neil, 1919 *Acraea*
satis Ward, 1871
corona Staudinger, 1885
trimeni Aurivillius, 1899
zetes zetes (Linnaeus, 1758) *Papilio*
jalema Godart, [1819]
menippe (Drury, 1782) *Papilio*
mycenaea (Hübner, [1819]) *Telchinia*
zethea; Godart, [1819] *Acraea*
zethes; Staudinger, 1885 *Acraea*

Acraea (Rubraea) Henning, G. A., 1992
acrita acrita Hewitson, 1865
acrita var. *aquila* Thurau, 1903
acrita littoralis Eltringham, 1912
acrita ambigua Trimen, 1891
acrita var. *bella* Weymer, 1901
ambigua (ssp. of *acrita*) Trimen, 1891
areca (ssp. of *egina*) Mabille, 1888
asema Hewitson, 1877
empusa Butler, 1894

PAPILIONOIDEA

- atolmis* Westwood, 1881
acontias Westwood, 1881
luxi auct. *Acraea*
luxii Rogenhofer, 1891 *Acraea* (*Telchinia*)
dondoensis Stevenson, 1934
nohara junodi D' Abrera, 1980
egina areca Mabille, 1888
halali (ssp. of *nohara*) Marshall, 1896
nohara halali Marshall, 1896
nohara nohara Boisduval, 1847
actiaca Hewitson, 1852
petraea Boisduval, 1847
petraea petrina Suffert, 1904
petraea taborana Suffert, 1904
petrea auct. *Acraea*
petroea; Guérin-Méneville, 1849 *Acraea*
pseudotolmis Eltringham, 1912
violarum Boisduval, 1847
natalensis; van Son, 1963 *Acraea*
nataliensis Angas, [1849]
violarum gracilis Wichgraff, 1909
- Acraea (Stephenia)** Henning, G.A., 1992
- aglaonice* Westwood, 1881
agonice; Trimen, 1887 *Acraea*
fenestrata Trimen, 1881
aergatis Westwood, 1881
axina Westwood, 1881
axisia; Westwood, 1881 *Acraea*
buettneri Rogenhofer, 1890
buettneri pseudopetraea Schouteden, 1919
buttneri auct. *Acraea*
felina Trimen, 1891
caldarena caldarena Hewitson, 1877
amphimalla Westwood, 1881
aphimalla auct. *Acraea*
caldaren; Larsen, 1992 *Acraea*
caldarena necessaria Le Doux, 1923
caldarena recaldana Suffert, 1904
dircea Westwood, 1881
leucopyga latiapicalis Joicey & Talbot, 1921
nero (Butler, 1883) *Telchinia*
lygus Druce, 1875
natalica Boisduval, 1847
bellua Wallengren, 1857
natalica var. *oatesi* van Son, 1936
natalica umbrata Suffert, 1904
oncaea Hopffer, 1855
caecilia liacea Suffert, 1904
oncaea alboradiata Suffert, 1904
oncaea caoncius Suffert, 1904
oncaea defasciata Suffert, 1904
oncaea modesta Suffert, 1904
oncaea obscura Suffert, 1904
oncara; Dickson, 1978 *Acraea*
pudorella pudorella Aurivillius, 1898
pudorella reducta Wichgraff, 1918
stenoea Wallengren, 1860
acronycta Westwood, 1881
albomaculata Weymer, 1892
- Acraea (Bematistes)** Hemming, 1935
aganice aganice Hewitson, 1852
- Actinotina** author, date*
- Telchinia (Telchinia)** Hübner, [1819]
- acerata* (Hewitson, 1874) *Acraea*
abbotti; Eltringham & Jordan, 1913 *Acraea*
abbotti; Aurivillius, 1899 *Acraea*
abbottii (Holland, 1892) *Acraea*
acerata hourski (Le Cerf, 1927) *Acraea*
brahmsi (Suffert, 1904) *Acraea*
pullula (Grünberg, 1911) *Acraea*
tenella (Rogenhofer, 1891) *Acraea* (*Telchinia*)
vinidia (Hewitson, 1874) *Acraea*
vinidia diavina (Suffert, 1904) *Acraea*
burni (Butler, 1896) *Acraea*
cabira (Hopffer, 1855) *Acraea*
apecida (Oberthür, 1893) *Acraea*
apecida var. *abrupta* (Grünberg, 1910) *Acraea*
apecida var. *flavomaculata* (Lanz, 1896) *Acraea*
cabira biraca (Suffert, 1904) *Acraea*
- cabira* var. *natalensis* (Staudinger, 1896) *Acraea*
cerasa cerasa (Hewitson, 1861) *Acraea*
enedon enedon (Linnaeus, 1758) *Papilio*
braunei (Staudinger, 1885) *Acraea*
daira (Godman & Salvin, 1884) *Acraea*
enedon var. *nigeriae* (Schultze, 1923) *Acraea*
enedonia; Linnaeus, 1767 *Papilio*
lycia (Fabricius, 1775) *Papilio*
lycia var. *enedonoides* (Le Doux, 1931) *Acraea*
lycia var. *fulva* (Doubleday, [1848]) *Acraea*
sganzini (Boisduval, 1833) *Acraea*
usagarae (Vuillot, 1891) *Acraea*
epidica (ssp. of *pentapolis*) (Oberthür, 1893) *Acraea*
esebria (Hewitson, 1861) *Acraea*
amphiprotea (Butler, 1874) *Planema*
arctifascia (Butler, 1874) *Planema*
ertli (Aurivillius, 1904) *Acraea*
esebria var. *actinotis* (Neustetter, 1916) *Acraea*
jacksoni (Sharp, 1890) *Planema*
metaprotea (Butler, 1874) *Planema*
monteironis (Butler, 1874) *Planema*
protea (Trimen, 1862) *Acraea*
pseudoprotea (Butler, 1874) *Planema*
goetzei (Thurau, 1903) *Acraea*
johnstoni (Godman, 1885) *Acraea*
confusa (Rogenhofer, 1891) *Planema*
octobalia (Karsch, 1894) *Acraea*
proteina (Oberthür, 1893) *Acraea*
proteina var. *flavescens* (Oberthür, 1893) *Acraea*
proteina var. *fulvescens* (Oberthür, 1893) *Acraea*
proteina var. *semialbescens* (Oberthür, 1893) *Acraea*
silvicola (Richelmann, 1913) *Acraea*
telekiana (Rogenhofer, 1891) *Planema*
meyerana (ssp. of *obeira*) (Ackery et al., 1995) *Acraea*
obeira meyerana (Ackery et al., 1995) *Acraea* (replacement name)
meyeri (van Son, 1963) *Acraea* (preoccupied)
pentapolis epidica (Oberthür, 1893) *Acraea*
pharsaloïdes (ssp. of *pharsalus*) (Holland, 1892) *Acraea*
pharsalus pharsaloïdes (Holland, 1892) *Acraea*
pharsalis; Pagenstecher, 1893 *Acraea*
pharsalus saluspha (Suffert, 1904) *Acraea*
*serena** (Fabricius, 1775) *Papilio*
buxtoni Butler, 1875
eliana (Strand, 1912) *Acraea*
eponina (Cramer, [1780]) *Papilio*
intermedia (Strand, 1911) *Acraea*
janisca (Godart, [1819]) *Acraea*
jordani (Le Doux, 1928) *Acraea* (preoccupied)
manjaca (Boisduval, 1833) *Acraea*
perrupta (Butler, 1883) *Acraea*
rougeti auct. *Acraea*
serena auct. nec Fabricius, 1775
serena var. *rougetii* (Guérin-Méneville, 1849) *Acraea*
subserena (Grose-Smith, 1900) *Acraea*
terpsicore auct. nec Linnaeus
- Telchinia (Auracraea)** Henning, G.A., 1993
- alalonga* (Henning, G.A. & S.F., 1996) *Hyalites* (*Auracraea*)
anacreon (Trimen, 1868) *Acraea*
bomba (Grose-Smith, 1889) *Acraea*
induna induna (Trimen, 1895) *Acraea*
induna salmontana (Henning, G.A. & Henning, S.F., 1996) *Hyalites* (*Auracraea*)
parei parei (Henning, G.A. & Henning, S.F., 1996)
Hyalites (*Auracraea*)
rahira rahira (Boisduval, 1833) *Acraea*
salmontana (ssp. of *induna*) (Henning, G.A. & Henning, S.F., 1996)
Hyalites (*Auracraea*)
- Telchinia (Alacia)** Henning, G.A., 1992
- igola* (Trimen, 1889) *Acraea*
maculiventris (Grose-Smith & Kirby, 1894) *Acraea*
vumbui (Stevenson, 1934) *Acraea*
- Pardopsisini** author, date*
- Pardopsis** Trimen, 1887
- punctatissima** (Boisduval, 1833) *Acraea*
stictica (Boisduval, 1847) *Acraea*

PAPILIONOIDEA**Argynnini auct.**

- Issoria** Hübner, [1819] (based on extralimital type species)
Chilargynnis Bryk, 1944 (based on extralimital type species)
Kuekenthaliella Reuss, 1921 (based on extralimital type species)
Prokuekenthaliella Reuss, 1926
Pseudorathora Reuss, 1926 (based on extralimital type species)
Rathora Moore, [1900] (based on extralimital type species)
Yramea Reuss, 1920 (based on extralimital type species)
smaragdifera smaragdifera (Butler, 1895) *Argynnis*

Lachnoptera Doubleday, [1847]

- ayresii* Trimen, 1879
ayresi auct. *Lachnoptera*
ayresii var. *abbotti* Holland, 1896

Phalanta Horsfield, [1829]

- Albericia* Dufrane, 1945
Atella Doubleday, [1847]
aethiopica (ssp. of *phalantha*) (Rothschild & Jordan, 1903) *Atella*
eurytis eurytis (Doubleday, [1847]) *Atella*
gomensis (Dufrane, 1945) *Albericia*
*phalantha** *aethiopica* (Rothschild & Jordan, 1903) *Atella*
phalanta auct. *Atella*
laudonius (Herbst, 1798) *Papilio*

Limenitidinae Behr, 1864 *to confirm**Euthaliini** author, date*

- Aterica** Boisduval, 1833
galene theophane Hopffer, 1855
galene omissa Rothschild, 1918
theophane (ssp. of *galene*) Hopffer, 1855
teophene; Pagenstecher, 1893 *Aterica*

Bebearia Hemming, 1960

- Apectinaria* Hecq, 1988
orientis orientis (Karsch, 1895) *Euriphene* (as *Euriphene*)
senegalensis var. *pseudocalia* (Staudinger, 1896) *Euriphene* (as *Euriphene*)

Crenidomimas Karsch, 1894

- Metacrenis* Butler, 1895
*concordia** (Hopffer, 1855) *Harma*
crawshayi (Butler, 1894) *Crenis*

Euphaedra Hübner, [1819]

- Euphaedra* Hecq, 1976
Gausapia Hecq, 1976
Medoniana Hecq, 1976
Najas Hübner, [1807] (rejected name)
Neophronia Hecq, 1985
Proteuphaedra Hecq, 1976
Radia Hecq, 1976
Romaleosoma Röber, [1888] (unjustified emendation)
Romaleosoma Blanchard, 1840
Xypetana Hecq, 1976
neophron neophron (Hopffer, 1855) *Romaleosoma*
zambesia (Felder, C. & R., [1867]) *Romaleosoma* (as *Romaleosoma*)
orientalis Rothschild, 1898 (as ssp. of *E. eleus*)
eleus nguruensis Stoneham, 1956

Euptera Staudinger, 1891

- kinugnana* (Grose-Smith, 1889) *Euriphene* (as *Euriphene*)
pluto kinungnana; Peters, 1952 *Euptera*
uhelda (Mabille, 1890) *Pseudacraea*

Euriphene (Euryphura) Staudinger, 1891

- achlys* (Hopffer, 1855) *Harma*

Hamanumida Hübner, [1819]

- Canopus* Felder, 1861 (preoccupied)
Leucotricha Rothschild & Jordan, 1903
daedalus (Fabricius, 1775) *Papilio*
daedalus var. *meleagrina* Staudinger, 1886
deadalus; Williams, 1996 *Hamanumida*
hesperus (Fabricius, 1793) *Papilio*
melantha (Fabricius, 1775) *Papilio*
meleagris (Cramer, [1775]) *Papilio*

Pseudargynnis Karsch, 1892

- hegemone* (Godart, [1819]) *Argynnis*
clorana (Druce, 1874) *Aterica*
duodecimpunctata (Snellen, 1872) *Jaera*
duodecipunctata; Ackery *et al.*, 1995
hegemone nyassae Bartel, 1905

Biblini author, date***Byblia** Hübner, [1819]

- Hypanis* Boisduval, 1833 (preoccupied)
acheloia (ssp. of *anvatara*) (Wallengren, 1857) *Hypanis*
anvatara achenloia (Wallengren, 1857) *Hypanis*
castanea (Butler, 1886) *Hypanis*
ilithya var. *vulgaris* (Staudinger, 1886) *Hypanis*
*ilithya** (Drury, [1773]) *Papilio*
cora (Feisthamel, 1850) *Hypanis*
goetzius (Herbst, 1798) *Papilio*
gotzius; Herbst, 1798 *Papilio*
ilithua auct. *Papilio*
ilithya auct. *Byblia*
ilithya var. *badiata* Grünberg, 1910
ilytia; Swierstra, 1915 *Byblia*
illithya; Wallengren, 1857 *Hypanis*
illithya; Wallengren, 1875 *Hypanis*
illythya auct. *Hypanis*
polinice (Stoll, [1782]) *Papilio*

Eurytela Boisduval, 1833

- angulata* (ssp. of *dryope**) Aurivillius, 1899
angustata (ssp. of *hiarbas*) Aurivillius, 1894
*dryope** *angulata* Aurivillius, 1899
hiarbas angustata Aurivillius, 1894
hiabas; Vári & Kroon, 1986 *Eurytela*
hiarba auct. *Papilio*
hyarba; Wallengren, 1857 *Eurytela*
hyarbas; Carcasson, 1981 *Eurytela*
hiarbas lita Rothschild & Jordan, 1903
lita (ssp. of *hiarbas*) Rothschild & Jordan, 1903

Mesoxantha Aurivillius, 1899

- ethosea** *reducta* Rothschild, 1918
reducta (ssp. of *ethosea*) Rothschild, 1918
katera Stoneham, 1935

Neptidopsis Aurivillius, 1898

- fulgorata platyptera* Rothschild & Jordan, 1903
nucleata (ssp. of *ophione**) Grünberg, 1911
*ophione** *nucleata* Grünberg, 1911
platyptera (ssp. of *fulgorata*) Rothschild & Jordan, 1903

Sevenia Koçak, 1996 (replacement name)

- Asterope* auctt. nec Hübner, [1819]
Crenis Boisduval, 1833 (preoccupied)
Sallya Hemming, 1964 (preoccupied)
amulia intermedia (Carcasson, 1961) *Asterope*
benguelae (Chapman, 1872) *Crenis*
boisduvali boisduvali (Wallengren, 1857) *Crenis*
intermedia (ssp. of *amulia*) (Carcasson, 1961) *Asterope*
morantii morantii (Trimen, 1881) *Eunica*
moranti auct. *Asterope*
natalensis (Boisduval, 1847) *Crenis*
wallengreni (Staudinger, 1886) *Crenis*
pechuelii pechuelii (Dewitz, 1879) *Crenis*
pechueli auct. *Crenis*
pechueli [sic] var. *albicans* Gaede, 1916
rosa (Hewitson, 1877) *Crenis*
mafiae (Staudinger, 1897) *Crenis*
trimeni trimeni (Aurivillius, 1898) *Crenis*
trimeni angolensis (Rothschild, 1918) *Crenis*

Limenitidini author, date***Cymothoe** Hübner, [1819]

- Amphidema* Felder, 1861
Pallene Doubleday, [1848] (preoccupied)
Paradiadema Distant, 1880
alcimeda alcimeda (Godart, [1824]) *Nymphalis*
eupithe (Doubleday, [1848]) *Harma*
alcimedea; Swierstra, 1909 *Cymothoe*

PAPILIONOIDEA

alcimeda clarki Stevenson, 1940
alcimeda marieps Rydon, 1994
alcimeda rhodesiae Stevenson, 1934
alcimeda transvaalica Rydon, 1994
alcimeda trimeni Aurivillius, 1912
alcimeda trimenti; Peters, 1952 *Cymothoe clarki* (ssp. of *alcimeda*) Stevenson, 1940
coranus coranus Grose-Smith, 1889
marieps (ssp. of *alcimeda*) Rydon, 1994
rhodesiae (ssp. of *alcimeda*) Stevenson, 1934
transvaalica (ssp. of *alcimeda*) Rydon, 1994
trimeni (ssp. of *alcimeda*) Aurivillius, 1912
vumbui Bethune-Baker, 1926

Pseudacraea Westwood, [1850]
Chloropoea Aurivillius, 1898 (replacement name)
Panopea Hübner, [1819] (preoccupied)
boisduvalii trimenii Butler, 1874
boisduvali var. *deficiens* Karsch, 1897
boisduvali trimeni auct. *Pseudacraea boisduvalii trimeni*; van Son, 1979 *Pseudacraea colvillei* Butler, 1884
eurytus imitator Trimen, 1873
expansa (ssp. of *lucretia*) (Butler, 1878) *Panopea imitator* (ssp. of *eurytus*) Trimen, 1873
lucretia expansa (Butler, 1878) *Panopea delagoae* Trimen, 1887
heliogenes (Butler, 1896) *Panopea leucadia*; Pinhey, 1949 *Pseudacraea lucretia kenyae* Poulton, 1926
lucretia tarquinia (Trimen, 1868) *Panopea poggei* (Dewitz, 1879) *Hypolimnas tarquinia* (ssp. of *lucretia*) (Trimen, 1868) *Panopea trimenii* (ssp. of *boisduvalii*) Butler, 1874
trimeni auct. *Pseudacraea*

Neptini author, date*

Neptis Fabricius, 1807 (based on extralimital type species)
Bimbisara Moore, [1898] (based on extralimital type species)
Hamadryodes Moore, [1898] (based on extralimital type species)
Kalkasia Moore, [1898] (based on extralimital type species)
Neptidomima Holland, 1920
Paraneptis Moore, [1898] (based on extralimital type species)
Philonoma Billberg, 1820 (based on extralimital type species)
Rasalia Moore, [1898] (based on extralimital type species)
Seokia Sibatani, 1943 (based on extralimital type species)
Stabroates Moore, [1898] (based on extralimital type species)
alta Overlaet, 1955
carcassoni van Son, 1959
goochii Trimen, 1879
goochi auct. *Neptis jordani* Neave, 1910
kiriakoffi Overlaet, 1955
laeta Overlaet, 1955
overlaeti Pennington, 1962
marpessa (ssp. of *saclava*) Hopffer, 1855
penningtoni van Son, 1977
saclava marpessa Hopffer, 1855
nemetes pastorei Snellen, 1882
serena serena Overlaet, 1955
swynnertonii Trimen, 1912
neavei Rothschild, 1918
trigonophora trigonophora Butler, 1878

Cyrestinae Guenée, 1865 *to confirm

Cyrestis (*Azania*) Martin, 1903
*camillus** *sublineata* Lathy, 1901
sublineata (ssp. of *camillus*) Lathy, 1901

Nymphalinae Rafinesque, 1815

Antanartia Rothschild & Jordan, 1903
dubia (ssp. of *schaeneia*) Howarth, 1966
schaeneia dubia Howarth, 1966
nigerrima Stoneham, 1934
schaeneia schaeneia (Trimen, 1879) *Eurema commixta* (Butler, 1880) *Hypanartia*

Catacroptera Karsch, 1894
*cloanthe** *cloanthe* (Stoll, [1781]) *Papilio*

cloantha [sic] var. *obscurior* (Staudinger, 1885) *Precis cloanthe intermedia* Rothschild, 1918
cloantha auct. *Salamis*

Vanessa Fabricius 1807
Ammiralis Rennie, 1832
Cynthia Fabricius, 1807
Neopyrameis Scudder, 1889
Phanessa Sodovskii, [1837] (unnecessary replacement name)
Pyrameis Hübner, [1819]
*cardui** (Linnaeus, 1758) *Papilio carduelis* (Cramer, 1775) *Papilio gardu;* Guérin-Méneville, 1849 *Vanessa dimorphica dimorphica* (Howarth, 1966) *Antanartia hippomene hippomene* (Hübner, [1823]) *Hypanartia*

*to confirm generic synonymy against Williams

Hypolimnas Hübner, [1819] (based on extralimital type species)
Diadema Boisduval, [1832] (preoccupied)
Eucalia Felder, 1861
Euralia Westwood, [1850]
Hypolimnas; Claassens, 2000
anthedon wahlbergi (Wallengren, 1857) *Diadema angustilimbata* Weymer, 1892
anthedon var. *marginalis* (Butler, 1875) *Euralia mima* (Trimen, 1869) *Diadema wahlbergii*; Trimen, 1887 *Diadema deceptor deceptor* (Trimen, 1873) *Diadema kirbyi* (Butler, 1898) *Euralia misippus* (Linnaeus, 1764) *Papilio alcippeoides* Butler, 1883
inaria (Cramer, [1779]) *Papilio misippe* auct. *Nymphalis missippus*; Pinhey, 1968 *Hypolimnas missippe* auct. *Hypolimnas wahlbergi* (ssp. of *anthedon*) (Wallengren, 1857) *Diadema*

Junonia Hübner, [1819]
Alcyoneis Hübner, [1819] (based on extralimital type species)
Aresta Billberg, 1820 (based on extralimital type species)
Coryphaeola Butler, 1878
Kallimula Holland, 1920
Precis Hübner, [1819]
actia (Distant, 1880) *Precis actia rubrofasciata* (Suffert, 1904) *Precis pelarga albofasciata* (Suffert, 1904) *Precis vetula* (Staudinger, 1885) *Precis antilope* (Feisthamel, 1850) *Salamis ibris* (Felder, C. & R., [1867]) *Precis micromera* Butler, 1876
petersi (Dewitz, 1879) *Precis simia* (Wallengren, 1857) *Precis archesia archesia* (Cramer, [1779]) *Papilio archeria*; Wallengren, 1856 *Salamis archesia* var. *semitypica* (Aurivillius, 1899) *Pieris archesia* var. *striata* (Aurivillius, 1901) *Pieris chapunga* Hewitson, 1864
guruana (Rogenhofer, 1891) *Precis naib* (Guérin-Méneville, 1849) *Vanessa pelasgus* (Godart, [1819]) *Vanessa standingerii*; Trimen, 1887 *Precis staudingeri* auct. *Precis staudingerii* (Dewitz, 1879) *Precis artaxia* Hewitson, 1864
nachtigali (Dewitz, 1879) *Precis nobilitata* (Thurau, 1903) *Precis cebrene* (ssp. of *hertia*) Trimen, 1870
ceryne ceryne (Boisduval, 1847) *Salamis tukuo* (Wallengren, 1857) *Salamis cuama* Hewitson, 1864
trimenii Butler, 1894
trimeni auct. *Precis elgiva* (ssp. of *terea*) Hewitson, 1864
hertia cebrene Trimen, 1870
crebrenae auct. *Junonia oenone* var. *sudanica* (Schultze, 1920) *Precis infracta* (ssp. of *sophia*) Butler, 1888
madagascariensis (ssp. of *orithya*) Guenée, 1865
natalica natalica (Felder, C. & R., 1860) *Precis hecate* Trimen, 1862
octavia sesamus (Trimen, 1883) *Precis calescens* Butler, 1894

PAPILIONOIDEA

octavia var. *natalensis* (Staudinger, 1885) *Precis*
oenone oenone (Linnaeus, 1758) *Papilio*
oenone auct. *Junonia*
celilia (Cramer, [1775]) *Papilio*
orithya madagascariensis Guenée, 1865
boopeis; Ackery *et al.*, 1995 *Junonia*
boopis Trimen, 1879
orithya auct. *Junonia*
orithya; Waterhouse, 1914
sesamus (ssp. of *octavia*) (Trimen, 1883) *Precis*
sophia infracta Butler, 1888
sophia albida (Suffert, 1904) *Precis*
terea elgiva Hewitson, 1864
touhilimasa Vuillot, 1892
pavonina Butler, 1895
tugela tugela (Trimen, 1879) *Precis*

Protagoniomorpha Wallengren, 1857

Protagoniomorpha; Pringle, 2002
anacardii nebulosa Trimen, 1881
anacardii var. *lurida* Niepelt, 1920
anacradii; Wallengren, 1875 *Cynthia*
ancardi; Linnaeus, 1767 *Salamis*
nebulosa (ssp. of *anacardii*) Trimen, 1881
parhassus (Drury, 1782) *Papilio*
aethiops (Palisot de Beauvois, [1805]) *Papilio* (preoccupied)
aglantonice (Godart, [1819]) *Vanessa*
parrhasius; Fox, 1965 *Hypolimnas*
parrhasus; Trimen, 1862 *Papilio*

Salamis Boisduval, 1833

cacta eileenae Henning, G.A. & Joannou, 1994
eileenae (ssp. of *cacta*) Henning, G.A. & Joannou, 1994

Apaturinae author, date*

Apaturopsis Aurivillius, 1898
*cleochares** *schultzei* Schmidt, 1921
chleochares; Stichel, 1938 *Apaturopsis*
clecharis auct. *Apatura*
schultzei (ssp. of *cleochares*) Schmidt, 1921

Libytheinae author, date*

Libythea Fabricius, 1807 (based on extralimital type species)
Chilea Billberg, 1820 (based on extralimital type species)
Dichora Scudder, 1889 (preoccupied)
Hecaerge Ochsenheimer, 1820 (based on extralimital type species)
Hypatus Hübner, 1822 (based on extralimital type species)
labdaca laius Trimen, 1879
labdaea lajus; Pagenstecher, 1911 *Libythea*
laius (ssp. of *labdaca*) Trimen, 1879

Danainae Boisduval, 1833 *to confirm

Danaini author, date*

Amauris (*Amauris*) Hübner, [1816]
dominicanus (ssp. of *niavius*) Trimen, 1879
niavius dominicanus Trimen, 1879
*niavius** *niavius* (Linnaeus, 1758) *Papilio*
tartarea tartarea Mabille, 1876
bulbifera Grose-Smith, 1887
damocles var. *albidior* Staudinger, 1896
damocles var. *gabunica* Aurivillius, 1881
mozarti Suffert, 1904
psyttalea Plötz, 1880
psyttalea vansomereni Bryk, 1937
tartarea reata Suffert, 1904

Amauris (*Amaura*) Geyer, [1837]

Amaurina Aurivillius, 1910 (preoccupied)
Berethis Moore, 1883
Cadytis Moore, 1883
Conoploea Guenée, 1865
Egialea Hemming, 1964
Nebroda Moore, 1883
Panamauris Bryk, 1937 (replacement name)
albimaculata albimaculata Butler, 1875
albimaculata chirindana Talbot, 1941

chirindana

(ssp. of *albimaculata*) Talbot, 1941
echeria echeria (Stoll, [1790]) *Papilio*
echeria vaal Talbot, 1940
vaillantiana (Godart, [1819]) *Danais*
echeria lobengula (Sharpe, 1890) *Nebroda*
lobengula (ssp. of *echeria*) (Sharpe, 1890) *Nebroda*
ochlea ochlea (Boisduval, 1847) *Euploea*

Danaus (*Anosia*) Hübner, [1816]

Danaomorpha Kremky, 1920 (based on extralimital type species)
Limnas Hübner, [1806] (rejected name)
Panlymnas Bryk, 1937 (replacement name for *Limnas* Hübner)
Tasitia Moore, [1898] (based on extralimital type species)
chrysippus orientis (Aurivillius, 1909) *Danaida*
alcippe; Godart, 1819 *Danais*
alcippoides (Moore, 1883) *Limnas*
alcippus (Cramer, [1777]) *Papilio*
asclepiadis (Gagliardi, 1811) *Papilio*
chrissippus; Hübner, 1806 *Limnas*
chrysippe auct. *Danaus*
chrysippus liboria Hulstaert, 1931
dorippus (Klug, 1845) *Euploea*
klugii (Butler, 1886) *Limnas*
orientis (ssp. of *chrysippus*) (Aurivillius, 1909) *Danaida*

*still to decide which references to retain

Tirumala Moore, [1880]

Elsa Honrath, 1892
Melinda Moore, 1883 (preoccupied)
petiverana (Doubleday, [1847]) *Danais*
leonora (Butler, 1866) *Danais*
mellissa phrynicus Fruhstorfer, 1910

PAPILIONOIDEA**LYCAENIDAE** Leach, 1815**Lipteninae** author, date*
Poritiinae**Liptenini** author, date***Baliochila** Stempffer & Bennett, 1953

- aslanga** (Trimen, 1873) *Lycaena aslauga* auct. *Baliochila barnesi* Stempffer & Bennett, 1953
hildegarda (Kirby, 1887) *Teriomima freya* (Grose-Smith & Kirby, 1894) *Teriomima lipara* Stempffer & Bennett, 1953
neavei Stempffer & Bennett, 1953
 neavi; Pinhey, 1965 *Baliochila singularis* Stempffer & Bennett, 1953

Cnodontes Stempffer & Bennett, 1953

- pallida** (Trimen, 1898) *Durbania penningtoni* Bennett, 1954
 vansoni Stempffer & Bennett, 1956

Cooksonia Druce, 1905

- Sheffieldia* Druce, 1912
neavei rhodesiae Pinhey, 1962
 rhodesiae (ssp. of *neavei*) Pinhey, 1962

Deloneura Trimen, 1868

- Ebepius* Hemming, 1964 (replacement name)
Poultonia Neave, 1904 (preoccupied)
dondoensis (ssp. of *millari*) Pennington, 1953
*immaculata** Trimen, 1868
millari dondoensis Pennington, 1953
millari millari Trimen, 1906
sheppardi Stevenson, 1934
subfusca Hawker-Smith, 1933
 innesi van Son, 1949

Durbania Trimen, 1862

- albescens* (ssp. of *amakosa*) Quickeberge, 1981
amakosa albescens Quickeberge, 1981
*amakosa** *amakosa* Trimen, 1862
amakosa ayresi van Son, 1941 (as *amakoza ayresi*)
amakosa flavida Quickeberge, 1981
amakosa natalensis van Son, 1959 (as *amakoza natalensis*)
amakosa penningtoni van Son, 1959 (as *amakoza penningtoni*)
amakosa sagittata Henning, S.F. & Henning, G.A., 1993
ayresi (ssp. of *amakosa*) van Son, 1941
flavida (ssp. of *amakosa*) Quickeberge, 1981
limbata Trimen, 1887
 amabilis Staudinger, 1888
natalensis (ssp. of *amakosa*) van Son, 1959
penningtoni (ssp. of *amakosa*) van Son, 1959
sagittata (ssp. of *amakosa*) Henning, S.F. & Henning, G.A., 1993

Durbaniella van Son, 1959

- belladonna* (ssp. of *clarki*) Ball, 1994
clarki belladonna Ball, 1994
clarki clarki (van Son, 1941) *Durbania clarki jenniferae* Ball, 1994
clarki phaea Ball, 1994
jenniferae (ssp. of *clarki*) Ball, 1994
phaea (ssp. of *clarki*) Ball, 1994

Durbaniopsis van Son, 1959

- saga** (Trimen, 1883) *Durbania*

Euthecta Bennett, 1954

- cooksoni** Bennett, 1954

Mimacraea Butler, 1872

- marshalli marshalli* Trimen, 1898
neokoton Druce, 1907

Teriomima Kirby, 1887

- puella* Kirby, 1887
puellaris (Trimen, 1894) *Durbania zuluana* van Son, 1949

Pentilini author, date*

- Alaena** Boisduval, 1847
*amazonula** *amazonula* (Boisduval, 1847) *Acraea amazula*; Wallengren, 1857 *Alaena amazonula ochroma* Vári, 1976
braunei Vári, 1976
margaritacea Eltringham, 1929
nyassa nyassa Hewitson, 1877
 nyassae auct. *Alaena ochroma* (ssp. of *amazonula*) Vári, 1976

Ornipholidotos Bethune-Baker, 1914

- penningtoni* (ssp. of *peucetia*) (Riley, 1944) *Pentila peucetia penningtoni* (Riley, 1944) *Pentila peucetia peucetia* (Hewitson, 1866) *Pentila*

Pentila Westwood, [1851]

- Tingra* Boisduval, 1847 (suppressed)
fuscipunctata (ssp. of *tropicalis*) Henning, S.F. & Henning, G.A., 1994
obsoleta (ssp. of *pauli*) Hawker-Smith, 1933
pauli obsoleta Hawker-Smith, 1933
swynnertoni Stempffer & Bennett, 1961
tropicalis fuscipunctata Henning, S.F. & Henning, G.A., 1994
*tropicalis** *tropicalis* (Boisduval, 1847) *Tingra*

Liphyrinae author, date*

- Aslauga** Kirby, 1890
atrophifurca Cottrell, 1981
australis Cottrell, 1981
marshalli Butler, 1898
 purpurascens marginaria Talbot, 1937 *alaena*

Miletinae author, date***Lachnocnemini** author, date*

- Lachnocnema** Trimen, 1887
*bibulus** (Fabricius, 1793) *Hesperia bibulus*; Stempffer, 1967 *Lachnocnema delegorguei* (Boisduval, 1847) *Lycaena emperamus* (Snellen, 1872) *Lycaena laches* (Fabricius, 1793) *Hesperia brimoides* Libert, 1996
durbani Trimen, 1887
 durbania; Pinhey, 1949 *Lachnocnema pseudobilbulus* Libert, 1996
regularis regularis Libert, 1996

Thestor Hübner, [1819]

- Arrugia* Wallengren, 1872
aridus (ssp. of *protumnus*) van Son, 1941
barbatus Henning, S.F. & Henning, G.A., 1997
basutus basutus (Wallengren, 1857) *Zeritis* (as *Zerythis*)
 basutha; Stevenson, 1937 *Arrugia basuto* auct. *Arrugia besuto*; Murray, 1935 *Arrugia zaraces* (Hewitson, 1874) *Zeritis basutus capeneri* Dickson, 1972
brachycerus (Trimen, 1883) *Arrugia brachycora*; Stempffer, 1967 *Thestor brauni* van Son, 1941
 braumi; Peters, 1952 *Thestor calviniae* Riley, 1954
camdeboo Dickson & Wykeham, 1994
capeneri (ssp. of *basutus*) Dickson, 1972
compassbergae Quickeberge & McMaster, 1970
dicksoni malagas Dickson & Wykeham, 1994
dicksoni warreni Ball, 1994
dryburghi van Son, 1966
dukei van Son, 1951
holmesi van Son, 1951
kaplani Dickson & Stephen, 1971
malagas (ssp. of *dicksoni*) Dickson & Wykeham, 1994
mijburghi (ssp. of *protumnus*) Dickson & Wykeham, 1994
 mijburghi; auct.
montanus van Son, 1941
murrayi Swanepoel, 1953

PAPILIONOIDEA

- penningtoni* van Son, 1949
petra petra Pennington, 1962
petra tempe Pennington, 1962
pictus van Son, 1941
pringlei Dickson, 1976
protumnus protumnus (Linnaeus, 1764) *Papilio*
*petalus** (Cramer, [1779]) *Papilio*
silvius (Fabricius, 1787) *Papilio*
protumnus aridus van Son, 1941
protumnus mijburghi Dickson & Wykeham, 1994
protumnus terblanchei Henning, S.F. & Henning, G.A., 1993
rileyi Pennington, 1956
rooibergensis Heath, 1994
rossouwi Dickson, 1971
roussouwi; Carcasson, 1981 *Thestor*
swanepoeli Pennington, 1971
stepheni Swanepoel, 1968
strutti van Son, 1951
terblanchei (ssp. of *protumnus*) Henning, S.F. & Henning, G.A., 1993
tempe (ssp. of *petra*) Pennington, 1962
vansonii Pennington, 1962
warreni (ssp. of *dicksoni*) Ball, 1994
yildizae Koçak, 1983 (replacement name)
obscurus van Son, 1941 (preoccupied)

Spalgini author, date*

- Spalgis* Moore, 1879
leolea Druce, 1890
latimarginata Sharpe, 1890
s-signata Holland, 1890

Theclinae author, date*

Aphnaeini author, date*

- Aloeides* Hübner, [1819]
almeida (Felder, 1862) *Nais*
apicalis Tite & Dickson, 1968
aranda (Wallengren, 1857) *Cigaritis* (as *Cigaritis*)
mars (Trimen, 1862) *Zeritis*
marshalli (Aurivillius, 1923) *Phasis*
rougemonti (Oberthür, 1909) *Zeritis*
zilka Grose-Smith, 1900
argentea Henning, G.A. & Henning, S.F., 1994
argentueus; Pringle, 1994 *Aloeides*
arida Tite & Dickson, 1968
aurata (ssp. of *carolynnae*) Pringle, 1994
bamptoni Tite & Dickson, 1977
barbarea Henning, G.A. & Henning, S.F., 1994
barklyi (Trimen, 1874) *Zeritis*
braueri Tite & Dickson, 1968
caffrariae Henning, G.A., 1987
caledoni Tite & Dickson, 1973
carolynnae aurata Pringle, 1994
carolynnae carolynnae Dickson, 1983
clarki Tite & Dickson, 1968
coalescens (ssp. of *molomo*) Tite & Dickson, 1973
damarensis damarensis (Trimen, 1891) *Zeritis*
damarensis mashona Tite & Dickson, 1973
dentatis dentatis (Swierstra, 1909) *Phasis*
dentatus auct. *Phasis*
dentatis maseruna (Riley, 1938) *Phasis*
depicta Tite & Dickson, 1968
dicksoni Henning, G.A., 1987
dryas Tite & Dickson, 1968
egerides Tite & Dickson, 1968
gowani Tite & Dickson, 1968
grandis (ssp. of *pallida*) Tite & Dickson, 1968
henningi Tite & Dickson, 1973
jonathani (ssp. of *pallida*) Pringle, 1987
johnathanii; Woodhall, 1997 *Aloeides*
juana Tite & Dickson, 1968
juno (ssp. of *pallida*) Pringle, 1994
kaplani Tite & Dickson, 1977
krooni (ssp. of *molomo*) Tite & Dickson, 1973
littoralis (ssp. of *pallida*) Tite & Dickson, 1968
liversidgei (ssp. of *pallida*) Pringle, 1994
lutescens Tite & Dickson, 1968
macmasteri Tite & Dickson, 1973
maluti Pringle, 1983
margaretae Tite & Dickson, 1968

- maseruna* (ssp. of *dentatis*) (Riley, 1938) *Phasis*
mashona (ssp. of *damarensis*) Tite & Dickson, 1973
mbuluensis Pringle, 1994
merces Henning, S.F. & Henning, G.A., 1986
molomo coalescens Tite & Dickson, 1973
molomo krooni Tite & Dickson, 1973
molomo molomo (Trimen, 1870) *Zeritis*
monticola Pringle, 1994
mallini Henning, S.F. & Henning, G.A., 1996
namibiensis Henning, S.F. & Henning, G.A., 1994
nollothi Tite & Dickson, 1977
nubila Henning, G.A. & Henning, S.F., 1982
oreas Tite & Dickson, 1968
orientis (ssp. of *thyra*) Pringle, 1994
pallida grandis Tite & Dickson, 1968
pallida jonathani Pringle, 1987
pallida juno Pringle, 1994
pallida littoralis Tite & Dickson, 1968
pallida liversidgei Pringle, 1994
pallida pallida Tite & Dickson, 1968
penningtoni Tite & Dickson, 1968
natalensis Tite & Dickson, 1968
*pierus** (Cramer, [1779]) *Papilio*
euadrus (Fabricius, 1787) *Papilio* (*partim*)
peirus; Pringle, 1994 *Aloeides*
suetonius (Fabricius, 1793) *Papilio*
plowesi Tite & Dickson, 1973
pringlei Tite & Dickson, 1976
quickelbergei Tite & Dickson, 1968
rileyi Tite & Dickson, 1976
taylori Tite & Dickson, 1976
rossouwi Henning, G.A. & Henning, S.F., 1982
simplex (Trimen, 1893) *Zeritis*
southeyae (ssp. of *trimeni*) Tite & Dickson, 1973
stevensonii Tite & Dickson, 1973
susanae Tite & Dickson, 1973
swanepoeli Tite & Dickson, 1973
taikosoma (Wallengren, 1857) *Cigaritis* (as *Cigaritis*)
orthrus (Trimen, 1884) *Zeritis*
taikosoma; Murray, 1935 *Phasis*
taikosoma auct. *Aloeides*
tearei Henning, G.A. & Henning, S.F., 1982
thyra orientis Pringle, 1994
thyra thyra (Linnaeus, 1764) *Papilio*
euadrus (Fabricius, 1787) *Papilio* (*partim*)
nyctetus (Stoll, [1781]) *Papilio*
titei Henning, G.A., 1987
trimeni southeyae Tite & Dickson, 1973
trimeni trimeni Tite & Dickson, 1973
vansonii Tite & Dickson, 1968
- Aphnaeus (Aphnaeus)* Hübner, [1819]
Aphnaemorpha de Nicéville, 1890
barnesi (ssp. of *eriksoni*) Stempffer, 1954
eriksson barnesi Stempffer, 1954
eriksson eriksoni Trimen, 1891
bruneeli Berger, 1951
ericksoni auct. *Aphnaeus*
eriksoni; Grünberg, 1910 *Aphnaeus*
eriksson mashunae Stempffer, 1954
eriksson rex Aurivillius, 1909
marshalli Neave, 1910
mashunae (ssp. of *eriksson*) Stempffer, 1954
rex (ssp. of *eriksson*) Aurivillius, 1909
- Aphnaeus (Paraphnaeus)* Thierry-Mieg, 1904
*hutchinsonii** Trimen, 1887
drucei Neave, 1904
hutchinsoni auct. *Aphnaeus*
zanzibarensis Grose-Smith, 1889
- Argyrapodes* Tite & Dickson, 1973
*argyraspis** (Trimen, 1873) *Zeritis*
- Axiocerses* Hübner, [1819]
Chrysorychia Wallengren, 1857
Chrysorychia Wallengren, 1858 (preoccupied)
amanga amanga (Westwood, 1881) *Zeritis*
amanya; Grünberg, 1910 *Axiocerses*
mendeche (Grose-Smith, 1889) *Chrysorychia*
mendeche var. *borealis* Aurivillius, 1905
amanga baumi Weymer, 1901
coalescens Henning, S.F. & Henning, G.A., 1996

PAPILIONOIDEA

- croesus* (Trimen, 1862) *Zeritis*
cruenta (ssp. of *punicea*) (Trimen, 1894) *Chrysorychia*
punicea cruenta (Trimen, 1894) *Chrysorychia*
susanae Henning, S.F. & Henning, G.A., 1996
joane joane (Wallengren, 1857) *Chrysorychia*
- Chloroselas** Butler, 1886
Desmolycaena Trimen, 1898
argentea Riley, 1932
mazoensis (Trimen, 1898) *Desmolycaena*
mozoensis; Murray, 1935 *Desmolycaena*
pseudozeritis pseudozeritis (Trimen, 1873) *Aphnaeus*
- Chrysoritis** Butler, 1898
Bowkeria Quickeberge, 1972
Nais Swainson, 1833 (preoccupied)
Oxychaeta Tite & Dickson, 1973
Poecilmitis Butler, 1899
adonis adonis (Pennington, 1962) *Poecilmitis*
adonis aridimontis Heath & Pringle, 2007
aethon (Trimen, 1887) *Zeritis*
amatola (ssp. of *turneri*) (Dickson & McMaster, 1967) *Poecilmitis*
aridimontis (ssp. of *adonis*) Heath & Pringle, 2007
arida (Pennington, 1953) *Poecilmitis*
aureus (van Son, 1966) *Poecilmitis*
azuria (Swanepoel, 1975) *Poecilmitis*
balli (ssp. of *pyramus*) (Dickson & Henning, G.A., [1981]) *Poecilmitis*
bamptoni (ssp. of *thysbe*) (Dickson, 1976) *Poecilmitis*
beaufortia beaufortia (Dickson, 1966) *Poecilmitis*
beaufortia charlesi (Dickson, 1970) *Poecilmitis*
beaufortia stepheni (Dickson, 1978) *Poecilmitis*
kaplani (Henning, S.F., 1979) *Poecilmitis*
beaufortia sutherlandensis Heath & Pringle, 2007
beulah (Quickeberge, 1966) *Poecilmitis*
blencathrae (Heath & Ball, 1992) *Poecilmitis*
blencathra; Heath, 1997 *Chrysoritis*
borealis (ssp. of *phosphor*) (Quickeberge, 1972) *Bowkeria*
braueri (Pennington, 1967) *Poecilmitis*
brooksi brooksi (Riley, 1938) *Poecilmitis*
brooksi tearei (Dickson, 1966) *Poecilmitis*
charlesi (ssp. of *beaufortia*) (Dickson, 1970) *Poecilmitis*
chrysantas (Trimen, 1868) *Zeritis*
chrysaor (Trimen, 1864) *Zeritis*
lycia (Riley, 1938) *Poecilmitis*
lyea; Peters, 1952 *Poecilmitis*
coetzeri (ssp. of *zonaria*) (Dickson & Wykeham, 1994) *Poecilmitis*
cottrelli (ssp. of *zeuxo*) (Dickson, 1975) *Poecilmitis* (*Chrysoritis*)
daphne (Dickson, 1975) *Poecilmitis* (*Poecilmitis*)
dicksoni (Gabriel, 1947) *Poecilmitis*
dukei (ssp. of *felthami*) (Dickson, 1967) *Poecilmitis*
endymion (Pennington, 1962) *Poecilmitis*
felthami dukei (Dickson, 1967) *Poecilmitis*
felthami felthami (Trimen, 1904) *Zeritis*
henningi (ssp. of *pan*) (Bampton, 1981) *Poecilmitis*
hersaleki (ssp. of *pyroeis*) (Dickson, 1970) *Zeritis*
hyperion (ssp. of *swanepoeli*) (Dickson, 1975) *Poecilmitis* (*Poecilmitis*)
irene (Pennington, 1968) *Poecilmitis*
lycegenes (Trimen, 1874) *Zeritis*
lycogenes; Stempffer, 1967 *Poecilmitis*
lyncurium (Trimen, 1868) *Zeritis*
lyndseyae (Henning, S.F., 1979) *Poecilmitis*
lysander (ssp. of *pan*) (Pennington, 1962) *Poecilmitis*
margueritae (ssp. of *palmus*) (Dickson, 1982) *Poecilmitis*
midas (Pennington, 1962) *Poecilmitis*
mithras (ssp. of *thysbe*) (Pringle, 1994) *Poecilmitis*
natalensis (van Son, 1966) *Poecilmitis*
nigricans nigricans (Aurivillius, 1923) *Phasis*
nigricuns; Pinhey, 1965 *Poecilmitis*
nigricans rubrescens Heath & Pringle, 2007
nigricans zwartbergae (Dickson, 1982) *Poecilmitis*
*oreas** (Trimen, 1891) *Zeritis*
orientalis (Swanepoel, 1976) *Poecilmitis*
osbecki (ssp. of *thysbe*) (Aurivillius, 1882) *Phasis*
palmus margueritae (Dickson, 1982) *Poecilmitis*
palmus palmus (Stoll, [1781]) *Papilio*
pan henningi (Bampton, 1981) *Poecilmitis*
pan lysander (Pennington, 1962) *Poecilmitis*
atlantica (Dickson, 1966) *Poecilmitis*
dicksoni (Henning, W.H., 1977) *Poecilmitis* (preoccupied)
lysander hantamsbergae (Dickson, 1978) *Poecilmitis*
williami Heath, 1997 (replacement name)
pan pan (Pennington, 1962) *Poecilmitis*
pelion (Pennington, 1953) *Poecilmitis*
- penningtoni* (Riley, 1938) *Poecilmitis*
perseus (Henning, W.H., 1977) *Poecilmitis*
phosphor borealis (Quickeberge, 1972) *Bowkeria*
phosphor phosphor (Trimen, 1864) *Zeritis*
plutus (Pennington, 1967) *Poecilmitis*
psyche (ssp. of *thysbe*) (Pennington, 1967) *Poecilmitis*
pyramus balli (Dickson & Henning, G.A., [1981]) *Poecilmitis*
pyramus pyramus (Pennington, 1953) *Poecilmitis*
pyroeis hersaleki (Dickson, 1970) *Poecilmitis*
pyroeis pyroeis (Trimen, 1864) *Zeritis*
rileyi (Dickson, 1966) *Poecilmitis*
rubrescens (ssp. of *nigricans*) Heath & Pringle, 2007
schloszae (ssp. of *thysbe*) (Dickson, 1994) *Poecilmitis*
schoemani (ssp. of *uranus*) (Heath, 1994) *Poecilmitis*
stepheni (ssp. of *beaufortia*) (Dickson, 1978) *Poecilmitis*
sutherlandensis (ssp. of *beaufortia*) Heath & Pringle, 2007
swanepoeli hyperion (Dickson, 1975) *Poecilmitis* (*Poecilmitis*)
swanepoeli swanepoeli (Dickson, 1965) *Poecilmitis*
tearei (ssp. of *brooksi*) (Dickson, 1966) *Poecilmitis*
thysbe bamptoni (Dickson, 1976) *Poecilmitis*
thysbe mithras (Pringle, 1994) *Poecilmitis*
thysbe osbecki (Aurivillius, 1882) *Phasis*
osbeckii; Murray, 1939 *Phasis*
thysbe psyche (Pennington, 1967) *Poecilmitis*
thysbe schloszae (Dickson, 1994) *Poecilmitis*
thysbe thysbe (Linnaeus, 1764) *Papilio*
nais (Cramer, [1775]) *Papilio* (preoccupied)
splendens (Swainson, 1833) *Nais* (replacement name)
thisbe; Wallengren, 1857 *Cygaritis*
thysbe; Murray, 1939 *Phasis*
thysbe whitei (Dickson, 1994) *Poecilmitis*
trimeni (Riley, 1938) *Poecilmitis*
turneri amatola (Dickson & McMaster, 1967) *Poecilmitis*
turneri turneri (Riley, 1938) *Poecilmitis*
turneri wykehemi (Dickson, 1980) *Poecilmitis*
uranus schoemani (Heath, 1994) *Poecilmitis*
uranus uranus (Pennington, 1962) *Poecilmitis*
violescens (Dickson, 1971) *Poecilmitis*
whitei (ssp. of *thysbe*) (Dickson, 1994) *Poecilmitis*
wykehemi (ssp. of *turneri*) (Dickson, 1980) *Poecilmitis*
zeuko cottrelli (Dickson, 1975) *Poecilmitis* (*Chrysoritis*)
zeuko zeuko (Linnaeus, 1764) *Papilio*
zonaria coetzeri (Dickson & Wykeham, 1994) *Poecilmitis*
zonaria zonaria (Riley, 1938) *Phasis*
zwartbergae (ssp. of *nigricans*) (Dickson, 1982) *Poecilmitis*
- Cigaritis** Donzel, 1847
Apharitis Riley, 1925
Spindasis Wallengren, 1857
apelles (Oberthür, 1878) *Aphnaeus*
brunnea (Jackson, 1966) *Spindasis*
ella (Hewitson, [1865]) *Aphnaeus*
chaka (Wallengren, 1875) *Aphnaeus*
junodi (d'Abrera, 1980) *Spindasis*
homeyeri (Dewitz, 1887) *Aphnaeus*
kallimon (Druce, 1905) *Spindasis*
modesta modesta (Trimen, 1891) *Aphnaeus*
mozambique (Bertoloni, 1850) *Thecla*
caffer (Trimen, 1868) *Aphnaeus*
mozambique; Murray, 1935 *Spindasis*
namaqua (Trimen, 1874) *Aphnaeus*
natalensis (Westwood, [1851–2]) *Aphnaeus*
masilikatzi; Wallengren, 1875 *Aphnaeus*
masilikazi (Wallengren, 1857) *Spindasis*
massilicatz; Trimen, 1866 *Spindasis*
nyassae (Butler, 1884) *Aphnaeus*
phanes (Trimen, 1873) *Aphnaeus*
erna (Staudinger, 1888) *Aphnaeus*
panes; Pinhey, 1965 *Spindasis*
phanis auct. *Spindasis*
victoriae (Butler, 1884) *Aphnaeus*
- Crudaria** Wallengren, 1875
capensis van Son, 1956
*teroma** (Wallengren, 1857) *Arhopala*
delagoensis (Sharpe, 1891) *Cigaritis*
zorites (Hewitson, 1874) *Zeritis*
wykehemi Dickson, 1983
- Erikssonia** Trimen, 1891
edgei Gardiner & Terblanche, 2010

PAPILIONOIDEA

Lipaphnaeus Aurivillius, 1916

*aderna spinadasoides** (Aurivillius, 1916) *Aphnaeus spinadasoides** (ssp. of *aderna*) (Aurivillius, 1916) *Aphnaeus*

Phasis Hübner, [1819]

Pseudocapys Murray, 1935

braueri Dickson, 1968

cedarbergae (ssp. of *thero*) Dickson & Wykeham, 1974

clavum clavum Swanepoel, 1953

clavum erythema Quickeberge, 1980

erythema (ssp. of *clavum*) Quickeberge, 1980

pringlei Dickson, 1977

thero cedarbergae Dickson & Wykeham, 1974

thero thero (Linnaeus, 1764) *Papilio*

erosine (Fabricius, 1787) *Papilio*

pulsius (Herbst, 1793) *Papilio*

rumina (Drury, [1773]) *Papilio*

*salmoneus** (Stoll, [1781]) *Papilio*

Trimenia Tite & Dickson, 1973

Argyrocupha Tite & Dickson, 1973

argyroplaga argyroplaga (Dickson, 1967) *Phasis*

argyroplaga cardouiae Dickson & Wykeham, 1994

cardouiae (ssp. of *argyroplaga*) Dickson & Wykeham, 1994

cedrusmontana (ssp. of *malagrida*) Dickson & Stephen, 1975

gonnemoi (ssp. of *wallengrenii*) Ball, 1994

macmasteri macmasteri (Dickson, 1968) *Phasis*

macmasteri mijburghi Dickson, 1980

mijburghi; Dickson, 1980 *Trimenia*

malagrida cedrusmontana Dickson & Stephen, 1975

malagrida malagrida (Wallengren, 1857) *Cigaritis* (as *Cigaritis*)

aglaspis (Trimen, 1862) *Zeritis*

malegrida; Murray, 1939 *Phasis*

malagrida maryae Dickson & Henning, W.H., [1981]

malagrida paarlensis (Dickson, 1967) *Phasis*

maryae (ssp. of *malagrida*) Dickson & Henning, W.H., [1981]

mijburghi (ssp. of *macmasteri*) Dickson, 1980

paarlensis (ssp. of *malagrida*) (Dickson, 1967) *Phasis*

wallengrenii gonnemoi Ball, 1994

wallengrenii wallengrenii* (Trimen, 1887) *Zeritis*

wallengrenii auct. *Trimenia*

wykehami (Dickson, 1969) *Phasis*

Tylopaedia Tite & Dickson, 1973

cerita (ssp. of *sardonyx*) Henning, G.A. & Henning, S.F., 1998

peringueyi (ssp. of *sardonyx*) (Dickson, 1969) *Phasis*

sardonyx cerita Henning, G.A. & Henning, S.F., 1998

sardonyx peringueyi (Dickson, 1969) *Phasis*

sardonyx sardonyx* (Trimen, 1868) *Zeritis*

Zeritis Boisduval, 1836

sorhagenii (Dewitz, 1879) *Plebeius*

sorhagenii auct. *Zeritis*

Deudorixini author, date*

Capys Hewitson, [1865]

Scopetes Hübner, [1819] (suppressed)

alpheus alpheus* (Cramer, [1777]) *Papilio*

alphaeus; Claassens, 2000

alphaeus auct. *Capys*

alpheus extensus Quickeberge, 1979

connexus connexus Butler, 1897

disjunctus disjunctus Trimen, 1895

extensus (ssp. of *alpheus*) Quickeberge, 1979

penningtoni Riley, 1932

Deudorix (Pilodeudorix) Druce, 1891

caerulea obscurata Trimen, 1891

cerulae; Stevenson, 1937 *Deudorix*

cerulea; Stevenson, 1937 *Deudorix*

obscurata (ssp. of *caerulea*) Trimen, 1891

zeloides (Butler, 1901) *Virachola*

Deudorix (Virachola) Moore, [1881]

antalus (Hopffer, 1855) *Dipsas*

anta (Trimen, 1862) *Lycaena*

antalus var. *kitobolensis* Strand, 1912

autalus; Stempffer, 1957 *Virachola*

gambius Mabille, [1887]

coffeea (ssp. of *lorisona*) Jackson, 1966

dariaves Hewitson, 1877

dariavus; Swanepoel, 1953 *Deudorix*

dinochares Grose-Smith, 1887

dieden Karsch, 1900

dinochares; Murray, 1935 *Deudorix*

dinochares var. *rhodesiensis* Stevenson, 1937

dinomenes Grose-Smith, 1887

dionomenes; Murray, 1935 *Deudorix*

dioctes Hewitson, 1869

vosseleri Strand, 1911

lorisona coffeea Jackson, 1966

magda Gifford, 1963

nicephora Hulstaert, 1924

penningtoni van Son, 1949

vansonii Pennington, 1948

Hypolycaenini author, date*

Hypolycaena (Hypolycaena) Felder, C. & R., 1862

Tatura Butler, 1888

buxtoni buxtoni Hewitson, 1874

seamani Trimen, 1874

lochmophila Tite, 1967

philippus philippus (Fabricius, 1793) *Hesperia*

erylius (Trimen, 1866) *Ambylopodia*

orejus (Hopffer, 1855) *Iolaus* (as *Jolaus*)

phillipus auct. *Hypolycaena*

tearei Henning, G.A., 1981

Hypolycaena (Hemiolaus) Aurivillius, 1923

caeculus caeculus (Hopffer, 1855) *Iolaus* (as *Jolaus*)

caeculus obscura Suffert, 1904

coeculus auct. *Iolaus*

dolores Suffert, 1904

caeculus tsodiloensis Pinhey, 1969

tsodiloensis (ssp. of *caeculus*) Pinhey, 1969

tsodileensis; Ackery et al., 1995 *Iolaus* (*Hemiolaus*)

Leptomyrina (Leptomyrina) Butler, 1898

Leptomyria; Mey, 2011

hirundo (Wallengren, 1857) *Thecla*

Leptomyrina (Gonatomyrina) Aurivillius, 1924

gorgias gorgias (Stoll, [1790]) *Papilio*

gorgias sobrina Talbot, 1935

henningi Dickson, 1976

*lara** (Linnaeus, 1764) *Papilio*

jolaus (Cramer, 1780) *Papilio*

iolaus; Cramer, 1780 *Papilio*

sobrina (ssp. of *gorgias*) Talbot, 1935

Ioaini author, date*

Iolaus (Aphniolaus) Druce, 1902

*pallene** (Wallengren, 1857) *Myrina*

Iolaus (Argiolaus) Druce, 1891

Philoliagus Stempffer & Bennett, 1958

braunei (ssp. of *silarus*) Henning, S.F. & Henning, G.A., 1984

lalos lalos (Druce, 1896) *Argiolaus*

pamae Heath, 1994 (replacement name)

pamelae Heath, 1983 (preoccupied)

silarus braunei Henning, S.F. & Henning, G.A., 1984

silarus silarus Druce, 1885

silas lasius Suffert, 1904 (as *Jolaus*)

*silas** (Westwood, [1851]) *Anops*

nega (Herrick-Schäffer, 1853) *Thecla*

Iolaus (Epamera) Druce, 1891

aemulus aemulus Trimen, 1895

alienus alienus Trimen, 1898

alienus sophiae Henning, S.F. & Henning, G.A., 1991

aphnaeoides Trimen, 1873

aphneoides; Stevenson, 1937 *Iolaus*

canissus Hewitson, 1873

australis Stevenson, 1937

bakeri (Riley, 1928) *Epamera*

diametrus natalicus Vári, 1976

mimosae mimosae Trimen, 1874

mimosae Pennington, 1963 *Epamera*

mimosae pamela (Dickson, 1976) *Epamera*

mimosae rhodosensis (Stempffer & Bennett, 1959) *Epamera*

nasisii (Riley, 1928) *Epamera*

PAPILIONOIDEA

nasissii auct. *Iolaus*
nassisi; Vári, 1976 *Iolaus*
natalicus (ssp. of *diametrus*) Vári, 1976
obscurus Aurivillius, 1923
pamelae (ssp. of *mimosae*) (Dickson, 1976) *Epamera*
penningtoni (Stempffer & Bennett, 1959) *Epamera*
rhodosensis (ssp. of *mimosae*) (Stempffer & Bennett, 1959) *Epamera*
*sidus** Trimen, 1864
sophiae (ssp. of *alienus*) Henning, S.F. & Henning, G.A., 1991
violaceus (Riley, 1928) *Epamera*
katanganus Romieux, 1934

Iolaus (Iolaphilus) Stempffer & Bennett, 1958
trimeni Wallengren, 1875 (as *Iolaus*)
anesius Hulstaert, 1924

Iolaus (Pseudiolaus) Riley, 1928
lulua (Riley, 1944) *Pseudiolaus*
poultoni (Riley, 1928) *Pseudiolaus*

Iolaus (Stugeta) Druce, 1891
*bowkeri** *bowkeri* Trimen, 1864
bowkeri hennigi (Dickson, 1980) *Stugeta*
bowkeri tearei (Dickson, 1980) *Stugeta*
hennigi (ssp. of *bowkeri*) (Dickson, 1980) *Stugeta*
reynoldsi (ssp. of *subinfuscata*) (Dickson, 1980) *Stugeta*
subinfuscata reynoldsi (Dickson, 1980) *Stugeta*
subinfuscata subinfuscata (Grünberg, 1910) *Stugeta*
tearei (ssp. of *bowkeri*) (Dickson, 1980) *Stugeta*

Amblypodini author, date*

Myrina Fabricius, 1807
dermaptera dermaptera (Wallengren, 1857) *Loxura*
dermaptera nyasae Talbot, 1935
dermaptera nyassae; Carcasson, 1981 *Myrina*
dermaptera nyasse; Peters, 1952 *Myrina*
ficedula (ssp. of *silenus*) Trimen, 1879
fidecula; Stempffer, 1967 *Myrina*
nyasae (ssp. of *dermaptera*) Talbot, 1935
nyassae auct. *Myrina*
penningtoni (ssp. of *silenus*) Dickson & Stephen, 1971
silenus ficedula Trimen, 1879
silenus penningtoni Dickson & Stephen, 1971
silenus suzannae Larsen & Plowes, 1991
suzannae (ssp. of *silenus*) Larsen & Plowes, 1991

Lycaeninae Leach, 1815

Lycaena Fabricius, 1807
Lycia Sodoffsky, 1837 (unnecessary replacement)
Migonitis Sodoffsky, 1837 (unnecessary replacement name)
Rumicia Tutt, 1906 (invalid)
clarki Dickson, 1971
orus (Cramer, [1780]) *Papilio*
arcas (Fabricius, 1787) *Papilio*

Polyommatinae Swainson, 1827 *to confirm

Polyommatini author, date*

Actizera Chapman, 1910
lucida (Trimen, 1883) *Lycaena*
drucei (Bethune-Baker, 1906) *Zizera*
lurida; Trimen, 1887 *Lycaena*
stellata (Trimen, 1883) *Lycaena*

Azanus Moore, [1881]
jesous jesous (Guérin-Méneville, 1849) *Polyommatus*
agave (Walker, 1870) *Lampides*
jezous; Jones, 1918 *Azanus*
sigillatus (Butler, 1876) *Lampides*
mirza (Plötz, 1880) *Lycaena*
mirzaellus Koçak, 1980 (rejected replacement name)
occidentalis Butler, 1888
occidentalis; Stempffer, 1967 *Azanus*
moriqua (Wallengren, 1857) *Lycaena*
benigna (Möschler, 1884) *Lycaena*
morigua; Snellen, 1872 *Lycaena*
natalensis (Trimen, 1887) *Lycaena*
*ubaldus** (Stoll, [1782]) *Papilio*

artimedes (Stoll, 1782) *Papilio*
ethoda (Walker, 1870) *Lycaena*
itea (Walker, 1870) *Lycaena*
macalenga (Trimen, 1870) *Lycaena*
thebana (Staudinger, 1894) *Lycaena*

Brephidium Scudder, 1876
metophis (Wallengren, 1860) *Lycaena*

Cacyreus Butler, 1898

Hyreus Hübner, [1819] (preoccupied)
Lacyreus; Pringle, 2002
dicksoni Pennington, 1962
*lingeus** (Stoll, [1782]) *Papilio*
ericus (Fabricius, [1793]) *Papilio*
lingens; Butler, 1878 *Lampides*
lingeus var. *ciliaris* (Aurivillius, 1910) *Cupido*
lyngeus; Herbst, 1800 *Papilio*
marshalli Butler, 1898
tespis tespis (Herbst, 1804) *Papilio* (replacement name)
palemon (Stoll, [1782]) *Papilio* (preoccupied)
palaemon auct. *Lycaena*
palemon var. *fracta* (Grünberg, 1911) *Cupido*
virilis Stempffer, 1936

Chilades Moore, [1881]

Freyeria Courvoisier, 1920
trochylus (Freyer, [1843]) *Lycaena*
parva (Murray, 1874) *Lycaena*
trochilus auct. *Cupido*

Cupidopsis Karsch, 1895

cissus (Godart, [1824]) *Polyommatus*
aberrans (Butler, 1878) *Lampides*
aberans; Ackery et al., 1995
catharina (Trimen, 1862) *Lycaena*
*jobates** *jobates* (Hopffer, 1855) *Lycaena*
iobates auct. *Lycaena*
siwani (Trimen, 1862) *Lycaena*

Eicochrysops Bethune-Baker, 1924

Echochrysops; Claassens, 2000
*eicotrochilus** Bethune-Baker, 1924
eichtrochilus; Peters, 1952 *Eicochrysops*
hippocrates (Fabricius, 1793) *Hesperia*
delicatula (Mabille, 1877) *Lycaena*
mahallakoena (ssp. of *messapus*) (Wallengren, 1857) *Lycaena*
mahalakoena; Aurivillius, 1925 *Cupido*
mahallakoena auct. *Eicochrysops*
mahallokoena auct. *Eicochrysops*
mahallokooena; Trimen, 1894 *Lycaena*
makalahoena; Aurivillius, 1925 *Cupido*
makallahoena; Aurivillius, 1925 *Cupido*
messapus mahallakoena (Wallengren, 1857) *Lycaena*
messapus messapus (Godart, [1824]) *Polyommatus*
acca (Westwood, [1851]) *Lycaena*

Euchrysops Butler, 1900

barkeri (Trimen, 1893) *Lycaena*
tiressa (Karsch, 1895) *Catochrysops*
dolorosa (Trimen, 1887) *Lycaena*
malathana (Boisduval, 1833) *Lycaena*
asopus (Hopffer, 1855) *Lycaena*
conguensis (Mabille, 1877) *Lycaena*
kama (Trimen, 1862) *Lycaena*
malanthana; Dickson & Kroon, 1978 *Euchrysops*
malathama auct. *Euchrysops*
malethama; Murray, 1935 *Euchrysops*
osiris osiris (Hopffer, 1855) *Lycaena*
anubis (Snellen, 1872) *Lycaena*
anubis var. *phoa* (Snellen, 1872) *Lycaena*
cuprescens (Sharpe, 1898) *Catochrysops*
pyrrhops (Mabille, 1877) *Lycaena*
subpallida Bethune-Baker, 1923
fescennia Hulstaert, 1924
subpallida var. *major* Bethune-Baker, 1923

Harpendyreus Heron, 1909

noquasa (Trimen, 1887) *Lycaena*
notoba (Trimen, 1868) *Lycaena*
notaba; Stempffer, 1938 *Cyclereus*
notobia; Murray, 1935 *Lycaena*

PAPILIONOIDEA

- notobia* auct. *Lycaena*
tsomo (Trimen, 1868) *Lycaena*
- Lampides** Hübner, [1819]
Cosmolyce Toxopeus, 1927
Lampidella Hemming, 1933 (unnecessary replacement name)
*boeticus** (Linnaeus, 1767) *Papilio*
baetica auct. *Lycaena*
baeticus auct. *Lycaena*
bouticus; Swanepoel, 1953 *Lampides*
pisorum (Fourcroy, 1785) *Papilio*
- Lepidochrysops** Hedicke, 1923
Neochrysops Bethune-Baker, 1923 (preoccupied)
asteris (Godart, [1824]) *Polyommatus*
caffrariae (Trimen, 1887) *Lycaena*
australis Tite, 1964
bacchus Riley, 1938
badhami van Son, 1956
balli Dickson, 1985
barnesi Pennington, 1953
braueri Dickson, 1966
chitti Henning, S.F. & Henning, G.A., 1994
chlouages (Bethune-Baker, 1923) *Neochrysops*
chlouanges; Murray, 1935 *Neochrysops*
claassensi (ssp. of *jamesi*) Dickson, 1982
coxi Pinhey, 1945
dicksoni (ssp. of *methymna*) Tite, 1964
dukei Cottrell, 1965
frederikeae Henning, G.A. & Ball, J.B., 2013
glauca glauca (Trimen, 1887) *Lycaena*
glauca swinburnei Stevenson, 1939
grahami (Trimen, 1893) *Lycaena*
gydoae Dickson & Wykeham, 1994
hypoleuca (ssp. of *peculiaris*) (Butler, 1894) *Castalius*
hypopolia (Trimen, 1887) *Lycaena*
ignota (Trimen, 1887) *Lycaena*
inyangae (Pinhey, 1945) *Cupido* (*Lepidochrysops*)
nyangae; Pringle, 1994 *Lepidochrysops*
irvingi (Swanepoel, 1948) *Cupido* (*Lepidochrysops*)
jamesi claassensi Dickson, 1982
jamesi jamesi Swanepoel, 1971
jefferyi (Swierstra, 1909) *Lycaena*
junae (ssp. of *oreas*) Dickson, 1974
ketsi ketsi Cottrell, 1965
ketsi leucomacula Henning, S.F. & Henning, G.A., 1994
kocak Seven, 1997 (replacement name)
gigantea (Trimen, 1898) *Lycaena* (preoccupied)
lerothodi (Trimen, 1904) *Lycaena*
letsea (Trimen, 1870) *Lycaena*
letset; Jones, 1918 *Lycaena*
leucomacula (ssp. of *ketsi*) Henning, S.F. & Henning, G.A., 1994
littoralis Swanepoel & Vári, 1983
loewensteinii (Swanepoel, 1951) *Cupido* (*Lepidochrysops*)
lowensteinii auct. *Lepidochrysops*
longifalces Tite, 1961
lotana Swanepoel, 1962
macgregori Pennington, 1970
mccgregori; Pennington, 1970 *Lepidochrysops*
mashuna (Trimen, 1894) *Lycaena*
methymna dicksoni Tite, 1964
methymna methymna (Trimen, 1862) *Lycaena*
major Murray, 1956
michellae Henning, S.F. & Henning, G.A., 1983
oosthuizeni Swanepoel & Vári, 1983
oreas junae Dickson, 1974
oreas oreas Tite, 1964
ortygia (Trimen, 1887) *Lycaena*
outeriqua Swanepoel & Vári, 1983
patricia (Trimen, 1887) *Lycaena*
peculiaris hypoleuca (Butler, 1894) *Castalius*
exclusa (Trimen, 1894) *Lycaena*
penningtoni Dickson, 1969
pephredo (Trimen, 1889) *Lycaena*
plebeia plebeia (Butler, 1898) *Catachrysops*
plebeja auct. *Lepidochrysops*
plebejus; Stevenson, 1937 *Neochrysops*
poseidon Pringle, 1987
praeterita Swanepoel, 1962
praeterite; Stempffer, 1967 *Lepidochrysops*
pringlei Dickson, 1982
procera (Trimen, 1893) *Lycaena*
puncticilia (Trimen, 1883) *Lycaena*
- puncticilia*; Murray, 1935 *Neochrysops*
puncticlia; Clark & Dickson, 1971 *Lepidochrysops*
quickelbergei Swanepoel, 1969
robertsoni Cottrell, 1965
rossowi Henning, G.A. & Henning, S.F., 1994
ruthica Pennington, 1953
solwezii (Bethune-Baker, 1923) *Neochrysops*
nevillei (Bethune-Baker, 1923) *Neochrysops*
solwezi auct. *Lepidochrysops*
southeyae Pennington, 1967
swanepoeli (Pennington, 1948) *Cupido* (*Lepidochrysops*)
swartbergensis Swanepoel, 1969
swinburnei (ssp. of *glaucha*) Stevenson, 1939
tantalus (Trimen, 1887) *Lycaena*
titei Dickson, 1976
trimeni (Bethune-Baker, 1923) *Neochrysops*
trimena; Stempffer, 1967 *Lepidochrysops*
vansoni (Swanepoel, 1949) *Cupido* (*Lepidochrysops*)
variabilis Cottrell, 1965
victori Pringle, 1984
violetta (Pinhey, 1945) *Cupido* (*Lepidochrysops*)
wykehami Tite, 1964
- Leptotes (Leptotes)** Scudder, 1876
Cyclrius Butler, 1897
Langia Tutt, [1906] (preoccupied)
Leptotis; Claassens, 2000
Raywardia Tutt, 1908 (unnecessary replacement name)
Syntarucoides Kaye, 1904 (based on extralimital type species)
babaulti (Stempffer, 1935) *Syntarucus*
baboulti; Stempffer, 1967 *Syntarucus*
brevidentata (Tite, 1958) *Syntarucus*
jeanneli (Stempffer, 1935) *Syntarucus*
pulchra (Murray, 1874) *Lycaena*
- Leptotes (Syntarucus)** Butler, 1901
pirithous pirithous (Linnaeus, 1767) *Papilio*
barbarus (Gmelin, 1790) *Papilio*
hoffmannseggii (Zeller, 1850) *Polyommatus*
philatas (Linnaeus, 1767) *Papilio*
plinius (Trimen, 1894) *Lycaena*
telicanus (Lang, 1789) *Papilio*
telicnus; Swanepoel, 1953 *Syntarucus*
- Oboronia** Karsch, 1893
bueronica Karsch, 1895
beuronica; Pringle et al. 1994 *Oboronia*
- Orachrysops** Vári, 1986
ariadne (Butler, 1898) *Catocala*
brinkmani Heath, 1997
lacrimosa (Bethune-Baker, 1923) *Neochrysops*
lacrimosa var. *major* (Bethune-Baker, 1923) *Neochrysops*
mijburghi Henning, G.A. & Henning, S.F., 1994
montana Henning, G.A. & Henning, S.F., 1994
nasuta nasuta Henning, G.A. & Henning, S.F., 1994
nasuta remus Henning, G.A. & Henning, S.F., 1994
*nioobe** (Trimen, 1862) *Lycaena*
nisbe; Stempffer, 1967 *Lepidochrysops*
regalis Henning, G.A. & Henning, S.F., 1994
remus (ssp. of *nasuta*) Henning, G.A. & Henning, S.F., 1994
subrava Henning, G.A. & Henning, S.F., 1994
violescens Henning, G.A. & Henning, S.F., 1994
warreni Henning, G.A. & Henning, S.F., 1994
- Oraidium** Bethune-Baker, 1914
*barberae** (Trimen, 1868) *Lycaena*
barbarae; Pringle et al., 1994 *Oraidium*
- Pseudonacaduba** Stempffer, [1943]
sichela sichela (Wallengren, 1857) *Lycaena*
dexamene (Druce, 1887) *Nacaduba*
docilis (Butler, 1888) *Lycaenesthes*
sichelias; Swierstra, 1909 *Lycaena*
- Tarucus** Moore, [1881]
Tharucus; Mey, 2011
bowkeri bowkeri (Trimen, 1883) *Lycaena*
bowkeri transvaalensis Quickelberge, 1972
linearis (ssp. of *sybaris*) (Aurivillius, 1924) *Cupido*
sybaris linearis (Aurivillius, 1924) *Cupido*
sybaris sybaris (Hopffer, 1855) *Lycaena*
thespis (Linnaeus, 1764) *Papilio* *tespis, see Kocak

PAPILIONOIDEA

pitho (Linnaeus, 1764) *Papilio transvaalensis* (ssp. of *bowkeri*) Quickelberge, 1972

Thermoniphas Karsch, 1895

colorata (ssp. of *micylus*) (Ungemach, 1932) *Everes micylus colorata* (Ungemach, 1932) *Everes*
colorata auct. *Thermoniphas*
micylus auct. *Thermoniphas*
micylus colorata auct. *Thermoniphas*

Tuxentius Larsen, 1982

calice calice (Hopffer, 1855) *Lycaena griqua* (ssp. of *melaena*) (Trimen, 1887) *Lycaena*
hesperis (Vári, 1976) *Castalius melaena griqua* (Trimen, 1887) *Lycaena*
melaena melaena* (Trimen, 1887) *Lycaena*
malaena auct. *Castalius*
melama Aurivillius, 1924 *Cupido melas*; Aurivillius, 1924 *Cupido*

Uranothauma Butler, 1895

antinorii felthami (Stevenson, 1934) *Cupido antinori*; Jones, 1918 *Cacyreus felthami* (ssp. of *antinorii*) (Stevenson, 1934) *Cupido nubiferum nubiferum* (Trimen, 1895) *Lycaena*
nubifer var. distinctesignatum (Strand, 1911) *Cupido pelotum* (Karsch, 1895) *Lampides poggei* (Dewitz, 1879) *Plebeius* (*Lampides*)
vansomereni Stempffer, 1951

Zintha Eliot, 1973

hintza hintza* (Trimen, 1864) *Lycaena rosimon* (Wallengren, 1857) *Lycaena hintza krooni* (Dickson, 1973) *Castalius krooni* (ssp. of *hintza*) (Dickson, 1973) *Castalius*

Zizeeria Chapman, 1910

knysna (Trimen, 1862) *Lycaena knysma*; Butler, 1878 *Lycaena kuysna*; Trimen, 1891 *Lycaena lysimon* (Hübner, [1803–04]) *Papilio* (preoccupied)

Zizina Chapman, 1910 (based on extralimital type species)

antanossa (ssp. of *otis*) *
otis antanossa (Mabille, 1877) *Lycaena anatossa*; Pagenstecher, 1903 *Cupido publia* (Hulstaert, 1924) *Zizeeria* (as *Zizera*)

Zizula Chapman, 1910

hylax (Fabricius, 1775) *Papilio*
attenuata (Lucas, 1890) *Lycaena cleodora* (Walker, 1870) *Lycaena gaika** (Trimen, 1862) *Lycaena mylica* (Guenée, 1863) *Lycaena perparva* (Saalmüller, 1884) *Lycaena*

Lycaenesthini author, date*

Anthene Doubleday, 1847

Anthena; Claassens, 2000
Lycaenesthes Moore, 1866 (based on extralimital type species)
Pseudoliptena Stempffer, 1946
amarah amarah (Guérin-Méneville, 1849) *Polyommatus amaroh*; Trimen, 1893 *Lycaenesthes olympusa* (Walker, 1870) *Lampides arnoldi* (Jones, 1918) *Lycaenesthes barnesi* Stevenson, 1940
barnsei; Peters, 1952 *Anthene butleri livida* (Trimen, 1881) *Lycaenesthes chirinda* (Bethune-Baker, 1910) *Lycaenesthes contrastata mashuna* (Stevenson, 1937) *Lycaenesthes contrastata*; Peters, 1952 *Anthene crawshayi crawshayi* (Butler, 1899) *Lycaenesthes crawshayi marginata* (Hulstaert, 1924) *Lycaenesthes crawshayi crawshayi* (Butler, 1899) *Lycaenesthes crawshayi juanitae* Henning, G.A. & Henning, S.F., 1993

definita definita (Butler, 1899) *Lycaenesthes juanitae* (ssp. of *crawshayi*) Henning, G.A. & Henning, S.F., 1993
kersteni (Gerstaecker, 1871) *Lycaena kersteini*; Stempffer, 1967 *Anthene lasti* (Grose-Smith & Kirby, 1894) *Lycaenesthes*

lemnios lemnos (Hewitson, 1878) *Lycaenesthes*

lindae Henning, S.F. & Henning, G.A., 1994

liodes (Hewitson, 1874) *Lycaenesthes*

adherbal (Mabille, 1877) *Lycaena*

bihe (Bethune-Baker, 1910) *Lycaenesthes*

monteironis (Kirby, 1878) *Lycaenesthes*

livida (ssp. of *butleri*) (Trimen, 1881) *Lycaenesthes*

lunulata (Trimen, 1894) *Lycaenesthes*

grosei (Aurivillius, 1899) *Lycaenesthes*

hewitsoni (Aurivillius, 1899) *Lycaenesthes*

lunulata aquilonis (Hulstaert, 1924) *Lycaenesthes*

sanguinea (Bethune-Baker, 1910) *Lycaena*

mashuna (ssp. of *contrastata*) (Stevenson, 1937) *Lycaenesthes*

millari (Trimen, 1893) *Lycaenesthes*

minima (Trimen, 1893) *Lycaenesthes*

mpanda Kielland, 1990

nigropunctata (Bethune-Baker, 1910) *Lycaenesthes*

nigropunctata; Pinhey, 1965 *Anthene*

otacilia otacilia (Trimen, 1868) *Lycaena*

otacilla; Clark & Dickson, 1971 *Anthene*

otacilia; Trimen, 1893 *Lycaenesthes*

tongidensis (Bethune-Baker, 1926) *Azanus*

princeps (Butler, 1876) *Lycaenesthes*

neglecta (Trimen, 1891) *Lycaenesthes*

uganda (Bethune-Baker, 1910) *Lycaenesthes*

rhodesiana Stempffer, 1962

sheppardi Stevenson, 1940

talboti Stempffer, 1936

wilsoni (Talbot, 1935) *Lycaenesthes*

Triclema Karsch, 1893

nigeriae (Aurivillius, 1905) *Lycaenesthes*

lydia Hulstaert, 1924

PYRALOIDEA**PYRALIDAE** Latreille, 1809

ASOPHIDAE
CHRYSAUGIDAE
GALLERIIDAE
PHYCIDAE
PHYCITIDAE
PYRALIDIDAE

Pyralinae Latreille, 1809

Aglossinae
Asopiinae
Cledeobiinae
Homalochroinae
Hypotiinae
Pyralidinae

Actenia Guenée, 1854

Actenia; Ragonot, 1887
Libora Ragonot, 1891
Scotomerodes Ragonot, 1895
achromalis Hampson, 1906
dirempta Mey, 2011
fuscoserrata Mey, 2011
obliquisignalis Hampson, 1906
rhodesialis Hampson, 1906

Aglossa Latreille, [1796]

Agriope Ragonot, 1894
Euclita Hübner, [1825]
Philotis Ragonot, 1891
basalis Walker, 1866
 apertalis (Walker, 1866) *Botys*
ferrealis Hampson, 1906
formosa Butler, 1875
inconspicua Butler, 1875
incultalis Zeller, 1852
infuscalis Hampson, 1906
phaealis Hampson, 1906
*pinguinalis** (Linnaeus, 1758) *Pyralis* (introduced accidentally)
 abdidalis Christoph, 1873
 asiatica Erschoff, 1871
 guicciardii Constantinio, 1922
 marmoratella (Villers, 1789) *Tinea*
 marmorella (Goeze, 1783) *Tinea*
 maroccana Schmidt, 1934
 pinguedinis Retzius, 1783
 pinguiculata (Haworth, 1809) *Crambus*
 pinguinata (Haworth, 1809) *Crambus*
 pinguis (Fabricius, 1798) *Crambus*
 rubralis Hampson, 1900
rhodalis Hampson, 1906
steralis Felder & Rogenhofer, 1875
suppunctalis Joannis, 1927
thermochroa Hampson, 1916
tinealis Leraut, 2007

Aglossodes Ragonot, 1891

*prionophoralis** Ragonot, 1891
natalensis (Janse, 1922) *Dattinia*

Anobosstra Hampson, 1917

*discimacula** Hampson, 1917
punctilimbalis (Ragonot, 1891) *Philotis*
 signaticosta Joannis, 1927

Bosstra Walker, 1863

albilineata Warren, 1891
carnicolor Warren, 1914
coenochroa Hampson, 1917
conflualis Hampson, 1906
conspicualis Warren, 1911
dipectinalis Hampson, 1906
 dipectinalis auct. *Bosstra*
exustalis (Guenée, 1854) *Stemmatophora*
ferrealis Hampson, 1906
flavicosalis Warren, 1914
fumosa Joannis, 1927
glaucaulis Hampson, 1906
lateralitialis (Guenée, 1854) *Stemmatophora*
maculilinea Hampson, 1917
mucidalis (Guenée, 1854) *Stemmatophora*
noctuina Butler, 1875

pallidicolor Hampson, 1917

pallidifrons Hampson, 1917
perrubrida Hampson, 1910
puncticostalis Hampson, 1898
pyroxantha Hampson, 1906
 pyroxanthia; Janse, 1917
rufimarginalis Hampson, 1906
sentalis Hampson, 1906
tenebralis Hampson, 1906
tripartita Warren, 1897
tristis (Butler, 1881) *Scotomera*
vetustalis (Zeller, 1852) *Pyralis*
xanthorhodalis Hampson, 1906

Delopterus Janse, 1922

*basalis** Janse, 1922

Epacternis Ragonot, 1891

Sp. A

Episindris Ragonot, 1891

*albimaculalis** Ragonot, 1891

Essina Ragonot, 1891

*atribasalis** Ragonot, 1891

Grammiphlebia Hampson, 1906

striata (Druce, 1902) *Constantia*

Herculia Walker, 1859

Bejuda Walker, [1866]
Bleone Ragonot, 1890
Buzala Walker, 1863
Cisse Walker, 1863
Dolichomia Ragonot, 1891
Pseudasopia Grote, 1873
caesalis (Zeller, 1852) *Asopia*
 caesalis; Lederer, 1863 *Asopia*
 coesalis auct. *Herculia*
cineralis Joannis, 1927
griseobrunnea Hampson, 1917
lacteocilia Hampson, 1917
roseotincta Hampson, 1917
tenuis Butler, 1880
 rhodocryptalis (Cotes & Swinhoe, 1889) *Spilodes*

Hypotia Zeller, 1847

Dattinia Ragonot, 1887
Palura Ragonot, 1891 (preoccupied)
aglossalis (Hampson, 1906) *Constantia*
bolinalis (Walker, 1859) *Pyralis*
 achatina (Felder & Rogenhofer, 1875) *Hypotia*
 semirosealis (Walker, 1866) *Scopula*
brandbergensis Leraut, 2007 *2004?
decembralis Leraut, 2007
deckerti Mey, 2011
dinteri Grünberg, 1910
eberti Leraut, 2007
faucis Mey, 2011
grisescens (Warren, 1914) *Constantia*
juergensi Mey, 2011
meyi Leraut, 2007
namaensis Mey, 2011
namquensis Mey, 2011
namibiensis Leraut, 2007
ornata Druce, 1902
pallidicarnea (Warren, 1914) *Constantia*
phaeagonalis (Hampson, 1906) *Constantia*
pronamibiella Mey, 2011
quagga Mey, 2011

Hypsopygia Hübner, [1825]

Hypsopyga; Rothschild, 1916
mauritalis (Boisduval, 1833) *Asopia*
 crobulus (Lucas, 1891) *Endotricha*
 ducalis (Walker, [1866]) *Pyralis*
 laticilialis Ragonot, 1891
 lucillalis (Walker, 1859) *Pyralis*
 pfeifferi Amsel, 1954
 regalis (Walker, [1866]) *Pyralis*
sanguinalis Warren, 1897

PYRALOIDEA**Loryma** Walker, 1859

Beria Walker, [1863] (preoccupied)
Tauba Walker, 1866
Ulotrichodes Ragonot, 1896
athalialis (Walker, 1859) *Cynoeda*
althalialis auct. *Loryma*
culturalis (Snellen, 1872) *Asopia*
milloti (Viete, 1949) *Ulotrichodes*
recusata (Walker, 1864) *Beria*
philornis (Meyrick, 1937) *Hypotia*
venosella (Walker, 1866) *Tauba*
*sentiusalis** Walker, 1859
sinuosalis Leraut, 2007

Lorymodes Hampson, 1917

digonialis (Hampson, 1906) *Pyralis*
diagonalis; Hampson, 1917
stenopteralis Hampson, 1917

Melanalis Hampson, 1906

*perfusca** Hampson, 1906

Mittonia Whalley, 1964

hamponi (Distant, 1897) *Macna*

Namibina Leraut, 2007

*namibicola** Leraut, 2007

Namibiodes Leraut, 2007

*brandbergensis** Leraut, 2007

Neobostra Hampson, 1906

*ferruginealis** Hampson, 1906

Oryctocera Ragonot, 1891

*aurocupralis** Ragonot, 1891

Paractenia Ragonot, 1892

atrisparsalis Hampson, 1906
atriparsalis; Janse, 1917 *Paractenia*
phaeomesalis Hampson, 1906
thermalis Hampson, 1906

Pithyllis Grünberg, 1910

Calomacalla Janse, 1931
Lampropygia Hampson, 1906, nec Reichenbach, 1854
metachryseis (Hampson, 1906) *Macalla*
metachrysalis; Hampson, 1906 *Lampropygia*
*ornata** Grünberg, 1910
pallidalis Leraut, 2007

Polostola Janse, 1922

*phycitimorpha** Janse, 1922

Prosaris Meyrick, 1894

pulverea Hampson, 1906
rufalis Hampson, 1906

Pseudozitha Leraut, 2007

*alticolalis** Leraut, 2007

Pyralis Linnaeus, 1758

Aletes Rafinesque, 1815 (*nomen nudum*)
Asopia Treitschke, 1828
Ceropsina Rafinesque, 1815 (*nomen nudum*)
Sacatia Walker, 1863
Spyrella Rafinesque, 1815 (unnecessary replacement name)
Therape Ragonot, 1890
abilautalis Warren, 1891
bibilialis (Walker, 1859) *Asopia*
dentibasalis Warren, 1914
effulgens Warren, 1914
*farinalis** Linnaeus, 1758 (introduced accidentally)
domesticalis (Zeller, 1847) *Asopia*
erecta Fourcroy, 1785
farinatus (Haworth, 1810) *Crambus*
fraterna Butler, 1879
meridionalis Schmidt, 1934
orientalis Amsel, 1961
flavirubralis Hampson, 1917
fumipennis Butler, 1889
galactalis Hampson, 1916
manihotalis Guenée, 1854

achatina Butler, 1877

centripunctalis (Gaede, 1916) *Endotricha*
compsothra Meyrick, 1932
despectalis Walker, [1866]
gerontesalis Walker, 1859
gerontalis (Meyrick, 1884) *Asopia* (emendation)
gerontosalis; Pagenstecher, 1893 *Asopia*
haematinalis (Saalmüller, 1880) *Asopia*
laudatella (Walker, 1863) *Sacatia*
miseralis Walker, [1866]
pupalis Strand, 1919
vetusalis Walker, 1859
rubellalis Zeller, 1852
secretalis Wallengren, 1875

Pyralosis Amsel, 1957

polycyclophora (Hampson, 1916) *Hypsopygia*

Sacada Walker, 1862

rhodinalis Hampson, 1906
rosealis Hampson, 1906

Scotomera Butler, 1881

fuliginosalis Leraut, 2007

Setomigma Ghesquière, 1942

Sp. A
 Sp. B

Sindris Boisduval, 1833

magnifica Jordan, 1904
*sganzini** *sganzini* Boisduval, 1833
sganzinella; Guenée, 1862

Stematophora Guenée, 1854

Koremalepis Hampson, 1891
Maradana Moore, [1884]
bicincta Joannis, 1927
chloralis Hampson, 1917
depressalis Walker, 1862
erebalis Hampson, 1917
flavirubralis Warren, 1891
hemicyclalis Hampson, 1917
oleagina Warren, 1891
perrubralis Hampson, 1917
xanthozonalis Hampson, 1906

Synaphe Hübner, [1825]

Cledeobia Stephens, 1829
Idia Hübner, [1806] (rejected name)
Mitopoda Mann, 1854
Synapha; Hübner, [1826]
fuscochralis Leraut, 2007
styphlotricha Hampson, 1906

Tegulifera Saalmüller, 1880

Sphalerosticha Warren, 1897
audeoudi Joannis, 1927
bostralis Hampson, 1917
holothermalis Hampson, 1906
oblunata (Warren, 1897) *Sphalerosticha*
obovalis Hampson, 1917
ochrealis Hampson, 1917
*rubicundalis** Saalmüller, 1880
rubicundalis; Warren, 1891
zonalis (Warren, 1897) *Peucela*

Triphassa Hübner, 1818

argentea Mey, 2011
marshalli (Hampson, 1906) *Murgisca*
*stalachtis** Hübner, 1818
guttalis (Walker, 1866) *Scopula*
stalactitis; Hampson, 1896 *Triphassa*

Tyndis Ragonot, 1891

namibiensis Leraut, 2007
proteanalis Hampson, 1906
rubrovittata Grünberg, 1910
rubrivittata; Vári & Kroon, 1986 *Tyndis*

Zitha Walker, [1866]

allutalis (Zeller, 1852) *Pyralis*
allutatis; Lederer, 1863 *Stemmatophora*

PYRALOIDEA

cleoalis (Walker, 1859) *Scopula*
harpialis (Walker, 1859) *Aglossa*
illutalis; Janse, 1917 *Pyralis*
rubiginalis (Walker, 1863) *Nephopteryx*
ignalis (Guenée, 1854) *Aglossa*
laminalis (Guenée, 1854) *Aglossa*
rufiflualis (Walker, [1866]) *Aglossa*
*punicealis** Walker, [1866]
subcupralis (Zeller, 1852) *Pyralis*
subochracea Warren, 1897

Endotrichinae author, date*

Endotricha Zeller, 1847
Doththa Walker, 1859
Endotrichodes Ragonot, 1891
Endotrichopsis Warren, 1895
Messatis Walker, 1859
Paconia; Walker, [1866]
Pacoria Walker, [1866]
Rhisina Walker, [1866]
Rhisinia; Whalley, 1961
Tricomia Walker, [1866]
Zania Walker, [1866]
consobrinalis *consobrinalis* Zeller, 1852
brunnea Warren, 1897
dissimulans (Warren, 1897) *Pyralis*
jordana Hampson, 1900
ellisoni Whalley, 1963
erythralis Mabille, 1900
rosellata Ghesquière, 1942

Galleriinae Zeller, 1848
Macrothecinae author, date*

Achroia Hübner, [1819]
Achroea Agassiz, 1847 (unjustified emendation)
Acroia; Dufrane, 1930
Meliphora Guenée, 1845
Vobrix Walker, 1864
grisella (Fabricius, 1794) *Tinea* (introduced accidentally)
aluearia (Fabricius, 1798) *Galleria*
alvea (Haworth, 1811) *Galleria* (emendation)
alvearia; Stephens, 1829
alveariella (Guenée, 1854) *Meliphora* (emendation)
anticella (Walker, 1863) *Tinea*
cinercola; Hübner, 1819 *Achroia*
*cinereola** (Hübner, [1803]) *Bombyx*
cinerola; Ragonot, 1893
obscurevitella Ragonot, 1901
innotata Walker, 1864

Aphomia Hübner, [1825] (replacement name)
Aphomoea Agassiz, 1847 (unjustified emendation)
Aphonias; Lucas, 1898
Ilithya Berthold, 1827
Ilythia; Stephens, 1829
Melia Curtis, 1828 (preoccupied)
Meliana; Hampson, 1917
Melisoblaptes Zeller, 1839
Melisoblaptes; Turner, 1906
argentia Whalley, 1964
caffralis Hampson, 1917
distictella Hampson, 1917
murina (Wallengren, 1875) *Melisoblaptes*
pimelodes Meyrick, 1936
zelleri (Joannis, 1932) *Melisoblaptes*
bipunctana Curtis, 1828
bipunctatus; Pinhey, 1975 *Melisoblaptes*

Corcyra Ragonot, 1885
Tineopsis Dyar, 1913 (preoccupied)
*cephalonica** (Stainton, 1866) *Melisoblaptes* (introduced accidentally)
lineata (Legrand, 1965) *Anerastia*
oeconomella (Mann, 1872) *Melisoblaptes*
theobromae (Dyar, 1913) *Tineopsis*
translineella Hampson, 1901

Eldana Walker, 1865
Ancylosidia Strand, 1913
*saccharina** Walker, 1865
conipyga (Strand, 1913) *Ancylosidia*

Galleria Fabricius, 1798
Adeona Rafinesque, 1815 (*nomen nudum*)
Cerio clepta Sodoffsky, 1837
Vindana Walker, 1866
mellonella (Linnaeus, 1758) *Tinea* (introduced accidentally)
austrina Felder & Rogenhofer, 1875
austrinia; Whalley, 1964 *Galleria*
cerea Haworth, 1811 (emendation)
cerealis Hübner, [1825] (emendation)
*cereana** (Blom, 1764) *Phalaena*
cerella (Fabricius, 1775) *Tinea* (emendation)
mellomella; Linnaeus, 1761 *Tinea*
obliquella (Walker, 1866) *Vindana*

Lamoria Walker, 1863
Hornigia Ragonot, 1885
Lammoria; Turner, 1905
Maraclea Walker, 1863
Microcytara Turner, 1913
Tugela Ragonot, 1888
adaptella (Walker, 1863) *Pempelia*
anella Hampson, 1896
foedella (Walker, 1866) *Crambus*
fusconervella Ragonot, 1888
*planalis** Walker, 1863
anella ([Denis & Schiffermüller], 1775) *Tinea*
insulana Schawerda, 1931
sociella (Hübner, 1796) *Tinea*
attamasca Whalley, 1964
cafrella (Ragonot, 1888) *Tugela*
exiguata Whalley, 1964
imbella (Walker, 1864) *Acrobasis*
obscurella (Saalmüller, 1880) *Melisoblaptes*
medianalis Hampson, 1917
pallens Whalley, 1964
surrufa Whalley, 1964

Paralipsa Butler, 1879
Paralipsa Spuler, 1910 (unjustified emendation)
exacta Whalley, 1962

Paraphomia Hampson, 1901
natalensis Hampson, 1901

Paroxyptera Ragonot, 1901
*filiella** (Saalmüller, 1880) *Achroia* (as *Achroea*)
hererofiliella Mey, 2011

Sphinctocera Warren, 1897
*crassisquama** Warren, 1897

Epipaschiinae Meyrick, 1884
Pococerinae

Epilezia Janse, 1931
melanobasis (Hampson, 1906) *Macalla*
melanobrunnea (Janse, 1922) *Macalla*
*melanosparsalis** (Janse, 1922) *Macalla*
confusa (Janse, 1922) *Macalla*
melapastalis (Hampson, 1906) *Macalla*
meyi Speidel, 2007

Flotschapa Mey, 2011
*rhynchopalpata** Mey, 2011

Isolopha Hampson, 1895
Islopha; Janse, 1931
albicristata Warren, 1911
magna Mey, 2011

Lepidogma Meyrick, 1890
rubricalis Hampson, 1906

Neopaschia Janse, 1922
*flavociliata** Janse, 1922
flaviciliata; Janse, 1931 *Neopaschia*
flavociliata; Vári & Kroon, 1986 *Neopaschia*

Orthaga Walker, [1859]
Edetia Walker, [1859]
Hyperbalanotis Warren, 1891
Pannucha Moore, 1888

PYRALOIDEA

Proboscidophora Warren, 1891
cryptochaleis Joannis, 1927
cryptochalsis; Joannis, 1927
umbrimargo Joannis, 1927

Otjipagapaga Mey, 2011
dentilinealis (Hampson, 1906) *Tyndis*
*prima** Mey, 2011
secundaria Mey, 2011

Rhynchopaschia Hampson, 1906
*melanolopha** Hampson, 1906
reducta Janse, 1931

Salma Walker, 1863
Aradrapha Walker, [1866]
Macalla Walker, [1859]
confusa (Janse, 1922) *Macalla*
cupreotincta (Janse, 1922) *Macalla*
gamsbergastalis Mey, 2011
mombopastalis Mey, 2011

Termioptycha Meyrick, 1889
fasciculata (Hampson, 1906) *Macalla*

Phycitinae Cotes, 1889

Anerastiinae
 Hypsotropinae
 Peoriinae

Abachausia Balinsky, 1994
*grisea** Balinsky, 1994

Acrobasis Zeller, 1839
Acrocaula Hulst, 1900
Catacrobasis Gozmány, 1958
Mineola Hulst, 1890
Numonia Ragonot, 1893
Seneca Hulst, 1890
africanella Balinsky, 1994
diversicolor Ragonot, 1893
ramosella Walker, 1866

Afromyelois Balinsky, 1991
*communis** Balinsky, 1991

Afromylea Balinsky, 1994
*natalica** Balinsky, 1994

Afropsipyta Balinsky, 1994
pictella Balinsky, 1994
*similis** Balinsky, 1994

Alispoides Ragonot, 1888
*vermiculella** Ragonot, 1888

Ambetilia Balinsky, 1994
*crucifera** Balinsky, 1994

Anagasta Heinrich, 1956
*kuehniella** (Zeller, 1879) *Ephestia* (accidental introduction)
fuscofasciella (Ragonot, 1887) *Ephestia*
gitonella (Druce, 1896) *Ephestia*
huchinella; Craveri, 1915 *Ephestia*
ischnomorpha (Meyrick, 1931) *Homoeosoma*
kuchinella; Bolle, 1921 *Ephestia*
kuehniella; d'Utra, 1901 *Ephestia*
kuehniella; Froggat, 1912 *Ephestia*
kühnella; Poulton, 1888 *Ephestia*
kuhniella; Adkin, 1892 *Ephestia*
kurhuirela; Johnson, 1895 *Ephestia*
lunella (Noel, 1904) *Ephestia* (as *Ephestia*)

Ancylosis Zeller, 1839
Acornigerula Amsel, 1935
Cabotia Ragonot, 1888
Canarsia Hulst, 1890
Canarsiana Strand, 1920
Encystia Hampson, 1901
Harnocha Dyar, 1914
Hedemannia Ragonot, 1887
Hulstea; Hulst, [1903]
Hulstia Hampson, 1901
Hypographia Ragonot, 1890

Hypogryphia Ragonot, 1890 (unnecessary replacement name)
Intransharia Amsel, 1959
Syria Ragonot, 1887

Ancylosis (*Ancylosis*) Zeller, 1839
atrisparsella (Hampson, 1901) *Hypogryphia*
atrisparcella; Balinsky, 1994 *Ancylosis*
capensis Ragonot, 1888
eugraphella Balinsky, 1987
eugraphella Hampson MS *Heterographis*
inanguellella Warren, 1914
luederitzella Balinsky, 1989
melanophlebia Balinsky, 1989
melanophlebia Hampson MS *Ancylosis*
montana Balinsky, 1989
obscurella Balinsky, 1989
perfervida Balinsky, 1989
perfervida Hampson MS *Ancylosis*

Ancylosis (*Heterographis*) Ragonot, 1885
Mona Hulst, 1888 (preoccupied)
aeola Balinsky, 1987
aeola Hampson MS *Heterographis*
albibunctella (Warren, 1914) *Heterographis*
bohemani (Zeller, 1852) *Myelois* (*Myeloidis*)
bohemanni; Janse, 1917 *Heterographis*
detersella Hampson, 1926
eurhoda Balinsky, 1989
eurhoda Hampson MS *Heterographis*
glaphyria Balinsky, 1987
glaphyria Hampson MS *Heterographis*
interjectella (Ragonot, 1888) *Heterographis*
namibiella Balinsky, 1987
ocellella (Hampson, 1901) *Heterographis*
platynephes Joannis, 1927
platynephis; Vári & Kroon, 1986 *Ancylosis*
rufociliella Ragonot, 1888
similis Balinsky, 1987
subpyrethrella (Ragonot, 1888) *Heterographis*
ustocapitella (Hampson, 1901) *Heterographis*

Anerastia Hübner, 1825
Anerastria; Hübner, [1825]
Priannerastria Hampson, 1918
flaveolella Ragonot, 1887

Apomyelois Heinrich, 1956
Apomyelosis; Mey, 2011
bicolorata Balinsky, 1991

Arsissa Ragonot, 1893
transvaalica Balinsky, 1991
transvaalica Hampson MS *Christophia*

Aspithroides Balinsky, 1994
*minuta** Balinsky, 1994

Audeoudia Joannis, 1927
*grisella** Joannis, 1927

Azanicola Balinsky, 1991
*adspersa** Balinsky, 1991
adspersa; Balinsky, 1991 *Azanicola*

Bahiria Balinsky, 1994
defecta Balinsky, 1994
durbanica Balinsky, 1994
flavicosta Balinsky, 1994
*latevalvata** Balinsky, 1994
macrognatha Balinsky, 1994
magna Balinsky, 1994
similis Balinsky, 1994
ximenianata Balinsky, 1994
ximeniata; Balinsky, 1994 *Bahiria*

Biafra Ragonot, 1888
Maliarpha Ragonot, 1888
*concinella** Ragonot, 1888
concinella auct. *Biafra*
haemocharis (Meyrick, 1937) *Singhalia*
pyromerella (Hampson, 1918) *Ethiotropa*
rhodinella (Ragonot, 1888) *Biafra*
taxisarcha (Meyrick, 1935) *Biafra*

PYRALOIDEA

- separatella** (Ragonot, 1888) *Maliarpha*
pallidicosta (Hampson, 1896) *Anerastia*
vectiferella (Ragonot, 1901) *Enosima*
- Cabotella** Balinsky, 1994
*inconspicua** Balinsky, 1994
- Cactoblastis** Ragonot, 1901
Neopyralis Brèthes, 1920
*cactorum** (Berg, 1885) *Zophodia* (deliberate introduction)
- Cadra** Walker, 1864
Xenephelia Gozmány, 1958
- cautella** (Walker, 1863) *Pempelia* (introduced accidentally)
cahiritella Zeller, 1867
*defectella** Walker, 1864
desuetella (Walker, 1866) *Nephopterix* (as *Nephopteryx*)
formosella (Wileman & South, 1918) *Cryptoblabes*
irakella (Amsel, 1959) *Epehestia*
passulella (Barrett, 1875) *Epehestia*
pelopis (Turner, 1947) *Epehestia*
rotundatella (Turati, 1930) *Epehestia*
- figulilella** (Gregson, 1871) *Epehestia*
desuetella (Meyrick, 1887) *Epehestia*
ernestinella (Turati, 1927) *Epehestia*
ficulella (Barrett, 1875) *Epehestia*
figulella; Curran, 1926 *Epehestia*
figuliella; Forbes, 1923 *Epehestia*
gypsella (Ragonot, 1887) *Epehestia*
milleri (Zeller, 1876) *Epehestia*
venosella (Turati, 1926) *Epehestia*
rectivittella (Ragonot, 1901) *Epehestia*
- Calamotropodes** Janse, 1922
Calamotropodus; Janse, 1922
*grisella** Janse, 1922
- Candiope** Ragonot, 1888
*joannisella** Ragonot, 1888
- Candiopella** Balinsky, 1994
*dukei** Balinsky, 1994
- Cantheleamima** Balinsky, 1994
*excisa** Balinsky, 1994
- Caustella** Hampson, 1930
phoenicias Hampson, 1930
- Ceuthelea** Balinsky, 1994
*umtalensis** Balinsky, 1994
- Ceutholopha** Zeller, 1867
Centrolophia; Caradja, 1910
Ceutolopha; Janse, 1942
Hypophana Meyrick, 1882
*isidis** (Zeller, 1867) *Nephopterix*
- Commotria** Berg, 1885
Commatria; Berg, 1885
albinervella Hampson, 1918
albistria Janse, 1922
castaneipars Hampson, 1918
leucosparsalis Janse, 1922
phlebicella Hampson, 1918
rhodoneura Hampson, 1918
ruficolor Janse, 1922
- Cryptoblabes** Zeller, 1848
Albinia Briosi, [1877] (preoccupied)
gnidiella Millière, 1867
- Cunibertooides** Balinsky, 1991
*nigripatagata** Balinsky, 1991
- Didia** Ragonot, 1893
*subramosella** Ragonot, 1893
subsamosella; Balinsky, 1994 *Didia*
- Discofrontia** Hampson, 1901
*normella** Hampson, 1901
- Ditrachyptera** Ragonot, 1893
*verruciferella** (Ragonot, 1888) *Candiope*
- Dysphyllia** Ragonot, 1888
*viridella** Ragonot, 1888
viridis; Saalmüller, 1891
- Ectomyelois** Heinrich, 1956
Spectrobates Meyrick, 1935
- ceratoniae** (Zeller, 1839) *Myelois* (introduced accidentally)
ceratoniella (Schmidt, 1839) *Phycis*
ceratoniella (Fischer von Röslerstamm, 1839) *Phycis*
dentilinella (Hampson, 1896) *Phycita*
durandi (Lucas, 1950) *Laodamia*
oporedestella (Dyar, 1911) *Myelois*
phoenicis (Durrant, 1915) *Myelois*
pyrerella (Vaughan, 1870) *Trachonitis*
psarella (Hampson, 1903) *Hypsipyyla*
rivalalis (Warren & Rothschild, 1905) *Heterographis*
tuerkheimiella (Sorhagen, 1881) *Myelois*
zellerella (Sorhagen, 1881) *Euzophora*
- Elegia** Ragonot, 1887
Ichorachis Meyrick, 1937
Microthrix Ragonot, 1888
- inconspicuella** (Ragonot, 1888) *Nephopterix* (as *Nephopteryx*)
*fuscidorsella** Ragonot, 1888
inconspicella; Balinsky, 1994 *Microthrix*
insulsella Ragonot, 1893
- Eleusina** Hampson, 1901
homoeosomella Hampson, 1901
- Ematheudes** Zeller, 1867
convexus Shaffer, J.C., 1997
crassinetellus Ragonot, 1888
elysium Shaffer, J.C., 1997
erectus Shaffer, J.C., 1997
hispidus Shaffer, J.C., 1997
maculescens Shaffer, J.C., 1997
natalensis Shaffer, J.C., 1997
neonepsis Martin, 1956
neurias (Hampson, 1918) *Commotria*
erythrograptus (Hampson, 1918) *Commotria*
paleatellus Ragonot, 1888
puleatella; Hampson, 1918 *Ematheudes*
- rhodochrous** (Hampson, 1918) *Commotria*
aulacodes (Meyrick, 1933) *Patna*
brunneicostellus (Hampson, 1918) *Patna*
sarcoidus (Hampson, 1918) *Critonia*
venatellus (Hampson, 1918) *Patna*
- setiger** Shaffer, J.C., 1997
sinuosus Shaffer, J.C., 1997
straminellus Snellen, 1872
lentistrigalis Hampson, 1909
strictus Shaffer, J.C., 1997
toxalis Shaffer, J.C., 1997
triangularis Shaffer, J.C., 1997
- Emmalocera** Ragonot, 1888
Ambala Ragonot, 1888
Ampycophora Meyrick, 1882 (preoccupied)
Baroda Ragonot, 1888 (preoccupied)
Critonia Ragonot, 1891
Enosima Ragonot, 1901
Lodiana Ragonot, 1888
Papua Ragonot, 1890
Poujadia Ragonot, 1888
Singhaliella Strand, 1920
Socora Ragonot, 1888
laminella Hampson, 1901
leucopleura (Hampson, 1918) *Critonia*
unitella Joannis, 1927
- Emporia** Ragonot, 1887
Emposia; Carus, 1888
melanobasis Balinsky, 1991
melanobasis Hampson MS
- Encryphodes** Turner, 1913
ethiopella Balinsky, 1991
ethiopella Hampson MS *Encryphodes*
- Endolasia** Hampson, 1896
transvaalica Hampson, 1926
- Epehestia** Guenée, 1845
Epheitia; Johnson, 1895

PYRALOIDEA

- Hyphantidium* Scott, 1859
elutella* (Hübner, 1796) *Tinea* (introduced accidentally)
ablatalis Hübner, [1825]
affusella (Ragonot, 1888) *Homoeosoma*
amarella Dyar, 1904
angusta (Haworth, 1811) *Phycis*
chocolatella (Vallot, 1802) *Phalaena*
elutea (Haworth, 1811) *Phycis* (emendation)
icosiella Ragonot, 1888
infumatella Ragonot, 1887
roxburghii; Kirby, 1873 *Ephestia*
roxburghii Gregson, 1873
roxburghii; Rebel, 1901
rufa (Haworth, 1811) *Phycis*
semirufa (Haworth, 1811) *Phycis*
semirufella Doubleday, 1859
sericaria auct. *Ephestia*
sericarium (Scott, 1859) *Hyphantidium*
- Epicrocis** Zeller, 1848
Canthelea Walker, 1866
Gabra Walker, 1866
albigeralis (Walker, 1866) *Scopula*
vari Balinsky, 1991
abbreviata (Balinsky, 1994) *Canthelea*
africana (Janse, 1942) *Canthelea*
africanella (Ragonot, 1888) *Salebria*
ancylosiformis (Balinsky, 1994) *Canthelea*
arcana (Balinsky, 1994) *Canthelea*
atratella (Ragonot, 1888) *Oligochroa*
brevipalpata (Balinsky, 1994) *Canthelea*
complicata (Balinsky, 1994) *Canthelea*
coriacelloides (Balinsky, 1994) *Canthelea*
crassa (Balinsky, 1994) *Canthelea*
ferrealis (Hampson, 1898) *Nephopterix* (as *Nephopteryx*)
flavicosta (Balinsky, 1994) *Canthelea*
flavicosta Hampson MS *Ilithya*
furcilinea (Balinsky, 1994) *Canthelea*
furcilinea Hampson MS *Salebria*
gracilis (Balinsky, 1994) *Canthelea*
gracillis; Balinsky, 1994 *Canthelea*
holophaea (Hampson, 1926) *Heterographis*
imitans (Balinsky, 1994) *Canthelea*
insolita (Balinsky, 1994) *Canthelea*
intermedia (Balinsky, 1994) *Canthelea*
laticostella (Ragonot, 1888) *Nephopterix* (as *Nephopteryx*)
nigricans (Ragonot, 1888) *Nephopterix* (as *Nephopteryx*)
nigrilinea (Joannis, 1927) *Ilithya*
nigrinella (Balinsky, 1994) *Canthelea*
noncapillata (Balinsky, 1994) *Canthelea*
ornata (Balinsky, 1994) *Canthelea*
ornatella (Balinsky, 1994) *Canthelea*
picta (Balinsky, 1991) *Canthelea*
picta Hampson MS *Ilithya*
piliferella (Ragonot, 1888) *Oligochroa*
plumbifasciata (Balinsky, 1994) *Canthelea*
plumbifasciata Hampson MS *Ilithya*
plumbifasciata; Balinsky, 1994 *Canthelea*
pseudonatalensis (Balinsky, 1994) *Canthelea*
punctata (Balinsky, 1994) *Canthelea*
sacculata (Balinsky, 1994) *Canthelea*
saturatella Mabille, 1879
siderella (Ragonot, 1888) *Phycis/Myelois*
spiculata (Balinsky, 1994) *Canthelea*
stibella (Snellen, 1872) *Myelois*
striaticosta (Joannis, 1927) *Ilithya*
vansonii (Balinsky, 1994) *Canthelea*
vicinella (Joannis, 1927) *Ilithya*
- Etiella** Zeller, 1839
Alata Walker, 1863 (preoccupied)
Arucha Walker, 1863
Ceratamma Butler, 1881
Mella Walker, 1859
Modiana Walker, 1863
Ramphodes; Heinrich, 1956
Rhamphodes Guenée, 1845
zinckenella* (Treitschke, 1832) *Phycis*
albicostalis (Walker, 1863) *Assara*
anticalis (Walker, 1863) *Alata*
colonella (Costa, [1836]) *Tinea* (*Chilo*)
dymnusalis (Walker, 1859) *Mella*
etiella (Treitschke, 1835) *Phycis* (replacement name)
hastiferella (Walker, 1866) *Alata*

- heraldella* (Guenée, 1862) *Rhamphodes*
indicatalis (Walker, 1863) *Arucha*
madagascariensis Saalmüller, 1880
majorella (Costa, [1836]) *Tinea* (*Chilo*)
marginella (Fabricius, 1781) *Tinea*
rubribasella Hulst, 1890
sabulina (Butler, 1879) *Crambus*
schisticolor Zeller, 1881
scitivittalis (Walker, 1863) *Modiana*
sincerella Meyrick, 1879
spartiella (Rondani, 1876) *Pempelia*
tiella; Pinhey, 1975 *Phycis*
villosella Hulst, 1887
- Eucarphia** Hübner, [1825]
Argyrodes Guenée, 1845
Argyrorhabda Hampson, 1926
anomala Balinsky, 1994
hemityrella (Joannis, 1927) *Argyrorhabda*
leucomera (Hampson, 1926) *Argyrorhabda*
- Eulophota** Hampson, 1926
bipars Joannis, 1927
*caustella** (Hampson, 1901) *Pristarthria*
floridella Joannis, 1927
pretoriella Joannis, 1927
simplex Joannis, 1927
zonata Hampson, 1926
- Eurhodope** Hübner, [1825]
Eudorope; Zeller, 1846
Eurhopode; Caradja, 1899
Eurodope; Zeller, 1846
Eurrhodope; Hübner, [1826]
Kyra Gozmány, 1958
Semnia Guenée, 1845 (preoccupied)
confusella (Walker, 1866) *Nephopterix* (as *Nephopteryx*)
infixella (Walker, 1866) *Acrobasis*
notulella (Ragonot, 1888) *Rhodophaea*
nyctosia Balinsky, 1991
nyctosia Hampson MS *Eurhodope*
- Euzophera** Zeller, 1867
Ahwazia Amsel, 1949
Cymbalorissa Gozmány, 1958
Euzophora; Zeller, 1867
Longignathia Roesler, 1965
Melia Heinemann, 1865 (preoccupied)
Pistogenes Meyrick, 1937
Quadrempista Roesler, 1973
Stenoptycha Heinemann, 1865 (preoccupied)
crassignatha Balinsky, 1994
crassignatha; Balinsky, 1994 *Euzophera*
crinita Balinsky, 1994
cullinanensis (Balinsky, 1991) *Nyctegretis*
hemileuca Joannis, 1927
minima Balinsky, 1994
neomeniella Ragonot, 1888
specula Joannis, 1927
stramentella Ragonot, 1888
termivelata Balinsky, 1994
villora (Felder & Rogenhofer, 1875) *Myelois*
decaamyrrylia Viette, 1953
- Euzopherodes** Hampson, 1899
Delatinia Roesler, 1965
Epilydia Amsel, 1954
Euzopherades; Hampson, 1927
Infinita Whalley, 1970 (replacement name)
Lydia Rebel, 1901 (May) (preoccupied)
Lydia Hampson, 1901 (November) (preoccupied)
Neonomia; Leraut, 1997
Neononia Hampson, 1930
Nyctigenes Meyrick, 1937
Phlocophaga; Amsel, 1935
Phloeophaga Chrétien, 1911
Radiestra Hampson, 1927
Symphestia Hampson, 1930
Trigonopyralis Amsel, 1935
capicola Balinsky, 1994
- Faveria** Walker, 1859
Oligochroa Ragonot, 1888
Pristarthria Ragonot, 1893
Sclerobia Ragonot, 1893

PYRALOIDEA

- albilinea** (Joannis, 1927) *Sclerobia*
dionysia (Zeller, 1846) *Pempelia*
terrella (Ragonot, 1888) *Oligochroa*
dubia (Balinsky, 1994) *Oligochroa*
fusca (Balinsky, 1994) *Sclerobia*
ignicephalis (Balinsky, 1994) *Laodamia*
ignicephalus Hampson MS *Laodamia*
ignicephalus; Balinsky, 1994 *Laodamia*
ignicephalus; Balinsky, 1994 *Laodamia*
ignicepsalis; Janse, 1917 *Oligochroa*
minima (Balinsky, 1994) *Oligochroa*
minuscula (Balinsky, 1994) *Sclerobia*
nonceracanthia (Balinsky, 1994) *Oligochroa*
nonceracantha; Balinsky, 1994 *Oligochroa*
onigra (Balinsky, 1994) *Oligochroa*
o-nigrum; Balinsky, 1994 *Oligochroa*
poliostrota (Balinsky, 1994) *Oligochroa*
poliostrota Hampson MS *Laodamia*
- Flabellobasis** Balinsky, 1991
capensis* (Hampson, 1901) *Trachonitis*
montana Balinsky, 1991
- Gaana** Walker, 1866
asperella (Ragonot, 1893) *Dysphylia*
basiferella* Walker, 1866
mesophaea (Hampson, 1930) *Styphlorachis*
minima Balinsky, 1994
nigronervosa Mey, 2011
quatra Balinsky, 1994
- Getulia** Ragonot, 1888
fulviplagella Hampson, 1901
*institella** Ragonot, 1888
maculosa Balinsky, 1994
semifuscella Ragonot, 1893
- Hannemanneia** Roesler, 1967
*tacapella** (Ragonot, 1887) *Cateremna*
- Heterochrosis** Hampson, 1926
oligochrodes Hampson, 1926
- Hobohmia** Balinsky, 1994
*paradoxa** Balinsky, 1994
- Homoeosoma** Curtis, 1833
Anhomoeosoma Roesler, 1965
Anhoneosoma; Fennah, 1968
Homeosoma; Westwood, 1840
Homoesoma; Hampson, 1908
Lotria Guenée, 1845
Phycidea Zeller, 1839
botydellum Ragonot, 1888
masaiense Balinsky, 1991
masaiensis Hampson MS *Homoeosoma*
massaicum; Balinsky, 1991 *Homoeosoma*
massaiensis; Balinsky, 1991 *Homoeosoma*
quinquepunctellum (Warren, 1914) *Ematheudes*
scopulellum Ragonot, 1888
stenoteum Hampson, 1926
terminellum Ragonot, 1901
- Hosidia** Hampson, 1901
*ochrineurella** Hampson, 1901
- Hydaspia** Ragonot, 1888
*dorsipunctella** Ragonot, 1888
- Hypargyria** Ragonot, 1888
impecuniosa Joannis, 1927
*metalliferella** Ragonot, 1888
metaliferella; Pinhey, 1975 *Hypargyria*
- Hypsipyla** Ragonot, 1888
robusta (Moore, 1886) *Magiria*
*pagodella** Ragonot, 1888
scabrusculella Ragonot, 1893
terebrans (Olliff, 1890) *Epicrocis*
- Hypsotropa** Zeller, 1848
- Heosphora* Meyrick, 1882
Hypsotropha; Snellen, [1880]
Limira Ragonot, 1888
Seleucia Ragonot, 1887
Talamba Ragonot, 1888
Tiarra Ragonot, 1888
adumbratella Ragonot, 1888
chionorhabda Hampson, 1918
contrastella (Ragonot, 1888) *Ambala*
graptophlebia Hampson, 1918
infumatella Ragonot, 1901
leucophlebiella (Ragonot, 1888) *Heosphora*
makulanella Joannis, 1927
ochricostella Hampson, 1918
polyactinia (Hampson, 1901)
rhodochroella Hampson, 1918
sabuletella (Zeller, 1852) *Anerastia*
subcostella Hampson, 1918
- Joannisia** Balinsky, 1994
conisella (Hampson, 1926) *Laodamia*
heterotypa Balinsky, 1994
hypolepias (Joannis, 1927) *Laodamia*
hypolepsis; Balinsky, 1994 *Laodamia*
*janesei** Balinsky, 1994
poliopasta Balinsky, 1994
poliopasta Hampson MS *Oncocera*
semiales Balinsky, 1994
- Khorassania** Amsel, 1951
Abrephia Amsel, 1953 (replacement name)
Brephia Heinemann, 1865 (preoccupied)
incongruella (Warren, 1914) *Brephia*
- Laetilia** Ragonot, 1889
hebraica Joannis, 1927
- Laodamia** Ragonot, 1888
Alophia Ragonot, 1893
affinis Balinsky, 1994
glaucocephalis Balinsky, 1994
glaucocephalus; Balinsky, 1994 *Laodamia*
grisella Balinsky, 1994
homotypa Balinsky, 1994
homotypa Hampson MS *Laodamia*
hortensis Balinsky, 1994
inermis Balinsky, 1994
injucunda Balinsky, 1994
karkloofensis Balinsky, 1994
lugubris Balinsky, 1994
natalensis (Ragonot, 1888) *Nephopterix* (as *Nephopteryx*)
nigerrima Balinsky, 1994
nonplagella Balinsky, 1994
polygraphella Joannis, 1927
stictoglaucella (Hampson, 1930) *Oedilepia*
pulchra Balinsky, 1994
salisburyensis Balinsky, 1994
sarniensis Balinsky, 1994
similis Balinsky, 1994
spissa Balinsky, 1994
squamata Balinsky, 1994
zoetendalensis Balinsky, 1994
zoutendalensis; Balinsky, 1994 *Laodamia*
- Leviantenna** Balinsky, 1994
*ferox** Balinsky, 1994
- Macrovalva** Balinsky, 1994
*quadrialevata** Balinsky, 1994
- Megasis** Guenée, 1845
Tsaraphycis Viette, 1970
barrettae Hampson, 1901
- Melanastia** Hampson, 1930
Melanistia; Whalley, 1970
*bicolor** Hampson, 1930
- Merulempista** Roesler, 1967
colorata Mey, 2011
- Mesodiphlebia** Zeller, 1881

PYRALOIDEA

- rhodesiana* Janse, 1922
- Metacrateria* Hampson, 1918
perirrorella Hampson, 1918
- Metocis** Mabille, 1880
carnifex (Coquerel, 1855) *Chilo*
*lepidocerella** Mabille, 1880
- Miliberta** Balinsky, 1994
*gnathilata** Balinsky, 1994
- Mussidia** Ragonot, 1888
Muscidia; Sharp, 1890
melanoneura Ragonot, 1893
*nigrivenella** Ragonot, 1888
- Myelodes** Hampson, 1930
flavimargo Hampson, 1930
*jansei** Hampson, 1930
- Namibicola** Balinsky, 1991
karios Mey, 2011
palmwagos Mey, 2011
simplex Balinsky, 1994
*splendida** Balinsky, 1991
- Namibiopsis** Balinsky, 1994
*punctata** Balinsky, 1994
- Navasota** Ragonot, 1887
leuconeurella Hampson, 1918
- Nephopterix** Hübner, [1825]
Alispa Zeller, 1848
Clasperopsis Roesler, 1969
Nephopteryx; Zeller, 1839
Paranephopterix Roesler, 1969
*angustella** (Hübner, 1796) *Tinea*
apotomella (Meyrick, 1886) *Etiella*
caradrinella Ragonot, 1893
cometella Joannis, 1927
divisella (Duponchel, 1842) *Phycis*
albircella Herrich-Schäffer, 1849
euphorbiella (Zeller, 1846) *Pempelia*
emussitatella Ragonot, 1893
quilimanella Pagenstecher, 1893
rufostriatella Pagenstecher, 1893
variella Walker, 1866
- Nonphycita** Balinsky, 1994
*lineata** Balinsky, 1994
- Nyctegretis** Zeller, 1848
Nyctegretis; Dunning & Pickard, [1859]
Synallorema Gozmány, 1958
Trichorachia Hampson, 1930
inclinella Ragonot, 1888
leonina (Hampson, 1930) *Trichorachia*
- Oligochroides** Strand, 1909
*nigritella** Strand, 1909
- Oncocera** Stephens, 1829
Polluchia Roesler, 1980
bibasella (Joannis, 1927) *Laodamia*
floridana (Joannis, 1927) *Laodamia*
leucosticta (Joannis, 1927) *Laodamia*
ochreomelanella (Ragonot, 1888) *Oligochroa*
ochremelanella; Balinsky, 1994 *Oncocera*
- Ortholepis** Ragonot, 1887
Metriostola Ragonot, 1893
cretaciella Joannis, 1927
polydonta Balinsky, 1991
polyodanta; Balinsky, 1994 *Ortholepis*
polyodonta Hampson MS *Ortholepis*
pyrobasis Balinsky, 1991
pyrobasis Hampson MS *Ortholepis*
rectilineella (Ragonot, 1888) *Salebria*
subgenistella (Hampson, 1901) *Nephopterix* (as *Nephopteryx*)
unguinata Balinsky, 1994
- Oxybia** Rebel, 1901 (May)
Oxybia Hampson, 1901 (November) (preoccupied)
*transversella** (Duponchel, 1836) *Phycis*
bituminella (Millière, 1870)
panormitanella Caradja, 1928
- Paralaodamia** Balinsky, 1994
angustata Balinsky, 1994
fraudulenta Balinsky, 1994
grapholithella (Ragonot, 1888) *Salebria*
grapholithella; Pinhey, 1975 *Nephopterix*
*haploa** Balinsky, 1994
haploa Hampson MS *Laodamia*
modesta Balinsky, 1994
pretoriensis Balinsky, 1994
pretoriesis; Balinsky, 1994 *Paralaodamia*
rivulella (Ragonot, 1888) *Nephopterix* (as *Nephopteryx*)
rivulella; Balinsky, 1994 *Paralaodamia*
scalaris (Joannis, 1927) *Laodamia*
serrata Balinsky, 1994
subdivisella (Ragonot, 1893) *Nephopterix* (as *Nephopteryx*)
subligaculata Balinsky, 1994
transvaalica Balinsky, 1994
- Parematheudes** Shaffer, J.C., 1997
crista Shaffer, J.C., 1997
diacantha Shaffer, J.C., 1997
dionyx Shaffer, J.C., 1997
hamulus Shaffer, J.C., 1997
immaculatus Shaffer, J.C., 1997
interpunctellus (Hampson, 1918) *Saluria*
onyx Shaffer, J.C., 1997
polystictellus (Hampson, 1918) *Hypsotropa*
polysticella; Shaffer, J.C., 1997 *Emattheudes*
rufimedius (Hampson, 1918) *Commotria*
roseotinctus (Janse, 1922) *Hypsotropa*
simplex (Janse, 1922) *Commotria*
tenuis Shaffer, J.C., 1997
- Pempelia** Hübner, [1825]
Hoeneia Caradja, 1938
Neurotoma Chrétien, 1911
Rhodophaea Guenée, 1845
Salebria Zeller, 1846
apicella (Joannis, 1927) *Salebria*
aurivilliella (Ragonot, 1888) *Salebria*
interniplagella (Ragonot, 1888) *Salebria*
morosalis (Saalmüller, 1880) *Myelois*
*palumbella** ([Denis & Schiffermüller], 1775) *Tinea*
contubernea; Haworth, 1811
contubernella (Hübner, 1796) *Tinea*
palumbae; Haworth, 1811
palumbalis; Hübner, [1825]
- Phycita** Curtis, 1828 (replacement name)
Ceratium Thienemann, 1828 (preoccupied)
Gyra Gistl, 1848
Phycis Fabricius, 1798 (preoccupied)
attenuata Balinsky, 1994
exaggerata Balinsky, 1994
lugubris Balinsky, 1994
randensis Balinsky, 1994
singularis Balinsky, 1994
spiculata Balinsky, 1994
spissoterminalata Balinsky, 1994
sppenditata Balinsky, 1994
venalbella (Joannis, 1927) *Crambus*
- Phycitophila** Balinsky, 1994
*obscurita** Balinsky, 1994
- Phycitopsis** Ragonot, 1887
insulata Balinsky, 1994
- Piesmopoda** Zeller, 1848
notandella Ragonot, 1893
- Pima** Hulst, 1888
difficilis Joannis, 1927
flavidorsella Joannis, 1927
- Plagoa** Whalley, 1970

PYRALOIDEA

- Mabillia* Ragonot, 1888
*cerostomella** (Ragonot, 1888) *Mabillia cerastomella*; Balinsky, 1994 *Plagoa zambeziella* (Hampson, 1901) *Mabillia*
- Plodia** Guenée, 1845
*interpunctella** (Hübner, [1813]) *Tinea* (introduced accidentally)
americana Piutti, 1920
glycinivora (Matsumura, 1917) *Ephestia*
glycinivorella (Matsumura, 1932) *Ephestia* (emendation)
interpunctalis; Hübner, [1825] *Euclita*
laticula (Hampson, 1901) *Unadilla*
zeae (Fitch, 1856) *Tinea*
- Pogononeura** Ragonot, 1888
*hirticostella** Ragonot, 1888
- Pogonotropha** Zeller, 1852
dicksoni Mey, 2011
*wahlbergi** Zeller, 1852
- Polyocha** Zeller, 1848
anomalella Janse, 1922
plinthochroa Hampson, 1918
rhodesiae Strand, 1909
*sanguinariella** (Zeller, 1848) *Hypochalcia*
- Pretoria** Ragonot, 1893
audeoudi Joannis, 1927
*hutchinsoni** Ragonot, 1893
hutchisoni; Balinsky, 1994 *Pretoria*
nigribasis Balinsky, 1994
- Proancylosis** Balinsky, 1991
*argenticostata** Balinsky, 1991
argenticosta; Balinsky, 1991 *Proancylosis*
- Proptasia** Ragonot, 1887
rosa Joannis, 1927
sphalmatella Hampson, 1918
- Pseudogetulia** Balinsky, 1994
*luminosa** Balinsky, 1994
- Pseudographis** Balinsky, 1989
*dermatina** Balinsky, 1989
dermatina Hampson MS *Heterographis*
mesosema Balinsky, 1989
mesosema Hampson MS *Heterographis*
- Psorosa** Zeller, 1846
Ectyposa Joannis, 1929
africana Balinsky, 1991
myrmidonella Ragonot, 1901
- Ptyonocera** Hampson, 1901
*atrifusella** Hampson, 1901
- Pylamorpha** Balinsky, 1994
*albida** Balinsky, 1994
cristata Balinsky, 1994
- Quasiexuperius** Balinsky, 1994
*rhodesianus** Balinsky, 1994
- Ramosignathos** Balinsky, 1994
*inconspicuella** Balinsky, 1994
- Raphimetopus** Hampson, 1918
ablutellus (Zeller, 1839) *Anerastia buxtoni* Rothschild, 1921
stigmatellus (Ragonot, 1888) *Anerastia*
- Rhinaphe** Berg, 1875
Phinaphe; Berg, 1875
castanealis Hampson, 1912
flavodorsalis Janse, 1922
lutescens Janse, 1922
nigricostalis (Walker, 1863) *Trachonitis scripta* Joannis, 1927
seeboldi (Ragonot, 1894) *Anerastia*
- Rhodochrysa** Hampson, 1901
- superbella** Hampson, 1901
- Saluria** Ragonot, 1887
Baroda Ragonot, 1888
albicostella Janse, 1922
devylderi (Ragonot, 1888) *Pectinigeria inficita* (Walker, 1863) *Acrobasis macrella* (Ragonot, 1888) *Pectinigeria mesomelanella* Hampson, 1918
nimbelloides Joannis, 1927
pretoriae Janse, 1922
pulverata Janse, 1922
rhodophaea Hampson, 1918
stictophora Hampson, 1918
subcarnella (Ragonot, 1888) *Pectinigeria tripartitella* Ragonot, 1901
tripartella; Hampson, 1918 *Saluria*
- Samaria** Ragonot, 1893
inconspicuella Balinsky, 1994
*indentella** Ragonot, 1893
andertella; Balinsky, 1994 *Samaria*
- Sclerobia** Ragonot, 1893 usu Mey, 2011 (see also synonymy of *Faveria* Wlk.)
triangulata Mey, 2011
- Sematoneura** Ragonot, 1888
africana Balinsky, 1994
- Shebania** Balinsky, 1991
*grandis** Balinsky, 1991
maculata Balinsky, 1991
- Spatulipalpia** Ragonot, 1893
monstrosa Balinsky, 1994
- Statina** Ragonot, 1887
albivenella Janse, 1922
- Staudingeria** Ragonot, 1887
Cornigerula Amsel, 1935
magnifica (Butler, 1875) *Aglossa mimeographella* Balinsky, 1989
- Synoria** Ragonot, 1888
euglyphella Ragonot, 1888
- Thylacoptila** Meyrick, 1885
Bussa Ragonot, 1888
*paurosema** Meyrick, 1885
maculella (Ragonot, 1888) *Bussa*
- Trachypteryx** Ragonot, 1893
acanthotecta Rebel, 1927
albisecta Hampson, 1926
heterogramma Hampson, 1926
*magella** (Zeller, 1848) *Myelois rhodoxantha* Hampson, 1926
rubripictella Hampson, 1901
victoriola Balinsky, 1991
- Tucumania** Dyar, 1925
*tapiacola** Dyar, 1925 (introduced deliberately)
porrecta Dyar, 1925
- Ulophora** Ragonot, 1890
flavinia Balinsky, 1994
- Urbania** Hampson, 1901
*lophopterella** Hampson, 1901
- Veldticola** Hampson, 1930
irrorella Hampson, 1930
megista Hampson, 1930
magista; Balinsky, 1994 *Veldticola nebulosella* Hampson, 1930
persinuella Hampson, 1930
*striatella** Hampson, 1930
- Zophodia** Hübner, [1825]
Dakruma Grote, 1878
ebeniella (Ragonot, 1888) *Rhodophaea lignea* Joannis, 1927

PYRALOIDEA**CRAMBIDAE** Latreille, 1810**Crambinae** Latreille, 1810

Ancylolomiinae
Chiloninae

Alphacrambus Bassi, 1995

*prodontellus** (Hampson, 1919) *Crambus razowskii* (Błeszyński, 1961) *Crambus*

Ancylolomia Hübner, [1825]

Ctenus Mabille, 1906 (preoccupied)
Jartheza Walker, 1863
Pseudocetenella Strand, 1907 (replacement name for *Ctenus* Mabille)
Tollia Amsel, 1949 (preoccupied)
albicostalis Hampson, 1919
caffra Zeller, 1877
capensis Zeller, 1852
 chrysolinealis Fawcett, 1917
 cinerifusa Joannis, 1927
 castaneata Hampson, 1919
 lentifascialis Hampson, 1919
 melanella Hampson, 1919
 mirabilis Wallengren, 1876
 nigrifasciata Bassi, 2004
 obscurella Joannis, 1927 (as var. of *A. lentifascialis*)
 pectinifera Hampson, 1910
 perfasciata Hampson, 1919
 planicosta Martin, 1956
 prepiella Hampson, 1919
 simplella Joannis, 1913

Anomocrambus Błeszyński, 1961

*homerus** Błeszyński, 1961

Argentochiloides Błeszyński, 1961

Argentochilo; Błeszyński & Collins, 1962
meridionalis Bassi, 1999

Aurotalis Błeszyński, 1970

nigrisquamalis (Hampson, 1919) *Conotalis*
 nigriquamalis; Janse, 1917 (as *Talis*)
similis Bassi, 1999

Angustalius Marion, 1954

Bleszynska de Lattin, 1961 (replacement name)
Crambopsis de Lattin, 1952 (preoccupied)
hapaliscus (Zeller, 1852) *Crambus*
 concinellus (Walker, 1863) *Crambus*
malaceillus (Duponchel, 1836) *Crambus*

Caffrocrambus Błeszyński, 1961

Caffrocrambus; Bassi, 1994
alcibiades Błeszyński, 1961
chalcimerus (Hampson, 1919) *Crambus*
decolorolettes Błeszyński, 1970
 decolorolettes; Błeszyński, 1970 *Caffrocrambus*
decolorellus (Walker, 1863) *Crambus*
*dichotomellus** (Hampson, 1919) *Crambus*
endoxanthus (Hampson, 1919) *Crambus*
leuofascialis (Janse, 1922) *Crambus*
ochreus Błeszyński, 1970
undilineatus (Hampson, 1919) *Crambus*

Calamotropha Zeller, 1863

Aurelianus Błeszyński, 1962 (preoccupied)
Myzea Walker, 1863
abjectella Snellen, 1872
anticella (Walker, 1866) *Ancylolomia*
argenteociliella Pagenstecher, 1893
argyrostola (Hampson, 1919) *Crambus*
bradleyi Błeszyński, 1960
diakonoffi Błeszyński, 1961
discella (Walker, 1863) *Chilo*
 mesoscia (Hampson, 1919) *Crambus*
helioaula (Wallengren, 1876) *Crambus*
niveicostella (Hampson, 1919) *Crambus*
 niveicostalis; Vári & Kroon, 1986 *Calamotropha*
*paludella** (Hübner, [1824]) [*Tinea*]
 calamosa (Hampson, 1919) *Conocrambus*
 carphera (Hampson, 1898) *Crambus*

obtusella (Stainton, 1856) *Chilo*
paludella afghanistanica Błeszyński, 1959
parramattella (Meyrick, 1879) *Chilo*
typhivora (Meyrick, 1932) *Crambus*
stachi Błeszyński, 1961
torpidella (Zeller, 1852) *Chilo*
toxophora (Joannis, 1927) *Crambus*
tripartita (Hampson, 1919) *Crambus*
wallengreni Błeszyński, 1961
xanthypa Błeszyński, 1961

Charltona Swinhoe, 1885

plurivittalis Hampson, 1910
tritonella (Hampson, 1898) *Platytes*

Chilo Zincken, 1817

Borer Guenée, 1862
Chilona Sodoffsky, 1837 (unnecessary replacement name)
Chilotraea Kapur, 1950
Diphryx Grote, 1881
Hypista Hampson, 1919
Nephalia Turner, 1911
Proceras Bojer, 1856
Silveria Dyar, 1925
argyropastum (Hampson, 1919) *Argyria*
 argentisparsale (Hampson, 1919) *Diatraea*
 argentisparsale var. *fuscatum* (Janse, 1922) *Diatraea*
 argentisparsale var. *pallidifascia* (Janse, 1922) *Diatraea*
 argyrolepium (Hampson, 1919) *Argyria*
diffusilinea (Joannis, 1927) *Diatraea*
orichalcociliellum (Strand, 1911) *Diatraea*
 orichalcociliellus; Pinhey, 1975 *Chilo*
partellum (Swinhoe, 1885) *Crambus*
 lutulentale (Tams, 1932) *Argyria*
 partellum kaapurense Bhattacherjee, 1971
 zonellum (Swinhoe, 1884) *Crambus* (preoccupied)
phaeosema Martin, 1958
prophylactes (Meyrick, 1936) *Chilo*
recalvum (Wallengren, 1876) *Chilo*

Chrysocatharylla Bassi, 1999

bathurstella (ssp. of *lucasi*) Bassi, 1999
fusca Bassi, 1999
lucasi bathurstella Bassi, 1999
oenescellula (Hampson, 1896) *Crambus*
 aenescentellus; Hampson, 1896 *Crambus*

Classeya Błeszyński, 1960

argyrodonta (Hampson, 1910) *Platytes*
 diplophanes (Meyrick, 1933) *Eschata*
*bicuspidalis** (Hampson, 1919) *Argyria*
quadricuspis (Hampson, 1919) *Argyria*
tricheletis (Meyrick, 1936) *Crambus*

Coniesta Hampson, 1919

williami (Joannis, 1927) *Diatraea* *1926?

Crambus Fabricius, 1798

Arequipa Walker, 1863
Argyroteuchia Hübner, [1825]
Chilus Billberg, 1820
Palparia Haworth, 1811
Tetrachila Hübner, [1806] (rejected name)
Tetrachila Hübner, 1818
Tetrachila Hübner, 1822
archimedes Błeszyński, 1961
bellissimus Błeszyński, 1961
brachiferus Hampson, 1919
ellipticellus Hampson, 1919
lacteellus Janse, 1922
leucoschalis Hampson, 1898
 infradentatus Hampson, 1919
obscurefaciellus Joannis, 1927
 obscurefaciellus; Błeszyński & Collins, 1962 *Crambus*
proteus Bassi & Mey, 2011
reductus Janse, 1922
sectierminus Hampson, 1910
sjoestedti Aurivillius, 1910
 sjoestedti; Bassi, 1992 *Crambus*
sparsellus Walker, 1866
tenuistriga Hampson, 1898
themistocles Błeszyński, 1961

PYRALOIDEA

tremistocles; Błeszyński, 1961 *Crambus*
vietellus Błeszyński & Collins, 1962 (replacement name)
reductus Viette, 1959 (preoccupied)
xenus Błeszyński, 1962 (replacement name)
uniformellus Janse, 1922 (preoccupied)

Culladia Moore, [1886] (replacement name)
Araxes Walker, 1863 (preoccupied)
Crambidion Mabille, 1900
Nirmaladria Rose, 1983
achroella (Mabille, 1900) *Crambidion*
inconspicuella (Snellen, 1872) *Crambus*
troglodytella (Snellen, 1872) *Crambus*
serranella Błeszyński, 1970

Culladiella Błeszyński, 1970 *Epichilo*
*sinuimargo** (Hampson, 1919) *Culladia*

Euchromius Guenée, 1854 (replacement name)
Eromene Hübner, [1825] (preoccupied)
Ommatopteryx Kirby, 1897 (unnecessary replacement name)
delicatalis (Hampson, 1919) *Ommatopteryx*
discopis (Hampson, 1919) *Ommatopteryx*
klimeschi Błeszyński, 1961
mythus Błeszyński, 1970
nigrobasalis Schouten, 1988
ocelleus (Haworth, 1811) *Palparia*
cirilella; Costa, 1836 *Phycis*
cyrilla (Costa, 1829) *Crambus*
funiculellus (Treitschke, 1832) *Phycis*
giganteus (Turati, 1924) *Eromene*
qadrii (Ahmad, Zaidi & Kamaluddin, 1982) *Pseudoancyloclomia*
texanus (Robinson, 1870) *Eromene*

Glaucocaris Meyrick, 1938 *to *Diptychophorini* Gaskin, 1972
Ditomoptera Hampson, 1893 (preoccupied)
Pagmania Amsel, 1961
Pareromene Osthelder, 1941
maculosa Bassi & Mey, 2011
natalensis (Hampson, 1919) *Diptychophora*
subnatalensis (Błeszyński, 1970) *Pareromene*

Haimbachia Dyar, 1909
Chilooides Błeszyński, 1963
aculeata (Hampson, 1903) *Diatraea*
albiceps (Hampson, 1919) *Argyria*
metaphaealis (Hampson, 1919) *Diatraea*
fuscicilia (Hampson, 1910) *Chilo*
proaraealis (Błeszyński, 1961) *Eoreuma* (replacement name)
arealis Hampson, 1912
araealis (Hampson, 1919) *Argyria* (preoccupied)
unipunctalis (Hampson, 1919) *Argyria*

Knysna Bassi, 1999
*jansei** Bassi, 1999

Leonardo Błeszyński, 1965
*davincii** Błeszyński, 1965

Loxophantis Meyrick, 1935
pretoriella Błeszyński, 1970

Mesolia Ragonot, 1888
Deuterolia Dyar, 1914
Eugrotea Fernald, 1896
Euparolia Dyar, 1914
uniformella Janse, 1922

Neargyria Hampson, 1896
persimilis Hampson, 1919

Paratraea Hampson, 1919
obliquivialis (Hampson, 1918) *Loxostege*
griseifasciata (Hampson, 1919) *Paratraea*
griseifascia; Błeszyński, 1962

Parancyloclomia Bassi & Mey, 2011
*relicta** Bassi & Mey, 2011

Parerupa Hampson, 1919
Coenotalis Hampson, 1919

africana (Aurivillius, 1910) *Thinopteryx*
*diagonalis** Hampson, 1919
distictalis (Hampson, 1919) *Coenotalis*

Pediasia Hübner, [1825]
Carvanca Walker, 1856
Oseriates Fazekas, 1991
amandusella Błeszyński, 1969
angulilinea (Warren, 1914) *Homoeosoma*
contaminella (Hübner, 1796) *Tinea*
cantiella (Tutt, 1886) *Crambus*
contaminalis; Hübner, [1825] *Pediasia*
ematheudella (Joannis, 1927) *Crambus*
marionella Błeszyński, 1963
figuratella (Walker, 1866) *Crambus*
fulvitinctella (Hampson, 1896) *Crambus*
lucretia Błeszyński, 1969
nephelosticta (Joannis, 1927) *Crambus*

Prionapteryx Stephens, 1834
Alloeoa Turner, 1947 (preoccupied)
Calarina Walker, 1866
Hypotomorpha Rebel, 1892
Naurace; Błeszyński & Collins, 1962
Nuarace Walker, 1863
Pindicitra Walker, 1863
Pindicitra; Shibuya, 1928
Platytesia Strand, 1918
Prionopteryx Zeller, 1863 (unjustified emendation)
albiceps (Hampson, 1919) *Prosmixis*
albinaculalis (Hampson, 1919) *Prosmixis*
albofascialis (Hampson, 1919) *Prosmixis*
amathusia Bassi & Mey, 2011
argentescens (Hampson, 1919) *Prosmixis*
brevivittalis Hampson, 1919
flavipars (Hampson, 1919) *Prosmixis*
molbydella (Hampson, 1919) *Prosmixis*
plumbealis (Hampson, 1919) *Prosmixis*
splendida Bassi & Mey, 2011

Pseudocatharylla Błeszyński, 1961
angolica Błeszyński, 1964
antiope Błeszyński, 1964
auricinctalis (Walker, 1863) *Urola*
calypso Bassi, 1999
flavipedella (Zeller, 1852) *Crambus*
polyxena Błeszyński, 1964
xymena Błeszyński, 1964

Ptochostola Meyrick, 1882
metascotiella Hampson, 1919

Sebrus Błeszyński, 1970
absconditus Bassi, 1995
pseudosparsellus (Błeszyński, 1961) *Crambus*
pseudoparsellus; Błeszyński & Collins, 1962 *Crambus*

Surattha Walker, 1863
africalis Hampson, 1919
alternalis Maes, 2002 (unnecessary replacement name)
tuteola Bassi & Mey, 2011

Heliothelinae author, date* (see ENDNOTE on page 111)

Heliothela Guenée, 1854
Nyctarcha Meyrick, 1884
Orosana Walker, 1863
ophideresana (Walker, 1863) *Orosana*
kruegeri Turati, 1926
ophideres (Meyrick, 1884) *Nyctarcha*
pusilla Butler, 1889

Scopariinae author, date*

Afrarpia Maes, 2004
mariepsiensis Maes, 2004

Afroscoparia Nuss, 2003
australis Nuss, 2003
*contemptalis** (Walker, 1865) *Scoparia*

PYRALOIDEA*malutiensis* Maes, 2004*Dipleurinodes* Leraut, 1989
phaeopalpia (Hampson, 1917) *Scoparia**Eudonia* Billberg, 1820
Boaea Zetterstedt, 1839*Dipleurina* Chapman, 1912*Dipluerina*; Sharp, 1913*Eudoria* Chapman, 1912 (unjustified emendation)*Malageudonia* Leraut, 1989*Vietteina* Leraut, 1989*bidentata* Maes, 2004*entabeniensis* Maes, 2004*gracilineata* Nuss, 2000*Helenoscoparia* Nuss, 1999*helenensis* (Wollaston, 1879) *Scoparia**lucidalis* (Walker, 1875) *Scoparia**lusidalis*; Hampson, 1897 *Scoparia**nigritalis** (Walker, 1875) *Scoparia**similis* (Wollaston, 1879) *Scoparia**scintillulalis* (Wollaston, 1879) *Scoparia**transversalis* (Wollaston, 1879) *Scoparia***Schoenobiinae** author, date**Adelpherupa* Hampson, 1919*Limnopsares* Meyrick, 1934*Schoenoploca* Meyrick, 1933*albescens* Hampson, 1919*typicosta* (Meyrick, 1933) *Schoenoploca**gymnastica* (Meyrick, 1934) *Limnopsares**Brihaspa* Moore, 1868*chrysostoma* (Zeller, 1852) *Schoenobius**nigropunctella* Pagenstecher, 1893*Calamoschoena* Hampson, 1916*stictalis* Hampson, 1919*Dejoannisia* Vári, 2002 (replacement name)*Schoenobiodes* Joannis, 1927 (preoccupied)*pallidella* (Joannis, 1927) *Schoenobiodes**Donacula* Meyrick, 1890*ignitalis* (Hampson, 1919) *Schoenobius**phaeopastalis* (Hampson, 1919) *Schoenobius**rufalis* (Hampson, 1919) *Schoenobius**Patissa* Moore, [1886]*Eurycraspeda* Warren, 1890*frontalis* (Walker, 1865) *Margaronia**geminalis* Hampson, 1919*pulverea* (Hampson, 1919) *Donacula**rubrilinealis* Hampson, 1919*virinea* (Zeller, 1852) *Scirphophaga**multivagella* (Swinhoe, 1886) *Crambus**Schoenobius* Duponchel, 1836*Erioprotus* Zeller, 1839*attenuatus* Hampson, 1919*caminarius* Zeller, 1852*craminarius*; Vári & Kroon, 1986*forficellus* (Thunberg, 1794) *Tinea**consorta*; Haworth, 1811*consortellus* (Hübner, 1796) *Tinea**hirtus* (Haworth, 1811) *Palparia**lanceolalis* (Hübner, [1825]) (emendation)*lanceolellus* (Hübner, [1810]) *Tinea**Scirphophaga* Treitschke, 1832*Apurima* Walker, 1863*Schoenophaga* Agassiz, 1847 (unjustified emendation of *Schoinophaga*)*Schoenophaga* Duponchel, 1836 (unjustified emendation of*Schoinophaga*)*Schoinophaga* Sodoffsky, 1837 (unnecessary replacement name for *Scirphophaga*)*Spartophaga* Duponchel, 1836 (unjustified emendation of *Scirphophaga*)*Tryporyza* Common, 1960*incertulas* (Walker, 1863) *Chilo**admotella* (Walker, 1863) *Catagela*
bipunctifera (Walker, 1863) *Tipanaea*
gratiosella (Walker, 1864) *Chilo*
incertellus auct. *Schoenobius*
incertulus; Błeszyński & Collins, 1962
minutella (Zeller, 1863) *Schoenobius*
punctella (Zeller, 1863) *Schoenobius*
marginepunctella (Joannis, 1927) *Schoenobius*
occidentella (Walker, 1863) *Rupela***Musotiminae** author, date**Ambia* Walker, 1859*Metathyrida* Viette, 1954*Metathyridia*; Whalley, 1964*chalcichroalis* Hampson, 1906*melanalis* Hampson, 1906*Parthenodes* Guenée, 1854*Stenicula* Snellen, 1901*albiceps* Hampson, 1917*angularis* Hampson, 1897**Acentropinae** Stephens, 1835*Hydrocampinae**Lathrotelinae**Nymphulinae**Elophila* Hübner, 1822*Cyrtogramme* Yoshiyasu, 1985*Elophila* Hübner, [1806] (rejected name)*Hydrocampa* Stephens, 1829 [June 1]*Hydrocampe* Latreille, 1829 [April 11]*Hydrocampus* Berthold, 1827*Munroessa* Lange, 1956*Synclita* Lederer, 1863*africalis* (Hampson, 1906) *Parthenodes**minima* Agassiz, 2012*oblitalis* (Walker, 1859) *Isopteryx* introd. accid.*Eoophyla* Swinhoe, 1906*assegaia* Mey, 2011*belladotae* Agassiz, 2012*capensis* (Hampson, 1906) *Argyractis**periopis* (Hampson, 1910) *Argyractis**sambesica* (Strand, 1909) *Cataclysta**interopalpis* Agassiz, 2012*leroii* (Strand, 1915) *Cataclysta**lithocharis* (Meyrick, 1936) *Argyractis**munroeai* Agassiz & Mey, 2011*nymphulalis* (Hampson, 1906) *Argyractis**scioxantha* (Meyrick, 1937) *Argyractis**stepheni* Agassiz, 2012 *see PT from Sthn Rhodesia*Nymphicula* Snellen, 1880*hexaxantha* Agassiz, 2012*Paracatalysta* Yoshiyasu, 1983*fuscalis* (Hampson, 1893) *Cataclysta* (as *Catoclista*)*Paracymoriza* Warren, 1890*scotalis* (Hampson, 1906) *Parthenodes**Parapoynx* Hübner, [1825]*Cosmophylla* Turner, 1905*Eustales* Clemens, 1860*Hydreatis* Meyrick, 1885*Microdracon* Warren, 1890*Nymphaeella* Grote, 1880*Paraponyx*; Guenée, 1854*Sironia* Clemens, 1860*diminutalis* Snellen, 1880*fluctuosalis* (Zeller, 1852) *Nymphula**chrysippusalis* (Walker, 1859) *Oligostigma**circealis* (Walker, 1859) *Hydrocampa**curta* (Butler, 1879) *Oligostigma**linealis* Guenée, 1854 (as *Paraponyx*)*obitalis* (Walker, 1859) *Oligostigma**oryzalis* Wood-Mason, 1885 (as *Paraponyx*)*plumbefusalis* (Hampson, 1917) *Nymphula**stagnalis* (Zeller, 1852) *Nymphula**decussalis* (Walker, 1859) *Zebronia*

PYRALOIDEA

dipunctalis (Guenée, 1854) *Hydrocampa*
dianalis Schaus, 1906 (as *Paraponyx*)
hilli; Agassiz, 2012
hillii (Tepper, 1890) *Hydrocampa*
vestigialis (Snellen, 1882) *Cataclysta*
zambiensis Agassiz, 2012

Cybalomiinae Marion, 1959

Crambicybalomia Mey, 2011
*ariditatis** Mey, 2011

Cybalomia Lederer, [1863]
— *Capparidia* Dumont, 1934
— *Cybalomia*; Romanoff, 1887
[to fall away ?]

Goniophysetis Hampson, 1916
Leucinocrambus Viette, 1960
*lactealis** Hampson, 1916

Hendecasis Hampson, 1896
Neohendecasis Shibuya, 1931
apicefulva Hampson, 1916

Hyperlais Marion, 1959
conspersalis Mey, 2011
squamosa (Hampson, 1913) *Pionea*
transversalis Mey, 2011
xanthomista Mey, 2011

Prochoristis Meyrick, 1890
calamochroa (Hampson, 1919) *Argyria* *to *Ptychopseustis*?

Ptychopseustis Meyrick, 1889
lucipara Mey, 2011
schmitzi Mey, 2011

Trichophysetis Meyrick, 1884
Alpherakia Ragonot, 1890
Callinaias Warren, 1890
Callinaias; Warren, 1890
Crasigenes Meyrick, 1894
Puriella Strand, 1918
Trichophyretis; Pagenstecher, 1909
Trieropis Meyrick, 1886
flavimargo (Warren, 1897) *Callinaias*
whitei Rebel, 1906

Evergestinae author, date*

Cornifrons Lederer, 1858
albidiscalis Hampson, 1916

Crocidolomia Zeller, 1852
Godara Walker, 1859
Pseudopisara Shiraki, 1913
Tchahbaharia Amsel, 1951
pavonana (Fabricius, 1794) *Pyralis*
*binotalis** Zeller, 1852
comalis (Guenée, 1854) *Pionea*
dentalis (Amsel, 1951) *Tchahbaharia*
incomalis (Guenée, 1854) *Pionea*
quadripunctata (Shiraki, 1913) *Pseudopisara*
triangularis Shiraki, 1910

Evergestis Hübner, [1825]
Aedis Grote, 1878
Euergestis; Rebel, 1906
Homochroa Hübner, [1825]
Irigilla Swinhoe, 1900
Mesographe Hübner, [1825]
Orobena Guenée, 1854
Pachyzancloides Matsumura, 1925
Paraedis Grote, 1882
Paroedis; Hampson, 1899
Pionea Guenée, [1845]
Scopulia Hübner, [1825]
africana (Guenée, 1854) *Pionea*
concisa (Walker, 1865) *Scopula*
vicaria (Walker, [1866]) *Rivula* *also appears under *Rivula*
zonalis (de la Harpe, 1860) *Pionea*
forficalis (Linnaeus, 1758) *Phalaena Pyralis*

forficatus; Fabricius, 1798 *Pyralis*
sodalis (Butler, 1878) *Pionea*
trivialis (Scopoli, 1763) *Pyralis*

Noordinae author, date*

Noorda Walker, 1859
Epinoorda Rebel, 1902
blitealis Walker, 1859 (introduced accidentally)
subjectalis (Walker, 1865) *Scopula*

Odontiinae Guenée, 1854
Hercyninae

Autocharis Swinhoe, 1894
albiplaga (Hampson, 1913) *Noorda*
arida Maes & Mey, 2011
*fessalis** (Swinhoe, 1886) *Glyphodes*
jacobalis (Marion & Viette, 1956) *Noorda*
sinualis (Hampson, 1899) *Noorda*

Blepharucha Warren, 1892
*zaide** (Stoll, 1790) *Phalaena*
cruoralis (Zeller, 1852) *Botys*
dilaceratalis (Walker, 1865) *Scopula*
zaida; Walker, 1862 *Dichroma*
zaidaria; Guenée, 1857 *Argyrophora*

Canalibotys Maes, 2004
*linealis** Maes, 2004

Empreps author, date*
etiomontis Mey MS (only appears in index in Mey, 2011)
maesi Mey, 2011

Epascestria Hübner, [1825]
Epascestria; Marion, 1957
Ephelis Lederer, 1863
Phlyctaenodes Guenée, 1854
Phlyctenodes; Le Cerf, [1910]
argyrotacta (Hampson, 1910) *Phlyctaenodes*
croesusalis (Hampson, 1913) *Phlyctaenodes*
distictalis (Hampson, 1913) *Phlyctaenodes*
euprepialis (Hampson, 1913) *Phlyctaenodes*
iotaenialis (Gaede, 1917) *Phlyctaenodes*
microdontalis (Hampson, 1913) *Phlyctaenodes*
pictalis (Hampson, 1913) *Phlyctaenodes*

Euctenospila Warren, 1892
*casta** Warren, 1892

Hemiscopis Warren, 1890
lophopedalis Joannis, 1927

Noctuelia Guenée, 1854
Noctuaelias; Wocke, 1871
annuliferalis Hampson, 1913

Pseudonoorda Munroe, 1974
ecthaemata (Hampson, 1913) *Noorda*
rubricostalis (Hampson, 1910) *Noorda*

Tegostoma Zeller, 1847
Pegostoma; Hampson, 1918
albinale Maes, 2004
aridale Mey, 2011 (as *aridalis*)
bipartale Hampson, 1896
dichromum (Rebel, 1907) *Eublemma*
*comparale** (Hübner, 1796) *Pyralis*
tenebrosale (Walker, 1865) *Pyralis*
florilegarium (Guenée, 1857) *Phalaena*
subditale Zeller, 1852
subterminale Hampson, 1918 (as *Pegostoma*)

Viettessa Minet, 1980
margaritalis (Hampson, 1910) *Noorda*

Glaphyriinae author, date*
Homophysinae

Hellula Guenée, 1854
Ashwania Pajni & Rose, 1977
Oebia; Hübner, [1825]
Oebia Hübner, [1825] (suppressed)

PYRALOIDEA

Phryatocosma Meyrick, 1936
*undalis** (Fabricius, 1781) *Phalaena alconalis* (Walker, 1859) *Scoparia exemplalis* (Walker, [1866]) *Leucinodes geyri* (Rothschild, 1915) *Pionea lunularis* (Costa, [1836]) *Pyralis* (*Nymphula occidentalis* (Joannis, 1930)) *Evergestis renicula* (Pajni & Rose, 1977) *Ashwania undulalis* (Hübner, 1825) *Oebia*

Pyraustinae Ragonot, 1891

Botynae
 Ennychiinae
 Euclastinae

Achyra Guenée, 1849
Achiria; Sherborn, 1932
Achyria; Sherborn, 1932
Dosara Walker, 1859
Eurycreon Lederer, 1863
Tritaea Meyrick, 1884
caffralis (Hampson, 1910) *Crocidophora coelatalis* (Walker, 1859) *Dosara nudalis* (Hübner, 1796) *Pyralis bipunctalis* (Duponchel, 1831) *Nymphula fulvalis* (Warren, 1892) *Aplographe interpunctalis** (Hübner, 1796) *Pyralis lacunalis* (Zeller, 1852) *Botys nodalis*; Gundlach, 1891 *Eurycreon ochromorpha* (Lower, 1901) *Phlyctaenodes pauciferalis* (Walker, 1865) *Botys unipunctalis* (Duponchel, 1831) *Nymphula xanthalis* (Fawcett, 1916) *Pionea*

Algedonia Lederer, 1863
fusalis (Hampson, 1912) *Nacoleia hottentota* (Hampson, 1918) *Nacoleia* unnn. repl. name

Anania Hübner, 1823
Ennichia; Duponchel, [1834]
Ennychia Treitschke, 1828
Trichovalva Amsel, 1956
aurea (Butler, 1875) *Pyrausta*

Calamochrous Lederer, 1863
Calamochrosta; Lederer, 1863
flavimarginalis Hampson, 1913

Crypsiptya Meyrick, 1894
Coclebotys Munroe & Mutuura, 1969
ruficostalis (Hampson, 1918) *Crocidophora*

Daulia Walker, 1859
Girtexta Swinhoe, 1890
auriplumbea (Warren, 1914) *Platytes subaurealis* (Walker, 1865) *Lepyrides*

Daunabotys Maes, 2004
*bipunctalis** Maes, 2004

Deuterophysa Warren, 1889
Gonopionea Hampson, 1913
grisealis Hampson, 1917

Euclasta Lederer, 1855
Ilurgia Walker, 1859
Proteuclasta Munroe, 1958
bacesui Popescu-Gorj & Constantinescu, 1977
pauli Popescu-Gorj & Constantinescu, 1973
varii Popescu-Gorj & Constantinescu, 1973
warreni Distant, 1892
hiracopis Meyrick, 1933

Hyalobathra Meyrick, 1885
Isocentris Meyrick, 1887
Leucocraspeda Warren, 1890
charopalis Swinhoe, 1907
metallogramma Meyrick, 1934
retinalis (Saalmüller, 1879) *Agrotera argentifilialis* Hampson, 1908

Lamprophaia von Caradja, 1925
ablactalis (Walker, 1859) *Botys murinalis* (Pagenstecher, 1885) *Botys*

Loxostege Hübner, [1825]
Boreophila Guenée, [1845]
Cosmocreon Warren, 1892
Leimonia Hübner, [1825]
Limonia Agassiz, 1847 (unjustified emendation)
Margarita Stephens, 1827
Maroa Barnes & McDunnough, 1914
Parasitochroa Hannemann, 1964
Polingia Barnes & McDunnough, 1914
frustalis (Zeller, 1852) *Botys leucostictalis* (Zeller, 1872) *Eurycreon oblinalis* (Felder & Rogenhofer, 1875) *Botys plumbatalis* (Zeller, 1852) *Botys ferriscriptalis* (Walker, 1865) *Scopula plumbofascialis* (Lederer, 1863) *Botys venustalis* (Cramer, 1782) *Phalaena Pyralis divulsalis* (Zeller, 1852) *Botys jucundalis* (Walker, 1865) *Scopula testula* (Hübner, [1833]) *Emmelia*

Ostrinia Hübner, [1825]
Micractis Warren, 1892
Eupolemarcha Meyrick, 1937
Zeaphagus Agenjo, 1952
erythralis (Hampson, 1913) *Pionea endochlora* (Meyrick, 1935) *Mecyna incensa* (Meyrick, 1937) *Eupolemarcha*

Paschioides Hampson, 1913
Paschioides; Viette, 1957
*mesoleucalis** Hampson, 1913
bekaledjae Rougeot, 1977
trichroa (Meyrick, 1934) *Oeobia*

Pyrausta Schrank, 1802 [April 24]
Anthocrypta Warren, 1892
Aplographe Warren, 1892
Autocosmia Warren, 1892
Botis; Agassiz, 1847
Botis Swainson, 1821 (unjustified emendation)
Botys Latreille, 1802 [November 6]
Cindaphia Lederer, 1863
Haemata Hübner, 1818
Helica Hübner, [1806] (rejected name)
Helica Hübner, 1808
Helica Hübner, 1818
Helica Hübner, 1822
Herbula Guenée, 1854
Hyaloscia Dognin, 1908
Mardinia Amsel, 1952
Ostreophana; Sodoffsky, 1837
Ostreophena Sodoffsky, 1837 (unnecessary replacement name for *Botis* Swainson, 1821)
Panstegia Hübner, [1825]
Perilypa Hübner, [1825]
Porphyritis Hübner, [1825]
Proteroeca Meyrick, 1884
Pyrausta Hübner, [1825] (incorrect authorship)
Pyrautes Billberg, 1820 (unjustified emendation)
Rattana Rose & Pajni, 1979
Rhodaria Guenée, [1845]
Sciortista Warren, 1890
Syllythria Hübner, [1825]
Synchromia Guenée, 1854
Tholeria Hübner, 1823
Trigonuncus Amsel, 1952
admensalis (Walker, 1859) *Botys admensails*; Joannis, 1925 *Psara adsocialis* (Zeller, 1852) *Botys albialis* (Walker, 1859) *Botys apicalis* (Hampson, 1913) *Cybalomia atricinctalis* Hampson, 1913
binalis (Zeller, 1852) *Botys cinnamomealis* (Wallengren, 1860) *Rhodaria diatoma* Hampson, 1913
rubritinctalis (Hampson, 1916) *Pionea dinasalis* (Walker, 1859) *Botys gazalis* Hampson, 1913

PYRALOIDEA*gemmiferalis* (Zeller, 1852) *Botys**haematalis* Hampson, 1913*haematidea* Hampson, 1913*incoloralis* (Guenée, 1854) *Botys**albidalis* (Walker, [1866]) *Botys**melonalis* (Walker, 1859) *Botys**nitetialis* (Walker, 1859) *Spilodes**phyllidalis* Schaus, 1940*putrescens* (Meyrick, 1934) *Margaronia**ruficostalis* (Lederer, 1855) *Botys**lithosialis* Hampson, 1899*olesialis* (Walker, 1859) *Ebulea**orbitalis* (Felder & Rogenhofer, 1875) *Botys**perfervidalis* Hampson, 1913*prostygialis* Hampson, 1913*phoenicealis* (Hübner, 1818) *Haemata**catenalis* (Walker, [1866]) *Rhodaria**coecilialis* (Walker, 1859) *Botys**concatenalis* (Walker, [1866]) *Rhodaria**falcatalis* Guenée, 1854*flegialis* (Walker, 1859) *Rhodaria**heliamma* (Meyrick, 1885) *Myriostephes**juncturalis* (Walker, [1866]) *Rhodaria**noraxalis* (Walker, 1859) *Rhodaria**ocellusalis* (Walker, 1859) *Rhodaria**panopealis* (Walker, 1859) *Rhodaria**probalis* (Walker, 1859) *Rhodaria**procillusalis* (Walker, 1859) *Botys**flavissimalis* (Walker, 1865) *Botys**rufinalis* (Felder & Rogenhofer, 1875) *Botys**rufitincta* Hampson, 1913*semilimbalis* Mabille, 1900*testalis* (Fabricius, 1794) *Phalaena**tetraplagialis* Hampson, 1898*Thliptoceras* auct.*polygrammodes* Hampson, 1899*Uresiphita* Hübner, [1825]*Mecyna* Guenée, 1854 (preoccupied)*Uresipheta* Agassiz, 1847 (unjustified emendation)*polygonalis** ([Denis & Schiffmüller], 1775) *Pyralis**aversalis* (Guenée, 1854) *Mecyna**consanguinalis* (Guenée, 1854) *Mecyna**deprivalis* (Walker, 1859) *Mecyna**diversalis* (Hübner, 1796) *Pyralis**gilvata* (Fabricius, 1794) *Phalaena**eusticalis*; Hübner, 1796 *Pyralis**hemiclista* (Meyrick, 1936) *Mecyna**limbalis* ([Denis & Schiffmüller], 1775) *Pyralis**ochrocrossa* Clarke, 1971*orientalis* (Fabricius, 1794) *Pyralis**polygonalis virescens* (Butler, 1881) *Mecyna**rusticalis* (Hübner, 1796) *Pyralis**teriadalis* (Guenée, 1854) *Mecyna**villicalis* (Hübner, [1826]) *Pyralis**Spilomelinae* author, date*

Refer to ENDNOTE on page 111 for a list of subfamily synonyms

Aethaloessa Lederer, 1863*Chnaura* Lederer, 1863*floridalis** (Zeller, 1852) *Stenia**merionalis*; Lederer, 1863 *Aethaloessa**merionealis* (Walker, 1859) *Syngamia**Agathodes* Guenée, 1854*Stenurges* Lederer, 1863*incoloralis* (Hampson, 1918) *Liopasia**modicalis* Guenée, 1854*integralis* (Walker, 1865) *Megaphysa**musivalis* Guenée, 1854*chrysalis* Hampson, 1908*ostentalis** (Geyer, 1837) *Perinephela**ostensalis*; Guenée, 1854 *Agathodes**Agrotera* Schrank, 1802*Sagariphora* Meyrick, 1894*Tetracona* Meyrick, 1884*citrina* Hampson, 1898*fumosa* Hampson, 1898*Analyta* Lederer, 1863*Alyta*; Mabille, 1879*Hyperanalyta* Strand, 1918*calligrammalis* Mabille, 1879 (as *Alyta*)*Antigastra* Lederer, 1863*catalaunalis** (Duponchel, 1833) *Botys**venosalis* (Walker, [1866]) *Botys**morysalis* (Walker, 1859) *Botys**cranealis* (Walker, 1859) *Zebronia**Archernis* Meyrick, 1886*Chrysommatodes* Warren, 1896*flavidalis* Hampson, 1908*Bocchoris* Moore, [1885]*inspersalis* (Zeller, 1852) *Botys**afflictalis* (Guenée, 1854) *Desmia**bootanalis* (Walker, 1865) *Aediodes**pusuensis* (Bhattacharjee, 1973) *Hymenia**stellalis* (Butler, 1879) *Desmia**nuclealis* Joannis, 1927*onychinalis* (Guenée, 1854) *Asopia**astomalis* (Felder & Rogenhofer, 1875) *Lepyrodes**braurealis* (Walker, 1859) *Zebronia**Botyodes* Guenée, 1854*Endocrossis* Meyrick, 1889*asisalis** Guenée, 1854*chrysotalis* (Mabille, 1880) *Botys**Bradina* Lederer, 1863*Erlita* Lederer, 1863*Pleonectusa* Lederer, 1863*Trematarcha* Meyrick, 1886*admixtalis* (Walker, 1859) *Botys**avunculus* (Saalmüller, 1880) *Spoladea**leptogastralis* (Walker, [1866]) *Botys**pallidalis* (Warren, 1896) *Pleonectusa**panaeusalis* (Walker, 1859) *Botys**sodalis* (Lederer, 1863) *Pleonectusa**tabidalis* (Lederer, 1863) *Pleonectusa**Cadarena* Moore, [1886]*Cadarina*; Hampson, 1898*Idalia* Hübner, [1825]*sinuata** (Fabricius, 1781) *Phalaena**marginata* (Stoll, 1782) *Phalaena**marginalis* (Guenée, 1854) *Botys**pudoraria* (Hübner, [1826]) *Idalia**sinnata*; Smit, B., 1971 *Glyphodes**Chalcidoptera* Butler, 1887*Chaleidoptera*; Carus, 1888*Euthalanta* Snellen, 1895*thermographa* Hampson, 1912*rufilinealis* Hampson, 1910*Cirrhochrista* Lederer, 1863*Ancalidia* Joannis, 1932*Cirrhochrista*; Warren, 1892*Eucallaenia* Snellen, 1892*Margaronia* Marumo, 1917 (preoccupied)*Pachybotys* Warren, 1895*argentiplaga* Warren, 1897*grabczewskyi* Hering, E., 1903*excavata* var. *conjuncta* Gaede, 1917*convoluta* Hampson, 1919*Criophthona* Meyrick, 1884*Conoprra* Turner, 1913*aridalis* Hampson, 1913*sabulosalis* Hampson, 1910*Diaphania* Hübner, 1818*Diaphania* Stephens, 1829 (preoccupied)*Eudiopites*; Saunders, 1851*Eudiopites* Hübner, 1823*Phacellura* Agassiz, 1847 (unjustified emendation)*Phakellura* Guilding, 1830*Sestia* Snellen, 1875

PYRALOIDEA

- indica** (Saunders, 1851) *Eudioptis* (as *Eudioptes*)
capensis (Zeller, 1852) *Botys*
cucurbitalis (Guenée, 1862) *Phakellura*
garorialis; Snellen, 1882 *Phakellura*
gazoralis (Guenée, 1854) *Phakellura*
hyalinalis (Boisduval, 1833) *Botys* (unjustified emendation)
hyalinata (Linnaeus, 1767) *Phalaena Geometra*
indicalis; Moore, 1867 *Phakellura*
zygaenalis (Guenée, 1854) *Phakellura*
- Diasemina** Hübner, [1825]
Goniogramma Mann, 1854
Prodelia Doubleday, [1849]
disjectalis (Zeller, 1852) *Pyralis*
monostigma Hampson, 1913
trigonialis Hampson, 1913
- Diasemiopsis** Munroe, 1957
Diasemopsis; Leraut, 1997
ramburialis* (Duponchel, [1834]) *Hydrocampa*
leucophaealis (Walker, [1866]) *Diasemina*
melaleucalis (Walker, 1859) *Isopteryx*
reconditalis (Walker, [1866]) *Diasemina*
- Diastictis** Hübner, 1818
Anomostictis Warren, 1892
Diastichtis; Forbes, 1923
incisalis (Snellen, 1880) *Botys*
tenera (Butler, 1883) *Hydrocampa*
- Dolicharthria** Stephens, 1834
Dolicharthria; Stephens, 1850
Stenia Guenée, [1845]
bruguieralis (Duponchel, 1833) *Botys*
adelalis Guenée, 1845
pseudobotys Rothschild, 1913
similalis Rothschild, 1915
desertalis (Hampson, 1907) *Stenia*
lanceolalis (Guenée, 1854) *Stenia*
eanesalis (Walker, 1859) *Botys*
lanceolatis; Wallengren, 1872 *Stenia*
paediulusalis (Walker, 1859) *Scopula*
poediulusalis; Hampson, 1897 *Stenia*
signatalis (Zeller, 1852) *Stenia*
- Duponchelia** Zeller, 1847
*fovealis fovealis** Zeller, 1847
caidalis Oberthür, 1888
canuisalis (Millière, 1869) *Stenia*
eanuisalis; Millière, 1869 *Stenia*
griseata (Butler, 1875) *Hymenia*
uniflexalis (Mabille, 1880) *Stenia*
- Dysallacta** Lederer, 1863
Disallacta; Lederer, 1863
negatalis* (Walker, 1859) *Phalangiodes*
monesusalis (Walker, 1859) *Botys*
phanasalis (Walker, 1859) *Botys*
- Epipagis** Hübner, [1825]
Epipages; Hampson, 1918
Stenophyes Lederer, 1863
roseocinctalis (Hampson, 1913) *Sameodes*
- Erecta** Walker, 1859
Erota; Walker, 1859
scotialis Hampson, 1912
- Eurrhyparodes** Snellen, 1880
Molybdantha Meyrick, 1884
bracteolalis (Zeller, 1852) *Botys*
accessalis (Walker, 1859) *Isopteryx*
plumbalis (Guenée, 1854) *Isopteryx*
*stibialis** Snellen, 1880
tricoloralis (Zeller, 1852) *Botys*
abnegatalis (Walker, 1859) *Isopteryx*
confusalis Warren, 1896
tricoloris; Klima, 1939 *Eurrhyparodes*
- Eusabena** Snellen, 1901
miltochristalis (Hampson, 1896) *Sameodes*
equicalcaralis (Strand, 1918) *Sameodes*
- Filodes** Guenée, 1854
Auxomitia Lederer, 1863
costivitralis Guenée, 1862
productalis Hampson, 1899
- Ghesquierellana** Berger, 1955 (replacement name)
Ghesquierellana; Munroe, 1959
Phalanta Ghesquière, 1942 (preoccupied)
hirtusalis (Walker, 1859) *Botys*
hirsutalis; Pinhey, 1975 *Botyodes*
pallas (Meyrick, 1936) *Phostria*
- Glyphodes** Guenée, 1854
Calliptchia Agassiz, 1847 (unjustified emendation)
Caloptychia Hübner, [1825]
Morocosma Lederer, 1863
amicalis (Swinhoe, 1904) *Margaronia*
bipindalis Strand, 1912
streptosigma var. *ephynnis* (Meyrick, 1933) *Margaronia*
amphipeda (Meyrick, 1939) *Margaronia*
aniferalis Hampson, 1909
bicolor (Swainson, 1821) *Botys*
diurnalis Guenée, 1854
parvalis Walker, 1865
perspicillalis (Zeller, 1852) *Eudioptis*
bitriangulalis Gaede, 1917
chrysalis (Stoll, 1790) *Phalaena Pyralis*
ectargyralis Hampson, 1898
pentaphragma (Meyrick, 1936) *Margaronia*
praefulgida Hering, E., 1903
pyloalis Walker, 1859
sylpharis Butler, 1878
shafferorum Viette, 1987
*stolalis** Guenée, 1854
substolalis Snellen, 1899
- Haritalodes** Warren, 1890
derogata (Fabricius, 1775) *Phalaena*
annuligeralis (Walker, [1866]) *Botys*
basipunctalis (Bremer, 1864) *Botys*
*multilinealis** (Guenée, 1854) *Botys*
obliqualis (Lucas, T.P., 1898) *Notarcha*
otysalis (Walker, 1859) *Botys*
pertextalis (Lederer, 1863) *Botys*
salomealis (Walker, 1859) *Zebronia*
- Herpetogramma** Lederer, 1863
Acharana Moore, [1885]
Coremataria Amsel, 1956
Culicaria Amsel, 1957
Macrobotys Munroe, 1950
Pachyzancla Meyrick, 1884
Pantoeecome Warren, 1896
Piloptila Swinhoe, 1894
Ptiloptila; Hampson, 1899
Stenomelas; Hampson, 1912
Stenomeles Warren, 1892
licarsialis (Walker, 1859) *Botys*
pharaxalis (Walker, 1859) *Botys*
serotinalis (Joannis, 1889) *Botys*
mutualis (Zeller, 1852) *Botys*
mictualis; Zeller, 1852
phaeopteralis (Guenée, 1854) *Botys*
abstrusalis (Walker, 1859) *Botys*
additalis (Walker, 1862) *Botys*
cellatalis (Walker, [1866]) *Botys*
communalis (Snellen, 1875) *Botys*
intricatalis (Möschler, 1890) *Botys*
neloalis (Walker, 1859) *Botys*
otreusalis (Walker, 1859) *Botys*
phacopteralis; Viette, 1957 *Botys*
phoeopteralis; Hampson, 1896 *Botys*
plebejalis Lederer, 1863
triarialis (Walker, 1859) *Botys*
tridentalis (Snellen, 1872) *Botys*
recordalis (Guenée, 1854) *Botys*
vestalis (Walker, 1859) *Botys*
- Hydriris** Meyrick, 1885
Antiercta Amsel, 1956
Spanista Lederer, 1863 (preoccupied)

PYRALOIDEA

ornatalis (Duponchel, 1832) *Asopia bifascialis* (Heeger, 1838) *Nymphula deciusalis* (Walker, 1859) *Pyralis fraterna* (Butler, 1875) *Cataclysta invenustalis* (Walker, [1866]) *Botys orientalis* (Yamanaka, 1972) *Ercia pulchellalis* (Mabille, 1880) *Stenia saturalis*; Swinhoe, 1889 *Spanista saturnalis* (Treitschke, 1835) *Nymphula*

Hymenia Hübner, [1825]

Zinckenia Zeller, 1852
*perspectalis** (Hübner, 1796) *Pyralis exportalis* (Guenée, 1854) *Spoladea phrasiusalis* Walker, 1859
primordialis (Zeller, 1852) *Zinckenia rhinthonalis* (Walker, 1859) *Desmia spilotalis* (Saalmüller, 1880) *Spoladea*

Hymenoptychis Zeller, 1852

Syrbatis Walker, 1863
*sordida** Zeller, 1852
pterophoralis (Walker, [1866]) *Botys tipuliformis* (Walker, 1863) *Syrbatis*

Ischnurges Lederer, 1863

Nesolocha Meyrick, 1886
Stenochora Warren, 1892
lancinalis (Guenée, 1854) *Rhodaria expeditalis* (Lederer, 1863) *Botys rhodographalis* Hampson, 1913

Lamprosema Hübner, 1823

Lotanga Moore, [1886]
hottentota Hampson, 1918
ommatalis (Hampson, 1912) *Nacoleia*

Leucinodes Guenée, 1854

Leuctinodes; South, 1897
*orbonalis** Guenée, 1854
translucidalis Gaede, 1917
vagans (Tutt, 1890) *Aphytoceros longipalpis* (Warren, 1892) *Aphytoceros*

Luma Walker, 1863

flavimarginalis Hampson, 1907
flavimarginalia; Henning, S.F., 1992
holoxantha Hampson, 1907

Lygropia Lederer, 1863

Hyperthalia Warren, 1896
anaemicalis Hampson, 1912
atrinervalis Hampson, 1910
nigricornis Hampson, 1898
pogonodes Hampson, 1912
straminea Hampson, 1912
tetraspilalis Hampson, 1912

Marasmia Lederer, 1863

Bradinomorpha Matsumura, 1920
Dolichosticha Meyrick, 1884
Epimima Meyrick, 1886
Lasiacme Warren, 1896
Marasma; Green, 1903
Neomarasmia Kulra, David & Banerji, 1967 (*nomen nudum*)
Prodotaula Meyrick, 1934
Susumia Marumo, 1930
poyealis (Boisduval, 1833) *Botys cicatricosa* Lederer, 1863
hampsoni Rothschild, 1921
marialis (Walker, 1859) *Botys mimica* (Warren, 1896) *Lasiacme minutalis* (Mabille, 1880) *Botys rectistrigosa* Snellen, 1872
ruralis (Walker, 1859) *Botys venilialis* (Walker, 1859) *Asopia trapezalis* (Guenée, 1854) *Salbia andresi* (Rebel, 1912) *Bradina bifurcata* (Snellen, 1880) *Cnaphalocrocis convectalis* (Walker, 1866) *Botys creonalis* (Walker, 1859) *Botys neoclesalis* (Walker, 1859) *Botys perinephes* (Meyrick, 1886) *Dolichosticha*

suspicalis (Walker, 1859) *Botys*

Maruca Walker, 1859

Maruea; Walker, 1859
Siriocauta Lederer, 1863
vitrata (Fabricius, 1787) *Phalaena aquitalis*; Shibuya, 1928 *Maruca aquitilis** (Guérin-Méneville, [1832]) *Hydrocampus bifenestralis* (Mabille, 1880) *Botys simialalis* (Snellen, 1882) *Siriocauta testulalis* (Geyer, 1832) *Crocidophora*

Marwitzia Gaede, 1917

dichocrocis (Hampson, 1913) *Noorda polystidzalis* (Hampson, 1918) *Dichocrocis*

Metasia Guenée, 1854

Clasperia Hartig, 1952
Hystrixia Hartig, 1952
arida Hampson, 1913
eremialis Hampson, 1913
grootbergensis Mey, 2011
holoxanthia Hampson, 1899
profanalis (Walker, 1865) *Botys sinuifera* Hampson, 1913

Metoecla Warren, 1896

*foederalis** (Guenée, 1854) *Isopteryx episipa* (Meyrick, 1886) *Physematio leucothoalis* (Walker, 1859) *Isopteryx oethonalis* (Walker, 1859) *Zebronia pseudofoederalis* (Strand, 1912) *Nymphula scitalis* (Lederer, 1863) *Hydrocampus solitaria* (Walker, [1866]) *Hydrocampus spilomelalis* (Walker, 1859) *Isopteryx tenellalis* (Guenée, 1854) *Isopteryx*

Mimorista Warren, 1890

pulchellalis Dyar, 1922 (deliberate introduction)

Mutuuraia Munroe, 1976

impunctata (Warren, 1897) *Lygropia*

Nausinoe Hübner, [1825]

Lepyrides Guenée, 1854
Phalangiodes Guenée, 1854
argyrosticta (Hampson, 1910) *Lepyrides capensis* (Walker, [1866]) *Lepyrides geometralis* (Guenée, 1854) *Lepyrides geometricalis*; Lederer, 1863 *Lepyrides piabilis* (Wallengren, 1875) *Lepyrides quadrinalis* (Guenée, 1854) *Lepyrides flavibrunnea* (Hampson, 1898) *Bocchoris*

Neostege Hampson, 1910

*holoxutha** Hampson, 1910

Nomophila Hübner, [1825] (replacement name)

Macronomeutis Meyrick, 1936
Stenopteryx Guenée, [1845] (preoccupied)
africana Munroe, 1973
brevispinalis Munroe, 1973
incognita Viette, 1959
noctuella ([Denis & Schiffermüller], 1775) *Tinea hybridalis** (Hübner, 1796) *Pyralis incertalis* Hübner, [1825]
noctualis; Hampson, 1898 *Nomophila*

Notarcha Meyrick, 1884

Haritala Moore, [1886] (unnecessary replacement name)
*cassusalis** (Walker, 1859) *Zebronia cassalis* Meyrick, 1884 (emendation)
muscerdalis (Zeller, 1852) *Botys obrinialis* (Walker, 1859) *Astura graphicalis* (Swinhoe, 1886) *Zebronia nigripunctalis* (Fawcett, 1916) *Pionea obrinalis*; Lederer, 1863 *Botys trigalis* (Lederer, 1863) *Botys quaternalis* (Zeller, 1852) *Botys temeratalis* (Zeller, 1852) *Botys*

Obtusipalpis Hampson, 1896

*pardalis** Hampson, 1896

PYRALOIDEA***Omiodes* Guenée, 1854**

Charema Moore, 1888
Coenolesta; Whalley, 1962
Coenostola Lederer, 1863
Deba Walker, [1866]
Hedilepta; Lederer, 1863
Hedylepta Lederer, 1863
Lonchodes Guenée, 1854 (preoccupied)
Loxocreon Warren, 1892
Merotoma Meyrick, 1894
Omiodes Neave, 1940
Pelecyntis Meyrick, 1884
Phycidicera Snellen, [1880]
Spargeta Lederer, 1863

indicata (Fabricius, 1775) *Phalaena connexalis* (Walker, [1866]) *Botys dnopheralis* (Mabille, 1900) *Nacoleia dolosalis* Möschler, 1881
lionnetalis (Legrand, 1965) *Psara moeliensis* (Walker, 1859) *Botys reductalis* (Walker, 1865) *Botys sabalis* (Walker, 1859) *Botys vulgalis* (Guenée, 1854) *Asopia vulgaris*; Grünberg, 1910 *Asopia*

***Orphanostigma* Warren, 1890**

*abruptalis** (Walker, 1859) *Asopia dotatalis* (Walker, 1865) *Asopia suffectalis* (Walker, [1866]) *Asopia*

***Pagyda* Walker, 1859**

hargreavesi Tams, 1941
*salvalis** Walker, 1859

***Palpita* Hübner, [1808]**

Apyrausta Amsel, 1951
Conchia Hübner, 1821
Hapalia Hübner, 1818
Hvidodes Swinhoe, 1900 (replacement name)
Ledereria Marschall, 1873 (replacement name)
Margarodes Guenée, 1854 (preoccupied)
Margaronia Hübner, [1825]
Palpita Hübner, [1806] (rejected name)
Paradosis Zeller, 1852
Sarothronota Lederer, 1863
Sebunta Walker, 1863
Sylora Swinhoe, 1900
Tobata Walker, 1859
actorionalis (Walker, 1859) *Glyphodes jovialis* (Felder & Rogenhofer, 1875) *Lypotigris zelleri* (Lederer, 1863) *Glyphodes bonjonganis* (Plötz, 1880) *Eudioptis claralis* (Walker, 1865) *Margaronia intactalis* (Walker, [1866]) *Botys elealis* (Walker, 1859) *Tobata angustimarga*; Klima, 1939 *Diaphania angustimargo* (Warren, 1914) *Glyphodes peridromella* (Mabille, 1881) *Phakellura rogenhoferi* (Lederer, 1863) *Cryptographis lobisignalis* (Hampson, 1918) *Margaronia metallata* (Fabricius, 1781) *Phalaena picticaudalis* (Hampson, 1908) *Glyphodes prolousalis* (Walker, 1859) *Botys stenocraspis* (Butler, 1898) *Glyphodes subjectalis* (Lederer, 1863) *Terastia sujectalis*; Zimmerman, 1958
tsisabiensis Maes, 2004
*unionalis** (Hübner, 1796) *Pyralis quinquepunctalis* (Boisduval, 1833) *Botys septempunctalis* (Mabille, 1880) *Margarodes transvisalis* (Guenée, 1854) *Margarodes*

***Pardomima* Warren, 1890**

Pachyparda Martin, 1955
callixantha Martin, 1955
furcirenalis (Hampson, 1918) *Lamprosema fuscirenalis*; Klima, 1939 *Lamprosema phalarota* (Meyrick, 1933) *Lygropia zanclophora* Martin, 1955

***Parotis* Hübner, [1831]**

Cenocnemis Warren, 1896
Chloauges Lederer, 1863 (preoccupied)
Enchocnemidia Lederer, 1863

***Pachyarches* Lederer, 1863**

balderalis (Walker, 1859) *Margaronia invernalis* (Joannis, 1927) *Margaronia prasinalis* (Saalmüller, 1880) *Botys tritonalis* (Snellen, 1895) *Margaronia prasinophila* (Hampson, 1912) *Glyphodes pyritalis* (Hampson, 1912) *Glyphodes squamopedalis* (Guenée, 1854) *Margarodes vernalis* (Hampson, 1912) *Glyphodes zambesalis* (Walker, 1865) *Margaronia zambesialis*; Pagenstecher, 1907 *Glyphodes*

***Phostria* Hübner, [1819]**

Antennodes Swinhoe, 1906
Condega Moore, [1886]
Hoplisa Snellen, 1899
Oedemataarcha Swinhoe, 1900
Parbokla Swinhoe, 1900
Plectroctena Snellen, 1881 (preoccupied)
Plectrona Snellen, 1895 (replacement name)
Saroscelis Meyrick, 1894
Vatica Walker, 1869
albescentalis Hampson, 1918

***Piletocera* Lederer, 1863**

Alutefa Swinhoe, 1900
Danaga Moore, [1885]
Diplotyla Meyrick, 1886
Ellogima Turner, 1913
Erebangela Meyrick, 1886
Graphicopoda Butler, 1886
Hormatholepis Butler, 1886
Ptilaeola Meyrick, 1886
Rinecera Butler, 1884
Sematosophia Meyrick, 1937
Strepsimela Meyrick, 1886
flavalis Hampson, 1917
hemiphæalis (Hampson, 1907) *Bradina signiferalis* (Wallengren, 1860) *Isopteryx barbicornis* (Felder & Rogenhofer, 1875) *Ceratoclasis mirabilis* (Butler, 1884) *Rinecera nigrescens* (Butler, 1884) *Rinecera*

***Pilocrocis* Lederer, 1863**

Anisoctena Meyrick, 1894
Pilocrosis; Janse, 1917
dichochrosialis Hampson, 1912
euryatma (Meyrick, 1934) *Conogethes usticinctalis* (Hampson, 1912) *Dichocrocis glaucitalis* Hampson, 1912
melastictalis Hampson, 1912
patagialis Hampson, 1909
ptyrygodia Hampson, 1912

***Pleuroptya* Meyrick, 1890**

Loxoscia Warren, 1890
aegrotalis (Zeller, 1852) *Botys balteata* (Fabricius, 1798) *Phalaena accipitralis* (Walker, [1866]) *Botys aurantiacalis** (Fischer von Röslerstamm, [1840]) *Botys aurea* (Butler, 1879) *Botys crocealis* (Duponchel, 1831) *Botys evergestialis* (Strand, 1918) *Sylepta fraterna* (Moore, 1886) *Hapalia paleacalis* (Guenée, 1854) *Botys*

***Polygrammodes* Guenée, 1854**

Astura Guenée, 1854
Dichocrocopsis Dyar, 1910
Dichocropsis; Munroe, 1983
Hilaopsis Lederer, 1863
phyllophila (Butler, 1878) *Botys*

***Polythlipta* Lederer, 1863**

annulifera annulifera (Walker, 1865) *Phalangoides*

***Prophantis* Warren, 1896**

*octoguttalis** (Felder & Rogenhofer, 1875) *Botys coffealis* (Bordage, 1897) *Botys octogutale*; Hampson, 1899 *Thliptoceras octogutale*; Klima, 1939 *Ischnurges stenopalpis* (Mabille, 1880) *Botys*

PYRALOIDEA*smaragdina* (Butler, 1875) *Pyralis**Psara* Snellen, 1875*Epichronistis* Meyrick, 1886*aprepia* (Hampson, 1913) *Pachyzancla**atritermina* (Hampson, 1913) *Pachyzancla**basalis* (Walker, [1866]) *Botys**inanitalis* (Lederer, 1863) *Botys**dorcalis* (Guenée, 1863) *Botys**grisealis* (Kenrick, 1917) *Filodes**pallidalis* (Hampson, 1913) *Pachyzancla**pallidalis* var. *aethiopica* (Strand, 1916) *Pachyzancla**Pycnarmon* Lederer, 1863*Aripana* Moore, [1886]*Entephria* Lederer, 1863 (preoccupied)*Eutrichotis* Swinhoe, 1900*Pyralocymatophora* Strand, 1918*Satanastra* Meyrick, 1890*albivittale* (Hampson, 1912) *Entephria**cibratum* (Fabricius, 1794) *Phalaena**abdicale* (Walker, 1859) *Zebronia**caberale* (Guenée, 1854) *Spilomela**cabirialis*; Walker, 1859 *Zebronia**coryciale* (Snellen, 1880) *Conchylodes**frenulale* (Strand, 1918) *Aripana**privale* (Snellen, 1901) *Conchylodes**diaphanum* (Cramer, 1779) *Phalaena Pyralis**meritale* (Walker, 1859) *Zebronia**annulatum* (Warren, 1896) *Aripana**baptale* (Snellen, 1880) *Conchylodes**plexippusale* (Walker, 1859) *Zebronia**Pygospila* Guenée, 1854*Lomotropa* Lederer, 1863*Pygospila*; Lederer, 1863*Telespasta* Swinhoe, 1906*tyres** (Cramer, 1780) *Phalaena Pyralis**thyralis* (Hübner, [1825]) *Phlyctaenia**tyresalis*; Guenée, 1854 *Pygospila**Salbia* Guenée, 1854*haemorrhoidalis* (Guenée, 1854) (introduced deliberately)*direalis* (Walker, 1859) *Asopia**futilalis* (Barnes & McDunnough, 1914) *Hedylepta**haemorrhodalis*; Klima, 1939*Sameodes* Snellen, 1880*Pessocosma* Meyrick, 1884*cancellalis* (Zeller, 1852) *Botys**lepidalis* (Walker, 1859) *Lepyrodes**meridionalis* (Walker, [1866]) *Hymenia**pilealis* (Walker, 1859) *Stenia**sidealis* (Walker, 1859) *Samea**trithyralis** Snellen, 1880*vespertinalis* (Saalmüller, 1880) *Samea**microspilalis* Hampson, 1913*Sameodesma* Hampson, 1918*undilinealis* Hampson, 1918*xanthocraspia* (Hampson, 1913) *Thliptoceras**anthocosma* (Meyrick, 1933) *Oeobia**flavicostalis** Hampson, 1918*Sceliodes* Guenée, 1854*Daraba* Walker, 1859*Eretria* Snellen, 1880 (preoccupied)*laisalis* (Walker, 1859) *Megaphysa**idmonealis* (Walker, 1859) *Daraba**Spoladea* Guenée, 1854*recurvalis** (Fabricius, 1775) *Phalaena**albifacialis* (Boisduval, 1833) *Hydrocampa**albifascialis*; Boisduval, 1833 *Hydrocampa* (original misspelling)*ancylosema* (Dognin, 1909) *Nacoleia**angustalis* (Fabricius, 1787) *Phalaena**animalis* Guenée, 1854*diffascialis* (Hübner, [1825]) *Hymenia**exodias* (Meyrick, 1904) *Hymenia**fascialis* (Stoll, 1782) *Phalaena Pyralis**formosana* (Shiraki, 1910) *Odegia**recurvella* (Zincken, 1818) *Phycis**Stegothyris* Lederer, 1863*fasciculalis** (Zeller, 1852) *Stenia*
fascicularis; Pagenstecher, 1907 *Stegothyris**Stemorrhages* Lederer, 1863*Stemmorhages*; Möschler, 1887*sericea** (Drury, 1773) *Phalaena*
beryllalis (Guenée, 1854) *Margarodes*
berytalis; Hampson, 1898 *Margarodes*
congradalis (Hübner, [1825]) *Margaronia*
laterata (Fabricius, 1794) *Phalaena*
polita (Cramer, 1779) *Phalaena Noctua*
sericeolalis (Guenée, 1863) *Margarodes*
thalassinalis (Boisduval, 1833) *Botys**Syllepte* Hübner, 1823*Arthriobasis* Warren, 1896*Epherama* Snellen, 1892*Haitufa* Swinhoe, 1900*Halitotigris* Warren, 1896*Neomabra* Dognin, 1905*Polycorys* Warren, 1896*Pramadea* Moore, 1888*Sylepta*; Hübner, [1825]*Syllepta*; Hübner, [1826]*butleri* (Dewitz, 1881) *Botys**butleri*; Klima, 1939 (as *Sylepta*)*mesoleucalis* Hampson, 1898 (as *Sylepta*)*mysialis* (Walker, 1859) *Botys**mysissalis*; Hampson, 1899 (as *Sylepta*)*nasonalis* Hampson, 1898 (as *Sylepta*)*orbiferalis* Hampson, 1898 (as *Sylepta*)*ovialis* (Walker, 1859) *Botys**cinnamomalis* (Saalmüller, 1880) *Antigastra**patagialis* (Zeller, 1852) *Botys**pataginalis*; Lederer, 1863 *Botys**undulalis* Pagenstecher, 1907 (as *Sylepta*)*polycymalis* Hampson, 1912 (as *Sylepta*)*purpurascens* Hampson, 1899 (as *Sylepta*)*rogationis* Hampson, 1918 (as *Sylepta*)*straminea* (Butler, 1875) *Botys**trifidalis* Hampson, 1908 (as *Sylepta*)*xylocrasis* Hampson, 1912 (as *Sylepta*)*Synclera* Lederer, 1863*Synctera*; Möschler, 1886*traducalis** (Zeller, 1852) *Eudioptis**achatinalis* (Guenée, 1862) *Salbia**retinalis* (Lederer, 1857) *Spilomela**univocalis* (Walker, 1859) *Glyphodes**Syngamia* Guenée, 1854*Ochia* Hübner, 1823*fervidalis* (Zeller, 1852) *Stenia**bibialis* (Walker, 1859) *Asopia**latimarginalis* (Walker, 1859) *Asopia**jucundalis* (Lederer, 1863) *Botys**versicolor* (Warren, 1896) *Orphanostigma**liquidalis* (Zeller, 1852) *Stenia**Terastia* Guenée, 1854*Tersatia*; Lederer, 1863*margaritis* (Felder & Rogenhofer, 1875) *Agathodes**meticulosalis** Guenée, 1854*coeligenalis* (Hulst, 1886) *Megastes**quadratalis* (Walker, 1865) *Megaphysa**Udea* Guenée, [1845]*Melanomecyna* Butler, 1883*Mnesictena* Meyrick, 1884*Notophytis* Meyrick, 1932*Protaulacis* Meyrick, 1899*Protocolletis* Meyrick, 1888*Stantira* Walker, 1863*ferrugalis** (Hübner, 1796) *Pyralis**ferruginalis*; Rossi, 1794*ferugalis*; Hübner, 1796 *Pyralis**hypatialis* (Walker, 1859) *Scopula**maritalis* (Guenée, 1854) *Scopula**testacea* (Butler, 1879) *Scopula*

PYRALOIDEA*hageni* Viette, 1952*infuscalis* (Zeller, 1852) *Botys**muscosalis* (Hampson, 1913) *Pionea**nolalis* (Felder & Rogenhofer, 1875) *Scoparia****Ulopeza*** Zeller, 1852*Pseudanaltetes*; Hampson, 1898*Pseudanathes* Warren, 1890*Xacca* Walker, 1869*Xasca*; Neave, 1940***conigeralis**** Zeller, 1852*latiferalis* (Walker, 1865) *Botys**trigonalis* (Walker, 1869) *Xacca**trigonalis* (Mabille, 1890) *Botys****denticulalis*** Hampson, 1912*flavicepsalis* Hampson, 1912*panaresalis* (Walker, 1859) *Botys****Zebronia*** Hübner, 1821***phenice*** (Cramer, 1780) *Phalaena**foederalis* Hübner, [1825]*imparivirgalis* (Mabille, 1881) *Phakellura**lathurusalis* Walker, 1859*perspicalis** (Hübner, [1811]) *Palpita**phenicealis*; Guenée, 1854 *Spilomela**podalirialis* (Guenée, 1854) *Spilomela**podalivalis*; Klima, 1937 *Zebronia**podalivalis*; Pinhey, 1975 *Spilomela**podalivalis*; Hampson, 1897 *Spilomela**trivirgalis* (Mabille, 1880) *Spilomela*

ENDNOTE: from page 102. Heliothelinae were treated as a synonym of Scopariinae by Munroe and Alma Solis in Kristensen (1999).

ENDNOTE: Synonyms of Spilomelinae page 106

*Agroterinae**Dichocrociinae**Hapaliinae**Hymeniinae**Margarodinae**Margaroniinae**Steniinae**Syleptinae***REFERENCE:**

MUNROE, E. & SOLIS, A.M., 1999. 14. The Pyraloidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 233–256. W. de Gruyter, Berlin and New York.

GEOMETROIdea**GEOMETRIDAE** Leach, 1815**Geometrinae** Leach, 1815

Hemitheinae

Tribal arrangement: Hausmann (1996, 2001) recognizes:

Heliotheini (*Petovia*)

Pseudoterpnini (Holoterpna, Mictoschema, Mimandria, Pingasa)

Geometrini: absent from afrotropics

Comibaenini (= Euchlorini) (Comibaena, Thetidia, Microbaena)

Hemistolini (Hemistola, Xenochlorodes, Lophostola, Prasinocyma,

Chlorocoma, Antharmostes, Lophorrhachia, Victoria; tentatively Neurotoca,

Euproutia, Prosmophax, Celidomphax, Omphax, Heterorachis);

‘Thalassodini’: Thalassodes placed in Thalassodini by Hausmann (1996)

following Inoue (1961) but suggesting possible subsumption under

Hemistolini s.l.)

Comostolini (Comostolopsis, Eucrostes)

Jodini: absent from afrotropics

Thalerini (Dolosis)

Hemitheini (Chlorissa, Phaiogramma, Neromia, Idiochlora)

Microloxiini (Microloxia, Mixocera, Thelycera, Acidaliastis, Allochrotes,

Paraprasina, tentatively Syndromodes)

Heliotheini author, date***Petovia** Walker, 1854

Neurophana Guenée, [1858]

Xantheliodes Warren, 1897

marginata* marginata Walker, 1854

amatonga (Vuillot, 1892) *Neurophana*

dichroaria (Herrich-Schäffer, [1854]) *Geometra*

incertaria (Guenée, [1858]) *Neurophana*

perversaria Gaede, 1917

Pseudoterpnini author, date*

Archaeobalbini

Pingasini (unavailable)

Terpnini

Holoterpna Püngeler, 1900

errata Prout, L.B., 1922

segnis Prout, L.B., 1930

Mictoschema Prout, L.B., 1922

*swierstrai** Prout, L.B., 1922

tuckeri Prout, L.B., 1925

Mimandria Warren, 1895

cataractae cataractae Prout, L.B., 1917

Pingasa Moore, [1887]

Pingasia; Moore, [1887]

Skorpisthes Lucas, 1900

abyssinaria (Guenée, [1858]) *Hypochroma*

abyssinaria auct. *Pingasa*

alterata (ssp. of *rhadamaria* (Walker, 1860)) *Hypochroma*

*communicans** (ssp. of *ruginaria* (Walker, 1860)) *Hypochroma*

distensaria respondens (Walker, 1860) *Hypochroma*

respondens (ssp. of *distensaria*) (Walker, 1860) *Hypochroma*

rhadamaria alterata (Walker, 1860) *Hypochroma*

interrupta Warren, 1901

victoria Prout, L.B., 1913

*ruginaria communicans** (Walker, 1860) *Hypochroma*

Comibaenini author, date*

Euchlorini

Comibaena Hübner, [1823]

Chlorochaeta Warren, 1904

Colutoceras Warren, 1895

Comobaena Agassiz, 1847 (unjustified emendation)

Myrtea Gumpenberg, 1895 (preoccupied)

Phodoresma; Guenée, [1858]

Phoradesma; Kollar, 1850

Phorodesma Boisduval, 1840

Probolosceles Meyrick, 1897 (preoccupied)

Proboloscles; Sharp, 1897

Uliocnemis Warren, 1893

coryphata (Felder & Rogenhofer, 1875) *Racheospila*

leucospilata (Walker, [1863]) *Geometra*

leucospilata; Prout, L.B., 1915 *Comibaena*

rhodolopha Prout, L.B., 1915

Microbaena Hausmann, 1996

minor (ssp. of *pulchra*) Hausmann, 1996

*pulchra** *minor* Hausmann, 1996

Thetidia Boisduval, 1840

Aglossochloris Prout, L.B., 1912

Antonechloris Raineri, 1994

Euchloris Hübner, [1823] (preoccupied)

undulilinea (Warren, 1905) *Eucrostes*

Hemistolini author, date***Antharmostes** Warren, 1899

alcea Prout, L.B., 1930

papilio papilio Prout, L.B., 1912

papilia; Janse, 1917 *Antharmostes*

Celidomphax Prout, L.B., 1912 (tribal placement provisional)

analipлага (Warren, 1905) *Agraptochlora*

quadrimacula Janse, 1935

quadriplaga; Prout, L.B., 1938 *Celidomphax*

*rubrimaculata** (Warren, 1905) *Phorodesma*

Chlorocoma Turner, 1910

Chlorocoma; Turner, 1917

clopia Prout, L.B., 1922

didita (Walker, 1861) *Jodis* (as *Iodis*)

chloe (Thierry-Mieg, 1915) *Heterorachis*

dilatata (Walker, 1861) *Thalera*

eucela Prout, L.B., 1922

Euproutia Fletcher, D.S., 1979 (replacement name) (tribal placement prov.)

Metacineta Prout, 1912 (preoccupied)

aggravaria aggravaria (Guenée, [1858]) *Racheospila*

rhodosticta (Hampson, 1910) *Comibaena*

rubella (Warren, 1904) *Heterorachis*

semialbifrons (Prout, L.B., 1915) *Metacineta*

rufomarginata (Pagenstecher, 1893) *Thalassodes*

Hemistola Warren, 1893

ereuthopeza Prout, L.B., 1925

incommoda Prout, L.B., 1912

semialbida Prout, L.B., 1912

Heterorachis Warren, 1898 (tribal placement provisional)

despoliata Prout, L.B., 1916

*devocata devocata** (Walker, 1861) *Geometra*

devocata mozambique Prout, L.B., 1928

devocata roseifimbria Prout, L.B., 1930

disconotata Prout, L.B., 1916

fuscoterminata Prout, L.B., 1915

gloriola Thierry-Mieg, 1915

haploa (Prout, L.B., 1912) *Hemistola* (replacement name)

simplex Warren, 1902 (preoccupied)

insolens (Prout, L.B., 1917) *Neurotoca*

mozambique (ssp. of *devocata*) Prout, L.B., 1928

mosambica; Janse, 1935 *Heterorachis*

perviridis (Prout, L.B., 1912) *Hemistola*

platti Janse, 1935

prouti Bethune-Baker, 1913

roseifimbria (ssp. of *devocata*) Prout, L.B., 1930

simplicissima (Prout, L.B., 1912) *Hemistola*

Lophorrhachia Prout, L.B., 1916

rubricorpus rubricorpus (Warren, 1898) *Oenospila*

*niveicristata** Prout, L.B., 1916

plagiata (Aurivillius, 1910) *Hemithea*

rubricornis; Janse, 1935 *Lophorrhachia*

Lophostola Prout, L.B., 1912

atridisca (Warren, 1897) *Hemithea*

Neurotoca Warren, 1897 (tribal placement provisional)

endorhoda Hampson, 1910

*notata** Warren, 1897

Omphax Guenée, [1858] (tribal placement provisional)

Agraptochlora Warren, 1894

Pycnodontia Warren, 1901

bacoti Prout, L.B., 1912

bilobata Janse, 1935

GEOMETROIDEA

idonea Prout, L.B., 1916
leucocraspeda Prout, L.B., 1912
modesta (Warren, 1897) *Agraptochlora*
*plantaria** *plantaria* Guenée, [1858]
apicata (Warren, 1901) *Pycnodontia*
marginata (Warren, 1894) *Agraptochlora*
rubriplaga (Warren, 1897) *Agraptochlora*
subaspersa (Warren, 1894) *Agraptochlora*
rhodocera (Hampson, 1910) *Prasinocyma*
shorti shorti Prout, L.B., 1912
trilobata Janse, 1935
vicinaria (Wallengren, 1863) *Jodis* (as *Iodis*)

Prasinocyma Warren, 1897
albisticta (Warren, 1901) *Antharmostes*
bifimbriata Prout, L.B., 1912
bilobata Fletcher, D.S., 1978
chloroprosopa Prout, L.B., 1913
dorsipunctata Warren, 1911
germinaria (Guenée, [1858]) *Thalassodes*
hadra (Felder & Rogenhofer, 1875) *Nemoria*
immaculata immaculata (Thunberg, 1784) *Geometra*
scissaria (Felder & Rogenhofer, 1875) *Thalassodes*
inversicaulis Prout, L.B., 1913
neglecta Prout, L.B., 1921
niveistica *niveistica* Prout, L.B., 1912
niveincta; Sharp, 1912 *Prasinocyma*
panchlora Prout, L.B., 1913
pictifimbria Warren, 1904
pulchraria Swinhoe, 1904
pupillata (Warren, 1902) *Thalassodes*
unipuncta Warren, 1897
*vermicularia** (Guenée, [1858]) *Thalassodes*
dilucida (Walker, 1861) *Thalassodes* (as *Thallasodes*)

Prosomphax Warren, 1911 (tribal placement provisional)
Prosomptax; Mey, 2011
*callista** Warren, 1911
calista; Janse, 1935
callistra; Mey, 2011
deuterurga Prout, L.B., 1922
horitropha Krüger, 2005

Thalassodes Guenée, [1858] (tribal placement provisional)
Thallasodes; Staude et al., 2016
opaca Warren, 1898
quadraria Guenée, [1858]
aequaria (Mabille, 1898) *Nemoria*
chlorinaria (Mabille, 1898) *Nemoria*
digressa (Walker, 1861) *Geometra*
ricinaria Guenée, 1862
sapolaria (Swinhoe, 1904) *Hemithea*
subreticulata Mabille, 1900

Victoria Warren, 1897
*albipicta** Warren, 1897
fuscithorax Warren, 1905
mirabilis Warren, 1911
rhodoblemma Prout, L.B., 1938
sphrigon (ssp. of *triplaga*) Prout, L.B., 1930
triplaga sphrigon Prout, L.B., 1930

Xenochlorodes Warren, 1897
Hissarica Viidalepp, 1988
xina Prout, L.B., 1916

Comostolini author, date*

Comostolopsis Warren, 1902
apicata (Warren, 1898) *Pareuchloris*
fuscipuncta (Warren, 1899) *Phorodesma*
capensis (Warren, 1899) *Aplodes*
germania Prout, L.B., 1916
rubristicta (Warren, 1899) *Eucrostes*
stillata stillata (Felder & Rogenhofer, 1875) *Nemoria*
stellata; Wiltshire, 1982 *Comostolopsis*
stillaria; Warren, 1902 *Comostolopsis*

Eucrostes Hübner, [1823]
Euchrostes Gumpenberg, 1887 (unjustified emendation)
Euchrostis Zeller, 1872 (unjustified emendation)

Eucrostis Hübner, 1826
disparata Walker, 1861
albicornaria Mabille, 1880 (as *Eucrostis*)
barnardae (Lucas, 1891) *Jodis* (as *Iodis*)
iocentra Meyrick, 1888 (as *Eucrostis*)
lilliputaria Mabille, 1900 (as *Eucrostis*)
nanula Warren, 1897
parvula (Walker, [1863]) *Geometra*
rubridisca Warren, 1897
rhodophthalma Prout, L.B., 1912
rufociliaria Herrich-Schäffer, [1855] (as *Eucrostis*)
roseata (Warren, 1905) *Microloxia*

Thalerini author, date*

Dolosis Prout, L.B., 1912
*illacerata** Prout, L.B., 1912

Hemitheini author, date*

Chlorissa Stephens, 1831
Aoshakuna Matsumura, 1925
albistrigulata (Warren, 1897) *Hemithea*
albistigulata; Fletcher, D.S., 1955 *Hemithea*
articulicornis (Prout, L.B., 1916) *Neromia*
attenuata (Walker, [1863]) *Nemoria*
reductata (Walker, 1866) *Jodis* (as *Iodis*)
dorsicristata dorsicristata (Warren, 1905) *Nemoria*
inornata Prout, L.B., 1930
malescripta (Warren, 1897) *Hemithea*
ruficristata (Prout, L.B., 1916) *Neromia*
unilinea (Warren, 1897) *Hemithea*

Idiochlora Warren, 1896
Acortha Warren, 1896
Diplodesma Warren, 1896
Halophanes Warren, 1900
approximans (Warren, 1897) *Hemithea*
inornata Prout, L.B., 1916

Neromia Staudinger, 1898
activa Prout, L.B., 1930
barretti Prout, L.B., 1912
clavicornis Prout, L.B., 1915
cohaerens Prout, L.B., 1916
impostura Prout, L.B., 1915
phoenicosticta Prout, L.B., 1912
miltosticta Prout, L.B., 1912
quieta (Prout, L.B., 1912) *Prosomphax*
rhodomadia Prout, L.B., 1922
rubripunctilla Prout, L.B., 1912
strigulosa Prout, L.B., 1925

Phaiogramma Gumpenberg, 1887
stibolepida (Butler, 1879) *Comibaena*
pallidularia (Mabille, 1880) *Nemoria*

Microloxiini author, date*

Acidaliastris Hampson, 1896
Acidaliastris; Rungs, 1943
Mixeophanes Prout, 1912
bicurvifera Prout, L.B., 1916
bicurifera; Prout, L.B., 1930 *Acidaliastris*
curvilinea curvilinea (Prout, L.B., 1912) *Omphacodes*
curvilinea mixta Prout, L.B., 1930
mixta (ssp. of *curvilinea*) Prout, L.B., 1930
prophanes Prout, L.B., 1922

Allochrostes Prout, L.B., 1912
biornata Prout, L.B., 1913
imperfecta Prout, L.B., 1916
impunctata (Warren, 1897) *Eucrostes*
rubridentata (Warren, 1897) *Syndromodes*
*saliata** (Felder & Rogenhofer, 1875) *Racheospila*
sabiata auct. *Heterorachis*
uniornata Prout, L.B., 1935

Microloxia Warren, 1893
ruficornis Warren, 1897
halimaria (Chrétien, 1909) *Eucrostes*
innotata (Warren, 1901) *Eucrostes*

GEOMETROIDEA

stenopteraria (Turati, 1930) *Eucrostes* (as *Eucrostis*)

Mixocera Warren, 1901

Gynandria Turner, 1910

albistrigata (Pagenstecher, 1893) *Eucrostes* (as *Eucrostis*)

oleagina (Warren, 1897) *Euchloris*

serraticornis (Warren, 1897) *Microloxia*

frustratoria (Wallengren, 1863) *Eucrostes* (as *Eucrostis*)

frustatoria; Walker, 1866 *Eucrostes*

parvulata* (Walker, [1863]) *Nemoria*

rectifasciata (Hampson, 1896) *Euchloris*

viridans Prout, L.B., 1912

xanthostephana Prout, L.B., 1912

xanthostephana; Vári, 1958 *Mixocera*

Paraprasina Warren, 1897

*discolor** Warren, 1897

Syndromodes Warren, 1897 (tribal placement provisional)

cellulata Warren, 1898

dimensa (Walker, 1861) *Thalassodes*

invenusta (Wallengren, 1863) *Jodis* (as *Iodes*)

*unicolor** Warren, 1897

oedocnemis Prout, L.B., 1922

prasinops Prout, L.B., 1930

Thelycera Prout, L.B., 1912

*hemithales** (Prout, L.B., 1912) *Mixocera* (*Thelycera*)

hemithalis; Janse, 1935 *Mixocera*

Genera unassigned as to tribe (in alphabetical order)

Acollesis Warren, 1898

*fraudulenta** Warren, 1898

terminata Prout, L.B., 1912

umbrata umbra Warren, 1899

Adicocrita Prout, L.B., 1930

*araria** (Guenée, [1858]) *Racheospila*

discrepta (Walker, 1861) *Geometra*

koranata (Felder & Rogenhofer, 1875) *Racheospila*

Allochlorodes Prout, L.B., 1917

*elpis** Prout, L.B., 1917

Androzeugma Prout, L.B., 1913

mollior Prout, L.B., 1922

subacuta Prout, L.B., 1935

tenuis (Warren, 1898) *Syndromodes*

*hapala** Prout, L.B., 1913

Archichlora Warren, 1898

Chloroteras Warren, 1901

ansorgei (Warren, 1901) *Victoria*

rectilineata Carcasson, 1971

*viridimacula** Warren, 1898

Argyrographa Prout, L.B., 1912

*moderata** (Walker, 1862) *Dichroma*

eximiata (Felder & Rogenhofer, 1875) *Euchloris*

Bathycolpodes Prout, L.B., 1912

chloronesis Prout, L.B., 1930

Centrochria Gaede, 1917

deprensa (Prout, L.B., 1913) *Heterocrita*

Chlorosterra Prout, L.B., 1912

dichroma (Felder & Rogenhofer, 1875) *Sterrhia*

*albaniensis** Prout, L.B., 1912

monochroma Prout, L.B., 1912

Collessis Warren, 1897

*mimica** Warren, 1897

Conchyliodes Prout, L.B., 1930

*distelitis** Prout, L.B., 1930

Dichroma Westwood, 1841

*equestralis** Duncan [& Westwood], 1841

equestrinaria; Guenée, [1858] *Argyrophora*

Lasiochlora Warren, 1894

bicolor bicolor (Thierry-Mieg, 1907) *Deilinia*

*diducta** (Walker, 1861) *Comibaena*

lunigera (Felder & Rogenhofer, 1875) *Nemoria*

Leucaniodes Prout, L.B., 1922

*periconia** Prout, L.B., 1922

Luashia Debauche, 1941

*zonata** (Walker, [1863]) *Comibaena*

Metallochlora Warren, 1896

Chrysomphæ Warren, 1896

dyschères Prout, L.B., 1922

grisea Prout, L.B., 1915

Omphacodes Warren, 1894

delicata (Warren, 1905) *Syndromodes*

punctilineata (Warren, 1897) *Syndromodes*

vivida (Warren, 1899) *Syndromodes*

Oneiliiana Prout, L.B., 1922

*multifera** Prout, L.B., 1922

Paragathia Warren, 1902

*albimarginata** Warren, 1902

delicia (Thierry-Mieg, 1907) *Agathia*

Rhadinomphax Prout, L.B., 1912

*divincta** (Walker, 1861) *Jodis* (as *Iodes*)

pudicata (Walker, 1866) *Jodis* (as *Iodes*)

frondinata (Felder & Rogenhofer, 1875) *Omphax*

sanguinipuncta (Felder & Rogenhofer, 1875) *Omphax*

trimeni (Felder & Rogenhofer, 1875) *Omphax*

Rhodesia Warren, 1905

alboviridata (Saalmüller, 1880) *Comibaena*

depompata Prout, L.B., 1913

*viridalbata** Warren, 1905

Syncollesis Prout, L.B., 1930

*trilineata** (Hampson, 1910) *Acollesis*

Xenochroma Warren, 1902

Campsiceras Warren, 1914

*candidata** Warren, 1902

dyschlorata (Warren, 1914) *Campsiceras*

dychlorata; Janse, 1917 *Campsiceras*

planimargo Prout, L.B., 1912

roseimargo Janse, 1935

Sterrhmae author, date*

Acidiinae

Scopulinae

Afrophylla Warren, 1895

vethi vethi (Snellen, 1886) *Panagra*

*dichordata** Warren, 1895

Anthemocrena Warren, 1895

textilis (Wallengren, 1872) *Mesotype*

*lineata** Warren, 1895

Antityrgodes Warren, 1895

callibotrys Prout, L.B., 1918

dentilinea Warren, 1897

Chlorerythra Warren, 1895

*rubriplaga rubriplaga** Warren, 1895

Chrysocraspeda Swinhoe, 1893

Chrysocraspeda Hampson, 1895 (preoccupied)

Chrysolene Warren, 1897

Heteroctenis Meyrick, 1897

Ptochophyle Warren, 1896

Ptychophyle; Swinhoe, 1902

leighata leighata Warren, 1904

nigribasalis Warren, 1909

subminiosa (Prout, L.B., 1932) *Ptochophyle*

zombensis (Prout, L.B., 1932) *Ptochophyle*

GEOMETROIDEA

- Cyclophora** Hübner, 1822
Anisodes Guenée, [1858]
Codonia Hübner, [1823]
Cosymbia Hübner, [1823]
Cyclophora Stephens, 1829 (preoccupied)
Ephyra Duponchel, 1829 (preoccupied)
Euephyra Packard, 1873
Leucophthalmia Hübner, [1823]
Matella Gistl, 1848 (unnecessary replacement name)
Pachythalia Warren, 1897
Pisoraca Walker, 1861
Prostenodes Warren, 1903
Streptopteron Swinhoe, 1892
Zonosoma Lederer, 1853
unocula (Warren, 1897) *Cosymbia*
- “**Cyclophora**” Hübner, 1822
Heterophyra Warren, 1895
inaequalis (Warren, 1902) *Pisoraca*
lyciscaria (Guenée, [1858]) *Ephyra*
*bitactata** (Walker, 1862) *Pisoraca*
derumptaria (Walker, [1863]) *Anisodes*
lycissaria; Janse, 1917 *Pisoraca*
sanguinata (Warren, 1904) *Pisoraca*
- Discomiosis** Prout, L.B., 1915
arciocentra Prout, L.B., 1922
crescentifera (Warren, 1902) *Sterrrha*
- Epicleta** Prout, L.B., 1915
*calidaria** Prout, L.B., 1915
- Epicosymbia** Warren, 1897
Anacosymbia Prout, L.B., 1913
dentisignata (Walker, [1863]) *Acidalia*
denticulata; Prout, L.B., 1933 *Epicosymbia*
*perrufa** Warren, 1897
nitidata (Warren, 1905) *Cosymbia*
albivertex (Warren, 1900) *Isoplenia*
perstrigulata (Prout, L.B., 1913) *Anacosymbia*
- Glossotrophia** Prout, L.B., 1913
natalensis Prout, L.B., 1915
- Idaea** Treitschke, 1825
Andragrupos Hampson, 1891
Ania Stephens, 1831
Anteois Warren, 1900
Antesis; Warren, 1900
Aphrogeneia Gumpenberg, 1890
Argia Gumpenberg, 1890 (preoccupied)
Argyroscelia Warren, 1907
Arrhostia Hübner, [1825]
Brachyprota Warren, 1897
Cacorista Warren, 1899
Carphoxera Riley, 1891
Cnidia; Gumpenberg, 1892
Cysteophora Hulst, 1900
Deinopygia Warren, 1904
Euphenolia Grossbeck, 1907
Gnidia Gumpenberg, 1890 (preoccupied)
Goniacialdia Packard, 1873
Hemipogon Warren, 1897
Hemopogon; Warren, 1897
Hirthestes Dognin, 1914
Hyria Stephens, 1829 (preoccupied)
Hyriogona Warren, 1900
Idoea; Cotes & Swinhoe, 1888
Janarda Moore, 1888
Leptacme Warren, 1897
Lobura Warren, 1906
Mnesterodes Meyrick, 1889
Neochrysa Warren, 1900
Omopera Warren, 1906
Pareupitheci Warren, 1907
Pelagia Gumpenberg, 1890 (preoccupied)
Pentopoda; Dyar, [1903]
Pogonogya Warren, 1900
Polygraphodes Warren, 1897
Prospasta Warren, 1900
Ptenopoda Hulst, 1896
Ptychopoda Curtis, 1826
Pycitis Hübner, [1825]
Pythodora Meyrick, 1886
- Schematorhages* Warren, 1905
Sterrrha Hübner, [1825]
Synomila Hulst, 1896
Thysanotricha Warren, 1903
Xenocentris Meyrick, 1889
Zeuctoneura Warren, 1895
ascepta (Prout, L.B., 1915) *Ptychopoda*
associata (Warren, 1897) *Sterrrha*
exilinota (Warren, 1897) *Ptychopoda*
exillinota; Janse, 1935 *Sterrrha*
auriflua auriflua (Warren, 1902) *Ptychopoda*
basicostalis (Warren, 1900) *Ptychopoda*
carneilinea (Prout, L.B., 1922) *Ptychopoda*
conftracta (ssp. of *fumilinea*) (Prout, L.B., 1925) *Ptychopoda*
consectatrix Krüger
consericeata (Prout, L.B., 1913) *Ptychopoda*
controversata (Prout, L.B., 1922) *Ptychopoda*
demaculata Krüger, 2019
depleticosta (ssp. of *umbricosta*) (Prout, L.B., 1916) *Sterrrha*
draconigena Herbulot, 1981
echo (Prout, L.B., 1916) *Ptychopoda*
echc; Prout, L.B., 1933 *Sterrrha*
enteucha Krüger, 2007
flamingo (Warren, 1901) *Janarda*
fortificata (Prout, L.B., 1916) *Ptychopoda*
fumilinea conftracta (Prout, L.B., 1925) *Ptychopoda*
fumilinea fumilinea (Warren, 1903) *Ptychopoda*
hardenbergi (Janse, 1935) *Sterrrha*
heres (Prout, L.B., 1932) *Sterrrha*
laticlavia (Prout, L.B., 1922) *Ptychopoda*
leucorheuma (Prout, L.B., 1932) *Sterrrha*
lilliputaria (Warren, 1902) *Ptychopoda*
lipara (Prout, L.B., 1917) *Ptychopoda*
malescripta (Warren, 1897) *Leptacme*
nasifera (Prout, L.B., 1916) *Ptychopoda*
nigrosticta (Warren, 1897) *Ptychopoda*
osscicolor (Janse, 1935) *Sterrrha*
parallelaria (Warren, 1902) *Ptychopoda*
paraplesia (Prout, L.B., 1916) *Ptychopoda*
pericalles (Prout, L.B., 1913) *Ptychopoda*
pericallis auct. *Sterrrha*
plesioscotia (Prout, L.B., 1925) *Ptychopoda*
prosartema (Herbulot, [1956]) *Sterrrha*
pulveraria subculata (Prout, L.B., 1916) *Ptychopoda*
punctigera (Janse, 1935) *Sterrrha*
purpurascens (Prout, L.B., 1916) *Ptychopoda*
rufifascia (Prout, L.B., 1916) *Ptychopoda*
sinuilinea (Prout, L.B., 1913) *Ptychopoda*
squamulata (Warren, 1900) *Ptychopoda*
subculata (ssp. of *pulveraria*) (Prout, L.B., 1916) *Ptychopoda*
sublimbaria (Warren, 1900) *Eois*
subterfundata (Prout, L.B., 1922) *Ptychopoda*
torrida (Warren, 1904) *Ptychopoda*
trissosemia (Prout, L.B., 1922) *Ptychopoda*
umbricosta depleticosta (Prout, L.B., 1916) *Sterrrha*
umbricosta umbricosta (Prout, L.B., 1913) *Ptychopoda*
umbricosta omoscotia (Prout, L.B., 1922) *Ptychopoda*
- Isoplenia** Warren, 1897
*trisinuata** Warren, 1897
- Isoplenodia** Prout, L.B., 1932
arabukoensis Sihvonen & Staude, 2010
- Lycaugidia** Hampson, 1895
*albata** (Swinhoe, 1885) *Lycauges*
albida Hampson, 1895 (emendation)
- Palaeaspilates** Warren, 1894
Anisephyra Warren, 1896
carnea (Warren, 1914) *Chlorerythra*
mansueta Prout, L.B., 1917
*inoffensa** Warren, 1894
- Problepsis** Lederer, 1853 (replacement name)
Argyris Guenée, [1858]
Caloptera Frivaldszky, 1845 (preoccupied)
Problepsiodes Warren, 1899
aegretta aegretta Felder & Rogenhofer, 1875
egretta; Hale-Carpenter, 1932 *Problepsis*
digammata Kirby, 1896
digammata Warren, 1897

GEOMETROIDEA

- digrammata*; Prout, L.B., 1933 *Prolepsis latonaria* (Guenée, [1858]) *Argyris*
- Pseudosterrha** Warren, 1888
acuta acuta (Warren, 1897) *Lycauges anandaria* (Swinhoe, 1904) *Cosymbia pallida* (Warren, 1899) *Traminda*
- Rhodometra** Meyrick, 1892
Sterrhanthia Butler, 1894
audeoudi Prout, L.B., 1928
participata (Walker, 1862) *Sterrha peculiata* (Walker, 1862) *Sterrha*
*sacaria** (Linnaeus, 1767) *Phalaena Geometra fulvaria* (Fabricius, 1794) *Phalaena labda* (Cramer, [1777]) *Phalaena Geometra labdaria*; Guenée, [1858] *Sterrha minervae* (Gistl, 1856) *Aspilates sacralis* (Thunberg, 1784) *Pyralis sanguinaria* (Esper, [1801]) *Phalaena Geometra satula* Prout, L.B., 1916
- Scopula** Schrank, 1802
Acidalia Bruand, 1846 (preoccupied)
Acidalia Treitschke, 1825 (preoccupied)
Acidalina Staudinger, 1898
Calothysanis Hübner, [1823]
Chlorocraspedia Warren, 1899
Craspedia Hübner, [1825]
Csopula; Fischer von Röslerstamm, 1842
Cymatida Sodoffsky, 1837 (replacement name for *Acidalia* Treitschke)
Cymatoides Agassiz, 1847 (unjustified emendation)
Dosithea Duponchel, 1829
Dositheoa; Rambur, 1833
Eucidalia Sterneck, 1941
Holarctias Prout, L.B., 1913
Induna Warren, 1897
Leptomeris Hübner, [1825]
Lipocentris Warren, 1905
Longula Staudinger, 1892
Lycauges Butler, 1879
Phyletis Guenée, [1858]
Pigia Guenée, [1858]
Pleionocentra Warren, 1898
Psilephyra Bastelberger, 1909
Pylarge Herrich-Schäffer, 1855
Runeca Moore, 1888
Sarodria Sodoffsky, 1837 (unnecessary replacement name)
Sarothria Agassiz, 1847 (unjustified emendation)
Sphecodes Hübner, 1822 (preoccupied)
Synelys Hulst, 1896
Trichoclada Meyrick, 1886
Triorisma Warren, 1897
Ustocidalia Sterneck, 1932
accentuata (Guenée, [1858]) *Acidalia accentuaria*; Walker, 1861 *Acidalia dentigerata* (Walker, [1863]) *Acidalia exiguaria*; Prout, L.B., 1932 *Scopula exigua* (Walker, 1860) *Boarmia exiquaria*; Janse, 1917 *Scopula rudisaria* (Walker, 1861) *Acidalia acentra* (Warren, 1897) *Craspedia agrapta* (Warren, 1902) *Craspedia alma* Prout, L.B., 1920
antiloparia (Wallengren, 1863) *Acidalia argentidisca* (Warren, 1902) *Craspedia argyroleuca* (Hampson, 1910) *Craspedia astrabes* Prout, L.B., 1932
bigeminata (Warren, 1897) *Craspedia fumosaria* (Swinhoe, 1904) *Emmiltis bisinuata* (ssp. of *sinnaria*) (Warren, 1905) *Emmiltis caesaria caesaria* (Walker, 1861) *Acidalia caesarea*; Fuchs, 1902 *Acidalia faeculenta* (Mabille, 1880) *Acidalia obturbata* (Walker, 1861) *Acidalia perfectaria* (Walker, 1861) *Acidalia rufimixtaria* (Warren, 1900) *Craspedia candidaria* (Warren, 1902) *Pylarge carnosa* Prout, L.B., 1925
circumpunctata (Warren, 1898) *Craspedia curvimargo* (Warren, 1900) *Induna bilineata* (Bastelberger, 1909) *Psilephyra nubincincta* (Hampson, 1910) *Induna demissaria* (Walker, [1863]) *Acidalia derasata* (Walker, [1863]) *Acidalia deserta* (Warren, 1897) *Craspedia dissonans* (Warren, 1897) *Craspedia donovani* (Distant, 1892) *Lycauges extraordinaria* (Staudinger, 1892) *Longula extremata* (Warren, 1897) *Lycauges duplicituncta* (Prout, L.B., 1913) *Acidalia erinaria isolata* Prout, L.B., 1920
isolatata; Vári & Kroon, 1986 *Scopula euchroa* Prout, L.B., 1925
fimbriolineata *fimbriolineata* (Warren, 1902) *Craspedia niobe* (Fawcett, 1916) *Idaeia protuberans* (Warren, 1909) *Craspedia flexio* Prout, L.B., 1917
gazellaria (Wallengren, 1863) *Acidalia gazella* Distant, 1892 *Acidalia* (emendation) *griselineata*; Janse, 1917 *Scopula griseolineata* (Warren, 1900) *Sterrha griseolineata* (Warren, 1900) *Sterrha gnou* Herbuleot, 1985
hectata (Guenée, [1858]) *Acidalia impicta* Prout, L.B., 1922
inscriptata (Walker, [1863]) *Acidalia acentra* (Warren, 1911) *Cinglis insinuata* Prout, L.B., 1920
instructata (Walker, [1863]) *Acidalia internata internata* (Guenée, [1858]) *Acidalia illiturrata* (Walker, [1863]) *Acidalia pudens* (Warren, 1905) *Synelys pulverosaria* (Walker, [1863]) *Acidalia strigulifera* (Walker, 1861) *Acidalia internataria internataria* (Walker, 1861) *Acidalia tremula* (Bastelberger, 1909) *Acidalia irrufata* (Warren, 1905) *Sterrha isolata* (ssp. of *erinaria*) Prout, L.B., 1920
lactaria (Walker, 1861) *Acidalia intervulsata* (Walker, 1861) *Acidalia tectoria* (Walker, 1866) *Acidalia laevigata* Krüger, 2019
laevipennis (Warren, 1897) *Craspedia uninotata* (Warren, 1897) *Craspedia latitans* Prout, L.B., 1920 (replacement name)
reconditaria (Snellen, 1872) *Acidalia* (preoccupied)
lubricata (Warren, 1905) *Synelys ludibunda* (Prout, L.B., 1915) *Acidalia minorata* (Boisduval, 1833) *Acidalia consentanea* (Walker, 1861) *Acidalia consutanea*; Walker, [1863] *Acidalia holobapharia* (Mabille, 1900) *Acidalia luculata* (Guenée, [1858]) *Acidalia mauritiata* (Guenée, [1858]) *Acidalia mombasae* (Warren, 1904) *Emmiltis* (*Craspedia*) *molaris* Prout, L.B., 1922
monotropa Prout, L.B., 1925
natalica (Butler, 1875) *Acidalia diffusizona* (Hampson, 1910) *Craspedia natalata*; Fletcher, D.S., 1978 *Scopula nemorivagata* (Wallengren, 1863) *Acidalia bonaventura* (Warren, 1897) *Craspedia nigrinotata* (Warren, 1897) *Craspedia obliquiscripta* (Warren, 1897) *Sterrha opicata* (Fabricius, 1798) *Phalaena infantularia* (Guenée, [1858]) *Pigia vanaria* (Walker, 1861) *Micronia opperta* Prout, L.B., 1920
oryx Herbuleot, 1985
ourebi Herbuleot, 1985
palleuca Prout, L.B., 1925
palpifera Prout, L.B., 1925
pellonioides Prout, L.B., 1922
pellonoides; Janse, 1934 *Scopula penricei* Prout, L.B., 1920
pertinax (Prout, L.B., 1916) *Acidalia phyletis* (Prout, L.B., 1913) *Lycauges picta* (Warren, 1897) *Sterrha fulvilinea* (Warren, 1914) *Sterrha promethea* Prout, L.B., 1928
psephis Prout, L.B., 1935
pulchellata rufinubes (Warren, 1900) *Craspedia punctilineata* (Warren, 1897) *Sterrha*

GEOMETROIDEA

- quadrifasciata* (Bastelberger, 1909) *Emmiltis*
glaucozyma (Hampson, 1910) *Craspedia*
quintaria quintaria (Prout, L.B., 1916) *Acidalia*
rossi (Prout, L.B., 1913) *Acidalia*
ruficolor (Prout, L.B., 1916) *Scopula (Pylarge)*
rufinubes (ssp. of *pulchellata*) (Warren, 1900) *Craspedia*
rufisalsa rufisalsa (Warren, 1897) *Induna*
sanguinisecta sanguinisecta (Warren, 1897) *Craspedia*
muscosaria (Warren, 1902) *Craspedia*
sarcodes Prout, L.B., 1935
serena Prout, L.B., 1920
sincera (Warren, 1901) *Craspedia*
sinnaria bisinuata (Warren, 1905) *Emmiltis*
sinuaria; Janse, 1935 *Scopula*
spoliata (Walker, 1861) *Acidalia*
pygarata (Wallengren, 1863) *Acidalia*
pygargata auct. *Scopula*
straminea (Felder & Rogenhofer, 1875) *Acidalia*
melliflua (Warren, 1897) *Craspedia*
sublobata (Warren, 1898) *Craspedia*
khakiata (Warren, 1905) *Emmiltis*
subobliquata (Prout, L.B., 1913) *Pylarge*
subobliqua; Prout, L.B., 1928 *Scopula*
tenuiscripta Prout, L.B., 1917
zophodes Prout, L.B., 1935
- Somatina** Guenée, [1858]
Nebessa Walker, 1869
Prasonesis Meyrick, 1889
Somatopsis Warren, 1896
Somatodes; Guenée, [1858]
apicipuncta Prout, L.B., 1915
centrophora Prout, L.B., 1915
ctenophora Prout, L.B., 1915
figurata figurata Warren, 1897
rufitacta Warren, 1905
ioscia Prout, L.B., 1932
mozambique (Thierry-Mieg, 1905) *Problepsis*
probleptica Prout, L.B., 1917
prouti Janse, 1934
sedata Prout, L.B., 1922
vestalis (Butler, 1875) *Argyris*
virginalis Prout, L.B., 1917
- Traminda** Saalmüller, 1891
Gnampoloma Warren, 1895
falcata Warren, 1897
neptunaria (Guenée, [1858]) *Timandra*
viridipennaria (Guenée, [1858]) *Timandra*
obversata obversata (Walker, 1861) *Acidalia*
glauca Warren, 1897
observata; Prout, L.B., 1934 *Traminda*
striata (Warren, 1897) *Lipomelia*
ocellata Warren, 1895
rufa Warren, 1897
vividaria (Walker, 1861) *Timandra*
ledereri (Wallengren, 1863) *Timandra*
nigripuncta Warren, 1897
variegata Swinhoe, 1904
viridaria auct. *Traminda*
- Zygophyxia** Prout, L.B., 1916
roseocincta (Warren, 1899) *Eois*
roseicincta auct. *Zygophyxia*
stenoptila Prout, L.B., 1916
- Larentiinae** author, date*
Hydriomeninae
- Dyspteridini** Hulst, 1896 *Ounap may propose subfamily rank
- Trimetopia** Guenée, [1858]
*aetheraria** Guenée, [1858]
- *also *Tarachodes larentioides*?
- Trichopterygini** Warren, 1894
- Episteira** Warren, 1899
confusidentata (Warren, 1897) *Remodes*
- Lobidiopteryx** Warren, 1902
eumares Prout, L.B., 1935
- Protosteira** Prout, L.B., 1932
*spectabilis** (Warren, 1899) *Holorista*
- Chesiadini** Pierce, 1914
- Aplocera** Stephens, 1827
Amiatis; Wood, 1835
Anaitis Duponchel, 1829
Anaitis; Wood, 1835
Haplocera Agassiz, 1847 (unjustified emendation, preoccupied)
Larissa Curtis, 1830
[*efformata efformata* (Guenée, [1858]) *Anaitis*]
plagiata pallidata (Staudinger, 1870) *Anaitis*
- Conchyliia** Guenée, [1858]
Callythria Weymer, 1908
Conchylla; Scoble *et al.*, 1999
actena Prout, L.B., 1917
albata Janse, 1934
canescens (Prout, L.B., 1925) *Lithostege*
cymopolia Krüger, 2008
decorata (Warren, 1911) *Lithostege*
*ditissimaria** Guenée, [1858]
frosinaria (Stoll, [1790]) *Phalaena Geometra*
gamma Prout, L.B., 1915
irene Prout, L.B., 1915
lapsicolumna Prout, L.B., 1916
nitidula (Stoll, 1782) *Phalaena Geometra*
lamellata Prout, L.B., 1917
nitidularia; Guenée, [1858] *Conchyliia*
nymphula Janse, 1934
pactolaria Wallengren, 1872
rhabdocampa Prout, L.B., 1935
sesquifascia (Prout, L.B., 1913) *Lithostege*
sequifascia; Vári, 1958 *Conchyliia*
- Asthenini** Warren, 1893
- Asthenotricha** Warren, 1899
*dentatissima** Warren, 1899
dentissima; Vári & Kroon, 1986 *Asthenotricha*
inutilis Warren, 1901
pycnoconia Janse, 1933
serraticornis Warren, 1902
dentatissima auct. *Asthenotricha*
- Eois** Hübner, 1818
Amaurinia Guenée, [1858]
Amphibatodes Warren, 1895
Anthria Swinhoe, 1892
Bardanes Moore, 1888
Cambogia Guenée, [1858]
Cretheis Meyrick, 1886
Phrudoplaga Warren, 1894
Prasinoscia Warren, 1905
Pseudasthena Moore, [1887]
Psilocambogia Hampson, 1893
grataria (Walker, 1861) *Hyria*
pallicinctaria (Walker, [1863]) *Acidalia*
rectifasciata Fletcher, D.S., 1958
- Melanthiini** Duponchel, 1845
- Collix** Guenée, [1858]
Collyx; Janse, 1933
foraminata Guenée, [1858]
- Eccymatoge** Prout, L.B., 1913
melanoterma Prout, L.B., 1913
- Horisme** Hübner, [1825]
Horisma; Hulst, 1896
Larentia Bruand, [1847] (preoccupied)
filia Prout, L.B., 1913
jansei Fletcher, D.S., 1956
minuata (Walker, 1860) *Hemerophila*
brunniceps (Felder & Rogenhofer, 1875) *Cidaria*
emarginata (Walker, [1863]) *Phibalapteryx*
obscurata obscurata Prout, L.B., 1913
pallidimacula Prout, L.B., 1925
punctiscripta (Prout, L.B., 1917) *Ortholitha*

GEOMETROIDEA***Melanthisia*** Duponchel, 1829*Melentia*; Desmarest, 1857*ustiplaga* (Warren, 1899) *Tephroclystia***Piercia group of genera*****Piercia*** Janse, 1933*alpinaria* Krüger, 2005*artifex artifex* (Prout, L.B., 1925) *Perizoma**artifex basutensis* (Prout, L.B., 1925) *Perizoma**abasutensis*; Prout, L.B., 1925 *Perizoma**basutensis* (ssp. of *artifex*) (Prout, L.B., 1925) *Perizoma**bryophilaria* (Warren, 1903) *Tephroclystia**bryophilaria*; Janse, 1933 *Piercia**ceres* (ssp. of *lightfooti*) Prout, L.B., 1935*cidariata* (Guenée, [1858]) *Eupithecia**ciliata* Janse, 1933*dibola* Prout, L.B., 1935*dryas* (Prout, L.B., 1915) *Eupithecia**emmeles* (Prout, L.B., 1922) *Eupithecia**eviscerata* (Warren, 1914) *Perizoma**leptophyes* Prout, L.B., 1935*lichenocosmia* Krüger, 2005*lightfooti ceres* Prout, L.B., 1935*lightfooti lightfooti* (Prout, L.B., 1925) *Eupithecia**nimipunctata* Janse, 1933*olivata* Janse, 1933*perizomoides* (Prout, L.B., 1916) *Eupithecia**petraria* Krüger, 2005*prasinarria** (Warren, 1901) *Epirrhoe**respondens* (Prout, L.B., 1922) *Coenotelephria**smaragdinata* (Walker, 1862) *Cidaria**tenella* (Warren, 1911) *Ochyria**tennella*; Janse, 1933 *Ochyria**spatiosata* (Walker, 1862) *Larentia**despectata* (Walker, 1862) *Cidaria**priscata* (Walker, 1862) *Camptogramma**subterlimbata* (Prout, L.B., 1917) *Eupithecia**vittata* Janse, 1933**Larentiini** Duponchel, 1845***Entephria*** Hübner, [1825] 1816*Glaucopteryx* Hübner, [1825]*Phaesylloides* Bruand, [1847]*Trichochlamys* Hulst, 1896*africana* (Warren, 1911) *Entephria**alumna* (Prout, L.B., 1925) *Ortholitha**aurisquamaria* Krüger, 2005*horismodes* (Prout, L.B., 1913) *Onychia**glaucocyma* Krüger, 2005*leucosticta* Krüger, 2005*maraisi* Krüger, 2005*mesozona* Krüger, 2005*muscosa* Krüger, 2007*petrogenes* (Prout, L.B., 1922) *Ortholitha***Larentia** Treitschke, 1825*Cymazonita* Sodoffsky, 1837 (unnecessary repl. name)*Larentia* Stephens, 1829 (preoccupied)*Plerocymia* Hübner, [1825]*attenuata* Walker, 1862*bitrita* (Felder & Rogenhofer, 1875) *Ortholitha**diplocampa* Prout, L.B., 1917*indiscriminata* Walker, [1863]**'Perizomini'** (nec Perizomini Herbulot, 1961)***Perizoma*** Hübner, [1825]*lamprammodes* (Prout, L.B., 1911) *Onychia***Eupitheciini** Tutt, 1896**"*Chloroclystis*"** Hübner, [1825]*Gnamptonia* Warren, 1902*consoer* Prout, L.B., 1937*dentatissima* Warren, 1898*gymnoscelides* Prout, L.B., 1916*gymnosecides*; Janse, 1917 *Chloroclystis**jansei* Prout, 1937 *to confirm status; syn. of *nanula* Mab.?*muscosa tumefacta* Prout, L.B., 1917*mucosa*; Janse, 1935 *Chloroclystis**tumefacta* (ssp. of *muscosa*) Prout, L.B., 1917***Eupithecia*** Curtis, 1825*Aragonina*; Stephens, 1835*Arcyonia* Hübner, [1825]*Catarina* Vojnits & de Laever, 1973*Delaeveria* Schulze, 1961*Dietzea* Schulze, 1956*Dochephora* Warren, 1895*Dolichopyge* Warren, 1900*Dyscymatoge* Hübner, [1825]*Emmesocoma* Warren, 1907*Encymatoge*; Stephens, 1835*Epicaste* Gumpenberg, 1887 (preoccupied)*Epithecia*; Janse, 1933*Eucymatoge* Hübner, [1825]*Eupethecia*; Grote, 1882*Eupitecia*; Rondani, 1872*Eupithecia* Bruand, [1847] (preoccupied)*Eupthesia*; Desmarest, [1847]*Eurypeplodes* Warren, 1893*Heteropithecia* Vojnits, 1985*Hypepirritis* Hübner, [1825]*Lepiodes* Guenée, [1858]*Leucocora* Hübner, [1825]*Neopithecia* Vojnits, 1985*Pena* Walker, 1863*Petersenia* Schulze, 1958*Phaulostathma* Warren, 1900*Propithecia* Vojnits, 1985*Sebastia* Warren, 1895 (preoccupied)*Stenopa* Warren, 1900*Tarachia* Hübner, [1825]*Tephroclystia* Hübner, [1825]*Tephroclystis*; Meyrick, 1892*Thysanoctena* Warren, 1904*Trichoclystis* Warren, 1904*Zygmena* Boie, 1839*albicristulata* Prout, L.B., 1922*altitudinis* Krüger, 2000*angustiarum* Krüger, 2000*brachyptera* Prout, L.B., 1913*celatisigna* (Warren, 1902) *Tephroclystia* (as *Tephroclystis*)
eclatisigna auct.*coaequalis* Janse, 1933*coaequalis*; Vári & Kroon, 1986*devestita* (Warren, 1899) *Tephroclystia**dilicida* (Warren, 1899) *Tephroclystia**festiva* Prout, L.B., 1916*gradatilinea* Prout, L.B., 1916*rubidimixta* Prout, L.B., 1916*hypophasma* Prout, L.B., 1913*inconclusaria* Walker, 1862*macropterata* Walker, 1866*infauta* Prout, L.B., 1922*infectaria* (Guenée, [1858]) *Lepiodes**infelix* Prout, L.B., 1917*inscidata* Walker, [1863]*irenica* Prout, L.B., 1937*laticallis* Prout, L.B., 1922*licita* Prout, L.B., 1917*licita veppalida* Prout, L.B., 1925*liqalaneng* Krüger, 2000*maloti* Krüger, 2000*mendosaria* (Swinhoe, 1904) *Tephroclystia**monticola* Krüger, 2000*nigribasis* (Warren, 1902) *Tephroclystia**niticallis* Krüger, 2007*percussaria* (Swinhoe, 1904) *Tephroclystia**perigrapta* Janse, 1933*pettyi* Prout, L.B., 1935 (replacement name)*parallelaria* Janse, 1933 (preoccupied)*pettyioidea* Krüger, 2000*picturata* (Warren, 1902) *Tephroclystia**polylibades* Prout, L.B., 1916*pretorianna* (Prout, L.B., 1922) *Eucymatoge**rediviva* Prout, L.B., 1917*reginamontium* Krüger, 2000*reginamontanum*; Krüger, 2000 (original misspelling)

GEOMETROIDEA

- regulosa* (Warren, 1902) *Tephroclystia*
rigida sporadica Prout, L.B., 1932
rubiginifera Prout, L.B., 1913
sagittata (Warren, 1897) *Tephroclystia*
semipallida Janse, 1933
sporadica (ssp. of *rigida*) Prout, L.B., 1932
subcanipars Prout, L.B., 1917
subconclusaria Prout, L.B., 1917
subscriptaria Prout, L.B., 1917
thessa Prout, L.B., 1935
undiculata undiculata Prout, L.B., 1932 (replacement name)
vermiculata (Warren, 1901) *Tephroclystia* (preoccupied)
- Gymnoscelis** Mabille, 1868
Dolerosceles Meyrick, 1889
Gymnocelis; Hulst, 1896
Iramba Moore, [1887]
olsoufieffae Prout, L.B., 1937
oribensis Herbuleot, 1981
tenera Warren, 1901
- Mesocolpia** Warren, 1901
lita (Prout, L.B., 1916) *Chloroclystis*
nanula (Mabille, 1900) *Cidaria*
- Xanthorhoini** Pierce, 1914
- Dysrhoe** Herbuleot, 1951
olbia (Prout, L.B., 1911) *Onychia*
parvula (Prout, L.B., 1932) *Ortholitha*
- Epirrhoe** Hübner, [1825]
achatina Prout, L.B., 1915
annulifera (Warren, 1902) *Cosmorhoe*
edelsteni Prout, L.B., 1916
finitima Krüger MS (Worcester)
insperata Krüger, 2019
- Gonanticlea** Swinhoe, 1892
meridionata meridionata (Walker, 1862) *Cidaria*
asperata; Janse, 1935 *Cidaria*
aspersata (Walker, 1862) *Cidaria*
- Haplolabida** Fletcher, D.S., 1958
coaequata (Prout, L.B., 1935) *Perizoma*
inaequata (Walker, 1861) *Tephritis*
trajectata (Walker, [1863]) *Anaitis*
- Mimoclystia** Warren, 1901
corticearia (Aurivillius, 1910) *Triphosa*
explanata (Walker, 1862) *Larentia*
coarctata (Walker, 1862) *Larentia*
euboliata (Walker, [1863]) *Cidaria*
pallidata (Walker, 1862) *Coremia*
sylvicultrix (Wallengren, 1872) *Camptogramma*
mermera (Prout, L.B., 1935) *Loxofidonia*
pudicata pudicata (Walker, 1862) *Cidaria*
pudicata quaggaria (Wallengren, 1872) *Camptogramma*
semiflava (Warren, 1898) *Orthonama*
semiflavata; Prout, L.B., 1935
quaggaria (ssp. of *pudicata*) (Wallengren, 1872) *Camptogramma*
tepecens Prout, L.B., 1922
*undulosata** Warren, 1901
- Orthonama** Hübner, [1825]
Nycterosea Hulst, 1896
Nyctosia; Hulst, 1896
Orthonoma; Hübner, 1826
Percnophilota Hulst, 1896
Plemyria Hübner, [1825] (preoccupied)
obstipata contrariata (Walker, 1862) *Melanippe*
obstipata obstipata (Fabricius, 1794) *Phalaena*
albicinctata (Haworth, 1809) *Phalaena*
angustata (Haworth, 1809) *Phalaena*
baccata (Guenée, [1858]) *Camptogramma*
brunneipennis (Hulst, 1896) *Nycterosea*
discata (Warren, 1905) *Ochyria*
exagitata (Walker, 1862) *Camptogramma*
fluviata (Hübner, 1799) *Geometra*
gemmaria (Boisduval, 1840) *Larentia* (emendation)
gemmata (Hübner, 1799) *Geometra*
- inconspicua* (Warren, 1896) *Ochyria*
intrusata (Walker, 1862) *Phibalapteryx*
lapillata (Guenée, [1858]) *Camptogramma*
obruptata (Walker, [1863]) *Coremia*
peracutata (Walker, 1862) *Cidaria*
pigrata (Walker, 1866) *Coremia*
plemyrata (Felder & Rogenhofer, 1875) *Cidaria*
quaerendaria (Costa, [1850]) *Larentia*
signataria (Walker, [1863]) *Camptogramma*
- Parortholitha** Herbuleot, [1956]
moerdyki Herbuleot, 1980
subrectaria (Walker, 1861) *Tephritis*
cidiariata (Walker, 1862) *Coremia*
- Pseudolarentia** Herbuleot, [1956]
megalaria (Guenée, [1858]) *Eubolia*
atrocilarata (Walker, [1863]) *Eubolia*
- Xanthorhoe** Hübner, [1825]
Anisolasia Warren, 1904
Boremia; Bruand, 1846
Cidaria Stephens, 1829 (preoccupied)
Coremia Bruand, 1846 (preoccupied)
Coremia Guenée, [1845] (preoccupied)
Malenydris Hübner, [1825]
Monochryia Warren, 1901
Ochyria Hübner, [1825]
Odontorhoe Aubert, 1962
Parodontorhoe Aubert, 1962
Scotocoremia Butler, 1882
Xanthorrhoea; Warren, 1893
Xanthorrhoea; Pagenstecher, 1909
albodivisaria (Aurivillius, 1910) *Onychia*
borbonicata (Guenée, [1858]) *Cidaria*
brauni Janse, 1933
exorista Prout, L.B., 1922
melissaria (Guenée, [1858]) *Coremia*
mimica Janse, 1933
poseata (Geyer, 1837) *Amoeba*
colorata (Walker, [1863]) *Melanippe*
penetrata (Walker, 1862) *Cidaria*
rudisaria (Walker, 1862) *Ypsipetes*
umbriferata (Walker, [1863]) *Cidaria*
viridicincta; Fletcher, D.S., 1979 *Larentia*
viridicinctata (Guenée, [1858]) *Larentia*
vivadata; Scoble *et al.*, 1999
vividata (Walker, 1862) *Coremia*
transjugata Prout, L.B., 1923
mikenaria Debauche, 1938
- ? Xanthorhoini** author, date*
- Polystroma** Warren, 1897
*subspissata** Warren, 1897
brunneitrames (Prout, L.B., 1916) *Xanthorhoe*
- Ephyiini** Herbuleot, 1961
- Ephygia** Hübner, [1825]
Anapalta Warren, 1904
Ephygia; Hübner, 1826
Orthoprra Warren, 1904
Warrenia Prout, L.B., 1910
distinctata (Walker, 1862) *Larentia*
discolorata (Warren, 1901) *Glaucopteryx*
scotiota (Walker, [1863]) *Cidaria*
- Scotopterygini** Warren, 1895
- Scotopteryx** Hübner, [1825]
Eubolia Duponchel, 1829
Eusebia Bruand, 1846 (preoccupied)
Eusebia Duponchel, [1845]
Forbachia Albrecht, 1920
Limonophila Gumpenberg, 1887
Onchyia; Scoble *et al.*, 1999
Onchyia Hübner, [1825]
Phasiane Duponchel, 1829

GEOMETROIDEA

alboclusa (Warren, 1897) *Plerocymia*
atrosigillata (Walker, [1863]) *Eubolia*
crenulimargo (Prout, L.B., 1925) *Ortholitha*
cryptocycloca (Prout, L.B., 1913) *Onychia*
cryptospilata (Walker, [1863]) *Eubolia*
deversa (Prout, L.B., 1913) *Onychia*
diversa; Vári, 1958 *Scotopteryx*
ferridotata (Walker, [1863]) *Eubolia*
ferridodata; Janse, 1935 *Ortholitha*
horismodes (Prout, L.B., 1913) *Onychia*
nictitaria nictitaria (Herrick-Schäffer, 1855) *Larentia*
peringueyi (Prout, L.B., 1917) *Ortholitha*

Genera unassigned as to tribe (in alphabetical order)

Chionopora Prout, L.B., 1922
*tarachodes** Prout, L.B., 1922

Disclisioprocta Wallengren, 1861
Campolina Schaus, 1940
natalata (Walker, 1862) *Scotosia*
constellata (Warren, 1897) *Campogramma*
polyacmaria (Mabille, 1897) *Campogramma*
rubitincta (Hampson, 1899) *Scotosia*
vorax (Strand, 1910) *Phibalapteryx*

Ecpetala Fletcher, D.S., 1958
*caesiplaga** (Prout, L.B., 1935) *Gonanticlea*

Ennominae Duponchel, [1845]**Diptychini** Janse, 1933

Callioratis Felder, 1874
*abraxas** *abraxas* Felder, 1874
abraxis; Hampson, 1905 *Callioratis*
boisduvalii Felder, 1874
curlei Staude, 2001
mayeri Staude, 2001
millari Hampson, 1905

Veniliodes Warren, 1894
Durbana Warren, 1904
inflammata Warren, 1894
*pantheraria** (Felder, 1874) *Lomaspilis*
setinata (Felder & Rogenhofer, 1875) *Fidonia*

Zerenopsis Felder, 1874
Diptychis Felder, 1874
Paraptychodes Warren, 1894
Zerenopsis Warren, 1894 (preoccupied)
geometrina (Felder, 1874) *Diptychis*
lepidia (Walker, 1854) *Deiopeia*
*leopardina** Felder, 1874
meraca (Prout, L.B., 1928) *Diptychis*
moi Staude & Sihvonen, 2014

Plutodini author, date*

Blaboplutodes Prout, L.B., 1934
parvistictus Carcasson, 1965

Ochroplutodes Warren, 1895
Caenarthria Warren, 1894 (preoccupied)
Neopolita Warren, 1904
haturata (Walker, 1860) *Hyperythra*
crocea Warren, 1905
sordida Warren, 1895

Lithinini Forbes, 1948

Falsoschoenobius Krüger MS
*longipalpis** Krüger MS

Flavilithina Krüger MS
*flavens** Krüger MS
irrorata Krüger MS

Idiodes Guenée, [1858] (type species from Tasmania)

Choara Walker, 1860
Nopia Walker, 1861
Threneta Turner, 1947
flexilinea (Warren, 1898) *Anonychia*
flexilinia; Prout, L.B., 1915 *Anonychia*
saxaria (Guenée, [1858]) *Panagra*
soprinataria (Walker, 1862) *Nopia*

Kogelbergia Krüger MS
*krooni** Krüger MS

Larentioides Prout, L.B., 1917

*cacotheomon** Prout, L.B., 1917

Pareclipsis Warren, 1894 (species listed below not to *P.*; placement in Lithiini also provisional)
distolochorda Prout, L.B., 1916
incerta Prout, L.B., 1916
leptophyes Prout, L.B., 1916
ochrea (Warren, 1905) *Euomoaea*
onus Prout, L.B., 1917
oxyptera Prout, L.B., 1916
phaeopis Prout, L.B., 1922
punctata Warren, 1900

Promontorilithina Krüger MS
paucinotata Krüger MS
reducta Krüger MS
*terminipuncta** Krüger MS
veninotata Krüger MS

Caberini Duponchel, [1845] / **Baptini** Forbes, 1948

Cabera Treitschke, 1825
Cabera Stephens, 1829 (preoccupied)
Cabira Sodoffsky, 1837 (unjustified emendation)
Cabiro Unjer, 1856 (unjustified emendation)
Deilinia Hübner, [1825]
Dilina Agassiz, 1847 (unjustified emendation, preoccupied)
Dilina Hampson, 1895 (unjustified emendation)
Gyalomia Prout, L.B., 1913
Thysanochilus Butler, 1878
aquaemontana (Prout, L.B., 1913) *Gyalomia*
elatina (Prout, L.B., 1913) *Gyalomia*
neodora Prout, L.B., 1922
nevillae Krüger, 2000
pseudognophos (Prout, L.B., 1917) *Petelia*
strigata (Warren, 1897) *Petelia*
crassata (Warren, 1904) *Selidosema*

Encomia Swinhoe, 1904
inaccurata (Prout, L.B., 1913) *Stegania*

Erastria Hübner, [1813]
Catopyrrha Hübner, [1823]
Euchlidon Hübner, [1823]
Petrodava Walker, [1863]
Syrrhoea Hübner, 1823
Trothia Hübner, 1821
albicatena (Warren, 1895) *Petrodava*
leucicolor leucicolor (Butler, 1875) *Hyperythra*
atrisignata (Warren, 1914) *Petrodava*
lucicolor auct. *Petrodava*
muscosa (Warren, 1914) *Petrodava*
madecassaria natalensis (Warren, 1897) *Tycoonia*
latinmarginata (Warren, 1899) *Petrodava*
olivata (Warren, 1897) *Petrodava*
natalensis (ssp. of *madecassaria*) (Warren, 1897) *Tycoonia*

Lhommeia Wehrli, 1939
*biskraria** *illiturata* (Warren, 1897) *Anthypyrythra*
subapicata (Warren, 1899) *Petrodava*

Lomographa Hübner, [1825]
Akrobapta Wehrli, 1924
Anhibernia Staudinger, 1892
Bapta Stephens, 1829
Cirretaera Wehrli, 1939
Corycia Duponchel, 1829 (preoccupied)
Cyrtesia Wehrli, 1939
Earoxyptera Djakonov, 1936

GEOMETROIDEA

Eudjakonovia Fletcher, 1979 (unnecessary replacement name)
Leucetaera Warren, 1894
Lomatographa Agassiz, 1847 (unjustified emendation)
Neobapta Djakonov, 1936 (preoccupied)
aridata (Warren, 1897) *Heterostegane*
calidata (Warren, 1897) *el*
indularia (Guenée, [1858]) *Stegania*

Hypochrosini author, date*

Ereunetea Warren, 1899
Anomocoetidia Strand, 1913
horitropha (ssp. of *reussi*) Prout, L.B., 1915
reussi horitropha Prout, L.B., 1915

Euxenia Prout, L.B., 1915
aora (ssp. of *percnopus**) Prout, L.B., 1922
percnopus aora Prout, L.B., 1922
percnopus percnopus* Prout, L.B., 1915
percnopus; Janse, 1917 *Euxenia*

Hypochrosis Guenée, [1858]
Marcala Walker, [1863]
Patruissa Walker, [1863]
Phoenix Butler, 1880
meridionalis Hausmann, 2003

Omizodes Warren, 1894
Haematorithra Butler, 1896
complanata Prout, L.B., 1922
*ocellata** Warren, 1894
rubrifasciata (Butler, 1896) *Haematorithra*

Perusiopsis Warren, 1914 (placement provisional)
*veninotata** Warren, 1914

Phoenicocampa Warren, 1895
*terinata** (Felder & Rogenhofer, 1875) *Itame*

Pithea Walker, 1854
Hymenocharta Warren, 1897
Tuerckheimia Dewitz, 1881
mungi Plötz, 1880
albolineata Druce, 1910
neavei neavei Prout, L.B., 1915
trifasciata Dewitz, 1881
triplagiata (Warren, 1897) *Hymenocharta*

Plegapteryx Herrich-Schäffer, [1856]
Neuropolodes Warren, 1895
Rhamphopteryx Bryk, 1913
Syndetodes Warren, 1902
*anomalus** Herrich-Schäffer, [1856]
grotesca (Bryk, 1913) *Rhamphopteryx*
partita Holland, 1893
primoti (Vlette, 1954) *Spidia*
segmentata (Warren, 1902) *Syndetodes*
titia Druce, 1899
viridis Warren, 1909

Sphingomima Warren, 1899
viriosa Prout, L.B., 1915

Terina Walker, 1854
Agirpa Warren, 1894 (unnecessary replacement name)
Amnemopsyche Butler, 1869
Girpa Walker, [1865] (preoccupied)
Torina; Walker, 1856
circumcincta Prout, L.B., 1915

(?) Tribus prope Hypochrosini

Epigynopteryx Warren, 1895
Eurythecodes Warren, 1897
Paracrocta Warren, 1897
Trisyndeta Warren, 1897
eugonia Prout, L.B., 1935
fulva Janse, 1932
maeviaria maeviaria (Guenée, [1858]) *Aspilates*
subspersa (Warren, 1897) *Trisyndeta*

craspignonia (Hampson, 1909) *Psilocerea*
townsendi Fletcher, D.S., 1958

Scardamiini author, date*

Chloroctenis Warren, 1899 (placement provisional)
conspersa Warren, 1909

Oaracta Walker, 1861
*auricincta** Walker, 1862
chalcospilata (Walker, [1863]) *Epione*
sofalaria (Felder & Rogenhofer, 1875) *Euchlaena*
sofalariae; Janse, 1932 *Scardamia*
chalcospilata (Walker, [1863]) *Epione* [probably a syn. of *auricincta*]
maculata (Warren, 1897) *Scardamia*
neophronaria (Oberthür, 1912) *Scardamia*

Ennomini Duponchel, [1845]

Aethiopodes Warren, 1902
Buttia Warren, 1904
erebaria (Guenée, [1858]) *Gonodontis*
indecoraria (Walker, 1866) *Azelina*
medioumbrata Krüger, 2003
meyi Krüger, 2003
noctuodes (Warren, 1904) *Buttia*
olivacea Krüger, 2007
paliscia (Prout, L.B., 1922) *Gonodontis*
perplexata (Warren, 1904) *Dyscia*
saxeticola Krüger, 2005
staudei Krüger, 2003
stictoneura (Prout, L.B., 1917) *Gonodontis*

Henicovalva Krüger, 2017
lebomboensis Krüger, 2017
mpisiensis Krüger, 2017
serulensis Krüger, 2017

Odontopera Stephens, 1831
Caripetodes Warren, 1895
Cenocenucha Warren, 1897
Corotia Moore, 1868
Lioptilesia Wehrli, 1936
Niphonissa Butler, 1878
Paragonodontis Wehrli, 1936
aidna (ssp. of *ochroneura*) (Prout, L.B., 1938) *Gonodontis*
impeyi Krüger, 2003
ochroneura aidna (Prout, L.B., 1938) *Gonodontis*
stevensoni Krüger, 2003

Proaethiopodes Krüger, 2007
*pallididiscus** Krüger, 2007

Psilocerea Saalmüller, 1880
Eupsamma Warren, 1894
Psilocera; Warren, 1897
immitata Janse, 1932
krooni Krüger, 2007
leptosyne Fletcher, D.S., 1978
pulverosa (Warren, 1894) *Eupsamma*
apicata Warren, 1897
apiaria; Warren, 1897 *Psilocerea*
transversa Bethune-Baker, 1913 (as *Psilocera*)

Xanthisthisa Speiser, 1902 (replacement name) (placement prov.)
Acanthoscelis Warren, 1901 (preoccupied)
niveifrons (Prout, L.B., 1922) *Eurythecodes*
tegorinata Prout, L.B., 1928

Gonodontini (?) author, date*

Coenina Walker, 1860
dentataria Swinhoe, 1904
aegyptiaca (Rebel, 1906) *Orsonoba*
*poeicularia** (Herrich-Schäffer, [1854]) *Geometra*
paecilaria; Distant, 1892 *Coenina* (as *Caenina*)
peociliaria; Pinhey, 1975 *Geometra*

Miantochora Warren, 1895

GEOMETROIDEA*gumpenbergi* (Möschler, 1887) *Hyposidra**Psilocladia* Warren, 1898*obliquata** Warren, 1898*Sesquialtera* Prout, L.B., 1916*ramecourtii* Herbuleot, 1967*ridicula** Prout, L.B., 1916*Xenimpia* Warren, 1895*Hexeris* Saalmüller, 1891 (preoccupied)*Procypha* Warren, 1897*Triprra* Warren, 1897 (unnecessary replacement name)*conformis* (Warren, 1898) *Procypha**erosa** Warren, 1895*linearis* (Warren, 1897) *Hyposidra**lactesignata* (Warren, 1914) *Procypha**maculosata* (Warren, 1897) *Procypha**trizonata* (Saalmüller, 1891) *Hexeris***Nacophorini** Forbes, 1948*Acrasia* Rogenhofer, 1875*Noctuomorpha* Felder, 1874 (preoccupied)*accepta* Krüger, 2013*amoena* Krüger, 2013*ava* (Prout, L.B., 1938) *Mauna**crinita** Felder & Rogenhofer, 1875*hemixantharia* (Felder, 1874) *Noctuomorpha**drakensbergensis* (Herbulot, 1992) *Mauna**dukei* Krüger, 2013*grandis* Krüger, 2013*lechriogramma* Krüger, 2013*modesta* Krüger, 2007*monticola* Krüger, 2013*nyangica* Krüger, 2013*punctillata* (Prout, L.B., 1938) *Mauna**robusta* Krüger, 2013*similis* Krüger, 2013*Argyrophora* Guenée, [1858]*arcuialis* (Duncan [& Westwood], 1841) *Dichroma**arcuaria*; Guenée, [1858] *Argyrophora**confluens* Krüger, 1999*intervenata* (Prout, L.B., 1917) *Microligia**leucochrysa* Krüger, 1999*retifera* Krüger, 1999*rhampsinitos* Krüger, 1999*stramineata* Krüger, 1999*trofonia* (Cramer, [1779]) *Phalaena Geometra**histrionalis* (Duncan [& Westwood], 1841) *Dichroma**monetata** Guenée, [1858]*trofoniata*; Guenée, [1858] *Argyrophora**variabilis* Krüger, 1999*Asemoprepes* Krüger, 2014*homales** (Prout, L.B., 1922) *Gonodontis**Crambometra* Prout, L.B., 1915*Burnuparia* Janse, 1920*Campylocitys*; Gaede, 1934*Campylocrys* Janse, 1920*Pachynemoides*; Young, 2008*Pachycnemoides* Krüger, 1999*atopa* (Krüger, 2005) *Pachycnemoides**basilinea* (Krüger, 2009) *Pachycnemoides**basutensis* (Krüger, 1999) *Pachycnemoides**crambometroides* (Krüger, 2009) *Pachycnemoides**derelicita** Prout, L.B., 1915*nigropulverata* (Janse, 1920) *Burnuparia**gladstonei* (Janse, 1920) *Campylocrys**inops* (Krüger, 1999) *Pachycnemoides**mimela* (Krüger, 2009) *Pachycnemoides**minor* (Krüger, 1999) *Pachycnemoides**obfuscata* (Krüger, 1999) *Pachycnemoides**pseudognophoides* (Krüger, 2004) *Pachycnemoides**simplex* (Krüger, 2009) *Pachycnemoides**vandenberga* Kiriakoff, 1981*zonaria* (Krüger, 1999) *Pachycnemoides**Dispatha* Krüger, 2014*pelopasta** Krüger, 2014*Drepanogynis* Guenée, [1858]*Apleroneura* Warren, 1898*Aspilatopsis* Warren, 1897*Axiodes* Warren, 1894*Derrioides* Butler, 1875*Eulasia* Warren, 1902 (preoccupied)*Euomoea* Warren, 1897*Eupagia* Walker, 1860*Lissodes* Warren, 1914 (preoccupied)*Phrudochorda* Warren, 1898*Sicyodes* Warren, 1894*admiranda* (Warren, 1905) *Nopia**aglaochroa* Krüger, 2007*agrypna* (Prout, L.B., 1938) *Axiodes**acrypha*; Prout, L.B., 1938 *Axiodes**albiflusa* Krüger, 2002*albilinea* Krüger, 2002*albiordine* Prout, L.B., 1938*algoaria* (Felder & Rogenhofer, 1875) *Euchlaena**allicata* (Felder & Rogenhofer, 1875) *Numeria**amydrogramma* Krüger, 2002*angulilinea* Krüger, 2002*angustifascia* Krüger, 2002*angustumargo* Krüger, 2002*antennaria* (Guenée, [1858]) *Epione**imbellata* (Walker, [1863]) *Aspitates* (as *Aspilates*)*vilisaria* (Walker, [1863]) *Aspitates* (as *Aspilates*)*anthracinata* Krüger, 2002*arcuatilinea* Krüger, 2002*arcuifera* Prout, L.B., 1934*argentinensis* Krüger, 2002*aspitatifax* Krüger, 2002*aspitatooides* Krüger, 2002*asteiochlora* Krüger, 2009*athroopsegma* Prout, L.B., 1925*aurifera* Krüger, 2002*auriferoides* Krüger, 2002*aurifex* Krüger, 2002*auriflava* Krüger, 2002*bifasciata* (Dewitz, 1881) *Argyrophora**bipartita* (Warren, 1914) *Axiodes**bivaria* (Guenée, [1858]) *Epione**convexaria* (Walker, [1863]) *Elloplia**coryi* Janse, 1932 *Drepanogynis* (*Sicyodes*)*brunneisparsa* Krüger, 2002*calligrapha* Krüger, 2002*calotaenia* Krüger, 2009*cambojaria* (Guenée, [1858]) *Epione**biferaria* (Walker, [1863]) *Aspitates* (as *Aspilates*)*inflectaria* (Walker, [1863]) *Elloplia**justaria* (Walker, 1862) *Aspilates**limettaria* (Felder & Rogenhofer, 1875) *Euchlaena**paucaria* (Guenée, [1858]) *Epione**tardaria* (Walker, [1863]) *Aspilates**walkeri* (Wallengren, 1875) *Elloplia**camdeboo* Krüger, 2009*canilinea* (Prout, L.B., 1925) *Eupagia**carneata* (Warren, 1904) *Euomoea**castaneoides* Krüger, 2019*chelicera* Krüger, 2002*chromatina* (Prout, L.B., 1913) *Apleroneura**chrysobates* Krüger, 2002*climax* Krüger, 2002*cnepheoegamma* (Prout, L.B., 1938) *Derrioides**commutata* (Prout, L.B., 1938) *Axiodes**confusa* Krüger, 2002*constricta* Krüger, 2019*costipicta olearis* (Prout, L.B., 1938) *Sicyodes**crassifurca* Krüger, 2002*crenilinea* Krüger, 2002*curvaria* (Dewitz, 1881) *Ligia**curvifascia* (Prout, L.B., 1916) *Eupagia**dami* (Prout, L.B., 1938) *Axiodes**dentatilinea* Krüger, 2002*dentatimargo* Krüger, 2002*determinata* (Walker, 1860) *Eupagia**aropisaria* (Walker, 1860) *Himera**commixtata* (Walker, [1863]) *Azelina**mosegata* (Felder & Rogenhofer, 1875) *Himera**devia* (Prout, L.B., 1913) *Apleroneura*

GEOMETROIdea

- dochmoleuca* (Prout, L.B., 1917) *Axiodes*
dukei Krüger, 2002
eeprepes Krüger, 2002
ectoglaucia Krüger, 2002
ennomaria (Warren, 1904) *Axiodes*
epione (Prout, L.B., 1913) *Apleroneura*
excurvata Krüger, 2002
figurata (Warren, 1905) *Axiodes*
fortilimbata (Prout, L.B., 1938) *Axiodes*
fumosa Krüger, 2007
fuscimargo (Warren, 1898) *Phrudochorda*
gitteae Krüger, 2009
glauclichorda Prout, L.B., 1916
gloriola (Prout, L.B., 1913) *Aspilatopsis*
griseisparsa Krüger, 2002
gynoloxa (Prout, L.B., 1938) *Sicyodes*
hilaris Krüger, 2002
hypenissa (Butler, 1875) *Derrioides*
hypoplea Prout, L.B., 1938
 hypoptea; Prout, L.B., 1938 *Axiodes*
inaequalis (Prout, L.B., 1915) *Axiodes*
inangulata (Warren, 1905) *Axiodes*
incondita (Warren, 1904) *Dyscia*
 renitens (Warren, 1914) *Catasia*
 unilineata (Warren, 1914) *Dyscia*
incurvata Krüger, 2002
insciata (Felder & Rogenhofer, 1875) *Axia*
insolens Krüger, 2009
inspersa Krüger, 2009
instabilis Krüger, 2007
interscripta (Prout, L.B., 1922) *Axiodes*
intricata (Warren, 1905) *Axiodes*
intrusilinea Krüger, 2002
irvingi Janse, 1932
kalahariensis Krüger, 2002
lactimacula Krüger, 2002
latipennis Krüger, 2002
lavata Krüger, 2002
legraini Krüger, 2009
leptodoma Prout, L.B., 1917
leucomoma Krüger, 2009
lignitea Krüger, 2009
miltodes Krüger, 2005
miltophyris Krüger, 2002
*mixtaria** Guenée, [1858]
 dulcinaria (Felder & Rogenhofer, 1875) *Hygrochroa*
 exemptaria (Walker, [1863]) *Ennomos*
 inapplicata (Walker, [1863]) *Hyperetis*
 regularia Guenée, [1858]
 strigifera (Warren, 1914) *Lissodes*
monas Prout, L.B., 1916
nebulosa Krüger, 2002
neopraefidens Krüger, 2002
nephelochroa Krüger, 2005
nigriceps (Prout, L.B., 1913) *Apleroneura*
niphobibes Prout, L.B., 1938
niveata Krüger, 2002
obscurefascia Krüger, 2002
ocellata Warren, 1897
ochrocraspeda Krüger, 2009
oinophora Krüger, 2002
olearis (ssp. of *costipicta*) (Prout, L.B., 1938) *Sicyodes*
olivescens (Warren, 1898) *Chloromiza*
 olivescens demissa (Prout, L.B., 1938) *Sicyodes*
orthobates (Prout, L.B., 1917) *Aspilatopsis*
ostracina Krüger, 2002
pallidimargo Krüger, 2002
parapraefidens Krüger, 2002
parva Krüger, 2002
perirrorata Krüger, 2002
pero Prout, L.B., 1917
phaeoscia Krüger, 2002
prouti Krüger, 2002 (replacement name)
 tripartita (Prout, L.B., 1915) *Axiodes* (preoccupied)
pulla Krüger, 2002
pumila Krüger, 2002
punctata (Warren, 1897) *Aspilatopsis*
purpureopilosa Krüger, 2019
ravida Krüger, 2002
rhodampyx (Prout, L.B., 1938) *Axiodes*
robertsoni (Prout, L.B., 1925) *Eupagia*
rosea Krüger, 2002
- rufaria* (Warren, 1909) *Chloromiza*
rufigrisea (Warren, 1911) *Axiodes*
sagittata (Gaede, 1915) *Ulochlaena*
sectilis (Prout, L.B., 1938) *Axiodes*
serrifasciaria (Herrich-Schäffer, [1854]) *Fidonia*
simonsi (Prout, L.B., 1938) *Aspilatopsis*
 fitzsimonsi Prout, L.B., 1938 (emendation)
sinuata (Warren, 1905) *Axiodes*
smaragdaria Krüger, 2002
smaragdioides Krüger, 2002
soni (Prout, L.B., 1938) *Aspilatopsis*
 vansoni Prout, L.B., 1938 (emendation)
spatulifurca Krüger, 2002
stepheni Krüger, 2002
striata Krüger, 2002
strigulosa Prout, L.B., 1916
styx Krüger, 2005
subochrea (Prout, L.B., 1917) *Sicyodes*
subrosea Krüger, 2002
sympatica Krüger, 2009
synclinia (Prout, L.B., 1938) *Axiodes*
tabacicolor Krüger, 2002
trachyacta (Prout, L.B., 1922) *Axiodes*
 carbolignea (Prout, L.B., 1938) *Axiodes*
tripartita (Warren, 1898) *Apleroneura*
unilineata (Warren, 1897) *Euomoea*
valida (Warren, 1914) *Eulasia*
vara Prout, L.B., 1922
variciliata Krüger, 2002
villaria (Felder & Rogenhofer, 1875) *Himera*
viridipennis Krüger, 2002
viridipilosa Krüger, 2002
xanthographa Krüger, 2002
xylophanes Krüger, 2002
- Eutelostolmus* Krüger, 2014
*pictifimbria** (Prout, L.B., 1938) *Mauna*
- Hebdomophruda** Warren, 1897
Hedromophruda; Young, 2008
Stenoptilotis Warren, 1914
apicata Warren, 1897
complicatrix Krüger, 1998
confusatrix Krüger, 1998
crassipuncta Krüger, 1997
crenilinea Prout, L.B., 1917
*curvilinea** Warren, 1897
diploschema Prout, L.B., 1915
disconnecta Krüger, 1997
endrodyi Krüger, 1998
errans Prout, L.B., 1917
eupitheciata (Warren, 1914) *Stenoptilotis*
hamata Krüger, 1997
imitatrix Krüger, 1998
irritatrix Krüger, 1998
kekonomena Krüger, 1997
nigroviridis Krüger, 1997
ortholinea Krüger, 1998
sculpta Janse, 1932
southeyae Krüger, 1997
tephrinata Krüger, 1997
- Illa* Warren, 1914
*nefanda** Warren, 1914
perquisita (Prout, L.B., 1922) *Mauna*
reprobata (Prout, L.B., 1938) *Mauna*
- Mauna** Walker, 1865
Merida Rogenhofer, 1875
filia (Cramer, [1780]) *Phalaena Noctua*
 *acuminata** Walker, 1865
scelestaria (Felder & Rogenhofer, 1875) *Merida*
- Microligia** Warren, 1897
confinis Krüger, 1999
*dolosa** Warren, 1897
luteitincta Prout, L.B., 1916
nubila Krüger, 2019
paradolosa Krüger, 1999
pseudodolosa Krüger, 1999
robustior Krüger, 2019
septentrionalis Krüger, 1999

GEOMETROIdea

Panhyperochia Krüger, 2013
*ingens** Krüger, 2013

Pseudomaenas Prout, L.B., 1917 (replacement name)
Agrammodes Warren, 1911 (preoccupied)
Pseudomaeras; Mey, 2011
alcidata (Felder & Rogenhofer, 1875) *Maenas*
anguinata (Felder & Rogenhofer, 1875) *Fidonia*
arcuata Krüger, 1999
balli Krüger, 2009
bidentata Krüger, 2002
bivirgata (Felder & Rogenhofer, 1875) *Fidonia*
complicata Krüger, 1999
directa Krüger, 1999
dispar Krüger, 2009
dukei Krüger, 1999
euglyphica Krüger, 2009
eumetrorhabda Prout, L.B., 1938
euzonaria Krüger, 1999
honiballi Krüger, 1999
immunda Krüger, 2009
immundoides Krüger, 2009
inornata Krüger, 2009
intricata (Walker, 1857) *Hydrelia*
callistoge (Felder & Rogenhofer, 1875) *Aspilates*
maculipennis (Wallengren, 1865) *Euclidia*
krooni Krüger, 1999
*leucograpta** (Warren, 1911) *Agrammodes*
margarita (Warren, 1914) *Agrammodes*
microgyne Krüger, 2007
natalensis Krüger, 2009
nigrosema Krüger, 2009
oncodogramma Prout, L.B., 1917
orophila Krüger, 1999
parilis Krüger, 2009
prominens Krüger, 1999
rubidivenis (Prout, L.B., 1922) *Hemerophila*
sinuata Krüger, 1999
staudei Krüger, 1999
tricolor (Warren, 1897) *Aspilates*
turneri Prout, L.B., 1938

Terpnostola Krüger, 2014
*ardescens** (Prout, L.B., 1916) *Mauna*
electa (Prout, L.B., 1917) *Mauna*
exalbescens Krüger, 2014
igneotincta Krüger, 2014
insignitata Krüger, 2014
intermedia Krüger, 2014
sematurga (Prout, L.B., 1938) *Mauna*

Thinopterygini author, date*

Melinoessa Herrich-Schäffer, [1855]
Hyphenophora Warren, 1894
Obrussa Saalmüller, 1891
Rhamidava Walker, [1863]
Timana Walker, 1869
Traina Walker, 1869
*croesaria** Herrich-Schäffer, [1855]

Abraxini author, date*

Ligdia Guenée, [1858]
Harpicostia Wehrli, 1936
batesii (Wallengren, 1875) *Lomaspilis*
casta (Warren, 1905) *Lomaspilis*
interrupta Warren, 1897
pectinicornis Prout, L.B., 1913

Nassinia Fletcher, D.S., 1979 (replacement name)
Nassunia Walker, 1862 (preoccupied)
aurantiaca Prout, L.B., 1928 (as *Nassunia*)
caffraria caffraria (Linnaeus, 1767) *Phalaena Geometra*
bupaliaria; Wallengren, 1875 *Nassunia*
*bupaliata** Walker, 1862 (as *Nassunia*)
bupuliata; Walker, 1862 *Nassunia*
patavia; Swinhoe, 1923 *Nygma*

petavia (Stoll, 1781) *Phalaena Bombyx*
petaviaria Hübner, 1823 *Orthostixis* (emendation)
caffraria socors Prout, L.B., 1938 (as *Nassunia*)
pretoria Prout, L.B., 1916 (as *Nassunia*)
socors (ssp. of *caffraria*) Prout, L.B., 1938 (as *Nassunia*)

Rhodophtitus Butler, 1880
Hameopis Butler, 1898
Nothabraxas Warren, 1897
Rhodopan Oberthür, 1916
atacta Prout, L.B., 1922
commaculata (Warren, 1897) *Nothabraxas*
simplex Warren, 1897
rhodonaria (Oberthür, 1916) *Rhodopan*
roseus Warren, 1899
tricoloraria (Mabille, 1890) *Zerene*
imperialis Bastelberger, 1907

?Tribus innominatus I

Hemixesma Prout, L.B., 1922
*anthocrenias** Prout, L.B., 1922

Hispophora Janse, 1932
*lechriospilota** (Prout, L.B., 1922) *Peridela*

Obolcola Walker, 1861
aliena Prout, L.B., 1922
decisa (Warren, 1914) *Myrioblephara*
decisca; Janse, 1917 *Myrioblephara*
deocellata Prout, L.B., 1913
flavescens Prout, L.B., 1913
insecura Janse, 1932
luteograpta Krüger, 2007
pallida Janse, 1932
petronaria (Guenée, [1858]) *Stegania*
*inconclusaria** Walker, 1862
megaspilata (Walker, [1863]) *Acidalia*
pulverea (Prout, L.B., 1917) *Sicyodes*

Proutiana Janse, 1932
*ferrorubrata** (Walker, [1863]) *Fidonia*
cacocenes (Prout, L.B., 1917) *Obolcola*
cacoctenis; Janse, 1932 *Obolcola*
rubellata (Felder & Rogenhofer, 1875) *Fidonia*
perconspera (Prout, L.B., 1915) *Obolcola*

?Tribus innominatus II

Biclavigera Warren, 1894
Lipogonia Warren, 1911
deterior Prout, L.B., 1916
fontis Prout, L.B., 1938
*praecanaria** (Herrich-Schäffer, 1855) *Scodiona*
praeannaria; Staude, 1997 *Biclavigera*
rufivena (Warren, 1911) *Lipogonia*
uloprora Prout, L.B., 1938

Orgyiodes Felder, 1874
caparia (Walker, 1862) *Fidonia*
*capicolaria** Felder, 1874

Cassymini Holloway, [1994]

Dorsifulcrum Herbule, 1979
seydeli (ssp. of *xeron*) Herbule, 1979
xeron seydeli Herbule, 1979

Heterostegane Hampson, 1893
Chrostobapta Warren, 1907
Deuterostegane Wehrli, 1939
Liposchema Warren, 1914
auranticollis Prout, L.B., 1922
bifasciata (Warren, 1914) *Liposchema*
minutissima (Swinhoe, 1904) *Stegania*
rectistriga Prout, L.B., 1913

Pigiopsis Warren, 1899
aurantiaca Carcasson, 1964

GEOMETROIDEA

- convergens* Warren, 1899
artemisiaria (Oberthür, 1923) *Micronia*
- Pycnostega** Warren, 1905
*obscura** Warren, 1905
- Xenostega** Warren, 1899
*fallax** Warren, 1899
diagramma (Hampson, 1910) *Stegania*
- Zamarada** Moore, [1887]
aclea Prout, L.B., 1912
acosmeta Prout, L.B., 1921
adiposata (Felder & Rogenhofer, 1875) *Euchloris*
ascaphes Prout, L.B., 1925
bathyscaphes Prout, L.B., 1912
perplexa Janse, 1932
consecuta Prout, L.B., 1922
crystallophana Mabille, 1900
deceptrix Warren, 1914
delosis Fletcher, D.S., 1974
densisparsa Prout, L.B., 1922
denticatella Prout, L.B., 1922
denticincta (ssp. of *plana*) Hampson, 1910
dentigera dentigera Warren, 1909
polymnia Oberthür, 1912
differens Bastelberger, 1907
pandatilinea Prout, L.B., 1916
dorsiplaga Prout, L.B., 1922
eroessa Prout, L.B., 1915
erugata Fletcher, D.S., 1974
euerces Prout, L.B., 1928
euerces phygas Prout, L.B., 1928
excavata excavata Bethune-Baker, 1913
fessa Prout, L.B., 1912
flavicaput Warren, 1901
pyrocincta Hampson, 1910
gamma Fletcher, D.S., 1958
glareosa Bastelberger, 1909
euterpe Oberthür, 1912
nebulimargo Prout, L.B., 1912
taborae Strand, 1909
ignicosta ignicosta Prout, L.B., 1912
ignicosta pyrilampes Prout, L.B., 1915
hemimeres Prout, L.B., 1915
ilma Prout, L.B., 1922
opposita Prout, L.B., 1922
inermis Fletcher, D.S., 1974
jansei Fletcher, D.S., 1974
melpomene Oberthür, 1912
melpomene tragodica Prout, L.B., 1934
metallicata Warren, 1914
metrioscaphes Prout, L.B., 1912
odontophora Fletcher, D.S., 1974
ordinaria Bethune-Baker, 1913
medianata Prout, L.B., 1915
phaezona Hampson, 1909
plana denticincta Hampson, 1910
polyctemon Prout, L.B., 1932
pringlei Fletcher, D.S., 1974
prionotos Fletcher, D.S., 1974
prolata Fletcher, D.S., 1974
psammites Fletcher, D.S., 1958
psectra Fletcher, D.S., 1974
pulverosa Warren, 1895
purimargo Prout, L.B., 1912
viridiceps Prout, L.B., 1934
pyrilampes (ssp. of *ignicosta*) Prout, L.B., 1915
rubrifascia Pinhey, 1962
scintillans Bastelberger, 1909
flavicincta Hampson, 1910
seydeli Fletcher, D.S., 1974
tosta Fletcher, D.S., 1974
*transvisaria** (Guenée, [1858]) *Epione*
exarata (Felder & Rogenhofer, 1875) *Euchloris*
varii Fletcher, D.S., 1974
vulpina Warren, 1897
erna Strand, 1915
- Macariini** Guenée, [1858]
- Acanthovalva** Krüger, 2001
- bilineata* (Warren, 1895) *Ematura*
antennata (Warren, 1897) *Tephrina*
capensis Krüger, 2001
focularia (Geyer, 1837) *Catograpta*
designata (Walker, 1862) *Speranza*
perdecorata (Walker, [1863]) *Campotogramma*
inconspicua inconsoucuaria (Hübner, [1819]) *Acidalia*
cinerascens (Butler, 1875) *Acidalia*
cinerescens; Hampson, 1910 *Tephrina*
cinnamomaria (Rothschild, 1914) *Tephrina*
osyria (Guenée, [1858]) *Selidosema*
perturbata (Bastelberger, 1908) *Tephrina*
pumicaria (Lederer, 1855) *Eubolia*
punicaria; Distant, 1892 *Eubolia*
- Chelotephrina** Krüger, 2001
acorema Krüger, 2001
- Chiasmia** Hübner, [1823]
Acadra Herrich-Schäffer, [1854]
Allochrosis Strand, 1912
Arte Stephens, 1829 (replacement name for *Hercyna* Stephens)
Automolodes Warren, 1894
Chiannia; Stephens, 1835
Chiasma; Prout, L.B., 1915
Discalma Meyrick, 1892
Evarzia Walker, 1860
Godonela Boisduval, 1840 (replacement name for *Pharmacis* Hübner)
Gonodela; Moore, [1887]
Gonodela; Desmarest, 1857
Gubaria Moore, [1887]
Hercyna Stephens, 1829 (preoccupied)
Hyostomodes Warren, 1897
Iulocera Warren, 1905
Neomacaria Wehrli, 1937
Osteodes Guenée, [1858] (preoccupied)
Peridela Warren, 1897
Pharmacis Hübner, [1823] (preoccupied)
Sternia; Kolenati, 1846
Strenia Duponchel, 1829
Tephrinopsis Warren, 1896
Thyridesia Wehrli, 1940
Xenoneura Warren, 1896 (preoccupied)
- abnormata* (Prout, L.B., 1917) *Tephrina*
alternata (Warren, 1899) *Gonodela*
amarata amara (Guenée, [1858]) *Macaria*
amanda; Warren, 1904 *Gonodela*
cataleucaria (Mabille, 1898) *Macaria*
lataria (Walker, 1861) *Macaria*
leighi (Warren, 1904) *Godonela* (as *Gonodela*)
ammodes (Prout, L.B., 1922) *Macaria*
arenosa (Butler, 1875) *Aspitates* (as *Aspilates*)
bitaeniata (Warren, 1914) *Tephrinopsis*
sordidata (Warren, 1897) *Rhinodia*
assimilis (Warren, 1899) *Tephrinopsis*
instructaria (Swinhoe, 1904) *Semiothisa*
boarmioides Krüger, 2001
bomfordi Krüger, 2001
brongusaria brongusaria (Walker, 1860) *Epione*
executaria (Walker, 1861) *Tephrina*
incessaria (Walker, 1861) *Tephrina*
miliaria (Felder & Rogenhofer, 1875) *Phasiane*
oleochroa (Hampson, 1909) *Tephrina*
subulifera (Warren, 1899) *Tephrinopsis*
vidaria (Swinhoe, 1904) *Semiothisa*
brongusaria exosciodes (Prout, L.B., 1925) *Semiothisa*
brunnescens Krüger, 2001
castanea Krüger, 2001
confusata (Warren, 1899) *Semiothisa*
hypoleuca (Prout, L.B., 1916) *Macaria*
contaminata (Warren, 1902) *Gubaria*
costicomma (Prout, L.B., 1922) *Macaria*
crassata (Warren, 1897) *Peridela*
benguella (Prout, L.B., 1928) *Tephrina*
curvifascia (Warren, 1897) *Peridela*
pallidizona (Hampson, 1910) *Boarmia*
deceptrix Krüger, 2001
deleta Krüger, 2001
diarmodia (Prout, L.B., 1925) *Tephrina*
duplicilinea (Warren, 1897) *Godonela* (as *Gonodela*)
eremias (ssp. of *inaequilinea*) (Prout, L.B., 1935) *Tephrina* (*Peridela*)
exosciodes (ssp. of *brongusaria*) (Prout, L.B., 1925) *Semiothisa*

GEOMETROIDEA

- extrusilinea* (Prout, L.B., 1925) *Hyostomodes*
feraliata (Guenée, [1858]) *Macaria*
elata (Prout, L.B., 1916) *Macaria*
furcata (Warren, 1897) *Tephrina*
fuscataria (Möschler, 1887) *Semiothisa*
commixta (Warren, 1897) *Godonela* (as *Gonodela*)
geminilinea (Prout, L.B., 1932) *Semiothisa*
getula (Wallengren, 1872) *Macaria*
fuscorufa (Prout, L.B., 1915) *Macaria*
grimma (Wallengren, 1872) *Macaria*
illineata (Warren, 1901) *Tephritisopsis*
grisescens (Prout, L.B., 1916) *Discalma*
dolichostigma (Prout, L.B., 1922) *Macaria*
hunyani Krüger, 2001
inaequilinea eremias (Prout, L.B., 1935) *Tephrina* (*Peridela*)
inaequilinea inaequilinea (Warren, 1911) *Peridela*
birecta (Prout, L.B., 1917) *Peridela*
inconspicua inconspicua (Warren, 1897) *Tephrina*
inconspicuus; Fletcher, D.S., 1978 *Semiothisa*
infabricata (Prout, L.B., 1934) *Semiothisa*
inquinata Krüger, 2001
interrupta (Warren, 1897) *Peridela*
johnstoni (Butler, 1894) *Tephrina*
kilimanjarensis (Holland, 1892) *Godonela* (as *Gonodela*)
mundipennis (Warren, 1901) *Godonela* (as *Gonodela*)
transvisata (Warren, 1904) *Godonela* (as *Gonodela*)
transvisita; Fletcher, D.S., 1958 *Semiothisa*
zombina (Butler, 1893) *Godonela* (as *Gonodela*)
kirbyi (Wallengren, 1875) *Macaria*
distinguenda (Warren, 1897) *Godonela* (as *Gonodela*)
liliput (ssp. of *multistrigata*) Krüger, 2001
majestica majestica (Warren, 1901) *Semiothisa*
marmorata (Warren, 1897) *Tephritisopsis*
maronga Krüger, 2001
melsetter Krüger, 2001
multistrigata multistrigata (Warren, 1897) *Godonela* (as *Gonodela*)
multistrigata liliput Krüger, 2001
murina Krüger, 2001
nana (Warren, 1898) *Evarzia*
atriclathrata (Hampson, 1909) *Macaria*
natalensis (Warren, 1904) *Semiothisa*
nevilledukei Krüger, 2001
ngami Krüger, 2001
nobilisata (Prout, L.B., 1913) *Macaria*
normata (Walker, 1861) *Tephrina*
congener (Warren, 1897) *Tephritisopsis*
desiccata (Walker, 1866) *Tephrina*
exfusaria (Walker, [1863]) *Aspitates* (as *Aspilates*)
malefidaria (Mabille, 1880) *Epione*
minoia (Strand, 1915) *Tephrina*
parallelaria (Walker, [1863]) *Aspitates* (as *Aspilates*)
nubilata (Warren, 1897) *Hyostomodes*
observata (Walker, 1861) *Tephrina*
orientalis Krüger, 2001
parallacta (Warren, 1897) *Semiothisa*
apicepallens (Warren, 1905) *Godonela* (as *Gonodela*)
stramineata (Bastelberger, 1909) *Semiothisa*
paucimacula Krüger, 2001
pinheyi Krüger, 2001
procidata semispurcata (Walker, [1863]) *Aspitates* (as *Aspilates*)
punctilinea (Prout, L.B., 1917) *Peridela*
rectilinea (Warren, 1905) *Godonela* (as *Gonodela*)
separata (Warren, 1899) *Azata* (preoccupied)
rectistraria (Herrick-Schäffer, [1854]) *Acadra*
monstraria (Walker, 1861) *Macaria*
postvittata (Walker, [1863]) *Macaria*
rhabdophora (Holland, 1892) *Godonela* (as *Gonodela*)
interlineata (Warren, 1904) *Godonela* (as *Gonodela*)
semicolor (Warren, 1899) *Tephritisopsis*
semiovacea Krüger, 2001
semispurcata (ssp. of *procidata*) (Walker, [1863]) *Aspitates* (as *Aspilates*)
semitecta (Walker, 1861) *Panagra*
gnophosata (Walker, [1863]) *Macaria*
simplicilinea simplicilinea (Warren, 1905) *Acadra*
sororcula (Warren, 1897) *Azata*
sororcula; Janse, 1939 *Semiothisa*
unicolor (Warren, 1905) *Godonela* (as *Gonodela*)
streniata streniata (Guenée, [1858]) *Macaria*
amandata (Walker, 1861) *Macaria*
lunivallata (Warren, 1905) *Godonela* (as *Gonodela*)
subcurvaria subcurvaria (Mabille, 1897) *Discalma*
subvaria (Bastelberger, 1907) *Godonela* (as *Gonodela*)
cretiguttata (Bastelberger, 1909) *Godonela* (as *Gonodela*)
- suriens* (Strand, 1912) *Allochrosis*
tecnum (Prout, L.B., 1916) *Macaria*
ignava (Prout, L.B., 1928) *Hyostomodes*
threnopis (Fletcher, D.S., 1963) *Semiothisa*
tristis Krüger, 2001
trizonaria (Hampson, 1909) *Macaria*
conventa (Prout, L.B., 1913) *Macaria*
turbulenta (Guenée, [1858]) *Osteodes*
eritreensis (Prout, L.B., 1915) *Osteodes*
exumbrata (Walker, [1863]) *Aspitates* (as *Aspilates*)
turbulenta; Wallengren, 1875 *Osteodes*
umbrata umbrata (Warren, 1897) *Gubaria*
sherrata (Swinhoe, 1904) *Semiothisa*
umbrellaris (Butler, 1875) *Gnophos*
arhoparia (Swinhoe, 1904) *Semiothisa*
berengaria (Fawcett, 1916) *Peridela*
novaria (Fawcett, 1916) *Peridela*
uniformis Krüger, 2001
unifilata (Warren, 1899) *Godonela* (as *Gonodela*)
vau (Prout, L.B., 1913) *Macaria*
zobrysi Krüger, 2001
- Isturgia** Hübner, [1823]
Bichroma Gumpenberg, 1887
Enconista Lederer, 1853
Histurgia Agassiz, 1847 (unjustified emendation)
Tephrina Guenée, [1845]
Tethrina; Desmarest, 1847
arizeloides Krüger, 2001
catalaunaria (Guenée, [1858]) *Psamatodes*
catalaunaria ningwiana (Wehrli, 1940) *Tephrina*
cogitata (Walker, [1863]) *Panagra*
dataria (Walker, 1861) *Tephrina*
defectaria (Walker, 1861) *Tephrina*
largificaria (Möschler, 1887) *Semiothisa*
occupata part. (Walker, 1862) *Aspitates* (as *Aspilates*)
proxantharia (Walker, [1863]) *Aspitates*
proxaulkaria; Distant, 1892 *Eubolia*
deerraria (Walker, 1861) *Tephrina*
deercana; Distant, 1892 *Eubolia*
decraria; Fawcett, 1916 *Tephrina*
nemorivaga (Wallengren, 1872) *Tephrina*
occupata part. (Walker, 1862) *Aspitates* (as *Aspilates*)
dukuduku Krüger, 2001
exerraria (Prout, L.B., 1925) *Tephrina*
deerraria part. (Walker, 1861) *Tephrina*
exospilata (Walker, 1861) *Panagra*
ansorgei (Warren, 1898) *Tephrina*
geminata (Warren, 1897) *Tephrina*
bilineata (Warren, 1898) *Tephrina*
perplexa Krüger, 2001
spissata (Walker, 1862) *Aspitates*
supergressa (Prout, L.B., 1913) *Tephrina*
triseriata (Prout, L.B., 1926) *Tephrina*
- Milocera** Swinhoe, 1904
aurora Krüger, 2001
dubia (Prout, L.B., 1917) *Discalma*
- Plateoplia** Warren, 1909
acrobelia (Wallengren, 1875) *Tephrina*
flavata (Warren, 1897) *Pristostegania*
*ochriciliata** (Warren, 1901) *Tephritisopsis*
- Platypela** Warren, 1900
Platypela; Young, 2008
flava Krüger, 2001
griseobrunnea Krüger, 2001
jordani Krüger, 2001
loranthiphaga Krüger, 2001
macilenta Krüger, 2001
mackayi Krüger, 2001
persubtilis Krüger, 2001
pseudospurcata Krüger, 2001
spurcata (Warren, 1897) *Heterolocha*
deformis (Warren, 1909) *Epigynopteryx*
*nudaria** Warren, 1900
- Eutoeini** author, date*
- ‘*Eurythecodes*’ Warren, 1897

GEOMETROIDEA*ommatoclesis* Prout, L.B., 1922*Idiotephra* Warren, 1899*hondensis* Krüger, 2000*ngomensis* Krüger, 2000**Gnophini** author, date**Aspitates* Treitschke, 1825*Apoaspilates* Wehrli, 1954*Aspilades*; Heydenreich, 1846*Aspilata* Unger, 1856 (unjustified emendation)*Aspilates* Treitschke, 1827 (unjustified emendation)*Erschoffia* Swinhoe, 1900 (unnecessary replacement name)*Eversmannia* Erschoff, 1871 (preoccupied)*Napuca* Walker, [1863]*Nyctiphanta* Hulst, 1896*Parallela* Sodoffsky, 1837 (unnecessary replacement name)*Pseudosiona* Butler, 1893*Semiaspilates* Wehrli, 1953*Sinope* Gumppenberg, 1887*Toxogrammia* Gumppenberg, 1887*illepidata* Walker, 1862 (as *Aspilates*)*inceptaria* Walker, [1863] (as *Aspilates*)*sabuliferata* Walker, [1863] (as *Aspilates*)*Elophos* Boisduval, 1840*Acuspis* Gumppenberg, 1893*Elophus*; Scoble *et al.*, 1999*Parietaria* Leraut, 1981*Yezognophos* Matsumura, 1927*barbarica* Prout, L.B., 1915 (as *Elophus*)**Gnophos** Treitschke, 1825*Acroglyphos* Wiltshire, 1967*Catascia* Hübner, [1825]*Chelegnophos* Wehrli, 1951*Cnestrugnophos* Wehrli, 1951*Dicroglyphos* Wehrli, 1951*Dysgnophos* Wehrli, 1951*Gnophus* Agassiz, 1847 (unjustified emendation)*Organoglyphos* Wehrli, 1951*Pterygnophos* Wehrli, 1951*Rhinoglyphos* Wehrli, 1951*Rhipignophos* Wehrli, 1951*Sacroglyphos* Wehrli, 1951*Scotopterix* Hübner, [1825]*Scotopteryx* Agassiz, 1847 (preoccupied, unjustified emendation)*Trilobignophos* Wehrli, 1951*Zystroglyphos* Wehrli, 1951*afflictata* Walker, [1863]*delagardei* Prout, L.B., 1915*rubicimixta* Prout, L.B., 1915*spinicosta* Krüger, 2005*truncatipennis* Krüger, 2005**Gnophos (Afrignophos)** Erlacher MS*karischi* Erlacher MS*kruegeri* Erlacher MS*multispinata* Erlacher MS**Gnophos (Similignophos)** Erlacher MS*uryta* Prout, L.B., 1922*kogelbergensis* Erlacher MS**Gnophos (Decorognophos)** Erlacher MS*clarae* Erlacher MS*luciferata* Erlacher MS*roberti* Erlacher MS*verae* Erlacher MS**Hypotephrina** Janse, 1932*absurda* (Prout, L.B., 1917) *Hemerophila**confertaria* (Warren, 1914) *Tephrina**crassidens* Krüger, 1998*exmotaria** (Walker, 1861) *Tephrina**recessaria* (Walker, [1863]) *Aspitates* (as *Aspilates*)*minima* Krüger, 1998*nyangae* Krüger, 1998*polystriga* Krüger, 1998*serrimargo* Krüger, 1998*vicina* Krüger, 1998**Boarmiini** Duponchel, [1845]*Anacleora* Janse, 1932*extremaria** (Walker, 1860) *Boarmia**haplocorema* (Prout, L.B., 1922) *Cleora**perfectaria* (Walker, 1866) *Boarmia**pulverosa* (Warren, 1904) *Cusiala***Aphilopota** Warren, 1899*Haggardia* Warren, 1904*conturbata* (Walker, [1863]) *Gnophos**decepta* Janse, 1932*euodia* Prout, L.B., 1954*inspersaria* (Guenée, [1858]) *Scodionia**interpellans** (Butler, 1875) *Caberodes**angolaria* (Bethune-Baker, 1913) *Haggardia**iphia* Prout, L.B., 1954*mesotoecha* (ssp. *patulata*) Prout, L.B., 1938*patulata mesotoecha* Prout, L.B., 1938*patulata patulata* (Walker, [1863]) *Angerona**perscotia* Prout, L.B., 1931*phanerostigma phanerostigma* Prout, L.B., 1917*plethora* Prout, L.B., 1938*semiusta* (Distant, 1898) *Polydesma**spissata* (Warren, 1905) *Haggardia**sinistra* Prout, L.B., 1954*subalbata* (Warren, 1905) *Haggardia**approximans* (Warren, 1914) *Catascia**sympironima* Prout, L.B., 1954**Ascotis** Hübner, [1825]*Acostis*; Hübner, 1826*Burichura* Moore, 1888*Hypopalpis* Guenée, 1862*Trigonomela* Warren, 1904*reciprocaria* (Walker, 1860) *Boarmia**nigristigma* (Warren, 1905) *Trigonomela**semifusca* (Warren, 1904) *Trigonomela***Biston** Leach, [1815]*Amphidasea* Unger, 1856 (unjustified emendation)*Amphidasis* Treitschke, 1825*Amphidasys* Sodoffsky, 1837 (unjustified emendation)*Amphidasys*; Wiegmann & Ruthe, 1832*Blepharocenia* Warren, 1894*Buzura* Walker, [1863]*Culcula* Moore, 1888*Dasyphara* Billberg, 1820*Epamraica* Matsumura, 1910*Eubyja* Hübner, [1825]*Eubyjodonta* Warren, 1893*Pachys* Hübner, 1822*edwardsi* (Prout, L.B., 1938) *Buzura***Cerurographa** Janse, 1932*bistonica** (Prout, L.B., 1922) *Cleora***Cleora** Curtis, 1825*Aegitrichus* Butler, 1886*Barsine* Meyrick, 1883 (preoccupied)*Carecomotis* Warren, 1896*Cerotricha* Guenée, [1858]*Chogada* Moore, [1887]*Meyrickia* Butler, 1884 (replacement name)*Neocleora* Janse, 1932*betularia* (Warren, 1897) *Chogada**funesta* (Warren, 1905) *Chogada**cancer* Fletcher, D.S., 1967*echinodes* Fletcher, D.S., 1967*flavivenata* Fletcher, D.S., 1967*herbuloti herbuloti* (Fletcher, D.S., 1958) *Neocleora**herbuloti phaea* Fletcher, D.S., 1967*longifibulata* (ssp. *subcincta*) Fletcher, D.S., 1958*munda* (Warren, 1899) *Chogada**nigrisparsalis* (Janse, 1932) *Neocleora**oligodranae* (Prout, L.B., 1922) *Chogada**panarista* Fletcher, D.S., 1967*pavlitzkiae pavlitzkiae* (Fletcher, D.S., 1958) *Neocleora**phaea* (ssp. of *herbuloti*) Fletcher, D.S., 1967

GEOMETROIDEA

- quadrimaculata* (Janse, 1932) *Neocleora*
rostella Fletcher, D.S., 1967
rothkirchi rothkirchi (Strand, 1914) *Boarmia*
subcincta longifibulata (Fletcher, D.S., 1958) *Neocleora*
tulbaghata (Felder & Rogenhofer, 1875) *Boarmia*
acaciaria auct. *Chogada*
- Colocleora** Prout, L.B., 1938
divisaria divisaria (Walker, 1860) *Boarmia*
acutangula (Warren, 1905) *Alcis*
acygonea; Janse, 1932 *Boarmia (Hemerophila)*
acygonia (Hampson, 1910) *Boarmia (Hemerophila)*
faceta (Prout, L.B., 1934) *Cerurographa*
grisea (Janse, 1932) *Racotis*
proximaria proximaria (Walker, 1860) *Boarmia*
approximaria; Pinhey, 1975 *Boarmia*
sexorbata (Prout, L.B., 1913) *Alcis*
simulatrix simulatrix (Warren, 1899) *Alcis*
ochriplaga (Prout, L.B., 1916) *Hemerophila*
remotata (Warren, 1901) *Alcis*
- Parectropis** Sato, 1980
aemula Krüger, 2007
atelomeres (Prout, L.B., 1922) *Ectropis*
delosaria (Walker, [1863]) *Tephrosia*
crassa (Warren, 1899) *Ectropis*
fraudulenta (Janse, 1932) *Ectropis*
obliquinea (Prout, L.B., 1916) *Ectropis*
paracopa (Prout, L.B., 1925) *Ectropis*
rotundipennis Krüger, 2007
simplex (Warren, 1914) *Idiotephra*
spoliataria (Walker, 1860) *Boarmia*
fulvicincta; Janse, 1932 *Ectropis*
fulvitincta (Warren, 1904) *Ectropis*
sublimbata (Warren, 1911) *Myrioblephara*
- Eulycia** Janse, 1932
accentuata (Felder & Rogenhofer, 1875) *Boarmia*
dentilinea (Warren, 1897) *Phaselia*
apysta (ssp. of *grisea*) (Prout, L.B., 1938) *Eulycia*
extorris (Warren, 1904) *Exelis*
grisea apysta (Prout, L.B., 1938) *Eulycia*
grisea grisea* (Warren, 1897) *Eubyja*
subpunctata (Warren, 1897) *Eubyja*
- Hypomecis** Hübner, 1821
Alcippe Gumpenberg, 1887
Astacauda Moore, 1888
Boarmia Treitschke, 1825
Dryocoetes Hübner, [1825]
Erobates Wehrli, 1943
Maidana Swinhoe, 1900
Narapa Moore, [1887]
Pseudangerona Moore, [1887]
Pseudoboarmia McDunnough, 1920
Serraca Moore, [1887]
barretti (Prout, L.B., 1915) *Boarmia*
complacita (Prout, L.B., 1915) *Boarmia*
ectropodes (Prout, L.B., 1913) *Boarmia*
gladstonei (Prout, L.B., 1922) *Boarmia*
gonophora (Prout, L.B., 1916) *Boarmia*
intrusilinea (Prout, L.B., 1915) *Boarmia*
separaria Möschler, 1887
separataria; Janse, 1932
- Loxopora** Warren, 1914
*dentilineata** Warren, 1914
- Menophra** Moore, [1887]
Ceruncina Wehrli, 1941
Ephemeroptila Warren, 1894
Hemerophila Stephens, 1829 (preoccupied)
Leptodontopera Warren, 1984
Malacuncina Wehrli, 1941
caeca (Prout, L.B., 1913) *Haggardia*
contemptaria (Walker, 1860) *Boarmia*
jansei Herbulot, 1997
obtusata (Warren, 1902) *Hemerophila*
serrataria (Walker, 1860) *Tephrosia*
curta (Warren, 1909) *Hemerophila*
denticulata (Warren, 1904) *Hirasa*
- Nychiodes** Lederer, 1853
Comeesia Wehrli, 1941
Eunychiodes Wehrli, 1941
Fritzwagneria Wehrli, 1941
tyttha Prout, L.B., 1915
- Oedicentra** Warren, 1902
*albipennis** Warren, 1902
- Omphalucha** Warren, 1905
Heterimpia Prout, L.B., 1938
albosignata Janse, 1932
angulilinea (Janse, 1932) *Boarmia*
apira Prout, L.B., 1938
crenulata (Warren, 1897) *Eubyja*
*hirta** Warren, 1905
ditriba ditriba Prout, L.B., 1938
ditriba zoutpanensis Prout, L.B., 1938
exochloxa Prout, L.B., 1938
indeflexa Prout, L.B., 1922
katangae Prout, L.B., 1934
katanga; Prout, L.B., 1934 *Omphalucha*
maturaria (Möschler, 1883) *Boarmia*
praeses Prout, L.B., 1938
rufinubes Warren, 1905
zoutpanensis (ssp. of *ditriba*) Prout, L.B., 1938
- Orbamia** Herbule, 1966
*octomaculata** (Wallengren, 1872) *Panagra*
ocellata (Warren, 1897) *Lepidodes*
subaurata (Warren, 1899) *Ectropis*
- Palaeonyssia** Harrison, 1916
*trisecta** (Warren, 1897) *Eubyja*
fuliginosa (Warren, 1905) *Apochaima*
- Parectropis** Sato, 1980 *SEE ECTROPIS ABOVE
altilocularia Krüger, 2005
pectinicornis Krüger, 2005
- Phthonandria** Warren, 1894
pinguis (Warren, 1904) *Selidosema*
- Racotis** Moore, [1887]
apodosima Prout, L.B., 1931
breijeri (Prout, L.B., 1922) *Boarmia*
breyeri; Vári & Kroon, 1986 *Racotis*
incauta (Prout, L.B., 1916) *Alcis*
squalida uhligi (Strand, 1909) *Boarmia*
uhligi (ssp. of *squalida*) Strand, 1909
- Xylopteryx** Guenée, [1858]
arcuata (Walker, 1862) *Larentia*
albimaculata (Warren, 1902) *Scotopteryx* (as *Scotopteryx*)
laticinctata (Walker, 1862) *Cidaria*
sublactata; Janse, 1932 *Larentia*
sublectata (Walker, 1862) *Larentia*
aucilla Prout, L.B., 1926
oneili Prout, L.B., 1922
prasinaria Hampson, 1909
*protearia** Guenée, [1858]
africana (Warren, 1911) *Alcis*
lucidiscata (Walker, [1863]) *Scotosia*
versicolora (Warren, 1902) *Scotopteryx* (as *Scotopteryx*)
- Zeuctoboarmia** Prout, L.B., 1915
Paracotis Janse, 1932
cataimena (Prout, L.B., 1915) *Boarmia*
hyrax (Townsend, 1952) *Paracotis*
octopunctata (Warren, 1897) *Synopsia*
pectinata (Warren, 1897) *Pseudalcis*
sabinei (Prout, L.B., 1915) *Boarmia*
- To check*/Taxa of uncertain placement**
- Eurranthis** Hübner, [1823]
Euranthis; Glaser, 1887
Eurrhanthis; Agassiz, 1846
Fidonia Treitschke, 1825
Phidonia; Amery, 1840

GEOMETROIdea

Phyttonia Sodoffsky, 1837 (unnecessary replacement name)

Sidonia; Duponchel, 1842

Tidonia; Möller, 1854

acuta (Warren, 1900) *Fidonia*

subfuligata (Walker, [1863]) *Fidonia*

Pseudeuchromia Schultze, 1907

naufracta Krüger, 2004

xena Krüger, 2004

“**Semiothisa**” Hübner, 1818

destitutaria (Walker, 1861) *Macaria*

deviaria (Walker, [1863]) *Fidonia*

diviaria; Janse, 1932 *Fidonia*

infixaria (Walker, [1863]) *Macaria*

latiscriptata (Walker, [1863]) *Tephrina*

Oenochrominae author, date*

Barrama Warren, 1897

*impunctata** Warren, 1897

Cartaletis Warren, 1894

Leptaletis Warren, 1894

concolor Warren, 1905

*libyssa** *libyssa* (Hopffer, 1858) *Aletis*

monteironis (Druce, 1883) *Aletis*

monteironis var. *entebbana* Strand, 1921

libyssa natalensis Prout, L.B., 1917

libyssa fusciventris Gaede, 1917

natalensis (ssp. of *libyssa*) Prout, L.B., 1917

Desmobathrinae author, date*

Conolophia Warren, 1894

Geoglada Swinhoe, 1894

Hypophracta Warren, 1905

aemula (Warren, 1894) *Gamoruna*

*conscitaria** *conscitaria* (Walker, 1861) *Panagra*

concitaria; Prout, L.B., 1930 *Conolophia*

consentaria; Walker, [1863] *Panagra*

maculata Bastelberger, 1908

maculata rubrifusa Bastelberger, 1909

smilodontaria (Snellen, 1872) *Panagra*

rectistrigaria Rebel, 1914

melanothrix Prout, L.B., 1915

Ozola Walker, 1861

Carima Walker, [1863]

Desmobathra Meyrick, 1886

Tosaura Swinhoe, 1892

Zarmigethusa Walker, [1863]

pulverulenta Warren, 1897

Panagropsis Warren, 1894

*equitaria** (Walker, 1861) *Panagra*

humerata (Walker, 1861) *Panagra*

platyrhynchata (Wallengren, 1872) *Panagra*

secretata (Walker, [1863]) *Panagra*

suberrata (Walker, 1861) *Panagra*

muricolor (Warren, 1897) *Noreia*

GEOMETROIdea

SEMATURIDAE author, date*
APOPROGONIDAE author, date*

Apoprogones Hampson, 1903
Apoprogenes; Hampson, 1918
Aropogonis; Pagenstecher, 1909
Oedimetopia; Prout, L.B., 1916
Oedimatopis; Seitz, 1926
hesperistis* Hampson, 1903
jansei (Prout, L.B., 1916) *Oedimetopia*

DREPANOIDEA**DREPANIDAE** Boisduval, 1828**Drepaninae** Boisduval, 1828

Epicampoptera Bryk, 1913
notialis Watson, 1965

Gonoreta Warren, 1902
opacifinis Watson, 1965

Negera Walker, 1855
Ctenogyna Felder, 1874
Ctenogyne; Gaede, 1931
natalensis natalensis (Felder, 1874) *Ctenogyna carnea* (Saalmüller, 1884) *Oreta geometroides* (Holland, 1893) *Ancistrota unispinosa* Watson, 1965

Thyatirinae *author, date

Aethiopsestis Watson, 1965
*austrina** *austrina* Watson, 1965
austrina nebulosa Watson, 1965
echinata Watson, 1965
nebulosa (ssp. of *austrina*) Watson, 1965

Marplena Lane, 1973
*designina** Lane, 1973

URANIOIDEA**URANIIDAE** Leach, 1815**Microniinae** author, date*

Acropteris Geyer, 1832
Chlevasta Herrich-Schäffer, 1855
illiturata Warren, 1897

Urapteroides Moore, 1888
falcifera (Weymer, 1892) *Strophidia*
recurvata Warren, 1898
recurva; Janse, 1917 *Urapteroides*

Epipleminae author, date*

Dirades Walker, 1866
theclata (Guenée, 1857) *Erosia*
sigillata (Mabille, 1898) *Erosia*

Epiplema Herrich-Schäffer, [1855]
Chaetopyga Warren, 1896
Epipleura; Walker, 1861
Eversmannia Staudinger, 1871
Paloda Walker, 1861
anomala Janse, 1932
asinina Warren, 1905
illineata Warren, 1898
illiturata Warren, 1898
inconspicua Janse, 1932
pulveralis Janse, 1932
reducta Janse, 1932
tristis Janse, 1932

Heteroplema Warren, 1902
*dependens** Warren, 1902

Hypoplema Janse, 1932
*fumella** Janse, 1932

Leucoplema Janse, 1932
ansorgei (Warren, 1901) *Epiplema*
*dohertyi** (Warren, 1904) *Epiplema*
triumbrata (Warren, 1902) *Epiplema*

Monoplema Janse, 1932
*fumigera** (Warren, 1905) *Epiplema*

Pseudodirades Janse, 1932
*lactea** (Warren, 1897) *Dirades*

CALLIDULOIDEA

PTEROOTHYSANIDAE author, date*

Pterocerota Hampson, 1905

Pterocersta auct.

*virinea** Hampson, 1905

NOTE *Pterocerota* Hampson was placed in the Eupterotidae: Janinae by Minet (1990, 1994).

ENDNOTE: Pterothysanidae were treated as a subfamily of Callidulidae by Minet in Kristensen (1999).

REFERENCE:

MINET, J., 1999. 15. The Axioidea and Calliduloidea. In: KRISTENSEN, N.P., *Handbuch der Zoologie*, Band IV, Teilband 35: Lepidoptera, Moths and Butterflies. 1: Evolution, Systematics, and Biology: 257–262. W. de Gruyter, Berlin and New York.

LASIOCAMPPOIDEA**LASIOCAMPIDAE** Harris, 1841**Chondrosteginae** author, date**Chondrostegooides* Aurivillius, 1905*capensis** Aurivillius, 1905*jamaka* Zolotuhin, 2007*magna* Zolotuhin, 2007*murina* (Aurivillius, 1927) *Chondrostega**nobilorum* Zolotuhin, 2007*ruficornis* (Aurivillius, 1921) *Chondrostega***Lasiocampinae** Harris, 1841**Malacosomatini** author, date***Bombycomorpha** Felder, 1874 *prob. to Poecilcampinae Tutt, 1902*bifascia bifascia* (Walker, 1855) *Artace**nupta** Felder, 1874*dukei* Joannou & Gerkovich, 2009*pallida* Distant, 1897**Chrysopsycche** Butler, 1880*Protopenes* Saalmüller, 1884 (preoccupied)*Trabaloides* Kirby, 1892 (replacement name)*bivittata* Aurivillius, 1927*imparilis* Aurivillius, 1905*imperialis*; Aue, 1931 *Chrysopsycche**ladburgi*; Collier, 1936 *Chrysopsycche**ladbury*; Aurivillius, 1927 *Chrysopsycche**ladburyi* Bethune-Baker, 1911*lutulenta* Tams, 1923**Haplopacha** Aurivillius, 1905*cineraria** Aurivillius, 1905**Gastropachini****Estigena** Moore, 1810*africana* (Holland, 1893) *Estigena**muscovit* (Bryk, 1915) *Tauscheria***Gastropacha** Ochsenheimer, 1810*Bombyx* Boisduval, 1828 (preoccupied)*Estigena* Moore, [1860]*Eutricha* Hübner, [1806] (suppressed)*Gasteropacha*; Kindermann, 1843*Gastrophaga*; Burmeister, 1852*Phylloma* Billberg, 1820*Stenophylloides*; Swinhoe, 1905*Stenophylloides* Hampson, [1893]*Tauscheria* Bryk, 1915*[quercifolia]** (Linnaeus, 1758) *Phalaena Bombyx***Morongea** Zolotuhin & Prozorov, 2010*missdebeerae* Zolotuhin & Prozorov, 2010**Nirbiana** Zolotuhin & Prozorov, 2010*alcigona* Zolotuhin & Prozorov, 2010*micha* (Druce, 1899) *Taragama***Stenophatna** Aurivillius, 1909*cymographa* (Hampson, 1910) *Pseudometra**bicrenulata* Bethune-Baker, 1915*marshalli** Aurivillius, 1909*proxima* Romieux, 1943*rothschildi* (Tams, 1936) *Opisthodontia**denticulata* Romieux, 1943*rotundata* (Berio, 1937) *Opisthodontia***Theophasida** Zolotuhin & Prozorov, 2010*superba** (Zolotuhin & Prozorov, 2010) *Opisthodontia***Lasiocampini** author, date***Ammacosola** Prozorov & Zolotuhin, 2012*simplex* (Aurivillius, 1905) *Beralade**pygnula* (Strand, 1911) *Beralade* (*Chilena*)**Anadiasa** Aurivillius, 1904 GONO*Arcadiasa*; Wichgraf, 1922*Nadiasa* Aurivillius, 1894 (preoccupied)*affinis* Aurivillius, 1911*fuscofasciata* Aurivillius, 1922*janei* Aurivillius, 1927*punctifascia* (Walker, 1855) *Eriogaster**sobria* (Walker, 1865) *Nyssia**soleria*; Aurivillius, 1927 *Anadiasa**schoenheiti* (Wichgraf, 1922) *Arcadiasa**schönheiti*; Wichgraf, 1922 *Arcadiasa**swierstrai* Aurivillius, 1922 *prob. syn of *affinis**swierstra*; Aurivillius, 1922 *Anadiasa***Beralade** Walker, 1855*Beralada*; Janse, 1917*Berelade*; Walker, 1855*Labea* Wallengren, 1865*Lahea*; Aurivillius, 1905*jordani* Tams, 1936*perobliqua** *perobliqua* Walker, 1855*fumosa* Distant, 1897*signinervis* Strand, 1912*wallengreni* (Aurivillius, 1892) *Labea***Bombycopsis** C. & R. Felder, 1874**Bombycopsis (Bombycopsis)** C. & R. Felder, 1874*ochroleuca** C. & R. Felder, 1874*venosoides* Joannou & Krüger, 2009**Bombycopsis (Bufoidea)** Wiltshire & Legrain, 1997*bipars* (Walker, 1855) *Lebeda**incompta* (Walker, 1855) *Eriogaster**indecora* (Walker, 1865) *Lasiocampa**blanda* Joannou & Krüger, 2009*capicola* Aurivillius, 1921*caryoxantha* Joannou & Krüger, 2009*castaneipennis* Joannou & Krüger, 2009*funebris* Joannou & Krüger, 2009*geertsemai* Joannou & Krüger, 2009*knysna* Joannou & Krüger, 2009*latipennis* Joannou & Krüger, 2009*manica* Joannou & Krüger, 2009*metallica* (Distant, 1898) *Dendrolimus**nigrovittata* Aurivillius, 1927*nigrovitta*; Pinhey, 1975 *Bombycopsis**pallida* Joannou & Krüger, 2009*punctimarginata* Joannou & Krüger, 2009*rufa* Joannou & Krüger, 2009*sheppardi* Joannou & Krüger, 2009*swanepoeli* Joannou & Krüger, 2009*tephrobaphes* Joannou & Krüger, 2009*tsitsikama* Joannou & Krüger, 2009**Braura** Walker, 1865*lignicusa** Walker, 1865*picturata* (Gründerg, 1910) *Taragama**truncata* (Walker, 1855) *Megasoma**occidentalis* (Strand, 1912) *Taragama**plagiogramma* (Mabille, 1880) *Lasiocampa***Catalebeda** Aurivillius, 1902*cuneilinea* (Walker, 1856) *Lebeda**bimaculata* (Walker, 1865) *Megasoma**discocellaris* Strand, 1912*jamesoni* (Bethune-Baker, 1908) *Metanastraea**violascens* Aurivillius, 1909**Cleopatrina** Zolotuhin & Gerkovich, 2009*bilinea** (Walker, 1855) *Pachypasa**auriflua* (Aurivillius, 1908) *Pachypasa**phoecea* (Druce, 1888) *Pachypasa**laterifascia* (Distant, 1897) *Pachypasa**mirabilis* (Distant, 1897) *Taragama***Cymatopacha** Aurivillius, 1921*obscura** Aurivillius, 1921**Dinometa** Aurivillius, 1927 GONO*maputuana** (Wichgraf, 1906) *Gastropakaeis***Dollmania** Tams, 1930 GONO*cuprea* (Distant, 1897) *Gonometa**flavia* (Fawcett, 1915) *Pachymeta**plinthochroa** Tams, 1930

LASIOCAMPOIDEA

plinthochrosa; Collier, 1936 *Dollmania purpurascens* (Aurivillius, 1909) *Pachymeta marwitzii* (Strand, 1913) *Mallocampa reussi* (Strand, 1913) *Pachymeta*

Epicnapteroides Strand, 1913
fuliginosa Pinhey, 1973
*lobata** Strand, 1913
marmorata Pinhey, 1973

Epitrabala Hering, 1932 GONO
argenteoguttata (Aurivillius, 1909) *Pachymeta nyassana* (Aurivillius, 1909) *Pachymeta*

Eucraera Tams, 1930 (replacement name)
Ceratopacha Aurivillius, 1909 (preoccupied)
gemmata gemmata (Distant, 1897) *Dendrolimus koellikeri** (Dewitz, 1881) *Lasiocampa koellikeri*; Collier, 1936 *Eucraera koellikeri*; Monteiro, 1891 *Lasiocampa kollikerii*; Janse, 1917 *Lebeda salammbo* (Vuillot, 1892) *Lasiocampa salambo*; Janse, 1917 *Ceratopacha*

Eutricha Hübner, [1814]
Eutrichia; Rambur, 1866
Mecistosoma Rambur, 1866
Pachypasa Walker, 1855
bifascia (Walker, 1855) *Megasoma albofasciata* (Aurivillius, 1921) *Pachypasa capensis* (Linnaeus, 1767) *Phalaena Bombyx aluco* (Fabricius, 1781) *Bombyx ferruginea* (Felder, 1874) *Pachypasa pithyocampa** (Stoll, 1781) *Bombyx pityocampa*; Hübner, [1814] *scriceofasciata*; Aurivillius, 1927 *Pachypasa sericeofasciata sericeofasciata* (Aurivillius, 1921) *Pachypasa sericeofasciata orientalis* (Stoneham, 1942) *Pachypasa fulvida* (Distant, 1897) *Caphara morosa* (Walker, 1855) *Lebeda drucei* (Bethune-Baker, 1908) *Gonometa richelmanni* (Weymer, 1892) *Pachypasa obscura* (Walker, 1855) *Megasoma*

Euwallengrenia Fletcher, D.S., 1968 (replacement name)
Olyra Wallengren, 1865 (preoccupied)
rectilineata (Aurivillius, 1905) *Olyra rectilinea*; Collier, 1936 *Olyra*
reducta reducta (Walker, 1855) *Odonestis* (as *Odenestis caffra** (Wallengren, 1860) *Gastropacha*

Gastropolakaeis Möschler, 1887 GONO
meridionalis Aurivillius, 1901

Gonometa Walker, 1855 GONO
Caphara Walker, 1862
griseocincta Hampson, 1910
*postica** Walker, 1855
effusa (Walker, 1865) *Pachypasa marginata* (Walker, 1862) *Caphara statili* (Wallengren, 1860) *Borocera statili* auct. *Borocera robusta* (Aurivillius, 1909) *Pachymeta rufobrunnea rufobrunnea* Aurivillius, 1922

Grammodora Aurivillius, 1927 GONO
*nigrolineata** (Aurivillius, 1895) *Lenodora*

Grellada Zolotuhin & Gurkovich, 2009
enigmatica (Hering, M., 1941) *Pachypasa marshalli* (Aurivillius, 1902) *Pachypasa*

Henometa Aurivillius, 1927 GONO
*clarki** (Aurivillius, 1909) *Pachymeta*

Hypotrabala Holland, 1893 GONO
Parameta Aurivillius, 1909
Pehria Strand, 1910
sanguicincta (Aurivillius, 1901) *Nadiasa*

Laeliopsis Aurivillius, 1911
*punctuligera** *punctuligera* Aurivillius, 1911

Lasiocampa Schrank, 1802
Ireocampa Rambur, 1858
Lambessa Staudinger, 1901
Lasiocampus; Contarini, 1843
Pachygastria Hübner, [1820]
angulifera Walker, 1865
*[quercus]** (Linnaeus, 1758) *Phalaena Bombyx*

Lebeda Walker, 1855
mustelina Distant, 1899

Leipoxais Holland, 1893
Leipaxis; Bethune-Baker, 1911
emarginata Aurivillius, 1911
*peraffinis** Holland, 1893
cinerascens Strand, 1912

Mallocampa Aurivillius, 1902 GONO
leighi Aurivillius, 1922

Mesocelis Hübner, [1820]
Mesocelis; Walker, 1855
*monticola** Hübner, [1820] (replacement name)
albiplaga (Walker, 1862) *Trichiura megaplagia* Pinhey, 1973 *proposed as ssp *Inyangamontana* (Stoll, 1781) *Phalaena* (preoccupied)

Metadula Walker, 1865
*indecisa** Walker, 1865

Metajana Holland, 1896
Craspia Aurivillius, 1909
marshalli (Aurivillius, 1909) *Craspia rhypara* (Hering, M., 1929) *Craspia wahlbergi* (Aurivillius, 1909) *Craspia*

Mimopacha Aurivillius, 1905
Libyopacha Clos, 1920
gerstaekerii (Dewitz, 1881) *Gastropacha* (as *Gerstäckerii*)
gerstacherii; Dewitz, 1881 *Gastropacha gerstackeri*; Strand, 1912 *Odonestis gerstaekeri* auct. *Mimopacha gerstaekeri*; Väri & Kroon, 1986 *Mimopacha knoblauchi** (Dewitz, 1881) *Gastropacha knoblauchi*; Aurivillius, 1927 *Mimopacha*

Napta Guenée, 1865 GONO
Glochia Saalmüller, 1884
straminea (Aurivillius, 1921) *Glochia eborea* (Tams, 1924) *Pachymeta*

Ocinaropsis Aurivillius, 1905
*obscura** Aurivillius, 1905

Odontocheilopteryx Wallengren, 1860
maculata Aurivillius, 1905
*myxa** Wallengren, 1860
obscura Aurivillius, 1927

Odontopacha Aurivillius, 1909
*fenestrata** Aurivillius, 1909
kilwana Strand, 1911

Pachymeta Aurivillius, 1906 GONO
capreolus Aurivillius, 1914

Pachymetana Strand, 1912 GONO
neavei (Aurivillius, 1915) *Pachymeta*

Pallastica Zolotuhin & Gurkovich, 2009
denticula (Bethune-Baker, 1908) *Metanastria lateritia* (Hering, M., 1928) *Pachypasa phronema* (Hering, M., 1928) *Pachypasa lucifer* Zolotuhin & Gurkovich, 2009
meloui (Riel, 1909) *Taragama cornuta* (Strand, 1912) *Pachypasa punctulata* (Aurivillius, 1910) *Pachypasa sericeofasciata orientalis* (Stoneham, 1942) *Pachypasa pallens* (Bethune-Baker, 1908) *Gonometa*

Philotherma Möschler, 1887

LASIOCAMPOIDEA*aniera* (ssp. of *rosa*) Hering, M., 1929*clara* Bethune-Baker, 1908*media* Aurivillius, 1909*obscura* Aurivillius, 1927*rennei* (Dewitz, 1881) *Eutricha**triangulifera* Aurivillius, 1927*rosa aniera* Hering, M., 1929*rosa rosa* (Druce, 1888) *Trabala**montibia* Strand, 1912*ochrascescescens* Strand, 1912*rosa* var. *natalica* Aurivillius, 1927*squamata* Strand, 1912***Pseudolyra*** Aurivillius, 1925 GONO*cervina* (Aurivillius, 1905) *Anadiasa**cinerea* (Aurivillius, 1901) *Nadiasa**distincta** (Distant, 1899) *Philudoria****Pseudometa*** Aurivillius, 1901 GONO*Alenella* Strand, 1912*Allenella*; Aurivillius, 1927*Gastropakraena* Strand, 1912*basalis* (Walker, 1865) *Pachypasa**dollmani* Tams, 1925*dollmanni*; Aurivillius, 1927 *Pseudometa**viola** Aurivillius, 1901***Rhinobombyx*** Aurivillius 1879*cuneata** Aurivillius, 1879*ziczac* Strand, 1912***Schausinna*** Aurivillius, 1909*clementsi** (Schaus, 1897) *Metanastria**regia* (Grünberg, 1910) *Lasiocampa****Sena*** Walker, 1862*breyeri* (Aurivillius, 1922) *Beralade**donaldsoni marshalli* (Aurivillius, 1901) *Chilena**levenna* (Wallengren, 1875) *Eriogaster**marshalli* (ssp. of *donaldsoni*) (Aurivillius, 1901) *Chilena**meyi* Zolotuhin, 2007*parva* (Aurivillius, 1921) *Beralade* (*Chilena*)*plusiooides** (ssp. of *prompta*) Walker, 1862*prompta* (Walker, 1855) *Lasiocampa**interjecta* (Aurivillius, 1909) *Beralade**prompta prompta* (Walker, 1855) *Lasiocampa**prompta plusiooides** Walker, 1862*rufotincta* (Strand, 1909) *Beralade**quirimbo* (Tams, 1936) *Beralade**exocyrta* (Tams, 1936) *Beralade****Sophyrita*** Zolotuhin & Gurkovich, 2009*argibasis* (Mabille, 1893) *Gonometa**epithymia* (Hering, M., 1928) *Pachypasa**sophax* (Druce, 1896) *Pachypasa****Stoermeriana*** de Freina & Witt, 1983*aculeata* (Walker, 1865) *Megasoma**scapulosa* (Felder, 1874) *Pachypasa**acuminata* (Walker, 1865) *Megasoma**amphilecta* (Tams, 1936) *Nadiasa**cuneata* (Distant, 1897) *Dendrolimus**distinguenda* (Aurivillius, 1905) *Taragama**singularis* (Aurivillius, 1893) *Taragama****Streblote*** Hübner, [1820]*Concaedes* Wallengren, 1865*Megamosa* Collier, 1936 (replacement name)*Megasoma* Boisduval, 1833 (preoccupied)*Nadiasa* Walker, 1855*Streblota*; Geyer, [1832]*Taragama* Moore, [1860]*Ticera* Swinhoe, 1892*bimaculata* (Walker, 1865) *Megasoma**capensis* (Aurivillius, 1905) *Taragama**rangei* (Gaede, 1915) *Taragama**carinata* (Wallengren, 1860) *Poecilocampa**concava* (Strand, 1912) *Taragama**concolor* (Walker, 1855) *Nadiasa**cristata* (Stoll, 1782) *Phalaena Bombyx**crista*; Hübner, 1832 *Streblote**cuprea* (Distant, 1899) *Taragama**jansei* (Tams, 1936) *Nadiasa**pancalca* (Tams, 1936) *Nadiasa**polydora* (Druce, 1888) *Megasoma**obliqua* (Strand, 1912) *Taragama**obliquatum*; Aurivillius, 1927 *Taragama**palydorum*; Aurivillius, 1922 *Taragama**polydura*; Monteiro, 1891 *Megasoma**uniformis* (Aurivillius, 1927) *Taragama****Trabala*** Walker, 1856*Amydona* Walker, 1855*charon* Druce, 1910***Trichiurana*** Aurivillius, 1921*meridionalis** Aurivillius, 1921***Trichopisthia*** Aurivillius, 1909*igneotincta* (Aurivillius, 1909) *Craspia**dubia* (Aurivillius, 1922) *Dinometa**dulcia*; Vári, 1958 *Craspia**peocilsticta*; Pinhey, 1975 *Craspia**poecilsticta* (Grünberg, 1910) *Lasiocampa**poecilstincta*; Aurivillius, 1927 *Craspia**monteiroi** (Druce, 1888) *Lasiocampa**pallida* (Fawcett, 1903) *Trabala*

BOMBYCOIDEA**BOMBYCIDAE** Latreille, 1802**Bombycinae** Latreille, 1802*Bombyx* Linnaeus, 1758*Theophyla* Moore, 1862*mori* (Linnaeus, 1758) *Phalaena (Bombyx)* (delib. introd.)*arracanensis* Moore & Hutton, 1862*croesi* Moore & Hutton, 1862*fortunatus* Moore & Hutton, 1862*sinensis* Moore & Hutton, 1862*textor* Moore & Hutton, 1862*Racinoa* Bouyer, 2008*ficicola* (Westwood & Ormerod, 1889) *Trilocha**ficicolor*; Janse, 1917 *Trilocha**obliquisignata* (Hampson, 1910) *Trilocha**ianthe* (Druce, 1888) *Trilocha**janthe*; Gaede, 1927 *Ocinara**pallicornis* (Strand, 1910) *Ocinara**signicosta* (Strand, 1910) *Ocinara**fuscocervina* (Strand, 1910) *Ocinara***BRAHMAEIDAE** Swinhoe, 1892

LEMONIIDAE author, date*

Brahmaeinae Swinhoe, 1892*Dactyloceras* Mell, 1930*widenmanni* (Karsch, 1895) *Brahmaea**wiedenmanni*; Aurivillius, 1910 *Brahmaea***Subfamily** author, date**Spiramiopsis* Hampson, 1901*comma** Hampson, 1901**Sabaliinae** author, date**Sabalia* Walker, 1865*pictarina** Walker, 1865*thalia* Fawcett, 1915

BOMBYCOIDEA**EUPTEROTIDAE** Swinhoe, 1892**Eupterotinae** Swinhoe, 1892

Striphnopteryginae author, date*

Bantuana Distant, 1906
*cregoei** Distant, 1906**Cyrtojana** Aurivillius, 1911
*trilineata** Aurivillius, 1911
apithana (Hering, M., 1929) *Philotherma***Janomima** Aurivillius, 1901
dannfetti (Aurivillius, 1893) *Jana*
claria Strand, 1911
deduplicata Strand, 1911
mesundulata Gaede, 1927
*marianna** (White, 1843) *Bombyx*
westwoodi Aurivillius, 1901**Lichenopteryx** Felder, 1874
Lechenopteryx; Druce, 1886
*despecta** Felder, 1874**Marmoroplegma** Wallengren, 1860
conspersa Aurivillius, 1921
*paragarda** Wallengren, 1860
clio (Fawcett, 1902) *Rhabdosia* (as *Rabdosia*)
paragauda; Wallengren, 1865 *Marmoroplegma*
unicolor Janse, 1915**Paraphyllalia** Gaede, 1927
*degenera** (Walker, 1855) *Dreata***Phiala** Wallengren, 1860
[*Euchera* Hübner, [1825]]
Heteromorpha Herrich-Schäffer, [1855] (preoccupied)
Phialla; Wichgraf, 1908
Stibolepis Butler, 1878
albidorsata Gaede, 1927
bistrigata Aurivillius, 1901
curvistriga Strand, 1911
costipunctata (Herrich-Schäffer, [1855]) *Heteromorpha*
angola Strand, 1911
atomaria (Walker, 1855) *Dasychira*
constipunctata; Pinhey, 1975 *Phiala*
costipunctata auct. *Phiala*
punctilinea (Walker, 1862) *Euproctis*
*xanthosoma** Wallengren, 1860
crassistriga Strand, 1911
dasypoda Wallengren, 1860
dosypoda; Gaede, 1927 *Phiala*
flavipennis Wallengren, 1875
hologramma (Aurivillius, 1904) *Stibolepis*
incana (Distant, 1897) *Phibola*
arrecta Distant, 1899
marshalli Aurivillius, 1904
reussi Strand, 1911
nigrolineata Aurivillius, 1903
chrysargyra Wichgraf, 1914
rubrivena Hampson, 1910
niveociliata Strand, 1911
polita Distant, 1897
pretoriiana Wichgraf, 1908
pseudatomaria Strand, 1911
sigyna Aurivillius, 1893
sublimballis Strand, 1911
pulverea Distant, 1903
similis Aurivillius, 1911
simplex Aurivillius, 1904
venusta (Walker, 1865) *Dasychira* *prob. EX (Sierra Leone)
angulata Gaede, 1927
wichgrafi Strand, 1911**Phyllalia** Walker, 1855
Homochroa Wallengren, 1858
alboradiata Aurivillius, 1911 (May)
acuta Strand, 1911 (June)
flavocostata Fawcett, 1903
patens (Boisduval, 1847) *Bombyx*
*concolor** (Walker, 1855) *Homochroa**thunbergii* (Boisduval, 1847) *Bombyx*
incerta (Walker, 1855) *Dreata*
thunbergi auct. *Phyllalia*
umbripennis Strand, 1911
umripennis; Gaede, 1927 *Phyllalia*
valida (Felder, 1874) *Homochroa*
ziczac Strand, 1911**Poloma** Walker, 1855
Sarvena Walker, 1865
*angulata** Walker, 1855
incompta (Walker, 1865) *Sarvena*
janula (Felder, 1874) *Homochroa*
castanea Aurivillius, 1901
nigromaculata Aurivillius, 1893
nahor (Druce, 1896) *Stenoglene***Rhabdosia** Hübner, [1820]
patagiata (Aurivillius, 1911) *Phiala*
*vaninia** (Stoll, 1781) *Phalaena***Schistissa** Aurivillius, 1901
*uniformis** Aurivillius, 1901**Striphnopteryx** Wallengren, 1858
*edulis** (Boisduval, 1847) *Bombyx***Trichophiala** Aurivillius, 1879
*devylderi** Aurivillius, 1879**Tissanginae** author, date***Tissanga** Aurivillius, 1903
*pretoriae** (Distant, 1892) *Sangatissa***Janinae** author, date***Acrojana** Aurivillius, 1901
*sciron** (Druce, 1888) *Jana*
scutaea Strand, 1909
sanguineipes Strand, 1910
sanguinipes; Gaede, 1927 *Acrojana***Camerunia** Aurivillius, 1893
flava Aurivillius, 1904
lactiflora Wichgraf, 1914**Catajana** Strand, 1910
*bimaculata** (Dewitz, 1879) *Dreata***Gonojana** Aurivillius, 1993
crowleyi (Aurivillius, 1904) *Viana* (as *Viana*)**Hemijana** Aurivillius, 1901
griseola Rothschild, 1917
*subrosea** (Aurivillius, 1893) *Jana*
ruberrima Rothschild, 1917
variegata Rothschild, 1917**Jana** Herrich-Schäffer, [1854]
*eurymas** Herrich-Schäffer, [1854]
caesarea Weymer, 1909
transvaalica Strand, 1911
tripunctata Aurivillius, 1897 *prob. EX**Rhodopteriana** Bouyer, 2011
rhodoptera (Gerstaeker, 1871) *Jana***Stenoglene** Felder, 1874
Phasicnecus Butler, 1894
clucki Bouyer, 2012
decellei flava Dall'Asta & Poncin, 1980
flava (ssp. of *decellei*) Dall'Asta & Poncin, 1980
*hilaris** Felder, 1874
bithynia (Druce, 1887) *Phasicnecus*
livingstonensis (Strand, 1909) *Phasicnecus*
obtusa (Walker, 1865) *Poloma*
aequidistans (Strand, 1912) *Phasicnecus*
evanescens (Distant, 1903) *Phasicnecus*
labda (Druce, 1887) *Phasicnecus*
subcrocea (Distant, 1903) *Phasicnecus*
tristis Felder, 1874

BOMBYCOIDEA

perissinottoi Bouyer, 2012
pira Druce, 1896
roseus (Druce, 1886) *Phasicnecus*
elgonae (Bethune-Baker, 1927) *Phasicnecus*
gregorii (Butler, 1894) *Phasicnecus*
monteironis (Rothschild, 1917) *Phasicnecus*
pulverulentis; Dall'Asta & Poncin, 1980 *Phasicnecus*
pulverulentus (Joicey & Talbot, 1924) *Phasicnecus*
similis (Rothschild, 1917) *Phiala*

Tantaliana Bouyer, 2011
crepax (Wallengren, 1860) *Striphnopteryx*
nigristriata (Janse, 1915) *Jana*
*tantalus** (Herrich-Schäffer, [1854]) *Jana*

HIBRILDIDAE author, date*

Hibrildes Druce, 1888
Hibrildis; Janse, 1917
Hibrildus; Berger, 1958
Hybrildes; Grünberg, 1912
crawshayi Butler, 1896 1.
albopunctata Bethune-Baker, 1915
ansorgei Kirby, 1896
craushayi; Hampson, 1910 *Hibrildes*
fuscosa Hering, M., 1926
neavi Hampson, 1910
venosa Kirby, 1896
*norax** Druce, 1888
Karsch, 1895

ENDNOTE: Hibrididae were treated as a subfamily of Eupterotidae by Lemaire & Minet in Kristensen (1999).

BOMBYCOIDEA**SATURNIIDAE** Boisduval, 1837**Saturniinae** Boisduval, 1837**Urotini** author, date***Antistathmoptera** Tams, 1935*daltonae** *rectangulata* Pinhey, 1968*rectangulata* (ssp. of *daltonae*) Pinhey, 1968**Pselaphelia** Aurivillius, 1904*flavivitta* (Walker, 1862) *Anthraea**conspera* (Aurivillius, 1893) *Tagoropsis**dentifera* (Maassen & Weyding, 1885) *Copaxa***Pseudaphelia** Kirby, 1892*Aphelia* Westwood, 1849 (preoccupied)**apollinaris*** *apollinaris* (Boisduval, 1847) *Saturnia**apollinaria*; Oberprieler, 1988 *Pseudaphelia**balamoal*; Guérin-Méneville, 1847 *Bombyx**balanoae* auct. *Bombyx**balanoal* (Guérin-Méneville, 1847) *Bombyx**paleacea* (Herrick-Schäffer, 1855) *Heniocha***Tagoropsis** Felder, 1874*flavinata* (Walker, 1865) *Dreata**favinata*; Oberprieler, 1988 *Tagoropsis**natalensis** Felder, 1874**hanningtoni** (Butler, 1883) *Copaxa**hanningtonii*; Schüssler, 1933*hannintoni*; Butler, 1883*juncta* Strand, 1911*nzoiana* Stoneham, 1933*songeana* Strand, 1911**Urota** Westwood, 1849*manicaensis* Basquin, 2012*sinope** (Westwood, 1849) *Saturnia**conjuncta* Bouvier, 1930**Usta** Wallengren, 1863*terpsichore* (Maassen & Weyding, 1885) *Saturnia**alba* Terral & Lequeux, 1991*erpsichore*; Naumann, 2004*grantae* Terral & Lequeux, 1991*subangulata* Bouvier, 1930*terpisichore*; Packard, 1914 *Heniocha**wallengrenii** (Felder, C. & R., 1859) *Saturnia**biplaga* Rebel, 1912*bipliga*; Gaede, 1927 *Usta**vallengreni*; Gaede, 1930 *Usta**wallengreni* auct.**Saturniini** author, date***Argema** Wallengren, 1858*Angas* Wallengren, 1865*Cometesia* Bouvier, 1928*mimosae** *mimosae* (Boisduval, 1847) *Saturnia**bouvieri* Ghesquière, 1934*elucidata* Grünberg, 1910*mimosa* auct. *Actias**mimosae occidentalis* Gschwandner, 1923**Attacini** author, date***Epiphora** Wallengren, 1860*Drepanoptera* Rothschild, 1895*Faidherbia* Guérin-Méneville, 1865*Falcipennae* Pinhey, 1972 (unnecessary replacement name)*bauhiniae damarensis* Schultze, 1913*bauhiniae vera* Janse, 1918*baumhuria*; Walker, 1855 *Epiphora**damarensis* (ssp. of *bauhiniae*) Schultze, 1913*mythimnia* (Westwood, 1849) *Saturnia**mythimna* auct. *Attacus**scribonia** Wallengren, 1860*manowensis* (Gschwandner, 1923) *Drepanoptera**brunnea* (Bouvier, 1930) *Drepanoptera**manowiensis* auct.*nubilosa* (Testout, 1938) *Drepanoptera**oberprieleri* Bouyer, 2008**Bunaeini** author, date***Athletes** Karsch, 1896*gigas* (Sonthonnax, 1904) *Gynanisa**steindachneri* Rebel, 1904*semialba* (Sonthonnax, 1904) *Gynanisa***Aurivillius** Packard, 1902*Euaurivillius* Packard, 1902 (unnecessary replacement name)*fuscus* (Rothschild, 1895) *Nudaurelia**divaricatus* Bouvier, 1927**Bunaea** Hübner, [1819]*Angelica* Distant, 1903 (unnecessary replacement name)*Thyelia* auct.*Thyelia*; Walker, 1865*Thyella* Wallengren, 1858*alcinoe* (Stoll, 1780) *Phalaena Attacus**alberici* Dufrane, 1953*alcinoina* Oberthür, 1910*atlantica* Dufrane, 1953*babertoniana*; Bouvier, 1936 *Bunaea**barbertoniana* Oberthür, 1910*caffaria** (Stoll, 1790) *Phalaena Attacus* (preoccupied)*caffra* Hübner, [1819] (replacement name)*debeeri* Oberthür, 1910*durbania* Oberthür, 1910*katangensis* Dufrane, 1953*nubica* Jordan, 1910*nyctalops* (Wallengren, 1858) *Thyella**punctigera* (Wallengren, 1860) *Thyella**tricolor* Rothschild, 1895**Bunaeopsis** Bouvier, 1927*annabellae* Lemaire & Rougeot, 1975*arabella* (Aurivillius, 1893) *Anthraea**bomfordi* Pinhey, 1962*hersilia* (Westwood, 1849) *Saturnia**ansorgei* (Rothschild, 1898) *Nudaurelia**bersilia*; Schulze, 1914 *Bunaea**dido* (Maassen & Weymer, 1881) *Eochroa**elisa* (Wichgraf, 1914) *Nudaurelia**fenestraticula* (Strand, 1911) *Bunaea**hersilioides* (de Fleury, 1924) *Nudaurelia**nigericola* (Strand, 1929) *Bunaea**rendalli* (Rothschild, 1896) *Nudaurelia* (preoccupied)*rendalliana* (Gaede, 1927) *Nudaurelia* (replacement name)*schoenheiti* (Wichgraf, 1914) *Bunaea**jacksoni* (Jordan, 1908) *Bunaea**carabolla* (Strand, 1929) *Bunaea**observabilis* Darge, 1993*oenopa* (Grünberg, 1910) *Bunaea**rosea* (Bouvier, 1927) *Bunaea**oubie** (Guérin-Méneville, 1849) *Bombyx**aethiopica* (Le Cerf, 1911) *Nudaurelia**afrorientalis* (Stoneham, 1959) *Nudaurelia**argillosa* (Le Cerf, 1911) *Nudaurelia**ferruginea* (Bouvier, 1927) *Bunaea**tanganyikae* (Schüssler, 1933) *Gonimbrasia**zadachii*; Dewitz, 1879*zaddachi* auct. *Bunaeopsis**zaddachii* (Dewitz, 1879) *Saturnia**lutea* (Bouvier, 1927) *Bunaea**princeps princeps* (Le Cerf, 1918) *Nudaurelia**callichroma* (Le Cerf, 1918) *Nudaurelia***Cinabra** Sonthonnax, 1901*hyperbius hyperbius* (Westwood, 1881) *Saturnia**bracteana*; Sonthonnax, 1901 *Nudaurelia**bracteata* (Distant, 1897) *Anthraea**gaedei* Schüssler, 1933**Cirina** Walker, 1855*Cerina*; Vuillet, 1911*forda forda* (Westwood, 1849) *Saturnia**cervina* (Westwood in Oates, 1881) *Saturnia**fordi*; Tarboton, 1987*invenusta* (Wallengren, 1858) *Sculna**patens* (Boisduval, 1847) *Bombyx**semicaeca* (Walker, 1855) *Perisomina**similis* Distant, 1897*venusta*; Wallengren, 1860 *Sculna*

BOMBYCOIDEA***Eochroa*** Felder, 1874*trimenii** Felder, 1874*trimeni* auct. *Eochroa****Gonimbrasia*** Butler, 1878*Acanthocampa* Packard, 1902*Gonimbrasia*; Pagenstecher, 1909*Parabunaecopsis* Bouvier, 1934*affinis* (Bouvier, 1926) *Nudaurelia**anna anna* (Maassen & Weyding, 1885) *Saturnia**belina belina* (Westwood, 1849) *Saturnia**annulata* Bouvier, 1936*junodi* (Oberthür, 1910) *Nudaurelia**bubo* (Bouvier, 1930) *Nudaurelia**cytherea clarki* (Geertsema, 1971) *Nudaurelia**carnigiei* (Janse, 1918) *Nudaurelia**cytherea* (Fabricius, 1775) *Bombyx**capensis* (Stoll, 1780) *Phalaena Attacus**citherea*; Olivier, 1790 *Bombyx**cytheraea* auct. *Nudaurelia**cytheroea*; Wardle, 1887 *Antheraea**pauper* (Bouvier, 1926) *Nudaurelia**unicolor* (Bouvier, 1926) *Nudaurelia**perscitus* (Darge, 1992) *Nudaurelia**herbuloti* (Darge, 1992) *Nudaurelia**rectilineata* (Sonthonnax, 1899) *Nudaurelia**tyrrhea* (Cramer, 1775) *Phalaena Attacus**rubra* (Bouvier, 1936) *Gonimbrasia**thyrrhea*; Sonthonnax, 1901 *Thyella**tirrhaea*; Hübner, [1819] *Aglia**tirrhea*; Schüssler, 1933 *Angelica**tyrrhaea*; Packard, 1914 *Thyella**wahlbergii wahlbergii* (Boisduval, 1847) *Saturnia**ochracea* (Rebel, 1917) *Nudaurelia**wahlbergi* auct. *Imbrasia**zambesina* (Walker, 1865) *Bunaea**barcas* (Maassen & Weymer, 1881) *Antheraea**ringleri* (Wichgraf, 1906) *Nudaurelia**rectilinea* (Oberthür, 1910) *Thyella**said* (Oberthür, 1878) *Saturnia**zambesia* (Felder, 1874) *Thyella**zanguebarica* (Oberthür, 1910) *Thyella****Gynanisa*** Walker, 1855*Ancalaespina* Wallengren, 1858*Cyanissa*; Crawley, 1886*ata* Strand, 1911*daula* Tams, 1930*maja* (Klug, 1836) *Saturnia**isis** (Duncan [& Westwood], 1841) *Saturnia**macromaja* Strand, 1920*maia* auct. *Gynanisa**majar*; Angas, [1849] *Saturnia**nigra* Bouvier, 1927*tata* (Wallengren, 1860) *Ancalaespina****Heniocha*** Hübner, [1819]*Heniochella* Cooper, 2002*Heniucha*; Pagenstecher, 1909*Henucha*; Walker, 1855*Oberprieleria* Cooper, 2002 (preoccupied)***apollonia**** *apollonia* (Cramer, 1779) *Phalaena Attacus**apolonia*; auct. *Heniocha**divisa* Bryk, 1939*apollonia flava* (Butler, 1877) *Saturnia**apollina* Gaede, 1927*lindti* Grünberg, 1910*apollonia terpsichorina* (Westwood, 1881) *Saturnia**distincta* Bryk, 1939*dyops* (Maassen, 1872) *Saturnia**bioculata* Aurivillius, 1879*dryops*; Packard, 1914 *Heniocha**flavida* (ssp. of *apollonia*) (Butler, 1877) *Saturnia**marnois* (Rogenhofer, 1891) *Saturnia**terpsichorina* (ssp. of *apollonia*) (Westwood, 1881) *Saturnia****Imbrasia*** Hübner, [1819]*Lomelia* Duncan [& Westwood], 1841*Sculha* Wallengren, 1858*ertli* Rebel, 1904***Lobobunaea*** Packard, 1901*angasana* (Westwood, 1849) *Saturnia**tanganicae* (Sonthonnax, 1899) *Bunaea**saturnus* (Maassen & Weyding, 1885) *Bunaea* (*nomen dubium*, preoccupied)*weymeri* Aurivillius, 1910 (replacement name)***phaedusa falcatissima*** Rougeot, 1962*flammulata* Navatte, 1978***Melanocera*** Sonthonnax, 1901*dargei* Terral, 1991*emmanuelleae* Rougeot, [1992]***menippe**** (Westwood, 1849) *Saturnia**habenichti* Wichgraf, 1911*transiens* Wichgraf, 1911***Nudaurelia*** Rothschild, 1895*gueinzii* (Staudinger, 1872) *Antheraea****macrothyris*** (Rothschild, 1906) *Bunaea**heroum* (Oberthür, 1910) *Imbrasia**regalis* (Rebel, 1906) *Imbrasia****Pseudimbrasia*** Rougeot, 1962*deyrollei** (Thomson, 1858) *Saturnia**congolensis* (Oberthür, 1910) *Bunaea**deyrollii*; Oberthür, 1910 *Imbrasia**intermedia* (Strand, 1911) *Imbrasia**gerresheimeri* (Strand, 1911) *Imbrasia**senegalensis* (Kirby, 1892) *Bunaea****Pseudobunaea*** Bouvier, 1927*Alindabunaea* Stoneham, 1962***iriis*** (Fabricius, 1793) *Bombyx**bispularis* (Aurivillius, 1925) *Lobobunaea**bruneli* Rougeot, 1974*cremeri* (Oberthür, 1919) *Bunaea**epithyrena* (Maassen & Weyding, 1885) *Bunaea**immaculata* Bouvier, 1930*inornata* (Sonthonnax, 1899) *Bunaea**melinde* (Maassen & Weyding, 1885) *Bunaea**meloui* (Riel, 1910) *Bunaea**natalensis* (Aurivillius, 1893) *Bunaea**pallens* (Sonthonnax, 1899) *Bunaea**patruelis* (Distant, 1903) *Bunaea**redlichi* (Weymer, 1901) *Bunaea****tyrrhena tyrrhena*** (Westwood, 1849) *Saturnia**tyrrhena*; Sonthonnax, 1901 *Bunaea****Rohaniella*** Bouvier, 1927***pygmaea**** *pygmaea* (Maassen & Weyding, 1885) *Bunaea**pygela* (Druce, 1886) *Bunaea****Micragonini*** author, date****Adafroptilum*** Darge, 2004 (replacement name)*Afroptilum* Darge, 2003 (preoccupied)***aberfoyleNSE*** Darge, 2014***incanum*** (Sonthonnax, 1899) *Guillemeia**pancratii*; Pinhey, 1972 *Orthogonioptilum**pancratum* (Weymer, 1903) *Holocera**septiguttatum* (Weymer, 1909) *Goodia****Campimoptilum*** Karsch, 1896*Campionoptilum*; Strand, 1909*Lasioptila* Kirby, 1896***kuntzei*** (Dewitz, 1881) *Saturnia**ansorgei* (Kirby, 1896) *Lasioptila**kunzei*; auct. *Orthogonioptilum**kunzi*; Holland, 1897 *Saturnia**kunzi*; Kirby, 1892 *Orthogonioptilum**ochracea* Aurivillius, 1901***Decachorda*** Aurivillius, 1898***aspersa orientalis*** Bouvier, 1930***fulvia*** (Druce, 1886) *Lichenopteryx* (as *Lechenopteryx*)***orientalis*** (ssp. of *aspersa*) Bouvier, 1930***pomona*** (Weymer, 1892) *Dreata****rosea**** Aurivillius, 1898***Holocerina*** Pinhey, 1956 (replacement name)*Bolocera*; Kirby, 1892*Holocera* Felder, 1874 (preoccupied)***agomensis*** (Karsch, 1896) *Holocera**angomensis*; Pinhey, 1972 *Holocerina****angulata angulata*** (Aurivillius, 1893) *Holocera*

BOMBYCOIDEA

bistricta (Strand, 1911) *Holocera*
guineensis (Strand, 1912) *Holocera*
micropteryx Hering, 1949
rhodesiensis (Janse, 1918) *Holocera*
*smilax** *smilax* (Westwood, 1849) *Saturnia*

Ludia Wallengren, 1865
corticea Jordan, 1922
*delegorguei** (Boisduval, 1847) *Saturnia*
dalagorguei; Monteiro, 1891
delagorguei; Angas, [1849] *Saturnia*
delgorguei; Grünberg, 1910 *Ludia*
vetusta Strand, 1911
goniata Rothschild, 1907
limbobrunnea (ssp. of *orinoptena*) Strand, 1912
orinoptena limbobrunnea Strand, 1912
monroei Jordan, 1938

Micragone Walker, 1855
Cyrtogone Walker, 1855
Microgone; Walker, 1855
ansorgei bilineata (Rothschild, 1907) *Cyrtogone*
bilineata (ssp. of *ansorgei*) (Rothschild, 1907) *Cyrtogone*
cana cana (Aurivillius, 1893) *Cyrtogone*
junodi (Oberthür, 1910) *Cyrtogone*
nubifera Bouvier, 1936

Orthogonioptilum Karsch, [1893]
Guillemea Sonthonnax, 1899
*adiegetum** *dollmani* Jordan, 1922
dollmani (ssp. of *adiegetum*) Jordan, 1922
dollmanni auct. *Orthogonioptilum*

Vegetia Jordan, 1922
*dewitzii** (Maassen & Weyding, 1885) *Ludia*
dewitzii auct.
ducalis Jordan, 1922
grimmia (Geyer, [1831]) *Heniocha*
legraini Bouyer, 2004

BOMBYCOIDEA**SPHINGIDAE** Latreille, 1802**Sphinginae** Latreille, 1802**Acherontia** [Laspeyres], 1809

Atropos Oken, 1815 (unavailable)

Atropos Agassiz, 1846

Brachyglossa Boisduval, 1828

Manduca Hübner, [1806] (unavailable)

atropos* (Linnaeus, 1758) *Sphinx*atropus; Swainson & Shuckard, 1840 *Sphinx*

sculda Kirby, 1877

solani (Oken, 1815) *Atropos***Afroclanis** Carcasson, 1968**calcarea*** (Rothschild & Jordan, 1907) *Polyptychus*aurora (Clark, 1936) *Polyptychus*burorum (Strand, 1915) *Polyptychus***neavi** (Hampson, 1910) *Polyptychus*neavei; Pinhey, 1962 *Polyptychus*martha (Closs, 1911) *Polyptychus***Agrius** Hübner, [1819]

Timoria Kaye, 1919

cingulatus* (Fabricius, 1775) *Sphinx*affinis (Goeze, 1780) *Sphinx*druraei (Donovan, 1810) *Sphinx*pungens (Eschscholtz, 1821) *Sphinx***convolvuli** (Linnaeus, 1758) *Sphinx*abadonna (Fabricius, 1798) *Sphinx*

aksuensis Bang-Haas, 1927

batatae Christ, 1882

convolvuli; Keferstein, 1861 *Sphinx*convolvuli indica (Skell, 1913) *Protoparce*convolvuli marshallensis (Clark, 1922) *Herse*convolvuli nigricans (Cannavillo, 1900) *Sphinx*convolvuli peitaihoensis (Clark, 1922) *Herse*distantis (Butler, 1876) *Protoparce*

ichangensis Tutt, 1904

javanensis Tutt, 1904

orientalis (Butler, 1876) *Protoparce*

patates Ménétriés, 1857 (unavailable)

pseudoconvolvuli (Schaufuss, 1870) *Sphinx*roseofasciata (Koch, 1865) *Sphinx*

tahitiensis Tutt, 1904

Andriasa Walker, 1856

Devitzia Holland, 1889

Dewitzia; Holland, 1893

Pseudosmerinthus Butler, 1876**contraria*** **contraria** Walker, 1856adansoniae (Boisduval, [1875]) *Sphinx*crenulata (Bethune-Baker, 1911) *Trottonotus*marginalis; Butler, 1882 *Pseudosmerinthus*objecta (Strand, 1912) *Polyptychus*pechuelii (Dewitz, 1879) *Smerinthus*perpallida (Holland, 1893) *Devitzia*stigmatica (Gehlen, 1940) *Polyptychus*submarginalis (Walker, [1865]) *Basiana*suffusa (Walker, 1869) *Basiana*towadea (Gehlen, 1935) *Polyptychus***Batocnema** Rothschild & Jordan, 1903**africana** (Distant, 1899) *Polyptychus***Coelonia** Rothschild & Jordan, 1903**fulvinotata*** (Butler, 1875) *Protoparce*maruritti; Pinhey, 1975 *Coelonia*mauriti; Viette, 1957 *Coelonia***mauriti** (Butler, 1876) *Protoparce***Falcatula** Carcasson, 1968**falcata*** (Rothschild & Jordan, 1903) *Polyptychus***Hoplistopus** Rothschild & Jordan, 1903

Hoplistopus; Rothschild & Jordan, 1903

penricei* Rothschild & Jordan, 1903

butti Rothschild & Jordan, 1903

Leptoclanis Rothschild & Jordan, 1903**pulchra*** Rothschild & Jordan, 1903**Leucophlebia** Westwood, 1847

Rasphela Boisduval, [1875] (unavailable)

afra **afra** Karsch, 1891

afra edentata Rothschild & Jordan, 1917

afra **xanthopsis** Hampson, 1910

afra rosulenta Rothschild & Jordan, 1917

xanthopsis; Pinhey, 1972 *Leucophlebia***xanthopsis** (ssp. of **afra**) Hampson, 1910**Likoma** Rothschild & Jordan, 1903**apicalis*** Rothschild & Jordan, 1903**Litosphingia** Jordan, 1920**corticea*** Jordan, 1920**Lophostethus** Butler, 1876 (replacement name)

Euclea Boisduval, [1875] (preoccupied)

dumolinii* **dumolinii** (Angas, [1849]) *Sphinx*

dumolini auct.

dumolini; Butler 1877 *Lophostethus*dumolini; Scholtz & Holm, 1985 *Lophostethus*dumolin Latreille, 1830 *Smerinthe* (unavailable)

dumolini auct.

dumoulini; Wagner, 1914 *Smerinthus***Macropoliana** Carcasson, 1968**natalensis*** (Butler, 1875) *Diludia*oheffernani (Gess, 1967) *Poliana*spei (Butler, 1875) *Acherontia*

gessi Schmit & Pierre, 2006

Neoclannis Carcasson, 1968**basalis*** (Walker, 1866) *Smerinthus*virgo (Westwood, 1881) *Choerocampa***Neopolyptychus** Carcasson, 1968**compar** **compar** (Rothschild & Jordan, 1903) *Polyptychus***convexus*** (Rothschild & Jordan, 1903) *Polyptychus*springerae (Clark, 1936) *Polyptychus***Oligographa** Rothschild & Jordan, 1903**juniperi*** (Boisduval, 1847) *Sphinx*juniperae; Ménétriés, 1857 *Sphinx*juniperi (Walker, 1856) *Anceryx* (preoccupied)

mosambiquensis Joicey & Kaye, 1917

Pantophaea Jordan, 1946

Pemba Rothschild & Jordan, 1903 (preoccupied)

favillacea (Walker, 1866) *Anceryx*distanti* (Rothschild & Jordan, 1903) *Pemba*maxima (Clark, 1922) *Coenotes*oneili (Clark, 1925) *Pemba***Phylloxyphia** Rothschild & Jordan, 1903

Acentropoclanis Strand, 1915

Libyoclanis Rothschild & Jordan, 1906

Typhosia Rothschild & Jordan, 1906

metria (Jordan, 1920) *Libyoclanis*noctivaga (Kernbach, 1957) *Libyoclanis***punctum** (Rothschild, 1907) *Libyoclanis*vicina (Rothschild & Jordan, 1915) *Libyoclanis***Platysphinx** Rothschild & Jordan, 1903**piabilis** (Distant, 1897) *Ambulyx*

bourkei Trimen, 1910

piabilis; Wagner, 1914 *Platysphinx***Poliana** Rothschild & Jordan, 1903

Taboribia Strand, 1910

wintgensi (Strand, 1910) *Taboribia*

marmorata Fawcett, 1915

wintgensi auct. *Poliana***Polyptychoides** Carcasson, 1968**assimilis** (ssp. of **grayii**) (Rothschild & Jordan, 1903) *Polyptychus***grayii*** **grayii** (Walker, 1856) *Smerinthus*grayii auct. *Polyptychus***grayii** **assimilis** (Rothschild & Jordan, 1903) *Polyptychus***Polyptychopsis** Carcasson, 1968**marshalli*** **marshalli** (Rothschild & Jordan, 1903) *Polyptychus*

BOMBYCOIDEA***Polyptychus* Hübner, [1819]**

baxteri jansei Clark, 1936
coryndoni Rothschild & Jordan, 1903
reussi Strand, 1911
jansei (ssp. of *baxteri*) Clark, 1936

***Praedora* Rothschild & Jordan, 1903**

leucophaea Rothschild & Jordan, 1903
*marshalli** *marshalli* Rothschild & Jordan, 1903
australis Clark, 1930
tropicalis Rothschild & Jordan, 1912
plagiata Rothschild & Jordan, 1903
meridionalis Kiriakoff, 1954

***Pseudandriasa* Carcasson, 1968**

*mutata** (Walker, 1855) *Lymantria*
erubescens (Walker, 1862) *Andriasa*

***Pseudoclanis* Rothschild, 1894**

Larunda Kernbach, 1954 (preoccupied)
diana Gehlen, 1922
molitrix (Rothschild & Jordan, 1912) *Polyptychus*
lauta (Jordan, 1920) *Polyptychus*
molitrix subviridis (Talbot, 1932) *Polyptychus*
mollis; Wiltshire, 1983 *Pseudoclanis*
sororia (Kernbach, 1954) *Larunda*
*postica** (Walker, 1856) *Basiana*

***Rufoclanis* Carcasson, 1968**

Rufoglanis; Mey, 2011
fulgorans (Rothschild & Jordan, 1903) *Polyptychus*
jansei (Vári, 1964) *Polyptychus*
*numosae** *numosae* (Wallengren, 1860) *Smerinthus*
consanguinea (Distant, 1899) *Polyptychus*
consanguineous; Swierstra, 1909 *Polyptychus*
cytis (Druce, 1882) *Triptongan*
hesperus (Rothschild & Jordan, 1916) *Polyptychus*
mimosae (Wallengren, 1860) *Smerinthus* (unjustified emendation)

***Xanthopan* Rothschild & Jordan, 1903**

*morganii** *morganii* (Walker, 1856) *Macrosila*
morgan; Mitchell, 1973 *Xanthopan*
morgani auct. *Xanthopan*

***Xenosphingia* Jordan, 1920**

*jansei** Jordan, 1920

Macroglossinae author, date****Antinephele* Holland, 1889**

lunulata lunulata Rothschild & Jordan, 1903
weberi Clark, 1923
maculifera Holland, 1889

***Atemnora* Rothschild & Jordan, 1903**

*westermannii** (Boisduval, [1875]) *Macroglossum* (as *Macroglossa*)
falkensteinii (Dewitz, 1879) *Macroglossum* (as *Macroglossa*)
westermanni auct. *Atemnora*

***Basiothia* Walker, 1856**

Basiothea; Butler, 1876
aureata (Karsch, 1891) *Ocyton*
brevipennis (Rothschild, 1894) *Lophuron*
charis Walker, 1856 *Choerocampa* (as *Chaerocampa*)
celerina; Boisduval, [1875] *Choerocampa*
celerionina (Walker, 1856) *Choerocampa* (as *Chaerocampa*)
charris; Saalmüller, 1884 *Choerocampa* (as *Chaerocampa*)
medea (Fabricius, 1781) *Sphinx*
clio (Fabricius, 1793) *Sphinx*
idraeus; Guenée, 1862 *Choerocampa* (as *Chaerocampa*)
idreus; Saalmüller, 1884 *Choerocampa* (as *Chaerocampa*)
idriaeus auct. *Choerocampa* (as *Chaerocampa*)
idricus; Drury, 1782 *Sphinx*
idrieus (Drury, 1782) *Sphinx*
minus (Fabricius, 1787) *Sphinx*
onothberina; Rothschild & Jordan, 1903 *Basiothia*
onotherina (Martyn, 1797) *Sphinx*
transfigurata (Wallengren, 1860) *Choerocampa*
schenki (Möschler, 1872) *Choerocampa* (as *Chaerocampa*)
protocharis (Staudinger, 1872) *Choerocampa* (as *Chaerocampa*)
schenki auct. *Choerocampa* (as *Chaerocampa*)
schenkii; Distant, 1897 *Theretra*

***Centroctena* Rothschild & Jordan, 1903**

imitans (Butler, 1882) *Panacra*

***Cephalodes* Hübner, [1819]**

Cephalodes; Stephens, 1835
Cephalodes; Dudgeon, 1898
Potidaea Wallengren, 1858
*hylas** *virescens* (Wallengren, 1858) *Potidaea*
confinis (Boisduval, [1875]) *Macroglossum* (as *Macroglossa*)
virescens (ssp. of *hylas*) (Wallengren, 1858) *Potidaea*

***Daphnis* Hübner, [1819]**

Deilephila auct.
Histriosphinx Varis, 1976
Regia Tutt, 1903
*nerii** (Linnaeus, 1758) *Sphinx*
bipartita Gehlen, 1934
infernelutea Saalmüller, 1884

***Euchloron* Boisduval, [1875]**

Chlorina Guenée, 1862 (preoccupied)
*megaera** *megaera* (Linnaeus, 1758) *Sphinx*

***Hippotion* Hübner, [1819]**

Lilina Tutt, 1903
Panacra Walker, 1856
balsaminae (Walker, 1856) *Choerocampa* (as *Chaerocampa*)
pinastrinus (Butler, 1876) *Sphinx*
*celerio** (Linnaeus, 1758) *Sphinx*
albolineatus (Montrouzier, 1864) *Deilephila*
celeris; Holland, 1897 *Theretra*
inquilinus (Harris, [1780]) *Phalaena*
inquinalis; Swinhoe, 1892 *Phalaena*
ocys Hübner, [1819]
phoenix (Oken, 1815) *Elpenor*
tisiphone (Linnaeus, 1758) *Sphinx*
eson (Cramer, 1779) *Sphinx*
aeon; Barrett, 1900 *Choerocampa*
comoroana Clark, 1929
elegans (Butler, 1875) *Choerocampa* (as *Chaerocampa*)
gracilis (Butler, 1875) *Choerocampa* (as *Chaerocampa*)
luridus Gehlen, 1944
thyelia (Westwood, 1881) *Choerocampa* (as *Chaerocampa*)
osiris (Dalman, 1823) *Deilephila*
osyrus auct.

rosae rosae (Butler, 1882) *Darapsa*

roseipennis (Butler, 1882) *Diodosida*
austrinum Jordan, 1930
exclamationis Fawcett, 1915
robur Jordan, 1938

***Hyles* Hübner, [1819]**

Celerio Agassiz, 1846
Celerio Oken, 1815 (unavailable)
Danneria Eitschberger & Zolotuhin, 1998
Eremohyles Eitschberger & Zolotuhin, 1998
Hawaiiana; Swezey, 1944
Hawaiina Tutt, 1903
Hippohyles Eitschberger & Zolotuhin, 1998
Rommeliana Eitschberger & Zolotuhin, 1998
Surholia Eitschberger & Zolotuhin, 1998
Thaumas Hübner, [1819]
Turneria Tutt, 1903 (preoccupied)
Weismannia Tutt, 1904
malgassica (Denso, 1944) *Celerio*

***Leucostrophus* Rothschild & Jordan, 1903**

alterhirundo d'Abraira, [1897] (replacement name)
hirundo (Gerstaecker, 1871) *Macroglossum* (as *Macroglossa*) (preoccupied)

***Macroglossum* Scopoli, 1777**

Bombylia Hübner, [1806] (unavailable)
Bombylia Hübner, 1822
Macroglossa Boisduval, 1833 (preoccupied)
Macroglossa Ochsenheimer, 1816 (emendation)
Macroglossus; Neave, 1940
Psithyros Hübner, [1819]
Ramphoschisma Wallengren, 1863
Rhamphoschisma Wallengren, 1858
Rhopalopsyche Butler, 1875
trochilus *trochilus* (Hübner, [1823]) *Psithyros*
fasciatum (Wallengren, 1858) *Rhamphoschisma*

BOMBYCOIDEA

- lysithous* Boisduval, [1875]
sitiene Walker, 1856
trocailus; Mitchell, 1973 *Macroglossum*
- Microsphinx*** Rothschild & Jordan, 1903
*pumila** (Boisduval, [1875]) *Pterogon*
minuta (Distant, 1897) *Lophura* (as *Lophuron*)
- Nephele*** Hübner, [1819]
Nephile; Butler, 1879
Orneus Hübner, [1824]
Zonilia Walker, 1856
accentifera (Palisot de Beauvois, 1805) *Sphinx*
ranzani (Bertoloni, 1850) *Deilephila*
tridyma (van der Hoeven, 1840) *Sphinx*
variegata Butler, 1875
aequivalens (Walker, 1856) *Pachylia*
zebu (Boisduval, [1875]) *Zonilia*
argentifera (Walker, 1856) *Zonilia*
bipartita Butler, 1878
comma Hopffer, 1857
charoba Kirby, 1877
derasa Rothschild & Jordan, 1903
triangulifera Closs, 1914
funebris (Fabricius, 1793) *Sphinx*
infernalis Kirby, 1877
viridescens (Walker, 1856) *Zonilia*
illustris (ssp. of *rosae*) Jordan, 1920
lannini Jordan, 1926
peneus (Cramer, 1776) *Sphinx*
pachyderma Karsch, 1892
penaeus auct.
rosae *illustris* Jordan, 1920
vau (Walker, 1856) *Zonilia*
raffrayi (Oberthür, 1878) *Zonilia*
schimperi (Lucas, 1857) *Zonilia*
- Odontosida*** Rothschild & Jordan, 1903
magnifica (Rothschild, 1894) *Lophura* (as *Lophuron*)
*pusilla** (Felder, [1874]) *Smerinthus*
pulcherrima (Rothschild, 1894) *Lophura* (as *Lophuron*)
- Rhodafra*** Rothschild & Jordan, 1903
marshalli Rothschild & Jordan, 1903
*opheltes** (Cramer, 1780) *Sphinx*
mariae (Wallengren, 1875) *Deilephila*
- Sphingonaepiopsis*** Wallengren, 1858
Pterodonta Austaut, 1905 (preoccupied)
Sphingonaepiopsis; Tutt, 1904
ansorgei Rothschild, 1904
featheri Clark, 1928
nana (Walker, 1856) *Lophura*
*gracilipes** Wallengren, 1858
- Temnora*** Walker, 1856
Aspledon Boisduval, [1875]
Diodesida Walker, 1856
Eulophura Holland, 1889
Gurelca Kirby, 1880
Lophura Herrich-Schäffer, [1854]
Lophura Walker, 1856 (preoccupied)
Lophuron Wallengren, 1865 (emendation)
Ocyton Boisduval, [1875]
curvilinea (ssp. of *zantus*) Hering, M., 1927
elegans *polia* Rothschild, 1904
fumosa *fumosa* (Walker, 1856) *Zonilia*
funebris (Holland, 1893) *Diodesida*
vumbui (Stevenson, 1938) *Polyptychus*
iapgooides (Holland, 1889) *Ocyton*
clementsi (Rothschild, 1894) *Pterogon*
japgooides auct. *Temnora*
lapgooides; Sharp, 1889 *Ocyton*
pernix Kernbach, 1962
preussi (Karsch, 1891) *Ocyton*
inornata (Rothschild, 1894) *Lophura* (as *Lophuron*)
marginata *marginata* (Walker, 1856) *Darapsa*
brunnea (Rothschild, 1894) *Diodesida*
murina (Walker, 1856) *Diodesida*
tyrrhus (Boisduval, [1875]) *Lophura* (as *Lophuron*)
namqua Rothschild & Jordan, 1903
*natalis** Walker, 1856
kafakumbae Clark, 1936
- natalii*; Boisduval, [1875]
plagiata *plagiata* Walker, 1856
confusa (Walker, 1856) *Panacra*
dicana (Boisduval, [1875]) *Lophura* (as *Lophuron*)
maculata (Rothschild, 1894) *Lophura* (as *Lophuron*)
polia (ssp. of *elegans*) Rothschild, 1904
pseudopylas *pseudopylas* (Rothschild, 1894) *Lophura* (as *Lophuron*)
brisaeus (Wallengren, 1865) *Lophura* (as *Lophuron*)
congoi Clark, 1936
pseudohylas; Fletcher, D.S., 1968
pylades *pylades* Rothschild & Jordan, 1903
stevensonii Clark, 1926
pylas *pylas* (Cramer, 1779) *Sphinx*
brisaeus (Walker, 1856) *Lophura*
robertsoni Carcasson, 1968
sardanus *sardanus* (Walker, 1856) *Enyo*
uniformis (Rothschild, 1894) *Diodesida*
subapicalis *subapicalis* Rothschild & Jordan, 1903
swynnertonii Stevenson, 1938
zantus *curvilinea* Hering, M., 1927
zantus *zantus* (Herrich-Schäffer, [1854]) *Lophura*
brunnescens Clark, 1919
dorus (Boisduval, [1875]) *Lophura* (as *Lophuron*)
excisa (Walker, 1856) *Enyo*
- Theretra*** Hübner, [1819]
Florina Tutt, 1903
Gnathostypis Wallengren, 1858
Hathia Moore, [1882]
Oreus Hübner, [1819]
cajus (Cramer, 1777) *Sphinx*
caius; Hübner, [1819] *Xylophanes*
celaeno (Esper, 1782) *Sphinx*
epicles (Boisduval, [1875]) *Choerocampa*
gordius (Stoll, 1781) *Sphinx*
gortys (Hübner, [1819]) *Xylophanes*
capensis (Linnaeus, 1764) *Sphinx*
aeas (Cramer, 1779) *Sphinx*
cecropis (Cramer, 1779) *Sphinx*
cloho (Fabricius, 1787) *Sphinx*
immaculata (Gmelin, 1790) *Sphinx*
ostracina (Wallengren, 1858) *Gnathostypis*
jugurtha *jugurtha* (Boisduval, [1875]) *Choerocampa*
obliterata Rothschild, 1894
monteironis (Butler, 1882) *Choerocampa*
ugandae Clark, 1923
orpheus *orpheus* (Herrich-Schäffer, [1854]) *Choerocampa*
natalensis (Rothschild, 1894) *Panacra*
orphaeus; Distant, 1899 *Panacra*

NOCTUOIDEA**NOTODONTIDAE** Stephens, 1829

CERURIDAE
CNETHOCAMPIDAE
DICRANURIDAE
HARPYIIDAE
PYGAERIDAE

Notodontinae sensu lato

Heterocampinae
Phaleriinae
Pygaerinae

Scranciinae Miller, 1992

Thacona Walker, 1865
Scrancia Holland, 1893
brunnescens (Gaede, 1928) *Scrancia*
stictica (Hampson, 1910) *Scrancia*

Pseudoscrancia Strand, 1915
*africana** (Holland, 1893) *Maguza* EX*

Turnacoides Gaede, 1928
*basipunctata** Gaede, 1928

Archistilbia Kiriakoff, 1954
atrifrons (Hampson, 1910) *Scrancia*
subscrancia (Kiriakoff, 1970) *Scrancia*
*cineracea** Kiriakoff, 1954
congruata (Janse, 1920) *Phycitomorpha*
danieli (Kiriakoff, 1962) *Scrancia*
elanus (Kiriakoff, 1971) *Scrancia*
galactoperoides (Kiriakoff, 1970) *Scrancia*
milvus (Kiriakoff, 1971) *Scrancia*
mlawula Schintlmeister & Witt, 2015
pinheyi (Kiriakoff, 1965) *Scrancia*
vanni Kiriakoff, 1970

Subscrancia Gaede, 1928
albobrunnea Kiriakoff, 1970
*nigra** (Aurivillius, 1904) *Scrancia*

Postscrancia Gaede, 1928
discomma (Jordan, 1916) *Scrancia*

Phycitomorpha Janse, 1920
Metascrancia Kiriakoff, 1970
dasychira (Hampson, 1910) *Ramesa*
*jansei** Kiriakoff, 1970
*stigmatica** Janse, 1920

Anticleapa Kiriakoff, 1970
*vari** Kiriakoff, 1970

Ceirinae Matsumura, 1921

Arciera Kiriakoff, 1962
grisea (Holland, 1893) *Turnaca*
angolensis Kiriakoff, 1979

Lopienia Kiriakoff, 1961
fuscata (Janse, 1920) *Polienus*
indecora (Kiriakoff, 1954) *Pydna*
ochracea orientalis (Kiriakoff, 1954) *Pydna*
lusinae Kiriakoff, 1954
marginestriata (Kiriakoff, 1975) *Polienus*
nigrosparsata (Janse, 1920) *Polienus*
decorata Kiriakoff, 1975
rubritincta (Hampson, 1910) *Pydna*

Notoxantha Hampson, 1910
sesamoides Hampson, 1910
sesamoides; Kiriakoff, 1964 *Notoxantha*

Bisolita Kiriakoff, 1961
rufifascia (Hampson, 1910) *Pydna*
*strigata** (Aurivillius, 1906) *Ramesa*

Cerurinae Butler, 1881

Afrocerura Kiriakoff, 1963
bifasciata (Janse, 1920) *Cerura*

Hampsonita Kiriakoff, 1963
*esmeralda** (Hampson, 1910) *Cerura*

Notocerura Kiriakoff, 1963
*spiritalis** (Distant, 1899) *Cerura*
swierstrai (Distant, 1902) *Cerura*
swierstra; Distant, 1902

Cerurina Kiriakoff, 1963
*marshalli marshalli** (Hampson, 1910) *Cerura*

Pseudorethona Janse, 1920
*albicans** (Walker, 1855) *Rethona*

Cerurella Kiriakoff, 1962
Dasychirella Kiriakoff, 1970
Oreocerura Kiriakoff, 1963
Riebeeckia Kiriakoff, 1981
*natalensis** Kiriakoff, 1962
cinderella (Kiriakoff, 1970) *Dasychirella*
natalensis; Kiriakoff, 1964 *Cerurella*
whittakeri (Kiriakoff, 1981) *Riebeeckia*

Pararethona Janse, 1920
argentescens (Hampson, 1910) *Cerura*
*hierax** (Distant, 1897) *Desmeocraera*
hierax dissimilis Janse, 1920 (as *hierax* var. *dissimilis*)

Dicranurinae Duponchel, 1845

Iridoplitis Kiriakoff, 1955
*iridescent** Kiriakoff, 1955

Fentonina Gaede, 1928
*punctum** Gaede, 1928
exacta Kiriakoff, 1962
punctum; Kiriakoff, 1964

Galona Karsch, 1895
*serena** Karsch, 1895
pyrrhotricha Karsch, 1895

Amyops Karsch, 1895
Melebaeus Distant, 1903
Melebaeus; Gaede, 1934
*ingens** Karsch, 1895
gigas (Distant, 1899) *Melebaeus*

Catochria Herrich-Schäffer, [1855]
*catocaloides** Herrich-Schäffer, [1855]
postflava Kiriakoff, 1955

Afroplitis Kiriakoff, 1964
*dasychirina** (Gaede, 1928) *Hoplitis* (replacement name)
dasychiroides (Rothschild, 1917) *Hoplitis* (preoccupied)
pylades (Kiriakoff, 1955) *Simesia*
phyllocampa (Trimen, 1909) *Hoplitis*
sulaki Schintlmeister & Witt, 2015

Simesia Kiriakoff, 1955
Critobulus Kiriakoff, 1963
*dasychiroides** (Butler, 1898) *Stauropus*
critobulus (Fawcett, 1916) *Stauropus*

Atrasana Walker, 1856
Pheositis Strand, 1912
concolor (Janse, 1920) *Hoplitis*
excellens (Strand, 1912) *Pheositis*
grisea (Gaede, 1928) *Hoplitis*
callitoxa (Tams, 1930) *Chadisra*
nigrosignata Kiriakoff, 1975
pinheyi Kiriakoff, 1962
*postica** Walker, 1856
rectilinea (Gaede, 1928) *Hoplitis*
uncifera (Hampson, 1910) *Chadisra*

Desmeocraera Wallengren, 1865
basalis Distant, 1899
atribasalis (Hampson, 1910) *Stauropus*
bethunebakeri Schintlmeister & Witt, 2015
congoana Aurivillius, 1900 (placement provisional)
hippocastanaria Gaede, 1928
punctata Gaede, 1932
tenera Kiriakoff, 1954

NOCTUOIDEA

- decorata** (Wichgraff, 1922) *Trotonotus lithocolla* Tams, 1932
neavei (Tams, 1925) *Stauropus* *not in Desm.? *distanti* Schintlmeister & Witt, 2015
dorsalis Kiriakoff, 1981
hattinghorum Schintlmeister & Witt, 2015
*interpellatrix interpellatrix** (Wallengren, 1860) *Stauropus tripuncta* Janse, 1920
latex (Druce, 1901) *Heterocampa atriguttata* (Hampson, 1910) *Stauropus denisae* Kiriakoff, 1954
uniformis Kiriakoff, 1958
luteosticta Kiriakoff, 1968
moza (ssp. of *octoginta*) Kiriakoff, 1962
nugatrix Felder & Felder, 1874
griseiviridis (Hampson, 1910) *Stauropus griseoviridis*; Kiriakoff, 1964 *Desmeocraera octoginta octoginta* (Hampson, 1910) *Stauropus analis strigata* Kiriakoff, 1968
octoginta moza Kiriakoff, 1962
oliva Kiriakoff, 1968
platti platti Janse, 1920
jansei Kiriakoff, 1958
varia Janse, 1920
vernalis Distant, 1897
canescens Janse, 1920
subvernalis (Kiriakoff, 1958) *Chlorocalliope zombae* Kiriakoff, 1958
- Stauropida** Kiriakoff, 1962
*griseola** Kiriakoff, 1962
- Heraia** Kiriakoff, 1958
*thalassina** (Hampson, 1910) *Stauropus dichonia* (Kiriakoff, 1954) *Desmeocraera Deinarchia* Kiriakoff, 1958
agramma (Hampson, 1910) *Stauropus aeschyntela* (Tams, 1930) *Stauropus Chlorocalliope* Kiriakoff, 1958
Ochrocallyope Kiriakoff, 1958
calliope (Hampson, 1910) *Desmeocraera polyhymnia* (Gaede, 1934) *Desmeocraera* (nomen nudum)
- Pycnographa** Kiriakoff, 1958
netrioides Kiriakoff, 1962
- Notodontinae** Stephens, 1829
- Afrogluphisia** Kiriakoff, 1970
Breyeria Janse, 1920 (preoccupied)
Eubreyeria Fletcher, D.S., 1980 (replacement name)
dasychiroides (Janse, 1920) *Breyeria demas** Kiriakoff, 1970
- Antizana** Gaede, 1928 *perhaps to Lymantriidae
*sparsata** Gaede, 1928
- Polelassothys** Janse, 1920
*plumitarsus** Janse, 1920
- Rhenea** Saalmüller, 1884
Rheneades Kiriakoff, 1962
kruegeri Schintlmeister & Witt, 2015
mediata (Walker, 1865) *Ochrostigma michii* Schintlmeister & Witt, 2015
- Bilulua** Kiriakoff, 1954
Pachyscranciola Kiriakoff, 1979
atricollis Kiriakoff, 1954
mediopunctulata (Kiriakoff, 1979) *Pachyscranciola strigata* Kiriakoff, 1954
- Stenostaura** Hampson, 1909
Iostauro Kiriakoff, 1970
Platystaura Kiriakoff, 1965
impedita (Walker, 1865) *Cossus glis* (Kiriakoff, 1968) *Platystaura murina* (Kiriakoff, 1965) *Platystaura jansei* (Kiriakoff, 1970) *Iostauro minutissima* Kiriakoff, 1970
mus (Gaede, 1928) *Taeniopteryx Helga* Kiriakoff, 1962
Metopteryx Fletcher, D.S., 1980 (replacement name)
Taeniopteryx Janse, 1920 (preoccupied)
cinerea (Janse, 1920) *Taeniopteryx infans* Kiriakoff, 1964
subtilis (Kiriakoff, 1970) *Stenostaura Leptolepida* Bethune-Baker, 1911
Jozinia Kiriakoff, 1970
Leptolipidia; Neave, 1939
malangae Bethune-Baker, 1911
rattus (Kiriakoff, 1970) *Taeniopteryx varians* Kiriakoff, 1962
elegans (Kiriakoff, 1970) *Stenostaura leonina* (Kiriakoff, 1970) *Jozinia rhodesiae* Kiriakoff, 1965
- Psalisodes** Hampson, 1910
Psaliodes; Strand, 1912
*atrifasciata** Hampson, 1910
defasciata Gaede, 1928
discalis (Hampson, 1910) *Scrancia dimorpha* Kiriakoff, 1968
- Epicerura** Bethune-Baker, 1911
Epiphala Gaede, 1928
Gluphisiodes Kiriakoff, 1954
bivittata (Kiriakoff, 1954) *Gluphisiodes pergrisea* (Hampson, 1910) *Stauropus steniptera* (Hampson, 1910) *Stauropus tanda** Bethune-Baker, 1911
- Epicerurella** Kiriakoff, 1981
*imitans** Kiriakoff, 1981
- Sarimaraais** Kiriakoff, 1962
*bicolor** (Distant, 1899) *Chadisra pinheyi* Kiriakoff, 1962
verulama (Bethune-Baker, 1908) *Osica peringueyi* (Janse, 1920) *Antheua Zuluana* Schintlmeister & Witt, 2015
quarta (Kiriakoff, 1962) *Sarimaraais Rosinella* Kiriakoff, 1963
*rosinaria** (Hampson, 1910) *Chadisra Stemmatophalera* Aurivillius, 1910
Acrasiella Kiriakoff, 1963
Acrasioides Kiriakoff, 1963
Disracha Kiriakoff, 1962
curvilinea (Swinhoe, 1907) *Hyperaeschra semiflava* (Hampson, 1910) *Chadisra persimilis* (Hampson, 1910) *Chadisra sjostedti** Aurivillius, 1910
- Achaera** Kiriakoff, 1963
*ochribasis** (Hampson, 1910) *Chadisra Chlorochadisra* Kiriakoff, 1963
*viridipulverea** (Gaede, 1928) *Chadisra Ptilodontinae* Packard, 1864
- Drapetides** Kiriakoff, 1963
*uniformis** (Swinhoe, 1907) *Lophopteryx Rasemia* Kiriakoff, 1962
euzeopherodes (Hampson, 1910) *Ramesa EX?*
euzepherodes; Gaede, 1926 *Ramesa macrodonta** (Hampson, 1909) *Ramesa Eujansea* Fletcher, D.S., 1980 (replacement name)
Pectinophora Janse, 1920 (preoccupied)
afr (Bethune-Baker, 1911) *Cleupa noctuiformis** (Janse, 1920) *Pectinophora Eurystaura* Janse, 1920
Codita Kiriakoff, 1962
Romalina Kiriakoff, 1964
griseitincta *griseitincta* (Hampson, 1910) *Scalmicauda brunnea** Janse, 1920

NOCTUOIDEA

- Speideliana** Schintlmeister & Witt, 2015
erichkaestneri Schintlmeister & Witt, 2015
maget Schintlmeister & Witt, 2015
- Eurystauridia** Kiriakoff, 1964
iphis Kiriakoff, 1968
medialis (Gaede, 1928) *Eurystaura* (placement provisional)
triangularis (Gaede, 1928) *Eurystaura*
- Batempa** Kiriakoff, 1962
Pygaeridia Kiriakoff, 1967
Rheneina Kiriakoff, 1971
buceros (Kiriakoff, 1971) *Rheneina*
mutabilis Schintlmeister & Witt, 2015
- Parastaura** Gaede, 1928
*divisa** Gaede, 1928 *prob. EX
- Phalerinae Butler, 1886**
- Phalera** Hübner, [1819]
Acrosema Meigen, 1830
Hammatophora Westwood, 1843
Horishachia Matsumura, 1929
Leucophalera Janse, 1920
Phalaera; Felder, 1861
Phaleromimus Bryk, 1950
Phusiana Walker, 1862
atrata (Grünberg, 1907) *Anticyra*
acholi (Bethune-Baker, 1908) *Dinara*
acholli; Gaede, 1928 *Antheua*
extenuata (Walker, 1869) *Antheua* *may be EX
imitata Druce, 1896
imitata septentrionalis Kiriakoff, 1962
latipennis Butler, 1896
elegans (Janse, 1920) *Leucophalera*
lignitea Mabille, 1900 (species incertae sedis)
leydenburgi Distant, 1899
leydenburgi; Fawcett, 1915 *Phalera*
lijdenburgi; Janse, 1917 *Phalera*
- Elaphrodes** Bethune-Baker, 1909
Onophalera Gaede, 1928
duplex (Gaede, 1928) *Onophalera*
- Rigema** Walker, 1855
Anticyra Walker, 1855
Dinara Walker, 1856
encausta (Hampson, 1910) *Dinara*
ornata (Walker, 1865) *Rigema* *error, to check
quisola Strand, 1912
woerdeni (Snellen, 1872) *Phalera*
woerdeni meridionalis Strand, 1912
wördeni; Gaede, 1928 *Rigema*
- Antheua** Walker, 1855
Antheura; Druce 1888
Diastema Herrich-Schäffer, [1855] (preoccupied)
Diastema Aurivillius, 1904 (preoccupied)
Diastemina Gaede, 1928 (unnecessary replacement name)
Parazana Bethune-Baker, 1911
Sirenopyga Wallengren, 1858
aurifodinae (Distant, 1902) *Rigema*
consanguinea Distant, 1903
croceipuncta Hampson, 1910
albida Hampson, 1910
basipuncta Hampson, 1910 (to confirm synonymy)
rhodeosemena auct. *Antheua*
rodeosemena Bethune-Baker, 1911
insignata Gaede, 1928
mixta Janse, 1920
aurivilliusi Kiriakoff, 1964
radiata Aurivillius, 1921
*simplex** Walker, 1855
ephippiata (Wallengren, 1860) *Sirenopyga*
sericea Felder, 1874
straminea (Herrich-Schäffer, 1855) *Diastema*
spurcata Walker, 1865
tricolor Walker, 1855
varia Walker, 1855
trimacula Kiriakoff, 1954

- Haplozana** Aurivillius, 1901
Hypophiala Janse, 1920
*nigrolineata** Aurivillius, 1901
melanogramma (Janse, 1920) *Hypophiala*
- Eutimia** Wallengren, 1858
Nunua Karsch, 1895
Parauchmis Holland, 1897
Zana Walker, 1856 (potentially sen. syn. of *Eutimia*)
gallans obscura Schintlmeister & Witt, 2015
*marpissa** Wallengren, 1858
anodonta (Hampson, 1910) *Zana*
obscura (ssp. of *gallans*) Schintlmeister & Witt, 2015
spurcata (Walker, 1865) *Anticyra*
- Polienus** Distant, 1903
capillatus (Wallengren, 1875) *Simyra*
*modestus** Distant, 1903
- Phyllaliodes** Hampson, 1910
Antheuella Kiriakoff, 1961
*agramma agramma** Hampson, 1910
incana (Janse, 1920) *Desmeocraera*
agramma phyllaliodes Schintlmeister & Witt, 2015
flavida (Hampson, 1910) *Pydna*
dimorpha Janse, 1920
dimorpha var. *brunnea* Janse, 1920 *Antheua* (infrasubspecific)
psolometopa (Tams, 1929) *Antheua*
phyllaliodes (ssp. of *agramma*) Schintlmeister & Witt, 2015
poliostrota (Hampson, 1910) *Somera*
- Pygaerinae** Duponchel, 1845
- Peratodonta** Aurivillius, 1904
Odontoperas Kiriakoff, 1959
gypsitea (Kiriakoff, 1968) *Odontoperas*
heterogyna (Hampson, 1910) *Scalmicauda*
obliquilinea Bethune-Baker, 1911
rosacea (Kiriakoff, 1959) *Odontoperas*
- Janthinisca** Kiriakoff, 1959
Quista Kiriakoff, 1959
albicostata (Hampson, 1910) *Scalmicauda*
cinereomixta (Kiriakoff, 1959) *Quista*
badia Kiriakoff, 1979
joannoui Schintlmeister & Witt, 2015
linda Kiriakoff, 1979
rosita Kiriakoff, 1968
- Synete** Kiriakoff, 1959
olivaceofusca (Rothschild, 1917) *Pachychira*
- Scalmicauda** Holland, 1893
oneili Janse, 1920
tessmanni Strand, 1911
- Closteria** Samouelle, 1819
Gangamela; Walker, 1865
Gaugamela Walker, 1862
Ichthyura Hübner, [1819]
Melalopha Hübner, 1822
Neoclosteria Kiriakoff, 1964
Tholoda Gistl, 1848
Xenoclosteria Kiriakoff, 1970
dukeorum Schintlmeister & Witt, 2015
ferruginosa (Gaede, 1934) *Pygaera* (replacement name)
ferruginea (Hampson, 1910) *Ichthyura* (preoccupied)
formosa Kiriakoff, 1962
lentisignata (Hampson, 1910) *Ichthyura*
solitaria Kiriakoff, 1962
leloupi (Kiriakoff, 1954) *Pygaera*
distinguenda Kiriakoff, 1962
nubila Kiriakoff, 1962
limacodina Kühne, 2010
roseotincta (Janse, 1920) *Ichthyura*
roseotincta auct. *Pygaera*
vumba Kiriakoff, 1981
semilunata Kiriakoff, 1971
violaceaaria (Janse, 1920) *Ichthyura*
mlanje Kiriakoff, 1981
violacea; Gaede, 1928 *Pygaera*

NOCTUOIDEA**Subfamily placement uncertain*****Amphiphalera*** Hampson, 1910*leuconephra** Hampson, 1910*kiriakoffi* Hancock, 1991*nigripuncta* Kiriakoff, 1975 (unavailable)***Epidonta*** Bethune-Baker, 1911*Alenophalera* Strand, 1912*Hepatophalera* Kiriakoff, 1960*Pheosina* Gaede, 1915*brunneomixta* (Mabille, 1897) *Notodonta**variegata** (Aurivillius, 1904) *Phalera****Euanthia*** Kiriakoff, 1962 *prob. EX*venosa** Kiriakoff, 1962***Graphodonta*** Kiriakoff, 1981*fulva* (Kiriakoff, 1962) *Epidonta****Paradiastema*** Aurivillius, 1901*pulverea* Hampson, 1910 *probably EX***Pinheyia*** Kiriakoff, 1971*lymantrioides** Kiriakoff, 1971***Trotonotus*** Butler, 1898 *Probably to subfamily of its own*Prionocentrum* Janse, 1920*bettoni** *bettoni* Butler, 1898*oneili* (Janse, 1920) *Prionocentrum****Ulinodes*** Kiriakoff, 1968*costalis** Kiriakoff, 1968**Placement in Notodontidae to be confirmed*****Catastygne*** Kiriakoff, 1962 *perhaps a syn. of *Antizana**tristicolor** (Gaede, 1928) *Antheua***Residue to check with Schintlmeister*****Induba*** Kiriakoff, 1975*nigrescens** Kiriakoff, 1975**Thaumetopoeinae author, date******Adrallia*** Walker, 1865*bipunctata** Walker, 1865*atrodisca* (Hering, M., 1926) *Euproctis****Anaphe*** Walker, 1855*Arapha*; Pagenstecher, 1909*Arctiomorpha* Herrich-Schäffer, 1855*Henosis* Wallengren, 1865*Zastonia* Herrich-Schäffer, [1858]*panda* (Boisduval, 1847) *Bombyx**infracta* Walsingham, 1884*leplaei* Mayne, 1914*reticulata** Walker, 1855*ambrizia* Butler, 1877*euprepiaeformis* (Herrich-Schäffer, 1855) *Arctiomorpha****Epanaphe*** Aurivillius, 1904*clarilla* Aurivillius, 1904***Paradrallia*** Bethune-Baker, 1908*rhodesi** Bethune-Baker, 1908***Paraphlebs*** Aurivillius, 1921*Irostola* Janse, 1964*Paraphleps*; Gaede, 1934 2*moddn** Aurivillius, 1921*dentalinea* (Janse, 1964) *Irostola****Thaumetopoea*** Hübner, [1820]*Cnethocampa* Stephens, 1828*Cnetocampa*; Rambur, 1858*Helianthocampa* de Freina & Witt, 1985*Thaumetopoea* Agassiz, 1847 (unjustified emendation)*Traumatocampa* Wallengren, 1871*apologetica* *apologetica* Strand, 1909

NOCTUOIDEA**NOLIDAE** Bruand, 1847**Nolinae** Bruand, 1847

Barasa Walker, 1862
katbergensis Hacker, 2012

Evonima Walker, 1865
littoralis littoralis (van Son, 1933) *Poecilonola*

Meganola Dyar, 1898

Metanola van Son, 1933
Paranola van Son, 1933
Poecilonola Hampson, 1900
angola (Bethune-Baker, 1911) *Nola*
arcygramma Hacker, 2014
argyrolepis marleyi (van Son, 1933) *Nola*
argyromorpha Hacker, 2012
asperiaria Hacker, 2014
bipartita (van Son, 1933) *Paranola*
bispermutata Hacker, 2012
caroliniae (van Son, 1933) *Nolidia*
foviferaoides (Poole, 1989) *Nola* (replacement name)
fovifera (Hampson, 1911) *Nola* (preoccupied)
gondwana Hacker, 2012
holoscota (Hampson, 1920) *Nola*
infuscata (Hampson, 1903) *Roeselia*
knysna Hacker, 2014
leucalea (Hampson, 1907) *Nola*
lucia (van Son, 1933) *Roeselia*
marleyi (ssp. of *argyrolepis*) (van Son, 1933) *Nola*
meridianissima Hacker, 2012
mesoscota (Hampson, 1909) *Nola*
mesoscota; Seitz, 1926 *Nola*
monofascia (van Son, 1933) *Nola*
myriostigma (van Son, 1933) *Metanola*
nigristriga (van Son, 1933) *Paranola*
oligostigma Hacker, 2012
pallidifuscata Hacker, 2012
patricia (van Son, 1933) *Nola*
pernivosa Hacker, 2014
poliotis (Hampson, 1907) *Nola*
steniphona (van Son, 1933) *Nola* (replacement name)
niphostena (Hampson, 1902) *Poliothripa* (preoccupied)
subbalalis (Zeller, 1852) *Roeselia*
swierstrai (van Son, 1933) *Nola*
vansonii Hacker & Mey, 2019

Nola Leach, [1815]

Aradratha Walker, [1866]
Argyrophyes Grote, 1873
Celama Walker, 1865
Chlamifera Hübner, 1822
Coelama; Turner, 1944
Cryphimaea Turner, 1933
Dimona Walker, 1858
Epizeuctis Meyrick, 1889
Idiocytara Turner, 1944
Lebena Walker, 1866
Lira Billberg, 1820 (replacement name)
Manoba Walker, [1863]
Minnagara Walker, 1866
Neocleta Turner, 1944
Nestiodes Turner, 1939
Poliothripa; Poole, 1989
Poliothripa Hampson, 1902
Rhynchopalpus Hampson, 1893
Roeselia Hübner, [1825]
Selca Walker, [1866]
Sorcostia; Lower, 1896
Sorcostia Rosenstock, 1885
Stenola Möschler, 1890
Tribunta Walker, [1866]
abyssinica subiridescens Hacker, 2012
afracteniata Hacker, 2012
algeriae (Hacker, 2012) *Meganola*
atrinuncta (Hampson, 1909) *Manoba*
barbertonensis (van Son, 1933) *Celama*
cana Hacker, 2012
imitata imitata (van Son, 1933) *Celama*
iridescens (van Son, 1933) *Celama*
legraini Hacker, 2012

meridionalis Wallengren, 1875

minimalis Hacker, 2012
ornatulana Hacker, 2012
sarniensis (van Son, 1933) *Celama*
squalida Staudinger, 1870
ceylonica Hampson, 1893
desmotes (Turner, 1899) *Sorcostia*
fraterna (Moore, 1888) *Roeselia*
henrietti (Warnecke, 1937) *Celama*
mesoscia (Hampson, 1914) *Celama*
musculalis Saalmüller, 1880
parvula Chrétien, 1913
priesneri Rebel, 1947
turanica Staudinger, 1887
turanica minima Warnecke, 1938
vanhasseltii Heylaerts, 1892
sokotrensis vansonii Hacker, 2012
subiridescens (ssp. of *abyssinica*) Hacker, 2012
submelanoscelis Hacker, 2012
tineoides (Walker, [1858]) *Micra*
caffra Wallengren, 1875
partitalis (Walker, [1866]) *Aradratha*
transvirgata Hacker, 2012
vansonii (ssp. of *sokotrensis*) Hacker, 2012

Nolidia van Son, 1933

brandbergensis Hacker, 2012
decrepita Hacker, 2012
elachistomorpha Hacker, 2012
elachistonana Hacker, 2014
gladstonei (van Son, 1933) *Metanola*
gladstoni; Hacker, 2012
notonana Hacker, 2012
transitoria (van Son, 1933) *Nola*
*unipuncta** van Son, 1933

Vandamia van Son, 1933

bicincta (Hampson, 1905) *Nola*
kettlewelli Hacker, 2014
lightfooti van Son, 1933
mariepi van Son, 1933
meyi Hacker, 2012
porphyriana Hacker, 2012
stellenboschi Hacker, 2012
tabulalis Hacker, 2012
*typica** van Son, 1933

To check with Hacker:

quilimanensis Strand, 1920 *Nola*

Proposed subsequently (Hacker, 2014), to check subgenera

Nola (Mecothrix) author, date*

rubicastanea Hacker, 2014

Chloephorinae author, date***Chloephorini** author, date*

Acriphia Walker, 1863 .*to Carenini Moore, 1883 *teste* Hacker
chloropera Hampson, 1902
leprosa (Felder & Rogenhofer, 1874) *Plastenis*
scapularis (Felder & Rogenhofer, 1874) *Plastenis*
semiviridis Hampson, 1902
semiviridex; Janse, 1917 *Acriphia*
*sublivacea** Walker, 1863
marginea (Felder & Rogenhofer, 1874) *Plastenis*

Aiteta Walker, 1856 (subjective replacement name)

Brada Walker, 1858 (preoccupied)
Capotena Walker, 1857
Chaladra Walker, 1865
Phanaca Walker, 1865
Thyrosocelis; Poole, 1989
Thyrosocelis Meyrick, 1889
thermistis (Hampson, 1910) *Carea*
veluta Hampson, 1912

NOCTUOIDEA

Arcyophora Guenée, 1852
Euxestis Lederer, 1869
Gonioxestis Hampson, 1912
Metaculasta Butler, 1898
Pseudocalpe Hampson, 1894 (preoccupied)
Setocetna Wallengren, 1863
elegantula Grünberg, 1910
endoglaucia (Hampson, 1910) *Metaculasta*
ledereri (Wallengren, 1863) *Setocetna*
*longivalvis** Guenée, 1852
albibipillata Strand, 1917
apicalis (Walker, 1865) *Calpe*
clathrimaculata Strand, 1909
lobidorsis (Zeller, 1863) *Chloephora*
somnambula Bryk, 1913 (as *Arcyophora*)
verticalis Berio, 1944
nudipes Wallengren, 1856
patricula (Hampson, 1902) *Maurilia*
patriculella (Strand, 1917) *Setocetna*
riggenbachi (Bryk, 1913) *Setocetna*
piperitella Strand, 1909 *Arcyophora (Pseudocalpe)*
carniola Hampson, 1912
stallii (Wallengren, 1863) *Setocetna*
stali auct. *Arcyophora*
zanderi Felder & Rogenhofer, 1874
zauderii; Gaede, 1935 *Gonioxestis*

Chlorozada Hampson, 1912
metaleuca (Hampson, 1905) *Carea*
esmeralda (Hampson, 1910) *Erizada*
*verna** (Hampson, 1902) *Erizada*

Escarpamenta Mey, 2011
*damarana** Mey, 2011
Goniocalpe Hampson, 1912
heteromorpha Hampson, 1920
*sericealis** (Hampson, 1902) *Erizada*

Lophocrama Hampson, 1912
phoenicochlora Hampson, 1912

Maurilia Möschler, 1883
Mauriliatidia Berio, 1966
arcuata (Walker, 1858) *Xanthodes*
*lubina** Möschler, 1883

Neaxestis Hampson, 1902
*acutangula** Hampson, 1902
actuangularia; Hampson, 1902 *Neaxestis*
aviuncis Wiltshire, 1985
griseata Hampson, 1902
irrorata (Hampson, 1910) *Paraxestis*
rhoda Hampson, 1905

Odontestis Hampson, 1912
fusconota (Hampson, 1910) *Arcyophora*
striata Hampson, 1912

Paraxestis Hampson, 1902
*rufescens** Hampson, 1902

Periplusia Holland, 1894
cinerascens Holland, 1894

Sarrothripini author, date*
Nycteolinae
Sarrothripinae

Bryophilopsis Hampson, 1894
anomoioita (Bethune-Baker, 1911) *Tarache*
melanoleuca Hampson, 1912
variegata (Bethune-Baker, 1911) *Tarache*
curvifera Hampson, 1912
tarachoides Mabille, 1900
tarachoides scotina Wiltshire, 1980

Bryothripa Hampson, 1912
*miophaea** Hampson, 1912
miophaea transvaalensis Strand, 1917

Characoma Walker, 1863
Corticata Walker, [1863]
Hypothenipa Hampson, 1894
Paraxia Möschler, 1890
melanographa Hampson, 1918
miophora Hampson, 1912
nigricollaris Hampson, 1918
nilotica (Rogenhofer, 1882) *Sarrothripa* [sic]
stictigrapta Hampson, 1914
submediana Wiltshire, 1986

Cryptothripa Hampson, 1912
polyhymnia (Hampson, 1902) *Plotheia*
bifurcata (Gaede, 1939) *Crionica*

Labanda Walker, 1859
Bariana Walker, 1865
Gerbatha Walker, 1865
Lazanda Walker, 1865
Pseudalea Turner, 1936
bryochlora Hampson, 1902

Megathripa Hampson, 1912
*rufimedia** (Hampson, 1905) *Sarrothripa*
refimedia; Janse, 1917 *Megathripa*

Nycteola Hübner, 1822
Axia Hübner, [1825] (preoccupied)
Dufayella Căpușe, 1972
Icasma Turner, 1902
Sarrothripa; Rogenhofer, 1882
Sarrothripus Agassiz, [1847] (emendation)
Sarotricha Meyrick, 1888 (emendation)
Sarrothripa; Duponchel, 1834
Sarrothripus Curtis, 1824
Subrita Walker, 1866
malachitis (Hampson, 1912) *Sarrothripus*

Oedicraspis Hampson, 1912
*subfervida** Hampson, 1912

Pardasena Walker, 1866
atripuncta Hampson, 1912
minorella Walker, 1866
punctata Hampson, 1902
punctilinea Hampson, 1918
virgulana (Mabille, 1880) *Sarrothripa*
nigriscripta (Hampson, 1905) *Giaura*

Selepa Moore, 1858
Detounda Walker, 1864
docilis Butler, 1881
canofusa (Hampson, 1905) *Plotheia*
leucogonia (Hampson, 1905) *Plotheia*
rufescens Hampson, 1912
transvalica Hampson, 1912

Tribal placement to be determined

Acaenica Hampson, 1918
*diaperas** Hampson, 1918

Eariadinae author, date*
Beninae
Hylophilinae

Earias Hübner, [1825]
Aphusia Walker, [1858]
Digba Walker, 1862
Earis; Stephens, 1834
biplagia Walker, 1866
citrina Saalmüller, 1884
crocea Mabille, 1900
fuscociliiana Snellen, 1872
fuscociliiana auct. *Earias*
maculana Snellen, 1872
plaga Felder & Rogenhofer, 1874
cupreoviridis (Walker, 1862) *Xanthoptera*
chromataria Walker, 1863
cupeoviridis; Hampson, 1913 *Earias*
cupeoviridis decolorata Warren, 1913

NOCTUOIDEA

fervida Walker, 1866
fulvidana Wallengren, 1863
fuvidana; Vári & Kroon, 1986 *Earias*
limbana Snellen, 1879
insulana (Boisduval, 1833) *Tortrix*
anthophilana Snellen, 1879
chlorion Rambur, 1866
dorsivitta Staudinger, 1897
frondosana Walker, 1863
gossypii Frauenfeld, 1867
siliquana Herrich-Schäffer, 1851
simillima Walker, 1866
smaragdina; Saalmüller, 1884 *Earias*
smaragdinana Zeller, 1852
tristrigosa Butler, 1881
xanthophila Walker, [1863] *Acontia*

Westermanniinae author, date*
Westermanniinae

Negeta Walker, 1862
Doranaga Moore, [1887]
Nagasena Moore, 1882
Nertobriga Walker, [1863]
Urbona Walker, 1862
luminosa (Walker, 1858) *Acontia*
lacteola (Mabille, 1880) *Micra*
parectata (Wallengren, 1863) *Thalpochares*
tenax (Saalmüller, 1884) *Cilix*
nivea (Hampson, 1902) *Westermannia*
ruficeps (Hampson, 1902) *Westermannia*
semialba Hampson, 1918

Westermannia Hübner, [1821]
Miaromima Meyrick, 1889
Plusiodes Guenée, 1852
Vestermannia Hampson, 1912 (unjustified emendation)
araeogramma Hampson, 1905
argyroplaga Hampson, 1905
convergens Hampson, 1902
oediplaga Hampson, 1910
roseitincta Pinhey, 1968
*superba** Hübner, 1823 Probably extralimital*
westermanii; Poole, 1989
westermannii (Guenée, 1852) *Plusiodes* (unnecessary replacement name)

Blenininae Mell, 1943

Blenina Walker, [1858]
Amrella Moore, 1882
Eliocroea Walker, 1865
albifascia Pinhey, 1968
albifascia sinefascia Berio, 1978
diagona Hampson, 1912
quadripuncta Hampson, 1902
squamifera (Wallengren, 1860) *Lophoptera*
autumnalis (Distant, 1898) *Diphthera*
lichenosa (Felder, 1874) *Acronycta*

Risobinae author, date*

Gigantoceras Holland, 1893
Giganotoceras; Poole, 1989
rectilinea Hampson, 1912

Risoba Moore, 1881
Lycoselene Möschler, 1887
Pitrasa Moore, 1882
Risola; Warren, 1913
diplogramma Hampson, 1912
obstructa Moore, 1881 *probably extralimital
sticticraspis Hampson, 1912

NOCTUOIDEA**EUTELIIDAE** Grote, 1882**Stictopterinae** author, date*
Odontodinae author, date

Gyrtona Walker, [1863]
Chuduca Walker, [1863]
Crina Walker, [1863]
Nigramma Walker, 1863
 Sp. A

Lophoptera Guenée, 1852

Ciasa Walker, [1863]
Evia Walker, 1863
Sadarsa Moore, 1882
litigiosa (Boisduval, 1833) *Apamea*
alutacea (Felder & Rogenhofer, 1874) *Stictoptera*
cristigera Guenée, 1852
squamulosa Saalmüller, 1880
methylaea (Hampson, 1902) *Stictoptera*
methylaea; Poole, 1989 *Lophoptera*

Stenosticta Hampson, 1912

*grisea** Hampson, 1912
novem (Berio, 1963) *Stylorache*
namibiensis Hacker & Mey, 2010
nigrescens Hacker & Mey, 2010
virgata Hacker & Mey, 2010

Stictoptera Guenée, 1852

Dandaca Walker, 1856
Minica Walker, [1858]
Steiria Walker, [1858]
antemarginata Saalmüller, 1880
confluens (Walker, [1858]) *Miana*
gabri (Berio, 1970) *Abrostola*

Euteliinae Grote, 1882

Eurhipiinae
Caligatus Wing, [1850]
Pacidara Walker, 1865
*angasii** Wing, [1850]
angasi; Holland, 1920 *Caligatus*
venustissima (Walker, 1865) *Pacidara*

Chlumetia Walker, [1866]

Nachaba Walker, 1863 (preoccupied)
albiapicata (Hampson, 1902) *Eutelia*
lichenosa (Hampson, 1902) *Perciana*
polymorpha Hampson, 1920

Colpocheilopteryx Wallengren, 1865

callichroma (Distant, 1901) *Eutelia*
*operatrix** (Wallengren, 1860) *Eurhipia*
rosea (Mabille, 1890) *Eurhipia*

Eutelia Hübner, [1823]

Alota; Leraut, 1997
Alotsa Swinhoe, 1900
Eurhipia Boisduval, 1829
Noctasota Clench, 1954
Phlegetomia; Leraut, 1997
Phlegetonia Guenée, 1852
Ripogenus Grote, 1865
Silacida Swinhoe, 1900
Zobia Saalmüller, 1891
*adulatrix** (Hübner, [1813]) *Noctua*
amatix Walker, 1858
exquisita Saalmüller, 1891
blandatrix Guenée, 1852
bowkeri (Felder & Rogenhofer, 1874) *Eurhipia*
leucographa Hampson, 1905
catephoides (Guenée, 1852) *Phlegetonia*
discistriga Walker, 1865
discistriga auct. *Eutelia*
petrificata (Walker, 1870) *Penicillaria*
favillatrix (Guenée, 1852) *Eurhipia*
favillatrix; Hampson, 1902
fulvigrisea Warren, 1914
gilvicolor Mabille, 1900

glauccycyla Hampson, 1912
histrio (Saalmüller, 1880) *Penicillaria*
histrio occidentalis Viette, 1958
leighi Hampson, 1905
leucodelta Hampson, 1905
mima Prout, A.E., 1925
mima granvillei Wiltshire, 1980
ocellaria Berio, 1966
ocularis (Saalmüller, 1891) *Penicillaria*
ocularis; Hampson, 1912 *Penicillaria*
polychorda Hampson, 1902
rivata Hampson, 1902
subrubens (Mabille, 1890) *Penicillaria*
pyrosipa (Mabille, 1893) *Penicillaria*
symphonica Hampson, 1902
violescens (Hampson, 1912) *Phlegetonia*
vulgaris Mabille, 1900

Marathyssa Walker, 1865

Marasmalus Grote, 1872
Schazama Schaus, 1906
albidisca (Hampson, 1905) *Eutelia*
albidisca; Gaede, 1935 *Marathyssa*
cistellatrix (Wallengren, 1860) *Eurhipia*
ocularis (Butler, 1875) *Aglossa*
cuneata (Saalmüller, 1891) *Eutelia*
cyanolopha (Hampson, 1905) *Eutelia*

Pataeta Walker, 1858
transversata Berio, 1966

Penicillaria Guenée, 1852

Bombotelia Hampson, 1912
Eleale Walker, 1862 (preoccupied)
Tamseale Nye, 1975 (replacement name)
Tibiocellaria; Poole, 1989
Tibiocellaria Bethune-Baker, 1906
ethiopica (Hampson, 1920) *Bombotelia*

NOCTUOIDEA**NOCTUIDAE** Latreille, 1809**Noctuinae** Latreille, 1809

Agrotinae author, date*
 Euxoinae author, date*
 Noctuinae author, date*
 Phalaeninae author, date*

Noctuini Latreille, 1809

Agrotis Ochsenheimer, 1816 *to Agrotini teste Hacker
Agronoma Hübner, [1821]
Comophorus Alpheraky, 1887 (preoccupied)
Crassagrotis Beck, 1991
Elegarda Walker, 1865
Georyx Hübner, [1821]
Hermonassoides Strand, 1915
Leucagrotis Beck, 1991
Lycophorus Staudinger, 1901 (replacement name for *Comophorus* Alpheraky)
Mesembreuxoa Hampson, 1903
Militagrotis Beck, 1991
Neosema Rebel, 1907
Noctua Boisduval, 1829 (preoccupied)
Pidagrotis Beck, 1991
Porosagrotis Smith, 1890
Powellinia Oberthür, 1912
Psammophila Stephens, 1850 (preoccupied)
Putagrotis Beck, 1991
Scotia Hübner, [1821]
Tetrapygria Walker, 1865
alticaffer Krüger, 2005
biconicus Kollar, 1844 (replacement name)
aristifer Guenée, 1852
exiguus Kollar, 1844
ferinus Felder & Rogenhofer, 1874
hodnae Oberthür, 1878
spiculifer Guenée, 1852
spinifer (Hübner, [1808]) *Noctua* (preoccupied)
spinulus (Hübner, [1821]) *Telmia* (preoccupied)
bilix Guenée, 1852
bitriangulus Hampson, 1902
caffer (Hampson, 1903) *Porosagrotis*
contingens (Warren, 1914) *Euxoa*
sordidus Warren, 1914 (preoccupied)
sordidoides Poole, 1989 (replacement name)
costalis Walker, [1857]
crassilinea Wallengren, 1860
denticulosus Wallengren, 1860
longidentifer (Hampson, 1903) *Euxoa*
longidentifer ranavalo Viette, 1958
microticus (Hampson, 1908) *Euxoa*
ipsilon (Hufnagel, 1766) *Phalaena*
aneituma (Walker, 1865) *Noctua*
aureolum Schaus, 1898
bipars Walker, [1857]
frivolus Wallengren, 1860
idoneus (Cramer, 1780) *Phalaena Bombyx*
spinifer (Villers, 1789) *Phalaena Bombyx*
spinulus (Esper, 1786) *Bombyx*
spinulus (Donovan, 1801) *Phalaena* (preoccupied)
suffusus ([Denis & Schiffermüller], 1775) *Noctua*
suffusus var. *pepoli* Bertoloni, 1874
telfier Harris, 1841 (preoccupied)
ypsilone; Rottemburg, 1776 *Agrotis*
isopleura Hampson, 1902
lanidorsa Guenée, 1852
neodecolor Krüger, 2006 (replacement name)
decolor Krüger, 2005 (preoccupied)
oliveatus Hampson, 1902
pallidulus Walker, 1875
plumiger Krüger, 2005
rufescens Hampson, 1903 (*Micragrotis*)
*segetum** ([Denis & Schiffermüller], 1775) *Noctua*
aversus Walker, [1857]
catenatus (Haworth, 1803) *Bombyx*
certificatus Walker, 1865
connexus (Haworth, 1803) *Bombyx*
conspurcatus Walker, 1865
correctus Walker, [1857]
dimidia Zeller, 1847
fervidus (Hübner, [1824]) *Noctua*
fucosa; Butler, 1881

fuscous (Esper, 1786) *Bombyx*
glaucinus (Kozchantschikov, 1923) *Euxoa*
ingratus Butler, 1878
lassa Swinhoe, 1886
marginalis Walker, [1857]
monileus (Haworth, 1803) *Bombyx*
nigricornis (Villers, 1789) *Phalaena*
nigricornutus (Haworth, 1803) *Bombyx*
obliviosus Walker, [1857]
pallidus Staudinger, 1881
pectinatus (Haworth, 1803) *Bombyx*
praecox (Hübner, 1808) *Noctua* (preoccupied)
repulsus Walker, 1865
segetis (Fabricius, 1794) *Noctua*
segetum var. *affinis* Stephens, 1829
sicanus Guenée, 1852
sicula Boisduval, 1840
sordidus ([Denis & Schiffermüller], 1775) *Noctua*
subatratus (Haworth, 1803) *Bombyx*
subrata; ter Haar, 1924
undulatus (Goeze, 1781) *Phalaena* (preoccupied)
semiomas Krüger, 2005
subalba Walker, [1857]
nivalis Felder & Rogenhofer, 1874

Amazonides Fletcher, D.S., 1961
atrisigna (Hampson, 1911) *Lycophotia*
dividens (Walker, [1857]) *Agrotis*
ecstrigata (Hampson, 1903) *Agrotis*
epipyria (Hampson, 1903) *Euxoa*
fumicolor (Hampson, 1902) *Agrotis*
ruficeps (Hampson, 1903) *Euxoa*
rufomixta (Hampson, 1903) *Euxoa*

Axylia Hübner, [1821]
annularis Saalmüller, 1891
transsecta (Distant, 1898) *Agrotis*
coniorta (Hampson, 1903) *Agrotis*
dispilata Swinhoe, 1891
dispilata auct. *Agrotis*
displiata; Poole, 1899 *Axylia*
renalis Moore, 1881
venalis; Gaede, 1934 *Agrotis*
ustula (Hampson, 1913) *Agrotis*

Brachypteryagrotis Viette, 1959
*patricei** Viette, 1959

Callopistria Hübner, [1821] *to Eriopyrinae H-S., [1851] teste Hacker (2010)
Agaba; Pagenstecher, 1909
Agabra Walker, 1862
Agraga Walker, 1858
Calopistria; Stephens, 1850
Cotanda Moore, 1881
Dissolophus Butler, 1891
Eriopus Treitschke, 1825 (replacement name for *Lagopus* Reichenbach)
Euherrichia Grote, 1882 (replacement name for *Herrickia* Grote)
Eulepa Walker, [1863]
Galloptistria; Janse, 1940
Gnampocera Butler, 1891
Haploolophus Butler, 1891
Hemipachycera Butler, 1891
Herrickia Grote, 1882 (preoccupied)
Hyperdasis; Swinhoe, 1901
Hyperdasys Butler, 1891
Lagopus Reichenbach, 1817 (preoccupied)
Methorasa Moore, 1881
Miropalpa Berio, 1955
Mosara Walker, 1855
Obana Walker, 1862 (preoccupied)
Platydasys Butler, 1892
Rhoptrotrichia Butler, 1891
albivitta (Hampson, 1918) *Eriopus*
insularis Butler, 1882
latreillei (Duponchel, 1827) *Noctua*
latreillei rakoto Viette, 1965
latreillei rechingeri (Koutsaftikis, 1973) *Eriopus*
latreillei auct. *Callopistria*
quieta (Treitschke, 1826) *Eriopus*
roseitelum Walker, [1858]
mailliardi (Guenée, 1862) *Eriopus*
mailliardi nauticum Tams, 1935

NOCTUOIDEA

- maillardii pseudointermissa* Viette, 1965
recurvata Moore, 1882
natalensis (Hampson, 1908) *Eriopus*
rectilinea Saalmüller, 1891
yerburii Butler, 1884
promiscua Saalmüller, 1891
yerburri; Poole, 1989 *Callopistria*
- Diarisia** Hübner, [1821]
Oxira Walker, 1865
sicca (Guenée, 1852) *Axylia*
- Dimorphinotua** Viette, 1952
cunhaensis Viette, 1952
goughensis Fletcher, D.S., 1963
*pilifera** (Walker, [1857]) *Agrotis*
- Effractilis** Berio, 1977
effracta (Distant, 1898) *Agrotis*
*subtilis** (Berio, 1974) *Ochropleura*
- Euxoa** Hübner, [1821]
Brotis Hübner, [1821]
Carneades Grote, 1883
Chorizagrotis Smith, 1890
Exarnis Hübner, [1821]
Longivesica Hardwick, 1970
Menada Kozhantschikov, 1937
Mesoeuxoa Corti, 1932
Metaxyja Hübner, [1821]
Mimetus Hübner, [1821] (preoccupied)
Orosagrotis Hampson, 1903
Paragrotis Dyar, [1903] (replacement name)
Pleonectopoda Grote, 1873
Telmia Hübner, [1821]
albiornis Hampson, 1909
cymographa Hampson, 1918 *to confirm ID
hendersoni Pinhey, 1968
pronycta Hampson, 1903
- Euxootera** Fletcher, D.S., 1961
Pseudelyptron Berio, 1962
bilacteata (Berio, 1962) *Pseudelyptron*
chrysophae Fletcher, D.S., 1963
- Hyperfrontia** Berio, 1962
semicirculosa (Gaede, 1935) *Micragrotis*
- Lycophotia** auct.
evinacea Hampson, 1903
melanephra Hampson, 1909
postventa (Geyer, 1837) *Eurois*
- Mentaxyta** Geyer, 1837
albifrons (Geyer, 1837) *Eugrapha*
amatura (Walker, 1858) *Agrotis*
atrigularia (Hampson, 1902) *Agrotis* *to check if not to *Ochropleura*
cumulata (Walker, 1865) *Diphthera*
fletcheri (Berio, 1955) *Georyx*
decipiens (Felder & Rogenhofer, 1874) *Agrotis* *b. sp. teste Legrain
ignicollis (Walker, 1857) *Agrotis*
ignetincta (Hampson, 1918) *Lycophotia*
mesosema (Hampson, 1911) *Agrotis*
*muscosa** Geyer, 1837
percurvata (Berio, 1955) *Georyx*
rimosa (Guenée, 1852) *Agrotis*
varia (Walker, 1865) *Agrotis*
- Micragrotis** Hampson, 1903
cinerosa Bethune-Baker, 1911
exusta Hampson, 1903
intendens (Walker, 1857) *Axylia*
interstriata (Hampson, 1902) *Agrotis*
marwitzii Gaede, 1935
microstigma Hampson, 1903
prosarma Hampson, 1903
puncticostata (Hampson, 1902) *Agrotis*
strigibasis (Hampson, 1902) *Agrotis*
- Neoparadigma** Krüger, 2006 (replacement name)
Paradigma Krüger, 2005 (preoccupied)
mamalapi (Krüger, 2005) *Paradigma*
pectinicorne (Krüger, 2005) *Paradigma*
- Ochropleura** Hübner, [1821]
Actebia Stephens, 1829
Actobia Agassiz, [1847] (unjustified emendation)
Dichagyris Lederer, 1857
Hapalia Hübner, [1821] (preoccupied)
Ogygia Hübner, [1821] (preoccupied)
Phleboeis Christoph, 1887
Phlebois Spuler, 1905 (unjustified emendation)
Stenosoma Turati, 1924 (preoccupied)
Stenosomides Strand, 1942 (replacement name for *Stenosoma* Turati)
Yigoga Nye, 1975 (replacement name for *Ogygia* Hübner)
aeramen (Felder & Rogenhofer, 1874) *Dianthoecia*
cinctithorax (Walker, 1857) *Hadena*
cinctothorax; Distant, 1892 *Axyla*
creatochroa Krüger, 2005
districtata Krüger, 2005
leucogaster (Freyer, [1831]) *Noctua*
nothostigmata Hacker & Krüger, 2019
perirrorata (Hampson, 1902) *Agrotis*
- reductistriga* Krüger, 2005
vicaria Walker, [1857]
- Peridroma** Hübner, [1821]
goughi Fletcher, D.S., 1963
*saucia** (Hübner, [1808]) *Noctua*
aea (Hübner, [1813]) *Noctua*
ambrosioides (Walker, 1857) *Agrotis*
angulifera (Wallengren, 1860) *Agrotis*
cyrnaea Spuler, 1908
impacta (Walker, [1857]) *Agrotis*
inermis (Harris, 1841) *Agrotis*
infuscata (Blanchard, 1852) *Spaelotis*
inecta (Walker, [1857]) *Agrotis*
majuscula (Haworth, 1809) *Noctua*
margaritosa (Haworth, 1809) *Noctua*
ochronota (Hampson, 1903) *Lycophotia*
orophila (Geyer, 1837) *Brotis*
ortonii (Packard, 1869) *Agrotis*
phillipsi Caspari, 1899
saucia tenebricosa (Schawerda, 1929) *Agrotis*
stictica (Blanchard, 1852) *Spaelotis*
- Psectraxylia** Fletcher, D. S., 1961
bisagittatum Krüger, 2005
- Sclereuxoa** Berio, 1977
*paradoxalis** (Berio, 1974) *Agrotis*
- No available genus**
tabida Guenée, 1852 *Axylia*
- Glottulini** author, date*
- Brithys** Hübner, [1821]
Brithya; Boisduval, 1840
Brythis; Stephens, 1850
Brytis; Ragusa, 1885
Cocytia Treitschke, 1835 (preoccupied)
Glorulla Guenée, 1837
Glottula; Nielsen et al., 1996
pancratii (Cyrillo, 1787) *Noctua*
- *crini should at least appear under '3"
- Brithysana** Viette, 1962 to Glottulini teste Hacker
speyeri (Felder & Rogenhofer, 1874) *Trigonophora*
africana Laporte, [1974]
- Diaphone** Hübner, [1820]
Taeniopyga Wallengren, 1858
angolensis Weymer, 1901
eumela (Stoll, 1781) *Phalaena Noctua*
barnsi Prout, A.E., 1921
*elegans** (Fabricius, 1787) *Bombyx*
eumelea; Scoble, 1992 *Diaphone*
eumelia auct. *Diaphone*
evidens (Guérin-Méneville, [1832]) *Chelonia*
libertina Bartel, 1903
sylviana (Stoll, 1790) *Phalaena Noctua*
sylvina auct. *Diaphone*

NOCTUOIDEA

lampra Karsch, 1894
pyrsonata Tams, 1930
mossambicensis Hopffer, 1862

Polytelodes Hampson, 1905
*florifera** (Walker, 1858) *Polytela*

Hadenini author, date*

Changes in *Mythimna-Leucania* complex from VKK are according to A. Legrain, Hermalle (Belgium) (unpublished)

Mythimna to Leucanini *teste* Hacker

Mythimna-Leucania complex

Anapoma Berio, 1980

Apoma Berio, 1980

berioi Legrain MS

polyrabda (Hampson, 1905) *Cirphis*

albicosta (Hampson, 1902) *Leucania*

rungsi Legrain MS

vumbaensis Legrain MS

Leucania (Leucania) Ochsenheimer, 1816

Acantholeucania Rungs, 1953

Borolia Moore, 1881

Boursinania Rungs, 1955

Cirphis Walker, 1865

Donacochlora Agassiz, [1847] (unjustified emendation)

Donachlora Sodoffsky, 1837 (unnecessary replacement name for *Leucania* Ochsenheimer)

Leucadia Sodoffsky, 1837 (unjustified emendation)

Neoborolia Matsumura, 1926

Pudorina Gistl, 1848 (unnecessary replacement name for *Leucania* Ochsenheimer)

Xipholeucania Sugi, 1970

atrinota (Hampson, 1905) *Cirphis*

bertha (Schaus, 1893) *Meliana*

acrapex (Hampson, 1905) *Borolia* (to confirm)

subacrapex (Berio, 1970) *Borolia* (to confirm)

dallastai Legrain MS (prob. extrazonal)

fissifascia Hampson, 1907

incompleta (Berio, 1970) *Borolia*

joannisi Boursin & Rungs, 1952

dechambrei Laporte, 1991

insulicola f. *gambiensis* Strand, 19* *sensu* Gaede, 1935 (*Cirphis*)

joannisi arbia Boursin & Rungs, 1952

teruworkae Laporte, 1991 *Leucania* (to confirm)

longipennis (Hampson, 1905) *Meliana*

pheaa Hampson, 1902

leucosticha (Hampson, 1905) *Cirphis* (invalid name)

pinna (Salmüller, 1891) *Leucania*

melanostrotoides f. *abiadensis* Strand, 1915

pauliani Rungs, 1956

respersa Berio, 1974

ruptilinea (Walker, 1857) *Dianthoecia* (as *Dianthaecia*)

zeae (Duponchel, 1827) *Noctua* (introd. accid.)

indistincta Christoph, 1887

putrida Staudinger, 1889

zeae var. *cineraria* (Lucas, 1948) *Sideridis* (as *Sideritis*)

Leucania (subg. innom.)

melanostrota (Hampson, 1905) *Borolia*

miasticta (Hampson, 1918) *Cirphis* (to confirm)

Leucania (Boursiniana) Rungs, 1956

simplaria Salmüller, 1891

continentalis Berio, 1962

punctulata Wallengren, 1856 (preoccupied)

Leucania (Acantholeucania) Rungs, 1953

curvula Walker, 1856

pseudoloreyi Rungs, 1953

Mythimna (Mythimna) Ochsenheimer, 1816

Aletia Hübner, [1821]

Borolia Moore, 1886

Sp. A (close to *vitellina*, Zimbabwe)

Mythimna (Morphopoliana) Hreblay & Legrain, 1996

caelebs (Grünberg, 1910) *Hadena*

sufficiens (Prout, A. E., 1921) *Craterestra*

combinata (Walker, [1857]) *Caradrina bicristata* (Berio, 1939) *Xylomania languida* (Walker, 1858) *Hadena abbas* (Bethune-Baker, 1894) *Mamestra zachi*; Poole, 1989 *Mamestra zachii* (Bohatsch, 1880) *Mamestra natalensis* (Butler, 1875) *Apamea poliastis* (Hampson, 1902) *Mamestra poliastis* var. *capensis* Strand, 1916 *vilis* (Gaede, 1916) *Hadena*

Mythimna (Hyphilare) Hübner, [1821]
Mythymima Berio, 1970

nebulosa group
nebulosa (Hampson, 1902) *Leucania viettei* Rungs, 1956

tincta group
laevista (Berio, 1955) *Mythimna usta* Gaede, 1935 nec Hampson, 1902 *longivittata* (Berio, 1940) *Leucania* *sp nr *octogesima* Wiltshire, 1982 *tincta* (Walker, 1858) *Leucania decaryi* (Boursin & Rungs, 1952) *Leucania dialeuca* (Hampson, 1910) *Cirphis gratiosa* Rungs, 1956 *usta* (Hampson, 1902) *Leucania*

umbrigerata group
umbrigerata (Saalmüller, 1891) *Leucania metalampra* (Hampson, 1918) *Cirphis panaethiopica* (Boursin & Rungs, 1952) *Leucania panaethiopica palaearctica* (Boursin & Rungs, 1952) *Leucania*

metasarca group
metasarca (Hampson, 1907) *Borolia pyrausta* (Hampson, 1913) *Cirphis*

Mythimna (Sablia) Sukhareva, 1973
hamata (Wallengren, 1856) *Leucania* (provisional placement)
melianoides Hampson, 1905 nec Möschler, 1883 (preoccupied)
uncinata (Gaede, 1916) *Borolia*

Mythimna (Prodigithymna) Hreblay, 2002
prominens (Walker, 1856) *Leucania hispanica* (Bellier, 1863) *Leucania provisoria* Berio, 1962 Sp. A (dark brown, 1 specimen in TM)*

Mythimna Ochsenheimer, 1816 *sensu lato*
nigrisparsa group
nigrisparsa (Hampson, 1902) *Leucania mollis* Berio, 1974 *rosescens* (Hampson, 1910) *Borolia brantsii* (Snellen, 1872) *Leucania atrimacula* (Hampson, 1902) *Leucania rubrescens* (Hampson, 1905) *Borolia*

substituta group
bipunctata (Strand, 19*) *
tacuna ab.1 Hampson, 1905 *bisetulata* (Berio, 1940) *Borolia fontainei* Legrain MS *melianoides* (Möschler, 1883) *Leucania pseudotacuna* Berio, 1962 *substituta* Wallengren, 1875 *tacuna* Hampson, 1905 nec Felder & Rogenhofer, 1874 (?)

inhomogenous group
apparata (Wallengren, 1875) *Leucania interciliata* (Hampson, 1902) *Leucania internata* (Möschler, 1883) *Leucania rhabdophora* (Hampson, 1902) *Leucania persecuta* (Hampson, 1905) *Borolia elisa* Berio, 1962 *phaeochora* (Hampson, 1905) *Borolia sarda* (Hampson, 1902) *Leucania tacuna* (Felder & Rogenhofer, 1874) *Leucania micropis* (Hampson, 1905) *Borolia ustata* (Hampson, 1907) *Borolia*

NOCTUOIDEA***pyrostrota* group**

homoeoptera (Hampson, 1918) *Cirphis*
inangulata (Gaede, 1934) *Borolia*
pyrostrota (Hampson, 1907) *Borolia*

***corax* group**

corax Krüger, 2005
mamohau Krüger, 2005
semicorax Krüger, 2005

to determine species group*

karoensis Hacker, 2019
fissifascia (Hampson, 1907) *Borolia*

Not belonging to the *Mythimna-Leucania* complex

Borolia cupreata Hampson, 1905
eupreata; Vári & Kroon, 1986 *Borolia*
Meliana tenebra Hampson, 1905

(remnants of *Leucania*, position to be determined):

insularis Butler, 1880 (probably extralimital)
albivena (Moore, 1881) *Axylia*
irrorata (Moore, 1881) *Axylia*
loreyi (Duponchel, 1827) *Noctua*
caricis Treitschke, 1835
collecta Walker, 1856
denotata Walker, 1856
designata Walker, 1856
exterior Walker, 1856
thoracica Walker, 1856
murcida (Wallengren, 1875) *Caradrina*: type lost*
ptyonophora (Hampson, 1905) *Cirphis*
quadricuspidata Wallengren, 1856: to *Athetis*?

Vietteania Rungs, 1955

Viettearia; Mey, 2011
amens (Guenée, 1852) *Leucania*
plana (Walker, 1856) *Leucania*
intestata (Walker, 1856) *Nonagria*
baziyae (Möschler, 1883) *Leucania*
infima (Wallengren, 1875) *Leucania*
longirostris (Berio, 1940) *Borolia*
musakensis (Laporte, 1977) *Leucania* (?)
torrentium *sensu* Hampson, 1905 et auct., nec Guenée, 1852

Genera not referable to *Mythimna-Leucania* complex:***Apospasta*** Fletcher, D.S., 1959

dipterigidia (Hampson, 1902) *Mamestra*
dipterigidia fulvida Fletcher, D.S., 1961
fuscirufa (Hampson, 1905) *Polia*
venata (Hampson, 1905) *Polia*

Aspidifrontia Hampson, 1902

Aspidhamponia Berio, 1964
Aspidhamponia; Hacker & Hausmann, 2010
glaucescens Hampson, 1905
russoi (Strand, 1918) *Brithys*
radiata Hampson, 1905
rufescens Hampson, 1902
*semipallida** Hampson, 1902

Cardebia Hampson, 1905 *to Hadenini Guenée, 1837 teste Hacker
definiens (Walker, 1857) *Heliothis*

Chabuata Walker, [1858]
rufilinea Hampson, 1910

Craterestra auct.

subvelata (Walker, 1875) *Apamea*

Dicerogastra Fletcher, D.S., 1961

furvilinea (Hampson, 1902) *Mamestra*
fulvilinea; Gaede, 1934 *Dicerogastra*
*proleuca** (Hampson, 1913) *Miselia*

Faronta Smith, 1908

Pseudoleucania McDunnough, 1937 (preoccupied)
Protoleucania McDunnough, 1937 (replacement name)
exoul (Walker, 1856) *Leucania*
exsul; Hampson, 1905 *Meliana*
exul; Hampson, 1905 *Meliana*
tenebrifera (Walker, 1856) *Leucania*

Graphania Hampson, 1905

Alysia Guenée, 1868 (preoccupied)
Alysina Cockerell, 1913 (replacement name)
Maoria Warren, 1912
atavistis (Hampson, 1902) *Aspidifrontia*

Hadena auct.

fusifasciata Walker, 1865
fusifasciata; Vári & Kroon, 1986 *Hadena*
mamestroides Walker, 1865

Hadula Staudinger, 1889

cimbebesia Hacker, 2004

Hyssia Guenée, 1852

pallidicosta Hampson, 1918

Mamestra auct.

catephoides Walker, 1865
catephoides; Hampson, 1902 *Mamestra*

Neuranethes Bethune-Baker, 1911

spodopterodes (Hampson, 1908) *Sidemia*

Nyodes Laporte, 1970 (replacement name)

Elaeodes Hampson, 1913 (preoccupied)
acatharta (Hampson, 1913) *Elaeodes*
lutescens (Herrich-Schäffer, [1854]) *Hadena*
lutescens rangeri Laporte, 1973
prasinodes (Prout, A.E., 1921) *Elaeodes*
punctata (Gaede, 1934) *Elaeodes*
viriditrufa (Hampson, 1918) *Miselia*

Odontestra Hampson, 1905 *to Hadenini Guenée, 1837 teste Hacker

avitta Fawcett, 1917* new record for SA, to confirm
bulgeri (Felder & Rogenhofer, 1874) *Mamestra* (placement tentative)
conformis Hampson, 1918
*vittigera** (Hampson, 1902) *Mamestra*

Omphalestra Fletcher, D.S., 1961 *to Hadenini Guenée, 1837 teste Hacker

geraea (Hampson, 1907) *Miselia*
nigrincincta (Gaede, 1916) *Xylomania*
mesoglaaca (Hampson, 1902) *Mamestra*
mesomelana (Hampson, 1902) *Agrotis*

Polia auct. *to Hadenini Guenée, 1837 teste Hacker
cuprescens Hampson, 1905

Saalmuellerana Fletcher & Viette, 1962 *to Hadenini Guenée, 1837 teste

Hacker
aethiopica (ssp. of *media*) Hacker & Schreier, 2010
media aethiopica Hacker & Schreier, 2010
schoenheitii (Strand, 1912) *Hadena*

Tycomarptes Fletcher, D.S., 1961 *to Hadenini Guenée, 1837 teste Hacker

Tycomarples; Mey, 2011
*inferior** (Guenée, 1852) *Apamea*
contracta (Walker, 1865) *Hadena*
ficitra (Walker, 1865) *Hadena*
inculta (Walker, 1862) *Hadena*
renisigna (Walker, [1857]) *Celaena*
servilis (Walker, 1865) *Hadena*
submoesta (Möschler, 1883) *Dianthoecia*
praetermissa (Walker, 1857) *Dianthoecia* (as *Dianthaecia*)
depulsa (Walker, 1857) *Hadena*
superior Krüger, 2005

Heliothinae Boisduval, [1828]

Heliothentinae
Heliothidinae
Melicleptinae

Adisura Moore, 1881

Astonycha Turner, 1920
aerugo (Felder & Rogenhofer, 1874) *Thalpochares*
bella Gaede, 1915
straminea Hampson, 1902

Eugusanacantha Berio, 1941

*bilineata** Berio, 1941

Helicoverpa Hardwick, 1965

NOCTUOIDEA

*armigera** (Hübner, [1809]) *Noctua*
armigera commoni Hardwick, 1965
barbara (Fabricius, 1794) *Noctua* (suppressed)
conferta (Walker, 1857) *Heliothis*
pulverosa (Walker, 1857) *Heliothis*
rama (Bhattacherjee & Gupta, 1972) *Heliothis*
uniformis (Wallengren, 1860) *Heliothis*
assulta (Guenée, 1852) *Heliothis*
assulta afra Hardwick, 1965
separata (Walker, 1857) *Heliothis*
succinea (Moore, 1881) *Heliothis*
temperata (Walker, 1857) *Heliothis*
helenae Hardwick, 1965
toddi Hardwick, 1965

***Heliocheilus* Grote, 1865**

Canthylidia Butler, 1886
Raghuva Moore, 1881
Rhodosea Grote, 1883
biocularis (Gaede, 1915) *Raghuva*
multiradiata (Hampson, 1902) *Raghuva*
stigmatica (Hampson, 1903) *Raghuva*

***Heliothis* Ochsenheimer, 1816**

Aspila Guenée, 1852 (preoccupied)
Chloridea Duncan [& Westwood], 1841
Disocnemis Grote, 1883
Dysocnemis Grote, 1890 (unjustified emendation)
Heliothiis; Oliff, 1890
Heliothisa Meigen, 1832 (unjustified emendation)
Heliotis Sodoffsky, 1837 (unnecessary objective replacement name)
Neocleptria Hampson, 1903
Nubiothis Beck, 1996
Peltothis Beck, 1996
charmione (Stoll, 1790) *Noctua*
jefferyi (Janse, 1917) *Chloridea*
conifera (Hampson, 1913) *Chloridea*
flavescens (Janse, 1917) *Chloridea*
flavigera (Hampson, 1907) *Chloridea*
flavigera insularis Viette, 1967
fla virufa (Hampson, 1910) *Calamia*
fuscimacula (Janse, 1917) *Chloridea*
pauliani Viette, 1959
scutuligera Guenée, 1852
errans Walker, 1865
scutuligera; Matthews, 1991 *Heliothis*
xanthiata Walker, 1865

***Masalia* Moore, 1881**

Curubasa Moore, 1881
Lecerfia Dumont, 1920
Pradatta Moore, 1881
albipuncta (Hampson, 1910) *Timora*
disticta (Hampson, 1902) *Timora*
albirosea (Joannis, 1913) *Timora*
flavirosea (Hampson, 1903) *Timora*
galathea (Wallengren, 1856) *Leocyma*
depicta (Swinhoe, 1891) *Curubasa*
galathea auct. *Timora*
galathea bechuana Seymour, 1972
imitata (Druce, 1889) *Adisura*
lancea (Berio, 1953) *Timora*
lanceolata (Walker, 1865) *Alaria*
nigrolineata (Aurivillius, 1925) *Timora*
splendens (Druce, 1887) *Adisura*
vittulata (Aurivillius, 1925) *Timora*
leucosticta (Hampson, 1902) *Timora*
continuata (Grünberg, 1910) *Timora*
joiceyi (Prout, A.E., 1921) *Timora*
vinula (Berio, 1943) *Timora*
quilengesi Seymour, 1972
sublimis (Berio, 1962) *Timora*
transvaalica (Distant, 1902) *Timora*
multistriata (Bethune-Baker, 1911) *Timora*
rhodomelaleuca (Berio, 1941) *Timora*
rosea (Gaede, 1915) *Timora*
rubristria (Hampson, 1903) *Timora*
sanguistria (Berio, 1966) *Timora*
transvalica auct. *Timora*

***Oncotibialis* Janse, 1938**

*flava** Janse, 1938

***Timora* Walker, 1856**

Dorika Moore, 1881
Sophaga Moore, 1881
albisticta Janse, 1917
daphoena Hampson, 1910
diarhoda Hampson, 1909

***Cuculliinae* Herrich-Schäffer, [1850]**

Dilobinae

Caffristis Hampson, 1906 *to Episemini Guenée, 1852 *teste* Hacker
*ferrogrisea** (Hampson, 1902) *Heliophobus*

***Centratha* Hampson, 1908 *to Dypterygini Forbes, 1954 *teste* Hacker**

Centrarthra; Janse, 1938

albiapicata Warren, 1914 (as *Centratha*)
albinotata Janse, 1938 (as *Centratha*)
albipuncta Janse, 1938 (as *Centratha*)
albistriga Janse, 1938 (as *Centratha*)
albogrisea Janse, 1938 (as *Centratha*)
argentea Warren, 1914 (as *Centratha*)
brevipectinata Janse, 1938 (as *Centratha*)
brunnea Warren, 1914 (as *Centratha*)
cretacea Warren, 1914 (as *Centratha*)
dentata Janse, 1938 (as *Centratha*)
dicksoni Janse, 1938 (as *Centratha*)
diffusa Janse, 1938 (as *Centratha*)
fulvinotata Warren, 1914 (as *Centratha*)
fulvinctata Warren, 1914 (as *Centratha*)
*furcivitta** Hampson, 1909 (as *Centratha*)
fuscivitta; Gaede, 1934 *Centratha*
griseola Janse, 1938 (as *Centratha*)
hexistigma Janse, 1938 (as *Centratha*)
modesta Janse, 1938 (as *Centratha*)
monochroma Janse, 1938 (as *Centratha*)
nigrosignata Janse, 1938 (as *Centratha*)
ochrealis Janse, 1938 (as *Centratha*)
ossicolor Warren, 1914 (as *Centratha*)
roseitincta (Gaede, 1915) *Ectochela*
pallescens Warren, 1914 (as *Centratha*)
pectinata Janse, 1938 (as *Centratha*)
pygmaea Janse, 1938 (as *Centratha*)
serricornis Janse, 1938 (as *Centratha*)
similis Janse, 1938 (as *Centratha*)
vansoni Janse, 1938 (as *Centratha*)
vanseni; Janse, 1940 *Centratha*

***Compsotata* Prout, L.B., 1907 (replacement name for *Charidea*)**

Charidea Guenée, 1852 (preoccupied)
Timaea Saalmüller, 1891 (preoccupied)
*elegantissima** (Guenée, 1852) *Charidea*

***Cucullia* Schrank, 1802**

Argyritis Hübner, [1821]
Argyrogalea Hampson, 1906
Argyromata Hampson, 1906
Callenia Hübner, [1821]
Cheligalea Hampson, 1906
Copicucullia Smith, 1894
Empusa Hübner, [1821] (preoccupied)
Empusada Hampson, 1906 (replacement name)
Epinycits Grote, 1882
Eucalimia Hübner, [1821]
Euderaea Hübner, [1821]
Lathosea Grote, 1881
Lophia Sodoffsky, 1837
Metlaouia Dumont, 1928
Nycterophaeta Smith, 1882
Pseudocopicucullia Dumont, 1928
Pseudonycterophaeta Berio, 1934
Rancora Smith, 1892
Tribunophora Hübner, 1822
albifuscata Janse, 1939
albilineata Gaede, 1934 *misplaced teste Legrain, e-mail 10.iv.2016
argentivitta (Hampson, 1906) *Empusada*
atrimacula Hampson, 1909
brunnea Hampson, 1902
chrysota Hampson, 1902
clausa Walker, 1857
consimilis Felder & Rogenhofer, 1874
pusilla Möschler, 1883
daedalis Janse, 1939

NOCTUOIDEA*daedalus*; Janse, 1939 *Cucullia**extricata* (Walker, 1857) *Xylina**hutchinsoni* Hampson, 1902*nocturnalis* Gaede, 1934*inaequalis* Janse, 1939*leucopis* Hampson, 1906*minuta* Möschler, 1883*nigrilinea* Janse, 1939*nigritinea*; Janse, 1939 *Cucullia**pallidicolor* Janse, 1939*pallidistria* Felder & Rogenhofer, 1874*perspriata* Hampson, 1906*simplex* Gaede, 1934*platti* Prout, A.E., 1925*pyrostrota* (Hampson, 1906) *Empusada**ruptifascia* (Hampson, 1909) *Copicucullia**rupifascia*; Janse, 1939 *Copicucullia* (as *Copicucullia*)*terensis* Felder & Rogenhofer, 1874*africana* Aurivillius, 1879*terrensis* auct. *Cucullia***Dasypolia** Guenée, 1852*Tschetverikovia* Bundel, 1966*informis* (Walker, [1857]) *Graphiphora***Diargyria** Krüger, 2005*argyhorion* Krüger, 2009*argyrodeixis* Krüger, 2009*argyrogramma** Krüger, 2005*argystolmus* Krüger, 2005**Ectochela** Hampson, 1902 *to Dypterygini Forbes, 1954 teste Hacker / prob.jun. syn. of *Centrartha**aberrans* Gaede, 1915*albilunata* Gaede, 1915*canina** (Felder, 1874) *Acronicta* (as *Acronycta*)*ferruginea* (Gaede, 1915) *Ulochlaena**flavilunata* Gaede, 1915*nigrilineata* Gaede, 1915*dasophys* Tams, 1930*reducta* (Gaede, 1915) *Ulochlaena**turneri* Tams, 1930**Episema** Ochsenheimer, 1816*brandbergensis* Hacker, 2004**Eumichtis** Hübner, [1821]*Epunda* Duponchel, [1845]*Pseudopolia* Turati, 1924*rubrimixta* Hampson, 1906**Grammoscelis** Hampson, 1906*aganniphus* Krüger, 2005*brincki* Krüger, 2005*leuconeura** Hampson, 1906**Hypotype** Hampson, 1906*nigridentata* (Hampson, 1902) *Polia**scotomista** (Hampson, 1902) *Polia**scotamista*; Janse, 1939 *Hypotype***Klugeana** Geertsema, 1990*philoxalis** Geertsema, 1990*swartlandensis* Geertsema, 1990**Leucochlaena** Hampson, 1906*aenigma* Pinhey, 1968**Neocucullia** Janse, 1939*albisignata** Janse, 1939**Neogalea** Hampson, 1906[*sunia* (Guenée, 1852) *Xylomyges*]*braziliensis** Hampson, 1906*esula* (Druce, 1889) *Xylina**esula longfieldae* Hayes, 1975**Rhizotype** auct.*palliata* Warren, 1914**Rhodochlaena** Hampson, 1906*albidior* Krüger, 2005*botonga** (Felder & Rogenhofer, 1874) *Dianthoecia**perrubra* (Hampson, 1902) *Heliophobus**hadenaeformis* Krüger, 2005**Ulochlaena** Lederer, 1857*fulviguttata* Krüger, 2007*fumea* (Hampson, 1902) *Heliophobus**schaeferi* Gaede, 1915*schaeferi*; Gaede, 1915 *Ulochlaena***Xanthia** Ochsenheimer, 1816*Cirrha* Hübner, [1821]*Citria* Hübner, [1821]*Euthemonia* Gistl, 1848*Mellinia* Hübner, [1821]*Tiliacea* Tutt, 1896*Xantha*; Billberg, 1820*basalis* Walker, 1862**Amphipyrinae** author, date***Amphipyra** Ochsenheimer, 1816*gondwana* Hacker, 2004**Callyna** Guenée, 1852*Akonus* Matsumura, 1929*cupricolor* Hampson, 1902*cupricolora* auct. *Callyna**decora* Walker, [1858]*figurans* Walker, 1858*figurans thomae* Prout, A.E., 1927*gaedei* Hacker & Fibiger, 2006*monoleuca* Walker, 1858*apicalis* (Snellen, 1880) *Leocyma**monoleuca* var. *jaboniba* Strand, 1920*nigerrima* Hampson, 1902*obscura* Hampson, 1910*unicolor* Hampson, 1920**Condicinae** Poole, 1995**Condica** Walker, 1856*Bicondica* Berio, 1981*Gaphara* Walker, 1862*Monocondica* Berio, 1981*Myrtale* Druce, 1891*Platysenta* Grote, 1874*capensis* (Guenée, 1852) *Apamea**afra* (Guenée, 1852) *Apamea**canorufa* (Walker, 1865) *Perigea**funesta* (Walker, 1865) *Hadena**prodita* (Walker, 1862) *Mamestra**spargens* (Walker, 1865) *Hadena**conducta* (Walker, 1857) *Caradrina**copica* (Wiltshire, 1948) *Propalsata**inexacta* (Walker, 1865) *Perigea**pauperata* (Walker, 1858) *Hadena**aenea* (Saalmüller, 1891) *Hadena**leonina* (Walker, 1865) *Hadena***Perigea** auct.*grandirena* (Hampson, 1902) *Xanthoptera**quadrimacula* (Mabille, 1900) *Erastria***Caradrinine assemblage***Phlogophorinae**Zenobiinae**start splitting into Xyleninae / *Athetis*, *Caradrina* etc. to Xyleninae: Caradrinini; other tribes of potential use: Apameini, Actinotini. To retain balance as Caradrinine assemblage and reduce further**Acrapex** Hampson, 1894*Acutipenna* Hampson, 1894*aenigma* (Felder & Rogenhofer, 1874) *Epimecia**albivena* Hampson, 1910*brevipetra* Janse, 1939*brunnea* Hampson, 1910*brunneosa* Bethune-Baker, 1911*ochracea* Bethune-Baker, 1911*carnea* Hampson, 1905*curvata* Hampson, 1902

NOCTUOIDEA

- festiva* Janse, 1939
fuscifasciata Janse, 1939
hemiphlebia (Hampson, 1914) *Busseola*
lepta Krüger, 2005
leptepilepta Krüger, 2005
metaphaea Hampson, 1910
minima Janse, 1939
mystica Janse, 1939
simplex Janse, 1939
spoliata (Walker, 1863) *Nephopterix* (as *Nephopteryx*)
stygiata (Hampson, 1910) *Calamistis*
tristrigata Warren, 1914
- Aegle** Hübner, 1823 *to Metoponiinae (Stiriinae)
dubiosa Kühne, 2010
- Afrogortyna** Krüger, 1997
altimontana Krüger, 1997
*trinota** (Herrick-Schäffer, [1854]) *Mythimna*
leucogonia (Hampson, 1905) *Heliophobus*
- Amefrontia** Hampson, 1899 Xyleninae
Palafrontia Hampson, 1908
*purea** Hampson, 1899
- Amphidrina** Staudinger, 1891
melanosema Hampson, 1914
pexicera Hampson, 1909
sinistra Janse, 1938
- Anathetis** Janse, 1938
*atirena** (Hampson, 1902) *Caradrina*
melanofascia Janse, 1938
- Anedhella** Viotte, 1965 (replacement name) / *to Actinotiini Beck, 1996 teste Hacker
Hadenella Viette, 1965 (preoccupied)
interrupta (Janse, 1938) *Hadenella*
nigrivittata (Hampson, 1902) *Matopo*
rectiradiata (Hampson, 1902) *Tarache*
stigmata (Janse, 1938) *Hadenella*
- Araea** Hampson, 1908
Micheneria Orfila & Rossi, 1956
indecora (Felder & Rogenhofer, 1874) *Dyschorista*
- Ariathisa** Walker, 1865
Eulaphyema Butler, 1890
abyssinia (Guenée, 1852) *Spodoptera*
abyssinia var. *europaea* Fernandez, 1928
*atrosignata** Walker, 1865
excisa (Herrick-Schäffer, [1854]) *Spodoptera*
semiluna (Hampson, 1909) *Nitocris*
- Athetis** Hübner, [1821] Xyleninae / to Caradrinini teste Hacker
Curgia Walker, [1863] (preoccupied)
Dadica Moore, 1881
Elydna Walker, 1858
Floccifera Hampson, 1894
Hydrillula Tams, 1938
Leucocosmia Butler, 1886 (replacement name)
Nebrissa Walker, 1862
Proxenus Herrich-Schäffer, [1850]
Radinacra Butler, 1878
Radingoes; Poole, 1989
Radinogoes Butler, 1886
Strepselydna Warren, 1911
Stygiaethetis Hampson, 1908
Tectorea Berio, 1955
absorbens (Walker, [1857]) *Graphiphora*
aeneodeixis Krüger, 2001
aeneolineata Krüger, 2001
aeschria Hampson, 1909
albipuncta (Hampson, 1902) *Sesamia*
albirena (Hampson, 1902) *Caradrina*
albivena; Gaede, 1935 *Athetis*
alpina Krüger, 2001
alternata (Janse, 1938) *Proxenus*
anomoecosis Hampson, 1909
assecta Krüger, 2001
atristicta Hampson, 1918
aurobrunnea (Janse, 1938) *Proxenus*
aurogrisea Krüger, 2000
- auronitens* Krüger, 2000
bicornuta Krüger, 2000
brunneaplagata (Bethune-Baker, 1911) *Elydna*
chionephra (Hampson, 1911) *Paromphale*
chionopis Hampson, 1909
collaris (Wallengren, 1856) *Agrotis*
caeca (Hampson, 1902) *Charidea* (preoccupied)
collicola Krüger, 2001
consocia Krüger, 2001
debilis Krüger, 2000
discopuncta Hampson, 1916
duplex (Janse, 1938) *Proxenus*
euxoa Krüger, 2001
excavata (Janse, 1938) *Proxenus*
flavipuncta Hampson, 1909
croceipuncta Hampson, 1909
flavipuncta tanzaniae Berio, 1976
foveata Hampson, 1909
fraus Krüger, 2000
fulgens Krüger, 2001
fumicolor (Janse, 1938) *Proxenus*
glaucha (Hampson, 1902)
gonionephra Hampson, 1909
gonionephra nephrogonia Berio, 1976
gracilis Krüger, 2001
helastiis Hampson, 1909
beliastis; Gaede, 1935 *Athetis*
hexencauma Krüger, 2005
ignava (Guenée, 1852) *Caradrina*
peruvicax (Wallengren, 1875) *Caradrina*
pervivax; Janse, 1938 *Caradrina*
instrata Krüger, 2001
interlata (Walker, 1857) *Nonagria*
intricata Krüger, 2001
leuconephra Hampson, 1909
leucopis (Hampson, 1902) *Charidea*
magniplagia (Hampson, 1918) *Eustrotia*
melanephra Hampson, 1909
melanomma Hampson, 1920
melanopsis Hampson, 1909
melanosema Hampson, 1914 (replacement name)
melanopsis Hampson, 1909 (preoccupied)
melanosticta Hampson, 1909
metis (Janse, 1938) *Proxenus*
micra (Hampson, 1902) *Caradrina*
microtera (Hampson, 1902) *Caradrina*
mozambique Hampson, 1918
mozabica; Janse, 1940 *Proxenus*
nephrosticta Hampson, 1909
nigra (Janse, 1938) *Proxenus*
nigristrata Krüger, 2000
obscuroides Poole, 1989 (replacement name)
obscura (Janse, 1938) *Proxenus* (preoccupied)
ocellata (Janse, 1938) *Proxenus*
pallescens (Janse, 1938) *Proxenus*
pallicornis (Felder & Rogenhofer, 1874) *Caradrina*
partita (Walker, [1857]) *Caradrina*
orbata (Möschler, 1883) *Caradrina*
perplexa (Janse, 1938) *Proxenus*
poliostrota Hampson, 1909
praetermissa Hacker, 2019
restricta (Janse, 1938) *Proxenus*
rhigognostis Krüger, 2001
robertsi (Janse, 1938) *Proxenus*
robusta Krüger, 2000
rufipuncta (Hampson, 1902) *Caradrina*
satellitia (Hampson, 1902) *Caradrina*
signata (Janse, 1938) *Proxenus*
singula (Möschler, 1883) *Caradrina*
smintha (Hampson, 1902) *Caradrina*
sordida Krüger, 2001
splendidula Krüger, 2001
transvalensis (Janse, 1938) *Proxenus*
transvaalensis; Pinhey, 1975 *Proxenus*
tristigmatica Krüger, 2000
umbrigera Krüger, 2000
xantholopha (Hampson, 1902) *Caradrina*
- Buakea** Moyal et al., 2011
obliquifascia (Hampson, 1909) *Calamistis*
- Busseola** Thurau, 1904
Calamistis Hampson, 1908

NOCTUOIDEA

- fusca** (Fuller, 1901) *Sesamia*
fusca (Hampson, 1902) *Sesamia* (preoccupied)
*sorghicida** Thurau, 1904
pallidicosta (Hampson, 1902) *Baniana*
phaia Bowden, 1956
- Boursinia** Brandt, 1938
merideremica Hacker, 2004
- Callixena** Saalmüller, 1891 *to Dypterygini Forbes, 1954 *teste* Hacker
Parastenopterygia Berio, 1956
*versicolora** Saalmüller, 1891
viettei (Berio, 1955) *Parastenopterygia*
- Calpiformis** Hampson, 1908
*craushayi** (Hampson, 1905) *Conservula*
- Campydelta** Berio, 1964
*campyla** (Hampson, 1909) *Delta*
- Caradrina** Ochsenheimer, 1816
Charadrina Agassiz, [1847] (unjustified emendation)
Eremodrina Boursin, 1937
Hymenodrina Boursin, 1937
Paradrina Boursin, 1937
Platyperigea Smith, 1894
atriluna Guenée, 1852
angularis (Turati, 1935) *Athetis* (as *Alhetis*)
distincta Staudinger, 1897
indicata Walker, [1857]
mediterranea Bethune-Baker, 1894
dukei Krüger, 2005
eugraphis Janse, 1938
ferida Pagenstecher, 1893
glaucistis Hampson, 1902
rudebecki Krüger, 2005
tenebrata Hampson, 1902
xanthopis (Hampson, 1909) *Proxenus*
- Caradrina (Eremodrina)** Boursin, 1937
kruegeri Hacker & Legrain, 2006
- Catamecia** Staudinger, 1897 (Xyleninae)
connectens (Hampson, 1902) *Tarache*
- Centrogone** Hampson, 1908
*chlorochrysa** Hampson, 1910
- Cetola** Walker, 1855
costata Gaede, 1915
pulchra (Bethune-Baker, 1911) *Phalarodes*
radiata Hampson, 1909
- Chytonix** Grote, 1874
brunnea Gaede, 1915
- Cirrodes** Hampson, 1910
*phoenicea** Hampson, 1910
- Cnoidfrontia** Hampson, 1902
*dissimilis** (Distant, 1898) *Polydesma*
- Conicofrontia** Hampson, 1902
diamesa (Hampson, 1920) *Arenostola*
*sesamoides** Hampson, 1902
bipartita (Hampson, 1910) *Phragmatiphila*
sesamiodes auct. *Conicofrontia*
- Conservula** Grote, 1874 to Phlogophorini Hampson, 1918 *teste* Hacker
Appana Moore, 1881
alambica Gaede, 1915
anthophyes (Fletcher, D.S., 1963) *Appana*
cinisigna Joannis, 1906
cinisigma; Sharp, 1906 *Conservula*
clarki Janse, 1937
minor Holland, 1896
- Copifrontia** Hampson, 1905
purea (Gaede, 1915) *Centrogene* **Centrogone*?
*xantherythra** Hampson, 1905
- Cosmia** Ochsenheimer, 1816
Calymnia Hübner, [1821]
- Eustegnia** Hübner, [1821]
natalensis (Prout, A.E., 1925) *Calymnia*
polymorpha Pinhey, 1968
- Cyclopera** Hampson, 1908
bucephalidia (Hampson, 1902) *Megalodes*
galactiplaga (Hampson, 1902) *Megalodes*
*similis** (Hampson, 1902) *Megalodes*
- Cytothymia** Hampson, 1908
*absita** (Felder & Rogenhofer, 1874) *Metoptria*
obsita; Hampson, 1902 *Megalodes*
- Diparopsis** Hampson, 1902 (Xyleninae)
*castanea** Hampson, 1902
- Dysmilichia** Speiser, 1902 (replacement name for *Milichia* Snellen and
Phalacra Staudinger)
Milichia Snellen, [1899] (preoccupied)
Phalacra Staudinger, 1892 (preoccupied)
namibiae Hacker, 2007
purpurascens Hampson, 1910
- Ectolopha** Hampson, 1902
marginata Hampson, 1910
*viridescens** Hampson, 1902
hypochlora Gaede, 1915
- Elyptron** Saalmüller, 1891
Tegarpagon Berio, 1955
ethiopicum (Hampson, 1909) *Calymnia*
- Ethiopica** Hampson, 1908
cupricolor (Hampson, 1902) *Caradrina*
cupricolora auct. *Ethiopica*
polystrata Hampson, 1909
*vinosa** (Hampson, 1902) *Charidea*
- Ethioterpia** Hampson, 1910
Ethioternia; Janse, 1940
lichenae Janse, 1938
marmorata Janse, 1938
*neavei** Hampson, 1910
janensi Gaede, 1915
neavi; Hampson, 1910 *Ethioterpia*
- Eulymnia** Hampson, 1910
*pulcherrima** (Hampson, 1902) *Conservula*
- Euplexia** Stephens, 1829
Berrhaea Walker, 1858
Epa Bethune-Baker, 1906
Yula Bethune-Baker, 1906
augens Felder & Rogenhofer, 1874 *1875?
saldanha Felder & Rogenhofer, 1874
catephoides Hampson, 1908
nyassana Gaede, 1915
- Felinopsis** Roepke, 1938
Eutamsia Fletcher, D.S., 1961
aarviki (ssp. of *hosplitoides*) Hacker & Fibiger, 2007
africana (Schaus, 1893) *Perigea*
leucura (Hampson, 1914) *Trachea*
phoenicolopha (Hampson, 1914) *Trachea*
phoenicolopha; Janse, 1939 *Trachea*
phoenicolopha; Janse, 1937 *Trachea*
phoenocolopha; Janse, 1937 *Trachea*
connivens connivens (Felder & Rogenhofer, 1874) *Apamea*
spinifera (Laporte, 1991) *Eutamsia*
theryi (Laporte, 1975) *Eutamsia*
consummata consummata (Walker, 1857) *Hadena*
somaliensis (Laporte, 1974) *Eutamsia*
thoracica (Walker, 1858) *Mamestra* (?)
gueneei (Laporte, 1973) *Eutamsia*
hosplitoides aarviki Hacker & Fibiger, 2007
indigna (Herrick-Schäffer, [1854]) *Apamea*
breviuscula (Walker, 1858) *Xylina*
nigribarbata (Hampson, 1908) *Trachea*
germainae (Laporte, 1975) *Eutamsia*
satellitis (Berio, 1975) *Eutamsia*
septentrionalis (Rougeot & Laporte, 1983) *Eutamsia* (?)
- Euterpiodes** Hampson, 1908

NOCTUOIDEA*croceizona* Krüger, 2012*cyanofascia* Krüger, 2012*eremica* Krüger, 2012*fictrix* Krüger, 2012*gracilior* Krüger, 2012*pienaari** (Distant, 1898) *Megalodes**sororcula* Krüger, 2012*umbrata* Krüger, 2012*unio* Krüger, 2012*Exathetus* Janse, 1938*strigata** (Hampson, 1911) *Athetis**Hadjina* Staudinger, 1891*Aridagricola* Shchetkin, 1965*carcaroda* (Distant, 1901) *Xanthoptera**obscura* Hampson, 1918*Hypoplexia* Hampson, 1908*algoa** (Felder & Rogenhofer, 1874) *Hadena**mictochroa* Hampson, 1920*conjuncta* Hampson, 1908*externa* (Walker, 1857) *Hadena**melanica* Hampson, 1911*varicolor* (Warren, 1914) *Thalatha**Iambia* Walker, 1863 (Xyleninae)*Iamba* auct.*Jambia*; Gaede, 1934*brunnea* Warren, 1914*infralis** Walker, 1863*velutina* (Felder, 1874) *Bryophila**jansei* Berio, 1966 (as *Jambia*)*melanochlora* (Hampson, 1902) *Bryophila**melanochlora* var. *albimacula* Janse, 1937*Iambiodes* Hampson, 1908 to Xyleninae*nyctostola* Hampson, 1918*Interdelta* Berio, 1964 *to Actinotiini Beck, 1996 teste Hacker
*mediaficana** Berio, 1964*Janseodes* Viette, 1967*melanospila** (Guenée, 1852) *Euperia**aenigmatica* (Swinhoe, 1885) *Pasira**huegeli* (Felder & Rogenhofer, 1874) *Caradrina**melanosticta* (Hampson, 1891) *Caradrina**pallescens* (Saalmüller, 1880) *Euperia**russa* (Swinhoe, 1885) *Pasira**Lepidodelta* Viette, 1967 (replacement name)*Delta* Saalmüller, 1891 (preoccupied)*phoenicraspis* (Hampson, 1910) *Delta**stolifera** (Saalmüller, 1891) *Delta**stolonifera*; Saalmüller, 1891 *Delta**Leucotrahea* Janse, 1937 *to Phlogophorini Hampson, 1918 teste Hackrt*leucomelanica* Janse, 1937*leocomelanica*; Janse, 1939 *Leucotrahea**melanobasis* (Hampson, 1902) *Euplexia**melanodontia** (Hampson, 1908) *Trachea* (replacement name)*melanoleuca* (Hampson, 1902) *Bryophila* (preoccupied)*melanoleuca* (Hampson, 1902) *Euplexia**melanoleuco*; Janse, 1940 *Leucotrahea**Leumicamia* Viette, 1965 *to Dypterygini Forbes, 1954 teste Hacker*graminicolens** (Butler, 1878) *Dianthoecia**leucosoma* (Felder & Rogenhofer, 1874) *Hadena**Lophotarsia* Hampson, 1902*ochroprocta** Hampson, 1902*uniformis* Berio, 1966*lichenosa* Pinhey, 1968*Malotia* Krüger, 2005*hirsuta** Krüger, 2005*Manga* Bowden, 1956*fuliginosa* Moyal & Le Rü, 2006*melanodonta* (Hampson, 1910) *Calamistis**nubifera* (Hampson, 1910) *Calamistis**Matopo* Distant, 1898 Xyleninae / *to Dypterigini Forbes, 1954 teste

Hacker

Gigaglossa Berio, 1966*inangulata* Hampson, 1909*scutulata* Janse, 1917*typica** Distant, 1898*Mazuca* Walker, 1866*Mila* Aurivillius, 1892*elegantissima* Janse, 1939*verhulsti* Berio, 1955*roseistriga* Fletcher, D.S., 1963*strigicincta** Walker, 1866*concinna* (Mabille, 1878) *Hypsa**hebraica* (Aurivillius, 1891) *Mila**liturata* (Butler, 1881) *Apsarasa**Mimleucania* Hampson, 1908*perstriata** Hampson, 1909*Mionides* Hampson, 1902 *to Episemini Guenée, 1852 teste Hacker*lichenea** Hampson, 1902*lichinea* Janse, 1937 *Mionides**Myalila* Strand, 1909*typica** Strand, 1909*Namangana* Staudinger, 1888*Namagapa*; Mey, 2011*adela* (Hampson, 1902) *Spodoptera**atropars* Hampson, 1909*thyatioides* Hampson, 1918*Neostichtis* Janse, 1937*nigricostata** (Hampson, 1908) *Parastichtis**nigricostata gibbosa* (Prout, A.E., 1927) *Parastichtis**nigrocostata*; Poole, 1989*Ochrocalama* Hampson, 1910*xanthia** (Hampson, 1905) *Megalodes**Odontoretha* Hampson, 1916*featheri** Hampson, 1916*Oligia* Hübner, [1821] to Apameini teste Hacker*Miana* Stephens, 1829*Procus* Agassiz, 1846*ambigua* (Walker, 1858) *Hadena**exsiccata* (Wallengren, 1860) *Hama**ikondae* (Berio, 1974) *Mesoligia**confusa* Janse, 1937*instructa* (Walker, 1865) *Hadena**rubescens* (Walker, 1865) *Hadena**rubrescens* auct. *Hadena**intermedia* Berio, 1976*subambigua* (Fletcher, D.S., 1961) *Procus**ambigua* Hampson, 1908 (*partim*)*tripunctata* (Fletcher, D.S., 1961) *Procus**Oria* Hübner, [1821]*Synia* Duponchel, [1845]*Tapinostola* Lederer, 1857*flavescens* (Hampson, 1902) *Sesamia**Paracroria* Hampson, 1908*griseocincta** (Hampson, 1902) *Xanthoptera**major* Janse, 1938*Pareuplexia* Warren, 1911*[prolifera* (Walker, 1856) *Mamestrina*] Australia, misident.*Phalerodes* Hampson, 1908*cauta** (Hampson, 1902) *Charidea**Plusiophaes* Prout, A.E., 1921*argosticta* Fletcher, D.S., 1961*bipuncta* (Hampson, 1902) *Catephia**Procrateria* Hampson, 1905*basifascia* Pinhey, 1968*noloides** Hampson, 1905*pterota* Hampson, 1909

NOCTUOIDEA

Ramesodes Hampson, 1908
*divisa** (Hampson, 1902) *Charidea*
micropis Hampson, 1910

Sciomesa Tams & Bowden, 1953
*mesoscia** (Hampson, 1918) *Conicofrontia*
scotochroa (Hampson, 1914) *Conicofrontia*

Selenistis Hampson, 1908
*annulella** (Hampson, 1902) *Tarache*

Sesamia Guenée, 1852 to Apameini teste Hacker

Microsemyra Butler, 1883
albicolor Janse, 1939
albivena Hampson, 1902
albavena auct. *Sesamia*
albivea; Janse, 1939 *Sesamia*
albivena mocoensis Tams & Bowden, 1953
albivena sudanensis Tams & Bowden, 1953

ammopoecilma Krüger, 2005
botanephaga Tams & Bowden, 1953
calamistik Hampson, 1910

mediastriga Bethune-Baker, 1911

vuteria auct. *Sesamia*

capensis Le Rü, 2015

coniota Hampson, 1902

cretica Lederer, 1857

epunctifera Hampson, 1902

funebris Krüger, 2005
incerta (Walker, 1856) *Leucania*

inferens (Walker, 1856) *Leucania*

albiciiliata Snellen, 1880

gracilis (Butler, 1880) *Nonagria*

innocens (Butler, 1880) *Nonagria*

proscripta (Walker, 1856) *Leucania*

tranquillans Butler, 1880

jansei Tams & Bowden, 1953

mediostriga Krüger, 2005

natalensis Le Rü, 2015

*nonagrioides** (Lefèvre, 1827) *Cossus*

gracilis (Rebel, 1899) *Tapinostola*

hesperica (Rambur, 1837) *Nonagria*

sacchari (Wollaston, 1858) *Nonagria*

vuteria f. *ciccarelli* Mariani, 1934

poeophaga Tams & Bowden, 1953

punctipennis Krüger, 2005

rubritincta Hampson, 1902

rufescens Hampson, 1910

steniptera Hampson, 1914

sylvata Janse, 1939

taenioleuca (Wallengren, 1863) *Tapinostola*

typhae Le Rü, 2015

veronica Moyal, 2011

Sidemia Staudinger, 1892

To fall away

Speia Tams & Bowden, 1953

*vuteria** (Stoll, 1790) *Phalaena Bombyx*
sesamiodes (Hampson, 1910) (male) *Conicofrontia*
vutoria; Stoll, 1790 *Phalaena*

Spodoptera Guenée, 1852 (Xyleninae) / to Prodeniini Forbes, 1954 teste Hacker

Calogramma Guenée, 1852

Douzdrina de Laever, 1985

Laphygma Guenée, 1852

Prodenia Guenée, 1852

Rusidrina Staudinger, 1892

apertura (Walker, 1865) *Prodenia*

leucophlebia (Hampson, 1902) *Prodenia*

synstictis (Hampson, 1896) *Prodenia*

cilium Guenée, 1852

capicola Herrich-Schäffer, [1854]

cycloides (Guenée, 1852) *Laphygma*

imperviata (Walker, 1865) *Laphygma*

infixa (Walker, 1862) *Agrotis*

insignata (Walker, [1857]) *Caradrina* (preoccupied)

insulsa (Walker, 1865) *Spodoptera*

latebrosa (Lederer, 1855) *Caradrina*

obliterans (Walker, 1862) *Laphygma*

orbicularis (Walker, [1857]) *Caradrina*

praeterita (Walker, [1857]) *Caradrina*

procedens (Walker, 1857) *Laphygma*
retrahens (Walker, 1870) *Laphygma*
superciliata (Wallengren, 1856) *Caradrina*
exempta (Walker, [1857]) *Agrotis*
bipars (Walker, 1857) *Prodenia*
ingloria (Walker, 1858) *Prodenia*
exigua (Hübner, [1808]) *Noctua*
antipodea (Warren, 1914) *Laphygma*
caradrinoides (Walker, 1856) *Laphygma*
exigua antipodea (Warren, 1914) *Laphygma*
flavimaculata (Harvey, 1876) *Caradrina*
fulgens (Geyer, [1832]) *Noctua*
junceti (Zeller, 1847) *Caradrina*
protectrix (de Laever, 1985) *Douzdrina*
pygmaea (Rambur, 1834) *Caradrina*
sebhiana (Austaut, 1880) *Caradrina*
venosa (Butler, 1880) *Caradrina*
frugiperda (J.E. Smith, 1797) *Phalaena* *Nea, Neo, first rec. in 2016
autumnalis (Riley, 1871) *Prodenia*
frugiperda var. *fulvosa* (Riley, 1876) *Laphygma*
frugiperda var. *obscura* (Riley, 1876) *Laphygma*
inepta (Walker, 1856) *Laphygma*
macra (Guenée, 1852) *Laphygma*
plagiata (Walker, 1856) *Prodenia*
signifera (Walker, 1856) *Prodenia*
littoralis (Boisduval, 1833) *Hadena*
litura auct. *Prodenia*
metriodes (Bethune-Baker, 1911) *Prodenia*
retina (Freyer, 1845) *Hadena*
testaceoides (Guenée, 1852) *Prodenia*
triturata (Walker, [1857]) *Caradrina*

Stenopterygia Hampson, 1908
monostigma (Saalmüller, 1891) *Opigena*
*subcurva** (Walker, 1857) *Hadena*
calida (Walker, 1862) *Xylina*
postica (Walker, 1857) *Hadena*
sikkima (Moore, 1882) *Dipterygia*

Stomafrontia Hampson, 1905
*albifasciata** Hampson, 1905

Syncalama Hampson, 1908
*mimica** Hampson, 1910
turneri Tams, 1930

Tanocryx Viette, 1965
pinheyi Viette, 1973

Tracheplexia Janse, 1937
albimacula Janse, 1937
*amaranta** (Felder & Rogenhofer, 1874) *Euplexia*
lucia (Felder & Rogenhofer, 1874) *Hadena*
lucia occidentalis Laporte, 1973

Tumidifrontia Hampson, 1902
*castaneotincta** Hampson, 1902

Bryophilinae author, date*
Metachrostinae

Cryphia Hübner, 1818
Bryoleuca Hampson, 1908
Bryonycta Boursin, 1955
Bryophila Treitschke, 1825
Bryopsis Boursin, 1970
Euthales Hübner, [1820]
Heterocryphia Beck, 1996
Hymenocryphia Boursin, 1967
Jaspidia Hübner, 1822
Nyctobrya Boursin, 1957
Poecilia Schrank, 1802 (preoccupied)
Scythobrya Boursin, 1960
deceptura (Walker, 1865) *Diptera*
postochrea (Hampson, 1893) *Bryophila*
fulvifusa (Hampson, 1911) *Bryophila*

NOCTUOIDEA

fulvifusca; Janse, 1917 *Bryophila*
leucomelaena (Hampson, 1908) *Bryophila*
leucomeloena; Janse, 1937 *Bryophila*

Acronictinae Heinemann, 1859
 Acronyctinae
 Apatelinae
 Xanthiinae

Acronicta Ochsenheimer, 1816
Acronycta Treitschke, 1825 (unjustified emendation)
Acronyctia; Meigen, 1831
Apatela; Stephens, 1829
Apatele Hübner, 1822
Arctomyiscis Hübner, [1820]
Chamaepora Warren, 1909
Cometa Sodoffsky, 1837 (unnecessary replacement name for *Acronycta* Treitschke)
Cuspidea Chapman, 1890
Eulonche Grote, 1873
Hyboma Hübner, [1820]
Jochaera Hübner, [1820]
Lepitoreuma Grote, 1873
Mastiphanes Grote, 1882
Megacronycta Grote, 1873
Microcoelia Guenée, 1852
Pharetra Hübner, [1820] (preoccupied)
Philorgyia Grote, 1896
Plataplecta Butler, 1878
Pseudopunda Butler, 1890
Semaphora Guenée, 1841
Sematophora Agassiz, [1847] (unjustified emendation)
Subacronicta Kozhantschikov, 1950
Triaena Hübner, 1818
Tricholonche Grote, 1896
Viminia Chapman, 1890
niveogrisea Krüger, 2001
silvicola Krüger, 2001
transvalica Hampson, 1911 (as *Acronycta*)
verbenata (Distant, 1898) *Diphthera* (as *Diphthera*)
vumbae Krüger, 2001

Amphia Guenée, 1852
subunita Guenée, 1852
exunita Guenée, 1852 (unnecessary replacement name)

Craniophora Snellen, 1867
Bisulcia Chapman, 1890
Cranionycta de Lattin, 1949
Hampsonia Kozhantschikov, 1950 (preoccupied)
Hampsonidia Inoue, 1958 (replacement name)
Miracopa Draudt, 1950
paragrapha (Felder, 1874) *Acronicta* (as *Acronycta*)
paragrapha var. *inversa* Gaede, 1915

Bagisarinae Crumb, 1956

Amyna Guenée, 1852 (Eustrotiinae) / placement here *teste* Hacker
Amynodes Warren, 1913
Berresa Walker, [1859]
Chitoryza Grote, 1876
Formosamyna Strand, 1920
Hesperimorpha Saalmüller, 1880
Hurworthia Nye, 1975 (replacement name)
Istattia Walker, [1859]
Lochia Walker, 1865
Niphosticta Turner, 1936 (preoccupied)
Pteraelothix Grote, 1873
Stridova Walker, 1859
Trilophia Turner, 1943
axis Guenée, 1852
albigutta (Walker, 1869) *Stridova*
bavia (Felder & Rogenhofer, 1874) *Erastria*
cephusalis (Walker, [1859]) *Istattia*
colon Guenée, 1862
flavigutta (Walker, 1858) *Celaena*
inornata (Walker, 1865) *Miana*
leucospila (Walker, 1865) *Perigea*
monotretalis (Mabille, 1879) *Botys*
obstructa (Walker, 1862) *Celaena*
octo (Guenée, 1852) *Perigea*
orbica (Morrison, 1875) *Segetia*
perfundens (Walker, 1858) *Celaena*

rufa (Bethune-Baker, 1906) *Berresa*
stigmatala (Snellen, 1872) *Erastria*
stricta (Walker, 1858) *Poaphila*
supplex (Swinhoe, 1885) *Perigea*
tecta (Grote, 1876) *Chitoryza*
undulifera Butler, 1875
vexabilis (Wallengren, 1863) *Perigea*
incertalis (Guillermet, 1992) *Istattia*
natalica Pinhey, 1975
punctum (Fabricius, 1794) *Noctua*
annulata (Fabricius, 1794) *Noctua*
latipennis (Walker, 1865) *Hadena* (preoccupied)
latipennis (Wallengren, 1860) *Hama*
natalensis (Wallengren, 1865) *Perigea*
paradoxa (Saalmüller, 1880) *Hesperimorpha*
*selanampha** Guenée, 1852
spoliata (Walker, [1858]) *Alamis*
subtracta Walker, 1862
trivenefica (Wallengren, 1863) *Perigea*
trivenifica; Hampson, 1902 *Perigea*
urba (Wallengren, 1863) *Perigea*

Androlymnia Hampson, 1908 (Xyleninae)
torsivena (Hampson, 1902) *Perciana*

Brevipecten Hampson, 1894
brandbergensis Hacker, 2004
confluens (Hampson, 1926) *Oglasa*
cornuta Hampson, 1902
pencoei Berio, 1939
legraini Hacker & Fibiger, 2007
wolframmeyi Hacker & Fibiger, 2007

Chasma Walker, 1856
Arbasera Walker, 1865
Carandana Moore, [1884]
Clinophlebia Hampson, 1893
candida (Walker, 1865) *Arbasera*
mariæ (Mabille, 1881) *Xanthodes*
sericea (Hampson, 1893) *Clinophlebia*
tibialis (Fabricius, 1775) *Bombyx*
*cygnus** Walker, 1856
dianae (Guenée, 1852) *Leocyma*
glabra Walker, 1865
vestae (Guenée, 1852) *Leocyma*
vestae var. *celebensis* Snellen, 1880

Honeyia Hacker & Fibiger, 2007
*clearchus** (Fawcett, 1916) *Brevipecten*
dionysiae (Laporte, 1991) *Oglasa*
genovefae (Laporte, 1991) *Oglasa*
quarta Hacker & Fibiger, 2007
secunda Hacker & Fibiger, 2007
tertia Hacker & Fibiger, 2007

Leocyma Guenée, 1852
Thiganusa Walker, 1865
*appolinis** Guenée, 1852
apollinis; Pinhey, 1975 *Leocyma*
euproctisoides (Walker, 1865) *Thiganusa*
discophora Hampson, 1912

Oglasa Walker, [1859]
Barbesola Walker, 1862
Chorisla Walker, [1863]
Dorsippa Walker, [1863]
Hiaspis Walker, [1866]
arcuata (Fabricius, 1787) *Noctua*
lunifera (Hampson, 1893) *Ingra*
nana (Walker, 1869) *Hypoetra*
parallela Hampson, 1926
renilinea Gaede, 1939 *see Hacker & Fibiger, 2007: 280
tamsi Gaede, 1939

Pardoxia Vives & Gonzales, 1981
graellsii (Feisthamel, 1837) *Acontia*
fimbriata (Walker, 1865) *Xanthodes*
graellsii auct. *Xanthodes*
groelli; Swierstra, 1917 *Acontia*
innocens (Walker, 1858) *Xanthodes*

Xanthodes Guenée, 1852
albago (Fabricius, 1794) *Noctua*

NOCTUOIDEA

imparata (Walker, [1857]) *Xanthia*
impellens Walker, 1858
inefficiens Walker, 1858
*malvae** (Esper, [1796]) *Phalaena*
stramen Guenée, 1852
brunnescens (Pinhey, 1968) *Lophotidia*

Agaristinae Herrich-Schäffer, [1851]

Aegoceropsis Karsch, 1895
fervida (Walker, 1854) *Aegocera*
fervida fuscicosta Jordan, 1913
fervida media Jordan, 1913
fimbria (Möschler, 1872) *Aegocera*
triphaeonoides (Wallengren, 1860) *Aegocera*

Agoma Kiriakoff, 1976

*trimenii** (Felder, 1874) *Aegocera*
agoma (Karsch, 1895) *Mitrophrys*
elegantula (Mabille, 1893) *Aegocera*
halans (Karsch, 1895) *Mitrophrys*
ovifera (Hampson, 1910) *Tuerta*
tricolor (Druce, 1883) *Aegocera*
tricolora; Pinhey, 1976 *Aegoceropsis*
trimeni auct. *Aegocera*

Brephos Hübner, [1813]

Brephia; Billberg, 1820
Brephia; Hübner, 1822
Pais Hübner, 1821
ansorgei (Jordan, 1904) *Pais*
decora (Linnaeus, 1764) *Phalaena Noctua*
*julia** (Cramer, 1776) *Phalaena Noctua*
moldaenkei (Dewitz, 1881) *Pais*
moldaenki; Pinhey, 1974 *Pais*
moldaenki; Hampson, 1905 *Pais*
festiva (Jordan, 1913) *Pais*
festiva nigripectus (Jordan, 1913) *Pais*

Crameria Hübner, [1819]

Charilina Walker, 1854
amabilis* (Drury, 1773) *Phalaena Noctua*
alienata (Fabricius, 1794) *Noctua*
amabilis itsariensis (Stoneham, 1963) *Charilina*
intercis (Felder, 1874) *Charilina*

Heraclia Hübner, [1820]

Xanthospilopteryx Wallengren, 1858
aemulatrix (Westwood, 1881) *Eusemia*
aemulatrix campala Kiriakoff, 1976
aemulatrix suda (Jordan, 1913) *Xanthospilopteryx*
mabilie (Bartel, 1903) *Xanthospilopteryx*
africana (Butler, 1875) *Eusemia*
fatima (Kirby, 1891) *Xanthospilopteryx*
meretrix (Westwood, 1881) *Eusemia*
butleri (Walker, 1869) *Eusemia*
adulatrix (Westwood, 1881) *Eusemia* (preoccupied)
durbania (Stoneham, 1964) *Xanthospilopteryx*
perdix (Druce, 1888) *Eusemia*
angustella (Strand, 1912) *Xanthospilopteryx*
eoia (Mabille, 1890) *Eusemia*
indecisa (Butler, 1891) *Eusemia*
superba (Butler, 1875) *Eusemia*
albocincta Hulstaert, 1923
basalifasciata (Bartel, 1903) *Xanthospilopteryx*
incongruens (Butler, 1878) *Eusemia*
interniplaga (Mabille, 1891) *Eusemia*
littera Hulstaert, 1923
maculipennis (Strand, 1911) *Xanthospilopteryx*
maculipes (Strand, 1911) *Xanthospilopteryx*
smithii (Holland, 1897) *Xanthospilopteryx*
superba ugandana (Jordan, 1913) *Xanthospilopteryx*
tanganyciana Hampson, 1920
tanganyikana (Oberthür, 1911) *Xanthospilopteryx*

Hespagarista Walker, 1854

echione (Boisduval, 1847) *Agarista*
*interlecta** Walker, 1854
interjecta; Westwood, 1877 *Hespagarista*
novemmaculata (Mabille, 1890) *Eusemia*

Leucovis Hampson, 1908

Perimagia Strand, 1909
*alba** (Rothschild, 1897) *Pristoceraea*

Lophonotidia Hampson, 1901
melanoleuca Janse, 1937 (as *Lophonotidea*)
leucomelanica; Vári, 1958 *Lophonotidia*

Mitrophrys Karsch, 1895
ansorgei (Rothschild, 1897) *Aegocera*
latreillii (Herrich-Schäffer, [1853]) *Aegocera*
latreillei auct. *Mitrophrys*
latreilli auct. *Aegocera*

Omphaloceps Hampson, 1901
daria (Druce, 1895) *Agarista*
meraca (Karsch, 1898) *Mitrophrys*
triplagiata (Rothschild, 1896) *Aegocera*

Ovios Walker, 1855
*capensis** (Herrich-Schäffer, [1854]) *Eudryas*
septentrionalis; Kiriakoff, 1976 *Ovios*
septentrionis Hampson, 1910

Paida Jordan, 1896
*pulchra** (Trimen, 1863) *Pais*
gordoni (Butler, 1879) *Pais*

Paraegocera Hampson, 1901
*confluens** (Weymer, 1892) *Aegocera*
darocana (Druce, 1895) *Aegocera*

Paratuerta Hampson, 1902
featheri Fawcett, 1915
*marshalli** Hampson, 1902

Pseudagoma Kiriakoff, 1975
*pinheyi** Kiriakoff, 1975

Rothia Westwood, 1877
rhaeo (Druce, 1894) *Agarista*
alluaudi (Mabille, 1897) *Phalaenoides*
rhoeo; Viette, 1990 *Rothia*

Schausia Karsch, 1895
coryndoni (Rothschild, 1896) *Aegocera*
separata (Weymer, 1896) *Aegoceropsis*
langazana Kiriakoff, 1974

Sergiusia Nye, 1980 (replacement name)
Penetelia Kiriakoff, 1976 (preoccupied)
*pentelia** (Druce, 1887) *Eusemia*
penetelia; Janse, 1917 *Rothia*

Syfanoidea Bartel, 1903
*schencki** Bartel, 1903
leighi (Jordan, 1906) *Aegocera*
schenci; Hampson, 1920 *Aegocera*

Acontiinae author, date*
 Emmeliinae
 Erastriinae
 Eublemminae
 Eustrotiinae
 Jaspidiinae

Acontia (*Acontia*) Ochsenheimer, 1816
Cardiosace Hampson, 1910
Desmophora Stephens, 1829
Euphasia Stephens, 1830
Fredina Brandt, 1939
Heliothera Sodoffsky, 1837 (unnecessary replacement name)
Porrotha Gistl, 1848 (unnecessary replacement name)
Pseudalypia Hy. Edwards, 1874
Spragueia Grote, 1875
Hoplotarache Hampson, 1910
Prociosis Hampson, 1910
Protarache Hampson, 1910
Rhodotarache Warren, 1914
Tarache Hübner, [1823]
Tima Walker, [1858] (preoccupied)
Trichotarache Grote, 1875
accola (Felder & Rogenhofer, 1874) *Cirroedia* (as *Cirrhoedia*)

NOCTUOIDEA

- interjecta* (Warren, 1914) *Rhodotarache*
annemaria Hacker, 2007
aurelia Hacker et al., 2008
caffraria caffraria (Cramer, 1777) *Phalaena Noctua*
caffrariae; Aurivillius, 1879 *Acontia*
caloris (Hübner, [1808]) *Noctua*
komaga Felder & Rogenhofer, 1874
capensis Hacker et al., 2008
chrysoprotictis (Hampson, 1902) *Tarache*
cimbebasia Hacker, 2007
citripennis (Hampson, 1910) *Tarache*
discoidea Hopffer, 1857 *1858?
dispar Walker, [1858] *Acontia*
dorothea Hacker et al., 2008
gradata Walker, [1858]
guttifera guttifera Felder & Rogenhofer, 1874
utifera; Pinhey, 1975 *Tarache*
hampsoni Hacker et al., 2008
katrina Hacker et al., 2008
kruegeri Hacker et al., 2008
leucotrigona (Hampson, 1905) *Tarache*
margaritata (Drury, 1782) *Phalaena Noctua*
bohemani Wallengren, 1856
bohemanni auct. *Acontia*
includens Walker, [1858]
monilifera Walker, [1858]
unio Felder & Rogenhofer, 1874
melaphora (Hampson, 1910) *Protarache*
melicula Hacker et al., 2008
mionides (Hampson, 1905) *Tarache*
minoides; Poole, 1989; Hacker et al., 2008
namibiensis Hacker et al., 2008
nambiensis; Hacker et al., 2006
niphogona (Hampson, 1909) *Tarache*
caffraria ab kikuyuensis (Strand, date*) *Tarache* (infrasubspecific)
okahandja Hacker et al., 2008
opalinooides transafricana Hacker et al., 2008
oranjensis Hacker et al., 2008
paratrigona Hacker et al., 2008
permutata Hacker et al., 2008
porphyrea (Butler, 1898) *Tarache*
psaliphora (Hampson, 1910) *Tarache*
santalucia Hacker et al., 2008
spangbergi Aurivillius, 1879
*sphenodonitis** (Hampson, 1902) *Tarache*
tetragonisa (Hampson, 1910) *Tarache*
tinctilis Wallengren, 1875
hyperlophia (Hampson, 1902) *Tarache*
transafricana (ssp. of *opalinooides*) Hacker et al., 2008
trimaculata Aurivillius, 1879
trychaenoides Wallengren, 1856
liturifera Walker, 1865 (*nomen dubium*)
trichaenoides; Hampson, 1910 *Cardiosace*
trimenii Wallengren, 1875 (*nomen dubium*)
triphanooides; Wallengren, 1856 *Cardiosace*
umbrigera Felder & Rogenhofer, [1875]
wahlbergi Wallengren, 1856
cyanocraspis (Hampson, 1910) *Tarache*
nephata (Bethune-Baker, 1911) *Tarache*
urbani Felder & Rogenhofer, 1874
vahlbergi; Hampson, 1910 *Tarache*
wallengreni Aurivillius, 1879
vallengreni; Hampson, 1910 *Tarache*
wolframmeyi Hacker, 2007
- Acontia (Emmelia)** Hübner, [1821] 1816
Acropserotarache Berio, 1937
Agrophila Boisduval, 1840
Conacontia Smith, 1900
Conochares Smith, 1905
Emmelacontia Beck, 2000
Erotyla Hübner, 1822
Fruva Grote, 1877
Graeperia Grote, 1895
Heliodora Neumoegen, 1891
Hemispargueia Barnes & McDunnough, 1923
Neptunia Barnes & McDunnough, 1911 (preoccupied)
Ponometia Herrich-Schäffer, 1868
Tarachidia Hampson, 1898
Therasea Grote, 1895
Tornacontia Smith, 1900
antica antica Walker, 1862
acontina (Mabille, 1900) *Tarache*

- brabantii* (Le Cerf, 1911) *Tarache*
semiplumbea (Hampson, 1902) *Tarache*
aureola Hacker, 2007
aurivillii Hacker et al., 2008
bidentata (Hampson, 1902) *Tarache*
conifrons Aurivillius, 1879
cornifrons auct. *Acontia*
ectorrida (Hampson, 1916) *Hoplotarache*
flavitermina (Hampson, 1902) *Tarache*
gratiosa Wallengren, 1856
olivescens (Hampson, 1910) *Cardiosace*
zelleri Wallengren, 1856
hampsoniana (ssp. of *tanzaniae*) Hacker et al., 2008
hemixanthia (Hampson, 1910) *Tarache*
imitatrix Wallengren, 1856
natalis natalis Guénée, 1852
adulterina Wallengren, 1856
formosa Butler, 1875
parilis Wallengren, 1856
perilis; Wallengren, 1856 *Acontia*
rectangularis (Aurivillius, 1879) *Acontia*
nephela Hampson, 1911
nubilata (Hampson, 1902) *Tarache*
tanzaniae hampsoniana Hacker et al., 2008
olivescens (Hampson, 1910) *Metapioplasta* (unavailable homonym)
torrefacta torrefacta (Distant, 1898) *Tarache*
transfigurata transfigurata Wallengren, 1856

Acontia (Metapioplasta) Wallengren, 1865

- Aulotarache* Hampson, 1910
insocia Walker, [1858]
concinnula Walker, [1858]
pyralina Walker, [1858])
simo Wallengren, 1860

Acontia (Acontarache) Berio, 1977

- bechuana* Hacker et al., 2008

To determine subgeneric placement:

- okra* Mey, 2011

Other taxa described or treated in the literature as *Acontia* species
guttistrigata Walker, 1865 (*nomen dubium*)
silus (Wallengren, 1875) *Metapioplasta* (*nomen dubium*)

Plusiinae Boisduval, [1828]

- Phytometrinae author, date*
Plusiana author, date*

NOTE. Changes mostly follow the checklist of World Plusiinae by L. Ronkay (*Noctuidae Europaea* **10**: 155-161).

Abrostolini author, date***Abrostola** Ochsenheimer, 1816

- Asclepiostola* Beck, 1991
Habrostola; Sodoffsky, 1837
Injuridia Butler, 1879
Trigeminostola Beck, 1991
Uncia Lhomme, 1929
brevipennis (Walker, 1858) *Xylina*
brevipennis nairobiensis Dufay, 1958
oculea Dufay, 1958
triopsis Hampson, 1902
bicyclata (Gaede, 1915) *Perigea*

Argyrogrammatini author, date***Plusiotricha (Plusiotricha)** Holland, 1894

- fletcheri* Dufay, 1972

- gorilla* (Holland, 1894) *Plusia*

- livida** Holland, 1894

Trichoplusia McDunnough, 1944

- ni ni* (Hübner, [1803]) *Noctua*
extrahens (Walker, [1858]) *Plusia*
significans (Walker, [1858]) *Plusia*

Trichoplusia *sensu lato*

- arachnoides* (Distant, 1901) *Plusia*
aranea (Hampson, 1909) *Plusia*
callista Dufay, 1972
cupreomicans (Hampson, 1909) *Plusia*

NOCTUOIDEA

- epicharis* Dufay, 1972
glycea Dufay, 1972
roseofasciata (Carcasson, 1965) *Plusia*
sestertia (Felder & Rogenhofer, 1874) *Plusia*
mapongua (Holland, 1894) *Plusia*
tetrastrigma (Hampson, 1910) *Plusia*
- Thysanoplusia (Thysanoplusia)*** Ichinose, 1973
ablusa (Felder & Rogenhofer, 1874) *Plusia*
acosmia (Dufay, 1972) *Trichoplusia*
angulum (Guenée, 1852) *Plusia*
asaphaea (Dufay, 1977) *Trichoplusia*
capnista (Dufay, 1972) *Trichoplusia*
clarki (Hampson, 1900) *Plusia*
clarci; Hampson, 1910 *Plusia*
laportei (Dufay, 1972) *Trichoplusia*
orichalcea (Fabricius, 1775) *Noctua*
aurifera (Hübner, [1813]) *Noctua*
chrysitina (Martyn, 1797) *Noctua*
orychalcea Hübner, [1803] *Noctua* (unjustified emendation)
spoliata (Walker, [1858]) *Plusia*
lunata auct. *Plusia*
violascens (Hampson, 1913) *Phytometra*

- Thysanoplusia (Daubeplusia)*** Beck, 1991
indicator (Walker, [1858]) *Plusia*
g-roseum (Guenée, 1862) *Plusia*

- ? Subgenus ('*Thysanoplusia*' s.l.)
chalcedona (Hampson, 1902) *Plusia*
calcedona; Janse, 1917 *Phytometra*
distalagma (Hampson, 1913) *Phytometra*
rectilinea (Wallengren, 1856) *Plusia*
geminipuncta (Hampson, 1902) *Plusia*

- ? Subgenus ('*Thysanoplusia*' s.l.)
exquisita (Felder & Rogenhofer, 1874) *Plusia*
exquissitella (Strand, 1917) *

- Ctenoplusia (Ctenoplusia)*** Dufay, 1970
accentifera (Lefèvre, 1827) *Plusia*
accifera; Gaede, 1937 *Phytometra*
l-aureum (Freyer, 1831) *Plusia*
aenescens (Prout, A.E., 1921) *Plusia*
ambydra Dufay, 1972
astrapaea Dufay, 1972
caelata Dufay, 1972
dorfmeisteri (Felder & Rogenhofer, 1874) *Plusia*
rhodochrysa (Joannis, 1906) *Plusia*
siculifera (Holland, 1894) *Plusia*
euchroa (Hampson, 1918) *Phytometra*
euchroides (Carcasson, 1965) *Plusia*
fracta (Walker, 1858) *Plusia*
furcifera (Walker, [1858]) *Plusia*
baboomi (Bethune-Baker, 1906) *Plusia*
mutans (Walker, 1865) *Plusia*
polisha (Strand, 1920) *Phytometra*
guenei (Wallengren, 1856) *Plusia*
microstigma (Hampson, 1910) *
lavendula (Hampson, 1902) *Plusia*
limbirena (Guenée, 1852) *Plusia*
melanocephala (Möschler, 1883) *Plusia*
ogovana (Holland, 1894) *Plusia*
phoecea (Hampson, 1910) *Plusia*
phoeceoides Dufay, 1972
polycampta Dufay, 1972
scoteina Dufay, 1972

- ? Subgenus ('*Ctenoplusia*' s. l.)
molybdina (Dufay, 1968) *Plusia*

- ? Subgenus ('*Ctenoplusia*' s. l.)
vittata (Wallengren, 1856) *Plusia* *to *Vittaplusia teste* Hacker
commidendri (Wollaston, 1879) *Abrostola* (as *Habrostola*)
transfixa; Janse, 1917 *Phytometra*
transfina; Walker, 1858 *Abrostola*
transfixa (Walker, [1858]) *Abrostola*

- Stigmoplusia*** Dufay, 1970
*chalcooides** (Dufay, 1968) *Plusia*
paraplesia Dufay, 1972

- Plusiopalpa*** Holland, 1894
*dichora** Holland, 1894

- Argyrogramma*** Hübner, 1823
signata (Fabricius, 1775) *Noctua*
diminuta (Walker, 1865) *Plusia*
hainanensis Chou & Lu, 1979

- Chrysodeixis*** Hübner, [1821]
Chrysodeicis; Hübner, [1826]
Chrysodeixia; Dyar, 1902
Chrysodixis Agassiz, [1847] (unjustified emendation)
Neoplusia Okano, 1963
Pseudoplusia McDunnough, 1944
Shensiplusia Chou & Lu, 1974

- Chrysodeixis (Chrysodeixis)*** Hübner, [1821]
acuta (Walker, 1858) *Plusia*
furihatai (Okano, 1963) *Neoplusia*
nigribursa (Chou & Lu, 1974) *Shensiplusia*
*chalcites** (Esper, 1789) *Phalaena Noctua*
adjuncta (Walker, 1865) *Plusia*
bengalensis (Rossi, 1794) *Noctua*
buchholzi (Plötz, 1880) *Plusia*
chalcitis; Hübner, 1821 *Chrysodeixis*
chalcutes auct. *Plusia*
chalcytis; Hübner, 1790 *Noctua*
chalsites; Wallengren, 1856 *Plusia*
chalsitis; Hübner, 1802 *Noctua*
chalytes; Treitschke, 1816 *Noctua*
chalsytis; Hübner, 1790 *Noctua*
cohaerens (Schultz, 1907) *Plusia*
integra (Walker, [1858]) *Plusia*
quaestionis (Fabricius, 1794) *Noctua*
verticillata (Guenée, 1852) *Plusia*

- Chrysodeixis (Pseudoplusia)*** McDunnough, 1944
dalei (Wollaston, 1879) *Plusia*

Plusiini author, date*

- Syngrapha*** Hübner, [1821]
Aingrapha Beck, 1991
Caloplusia Smith, 1884
Cornutiplusia Kostrowicki, 1961
Palaeographa Kljutshko, 1983
circumflexa (Linnaeus, 1767) *Phalaena Noctua*
graphica (Herrich-Schäffer, [1851]) *Plusia*
lunata (Fabricius, 1787) *Noctua*
patefacta (Walker, [1858]) *Plusia*
reticulata (Moore, 1882) *Plusia*

Plusiinae incertae sedis

- Plusia*** auct.
argyrodonta Hampson, 1910

Incertae sedis within Noctuidae

- Parca*** Saalmüller, 1891
africarabia Wiltshire, 1986

*to add likely new synonymy with *Phlogophora* (see e-mail by Legrain)

NOCTUOIDEA**EREBIDAE** Leach, 1815 * or Hampson, 1893?**Scoliopteryginae** author, date***Anomini** author, date***Anomis** Hübner, [1821]*Amarna* Walker, [1857]*Anomus* Agassiz [1847] (unjustified emendation)*Capitaria* Walker, 1869*Cosmophila* Boisduval, 1833*Deinopalpus* Holland, 1894*Deremma* Walker, 1865*Gonepteronia*; Kenrick, 1917*Gonitis* Guenée, 1852*Gonopterona* Bethune-Baker, 1906*Gonotis*; Moore, 1882*Molopa* Swinhoe, 1902*Ristra* Walker, 1858*Rusicada* Walker, [1858]*Scoedisa* Walker, [1858]*Tiridata* Walker, 1865*bidentata* (Hampson, 1910) *Cosmophila**capensis* (Gaede, 1940) *Deinopalpus**flava* (Fabricius, 1775) *Noctua**auragooides* (Guenée, 1852) *Cosmophila**aurantiaca* (Prittewitz, 1867) *Cosmophila**aurigoides*; Pinhey, 1975 *Cosmophila**edentata* (Walker, 1857) *Cirroedia**fimбриago* (Stephens, 1829) *Xanthia**indica* (Guenée, 1852) *Cosmophila**serrata* Barnes & McDunnough, 1913*stigmatizans* (Fabricius, 1775) *Noctua**variolosa* (Walker, 1857) *Cirroedia**xanthindyma* (Boisduval, 1833) *Cosmophila**xanthyndima* auct. *Cosmophila**fulvida* Guenée, 1852*albipuncta* Snellen, 1880*cuprina* Walker, 1865*guttanivis* (Walker, [1858]) *Gonitis**inducens* (Walker, [1858]) *Gonitis**nagaloa* (Mabille & Vuillot, [1890]) *Euperia**leona* (Schaus & Clements, 1893) *Gonitis**africana* (Holland, 1894) *Deinopalpus**luperca* Möschler, 1883*microdonta* Hampson, 1926*polymorpha* Hampson, 1926*sabulifera* (Guenée, 1852) *Gonitis**marginata* (Holland, 1894) *Gonitis**propinquaa* (Butler, 1884) *Gonitis**simulatrix* (Walker, 1865) *Deremma**olivacea* Saalmüller, 1891*subrosealis* (Walker, [1866]) *Herminia***Rivulinae** author, date***Rivula** Guenée, [1845]*Cholimma* Walker, [1863]*Motina* Walker, 1863*Pasira* Moore, 1882 (preoccupied)*Paurosceles* Turner, 1945*Rhzunda* Walker, 1866*Rivulana* Bethune-Baker, 1911*lophosoma* Hampson, 1926*parallela* (Hampson, 1902) *Baniana**vicarialis* Walker, [1866] *also listed as a syn. under *Evergestis***Anobinae** author, date***Anoba** Walker, 1858 OPHI*Baxagha* Walker, 1865*Bessacta* Warren, 1912*Galapha* Walker, 1858*Tephrias* Wallengren, 1860*angulilinea* (Holland, 1894) *Hypospila**unipuncta* (Hampson, 1902) *Baniana**atripilaga* (Walker, 1858) *Toxocampa**anguliplaga* (Walker, 1858) *Galapha**remota* (Wallengren, 1860) *Toxocampa**atripuncta* (Hampson, 1902) *Baniana**disjuncta* (Walker, 1865) *Mocis**hamifera* (Hampson, 1902) *Baniana**microloba* Hampson, 1926*phaeotermesia* Hampson, 1926*plumipes* (Wallengren, 1860) *Tephrias**serpentina* (Walker, 1865) *Baxagha***Baniana** Walker, 1858*arvorum* (Guenée, 1852) *Microphysa**recussa* Distant, 1898*culminifera* Hampson, 1910**Deinopa** Walker, 1856*Asthana* Walker, 1862*Poesula* Walker, 1858*Rethma* Walker, 1866*flavida* Hampson, 1926**Marcipa** Walker, 1855*Birtha* Walker, 1865*alternata* Gaede, 1939*carcassoni* Pelletier, 1975*heterospila* (Hampson, 1910) *Baniana**mediana* Hampson, 1926*phaeodonta* Hampson, 1926*pyramidalis* (Hampson, 1910) *Baniana***Plecoptera** Guenée, 1852 OPHI*Biregula* Saalmüller, 1891*Carteia* Walker, [1863]*Plecopteroides* Strand, 1918*annexa* (Distant, 1898) *Thermesia**arctinotata* (Walker, 1865) *Poaphila**biguttata* (Walker, 1865) *Poaphila**aspila* Hampson, 1910*chalciopae* Strand, 1918 (as *Plecoptera (Plecopteroides)*)*chaciope*; Poole, 1898 *Plecoptera**flaviceps* (Hampson, 1902) *Baniana**infuscata* Hampson, 1910*laniata* Hampson, 1910*melalepis* Hampson, 1910*melanoscia* Hampson, 1926*misera* (Butler, 1883) *Aphantala**tandoana* (Bethune-Baker, 1911) *Acantholipes**ovaliplaga* (Warren, 1914) *Naarda**poderis* (Wallengren, 1863) *Herminodes**punctilineata* Hampson, 1910*puncilinata*; Vári & Kroon, 1986 *Plecoptera**resistens* (Walker, 1858) *Heliothis**resistans*; Poole, 1898 *Plecoptera**rufirena* (Hampson, 1902) *Acantholipes**sarcistis* Hampson, 1910*stuhlmanni* (Pagenstecher, 1893) *Microphysa**thermozona* Hampson, 1910*trichophora* Hampson, 1910*tripalis* (Wallengren, 1863) *Bocula**zonaria* (Distant, 1898) *Delgamma***Hypeninae** author, date**Polypogoninae***Britha** Walker, [1866]*Hypsemeia* Hampson, 1893*Hypsemia*; Poole, 1989*brithodes* Fletcher, D.S., 1961**Ceraptila** Guenée, 1854*reniferalis** Guenée, 1854*megaproctis* (Hampson, 1902) *Hypena***Dichromia (Ametropalis)** Mabille, 1884*Eugorna* Holland, 1894*mutilata* *mutilata* (Strand, 1909) *Orixa**albistrigata* (Laporte, 1991) *Ametropalis**effusa* (Prout, A.E., 1927) *Orixa***Dichromia (Camphypena)** Prout, A.E., 1927*erastrialis* (Walker, [1866]) *Hypena**velatipennis* (Butler, 1875) *Hypena**erastrialis*; Janse, 1917 *Hypena**mesomelaena* (Hampson, 1902) *Hypena**semlikiensis* (Prout, A.E., 1921) *Hypena*

NOCTUOIDEA

- tolmeta* (Prout, A.E., 1925) *Hypena*
- Hydrillodes** Guenée, 1854
Bibacta Moore, 1882
Cellacrinata Bethune-Baker, 1908
Echana Walker, [1859]
Olybama Walker, [1859]
Ragana Swinhoe, 1900
bryophilooides (Butler, 1876) *Diomea*
*lentalis** Guenée, 1854
hemusalis Walker, [1859]
latifascialis Walker, [1859]
metisalis Walker, [1859]
moloalis Walker, [1859]
momusalis Walker, [1859]
uliginosalis Guenée, 1854
cleobialis (Walker, [1859]) *Gizama*
thelephusalis (Walker, [1859]) *Olybama*
thelphusalis; Pinhey, 1975 *Olybama*
- Hypena** Schrank, 1802 *sensu lato*
Anepischetos; McDunnough, 1938
Anepischetos Smith, 1900
Apanda Moore, 1882
Badausa Walker, [1863]
Bomolocha Hübner, [1825]
Erichila Billberg, 1820
Euhypena Grote, 1873
Herpyzon Hübner, 1822
Hypaena; Lucas, 1895
Hypoena; Lucas, 1895
Hypoepa Leech, 1889
Lomanaltes Grote, 1873
Macrhypena Grote, 1873
Mathura Moore, 1882
Meghypena Grote, 1873
Nesamiptis Meyrick, 1899
Obesypena Beck, 1996
Peliala Walker, 1865
Placerobela Turner, 1903
Plathypena Grote, 1873
Rostrypena Beck, 1996
- Hypena (Conscitalypena)** Lödl, 1994
conscitalis Walker, [1866]
semilutea (Snellen, 1872) *Xanthoptera*
strigatalis Saalmüller, 1880
- Hypena (Hypena)** Schrank, 1802
cherylae Lödl, 1995
cinctipedalis Zeller, 1852
obacerralis Walker, [1859]
comes Butler, 1882
ferriscitalis Walker, [1866]
longipalpalis Guenée, 1862
obacenalis; Saalmüller, 1891 *Hypena*
obaceralis auct. *Hypena*
obacervalis; Schaus & Clements, 1893 *Hypena*
sordida Rothschild, 1921
polycyma Hampson, 1902
senialis Guenée, 1854
potamistis Hampson, 1902
striolalis Aurivillius, 1910
reticulata Bethune-Baker, 1911
varialis Walker, [1866]
contortalis Mabille, 1880
vulgatalis Walker, [1859]
disclusalis Walker, [1866]
palpitralis Walker, [1859]
- Hypena (Jussalypena)** Lödl, 1994
abyssinalis Guenée, 1854
abyssinalis auct. *Hypena*
dispunctalis Walker, [1866]
fumidalis Zeller, 1852 (*nomen dubium*)
ignotalis Walker, [1859] *Hypena*
heleneae Berio, 1972
holophaea Hampson, 1902
jussalis Walker, [1859]
juxtalis; Pinhey, 1975 *Hypena*
laceratalis Walker, [1859]
acrocompsa Turner, 1932
- hemigrammalis* Mabille, 1880
senectalis Guenée, 1862
puncticosta Prout, A.E., 1925
- Hypena (Ophiuche)** Hübner, [1825]
lividalis (Hübner, 1790) *Pyralis*
abjuralis Walker, [1859]
bipartita (Smith, 1900) *Anepischetos*
diagonalis (Fabricius, 1794) *Pyralis*
dimeralis (Rossi, 1792) * orig. comb.?
perna Felder & Rogenhofer, 1874
scissalis Walker, [1866]
simplicalis Zeller, 1852
tabjuralis; Lödl, 1994 *Hypena*
neoplyta Prout, A.E., 1925
aequabilis Prout, A.E., 1927
- Hypena (Pseudodichromia)** Lödl, 1994
laetaliaior Lödl, 1995
laetalis Walker, [1859]
ectoglaucha Hampson, 1902
laetitis; Lödl, 1995 *Hypena*
lyperalis Mabille, 1880
- Hypena (Tetrastictypena)** Lödl, 1994
tetrastricta Hampson, 1910
- Hypena (Trichypena)** Joannis, 1915
fusculalis Saalmüller, 1891
leucosticta Bethune-Baker, 1909
melanistis Hampson, 1902
- Phanaspa** Walker, [1866]
aegonalis (Walker, [1859]) *Hypena*
derasalis (Guenée, 1854) *Hypena*
*dilatatalis** Walker, [1866]
dilatalis; Hampson, 1902 *Phanaspa*
namaqualis (Guenée, 1854) *Hypena*
- Rhynchina** Guenée, 1854
Proluta Saalmüller, 1863 *to check
Zekelita Walker, 1863 *vide infra
canestriata (Hacker, 2004) *Zekelita*
coniodes Vári, 1962
equalisella (Walker, 1863) *Zekelita*
caesa Distant, 1898
leucodontia Hampson, 1910
pernivosa Hacker, 2014
perangulata Hampson, 1916
poeциlopa Vári, 1962
poliopera Hampson, 1902
ituriensis Prout, A.E., 1921
revolutalis (Zeller, 1852) *Hypena*
angulalis (Mabille, 1880) *Hypena*
staudei Hacker, 2013
tinctalis (Zeller, 1852) *Hypena*
albistriga (Mabille, 1900) *Hypena*
echionalis (Walker, [1859]) *Hypena*
- Rhynchodontodes** Warren, 1913
antistropha (Vári, 1962) *Rhynchina*
- Sarmatia** Guenée, 1854
Ricla Walker, 1869
Suma Walker, [1866]
*interitalis** Guenée, 1854
aemusalis (Walker, 1862) *Hypena*
incongrualis (Walker, [1866]) *Suma*
- Schrankia** Hübner, [1825]
Hypendalia Berio, 1962
namibiensis Hacker, 2004
scopariooides Hacker, 2004
- Tetracme** Hampson, 1902
*truncataria** (Walker, 1861) *Erosia*
- Zekelita** Walker, 1863 *to confirm status vs. *Rhynchina*
glaucovittata Hacker, 2019
- Lymantriinae** Hampson, 1893 *or Hampson, 1903?
Former family synonyms:

NOCTUOIDEA

DASYCHIRIDAE author, date*

HYPOGYMNIDAE

LARIIDAE

LEUCOMIDAE

LIPARIDAE

ORGYIIDAE

To allocate genera to tribes: Arctornithini (), Lymantriini (), Leucomini (), Nygmiini, Orgyiini (). Others?

Aroa Walker, 1855*Arva*; Grünberg, 1913*Caenina* Felder, 1861*Cladophora* Geyer, 1832*Gynaephora* Hübner, [1819]*Gynophora* Agassiz, 1847 (unjustified emendation)*Ornithopsyche* Wallengren, 1863***anthora*** (Felder, 1874) *Ornithopsyche****difficilis*** Walker, 1865***discalis**** Walker, 1855*hypoxantha* (Wallengren, 1863) *Ornithopsyche**ochraceata* Walker, 1865*signata* Walker, 1865*xanthopopteros* (Wichgraf, 1921) *Euproctis****melanoleuca*** *melanoleuca* Hampson, 1905***quadrimaculata*** (Janse, 1915) *Ornithopsyche****Barlowia*** Talbot, 1929***charax*** (Druce, 1896) *Neurophana****Bazisa*** Walker, 1865*Baziza*; Hampson, [1893]***transmutata*** Mey, 2007***Bicelluphora*** Janse, 1915*Bicellulophora*; Pinhey, 1975***argentea**** Janse, 1915***Bracharoa*** Hampson, 1905***dregei*** (Herrich-Schäffer, 1854) *Orgyia**degrei*; Pinhey, 1978 *Bracharoa****mixta*** (Snellen, 1872) *Orgyia**vetusta* (Hampson, 1910) *Orgyia****quadripunctata**** (Wallengren, 1875) *Orgyia**bistigmigera* (Butler, 1897) *Aroa**quadripuncta*; Janse, 1915 *Bracharoa****tricolor*** (Herrich-Schäffer, 1856) *Orgyia****Chrysocyma*** Hampson, 1905***mesopotamia**** Hampson, 1905***Cimola*** Walker, 1855***opalina**** Walker, 1855*thymiathis* (Druce, 1883) *Anomoeotes**thymiasis*; Pinhey, 1975 *Anomoetes**thymiatis*; Bryk, 1934 *Cimola****Creagra*** Wallengren, 1865*Creaga*; Janse, 1917*Leucoperina* Aurivillius, 1909***liturata**** (Guérin-Méneville, [1844]) *Orgyia**aliena* (Wallengren, 1860) *Laelia**dealbata* (Herrich-Schäffer, 1854) *Liparis****Crorepa*** Walker, 1855***phlebitis*** (Hampson, 1905) *Laelia****sericea*** (Hampson, 1910) *Laelia**cericea*; Janse, 1917 *Crorepa****stilpnaroma*** Hering, M., 1926***testacea**** Walker, 1855***Crorema*** Walker, 1855***adspersa*** (Herrich-Schäffer, 1854) *Laelia**prolixa* (Wallengren, 1860) *Laelia****fulvinotata*** (Butler, 1893) *Olapa**bipunctata* (Wichgraf, 1921) *Euproctis**euproctoides* Hering, M., 1926***nigropunctata*** Collenette, 1931***setinoides*** (Holland, 1893) *Laelia**setinoides*; Bryk, 1934 *Crorema**setinoides*; Hering, M., 1926 *Laelia****Dicranuropsis*** Felder, 1874*vilis** Felder, 1874***Eudasychira*** Möschler, 1887***georgiana*** *georgiana* (Fawcett, 1900) *Dasychira****metathermes*** (Hampson, 1905) *Dasychira**methathermes*; Hering, M., 1927 *Dasychira**xanthochroma* (Hering, M., 1926) *Dasychira****poliotis*** (Hampson, 1910) *Dasychira**polia* (Hering, M., 1926) *Dasychira****proleprota*** (Hampson, 1905) *Dasychira**greeni* (Janse, 1915) *Dasychira****Euproctis*** Hübner, [1819] *gender: masc.*Adulilia* Walker, 1865*Antiphia* Walker, 1855*Arna* Walker, 1855*Artaxa* Walker, 1855*Bembina* Walker, 1865*Chionophasma* Butler, 1886*Chaerotricha* Butler, 1881*Choerotricha* Felder, 1874 (replacement name)*Cozola* Walker, 1865*Epeuprotis* Matsumura, 1933*Ela* Walker, 1862*Euphrostis*; Lucas, 1890*Gogana* Walker, 1866 (preoccupied)*Gogane*; Butler, 1878*Lacida* Walker, 1855*Lopera* Walker, 1855*Meteuprotis* Matsumura, 1927*Micromorphe* Felder, 1874*Nygma* Hübner, [1820]*Ocybola* Turner, 1912*Orvasca* Walker, 1865*Porthesia* Stephens, 1828*Somena* Walker, 1856*Themaca* Walker, 1865*Urocoma* Herrich-Schäffer, [1858]*Utidava* Walker, [1863]***aethiopica*** Snellen, 1872*natalensis* (Janse, 1915) *Porthesia****beato*** Bryk, 1934 (replacement name)*distincta* Wichgraf, 1921 (preoccupied)*distanti*; Hering, M., 1926 *Euproctis****bicolor*** Janse, 1915***consocia*** Walker, 1865*modesta* Schaus & Clements, 1893***crocata*** (Boisduval, 1847) *Liparis**cateja* (Wallengren, 1860) *Hypogymna**crocota*; Hering, M., 1926 *Euproctis****crocosticta*** Hampson, 1905*dewitzii* (Grünberg, 1907) *Porthesia****flavincincta*** Janse, 1915***haemodetes*** Hampson, 1905***hardenbergia*** (Janse, 1915) *Porthesia****iridescentis*** Janse, 1915*iredescens*; Bryk, 1934 *Euproctis****melanura*** (Wallengren, 1860) *Hypogymna****nigripunctata*** Janse, 1915***nigropunctatum*** Kühne, 2010***pallida*** *pallida* (Kirby, 1896) *Cropera****punctifera*** (Walker, 1855) *Aroa**gaudens* (Walker, 1865) *Lopera****rufopunctata*** (Walker, 1862) *Lymantria**rufopunctata*; Janse, 1915 *Euproctis****sanguigutta*** Hampson, 1905*sanguigutta*; Janse, 1915 *Euproctis****straminicolor*** Janse, 1915*stramenicolor*; Janse, 1917 *Euproctis****subalba*** (Janse, 1915) *Porthesia**subalba*; Hering, M., 1927 *Porthesia****terminalis*** (Walker, 1855) *Aroa**mesozona* Hampson, 1905***Euproctoides*** Bethune-Baker, 1911***ertli*** Wichgraf, 1921***Griveaudyria*** Viette, 1984 (replacement name)*Lemuriana* Griveaud, [1976] (preoccupied)***cangia*** (Druce, 1887) *Dasychira**congia*; Holland, 1893 *Dasychira****ila*** (Swinhoe, 1904) *Dasychira*

NOCTUOIDEA

Hemerophanes Collenette, 1953 (replacement name)
Dasycampa Janse, 1915 (preoccupied)
diatoma (Hering, M., 1926) *Dasychira*
flammeola (ssp. of *libyra*) (Distant, 1899) *Heteronygmia*
libyra flammeola (Distant, 1899) *Heteronygmia*
*ianthina** (Janse, 1915) *Dasycampa*

Heteronygmia Holland, 1893
dissimilis Aurivillius, 1910

Homochira Hampson, 1905
*rendalli** (Distant, 1897) *Dasychira*

Homoeomeria Wallengren, 1865
Homalomeria; Strand, 1910
Redoa Swinhoe, 1922
*flavicapilla** (Wallengren, 1860) *Leucoma*
nivea Aurivillius, 1909

Knappetra Nye, 1980 (replacement name)
Cataphractes Felder, 1874
Dulichia Walker, 1855 (preoccupied)
Pigetera; Swinhoe, 1923
Pygetera Kirby, 1892
arenacea (Linnaeus, 1767) *Bombyx*
boldingii auct. *Pygetera*
holdingii (Felder, 1874) *Cataphractes*
squamosa (Walker, 1855) *Euproctis*
*fasciata** *stellata* (Distant, 1897) *Euproctis*
angolae (Bethune-Baker, 1911) *Euproctis*
plana (Fawcett, 1915) *Euproctis*
squamipлага (Walker, 1869) *Artaxa*
torrida (Distant, 1897) *Euproctis*
stellata (ssp. of *fasciata*) (Distant, 1897) *Euproctis*

Lacipa Walker, 1855
Microgymna Wallengren, 1865
bizonoides Butler, 1893
bizonides; Vári & Kroon, 1986 *Lacipa*
florida (Swinhoe, 1903) *Euproctis*
gemmata Distant, 1897
gracilis Hopffer, 1857
kottleri Kühne, 2010
nobilis nobilis (Herrich-Schäffer, 1855) *Panthea*
*picta** (Boisduval, 1847) *Liparis*
pulverea Distant, 1898
pubescens (Swinhoe, 1903) *Euproctis*
quadripunctata (Dewitz, 1881) *Lopera*
quadripuncta; Janse, 1917 *Lacipa*
quinquepunctata Distant, 1898
sarcistis Hampson, 1905
pactor (Hering, M., 1926) *Laelia*
sexpunctata Distant, 1897

Laelia Stephens, 1828
Anthora Walker, 1855 (preoccupied)
Charnida; Walker, 1855
Charnidas Walker, 1855
Harapa Moore, 1879
Hondella Moore, [1883]
Houdella; Swinhoe, 1923
Laelioides Moore, [1883]
Odagra Walker, 1865
Procodeca Walker, 1855
Prorodeca; Walker, 1855
Ricine Walker, 1855
actuosa Hering, M., 1926
albimaculata (Hering, M., 1926) *Dasychira*
amabilis Aurivillius, 1879
amata (Hering, M., 1926) *Dasychira*
amaura Hering, M., 1926
angustipennis (Walker, 1855) *Antheua*
atrilatata atrifilata (Hampson, 1905) *Dasychira*
aureus Janse, 1915
aurivillii (Hering, M., 1926) *Dasychira*
auririllii; Hering, M., 1926 *Dasychira*
basalis (Walker, 1855) *Argila*
basifurea (Walker, 1865) *Anthora*
batooides whitei (Druce, 1898) *Oecura*
bifascia Hampson, 1905
blasphemia xanthochroma (Hering, M., 1926) *Dasychira*
bonaberiensis (Strand, 1915) *Dasychira*
hildoides Holland, 1920

hildoides; Hering, M., 1926 *Dasychira*
hilooides; Holland, 1920 *Dasychira*
hiloides; Hering, M., 1930 *Dasychira*
bryophilina (Hampson, 1910) *Dasychira*
clarki Janse, 1915
confinis (Distant, 1899) *Dasychira*
curvivirgata (Karsch, 1895) *Dasychira*
gonophora (Swinhoe, 1903) *Dasychira*
danava (Schaus & Clements, 1893) *Aroa*
diascia infracta Bethune-Baker, 1911
escota (Hampson, 1905) *Dasychira*
escota; Bryk, 1934 *Dasychira*
escota auct. *Dasychira*
esthlopis (Collenette, 1953) *Dasychira*
extatura (Distant, 1897) *Dasychira*
satanas (Hering, M., 1926) *Dasychira*
extorta (Distant, 1897) *Dasychira*
hera (Druce, 1898) *Lymantria*
figlina Distant, 1899
fracta Schaus & Clements, 1893
fusca (Walker, 1855) *Anthora*
subviridis (Walker, 1865) *Boreconia*
tephra (Herrich-Schäffer, 1855) *Orgyia*
gephyra (Hering, M., 1926) *Dasychira*
gwelila (Swinhoe, 1903) *Dasychira*
haematica haematica Hampson, 1905
hampsoni (Hering, M., 1926) *Dasychira*
postfusca (Hampson, 1905) *Dasychira*
herbida (Walker, 1856) *Dasychira*
hughesi (Collenette, 1933) *Dasychira*
infracta (ssp. of *diascia*) Bethune-Baker, 1911
janenschii Hering, M., 1926
lavia Swinhoe, 1903
perbrunnea Hampson, 1910
leucostigmata (Hering, M., 1926) *Dasychira*
lunensis (Hampson, 1905) *Dasychira*
marginepunctata Bethune-Baker, 1908
nepheloptera (Hampson, 1910) *Euproctis*
mediofasciata (Hering, M., 1926) *Dasychira*
melaxantha (Walker, 1865) *Orgyia*
municipalis (Distant, 1897) *Dasychira*
diffusa (Distant, 1897) *Lacipa*
nigripulverea Janse, 1915
nubifuga (Holland, 1893) *Dasychira*
octophora (Hampson, 1905) *Dasychira*
phenax (Collenette, 1932) *Dasychira*
pheosia (Hampson, 1910) *Dasychira*
phaeosia; Bryk, 1934 *Dasychira*
pluto (Hering, M., 1926) *Dasychira*
postpura (Hampson, 1905) *Dasychira*
pulcherrima (Hering, M., 1926) *Dasychira*
punctifera (Walker, 1858) *Erastria*
punctulata (Butler, 1875) *Lopera*
pyrosoma (Hampson, 1910) *Dasychira*
ursina (Hering, M., 1926) *Dasychira*
robusta Janse, 1915
rocana rocana (Swinhoe, 1906) *Orgyia*
rosea Schaus & Clements, 1893
rubrifilata (Hampson, 1905) *Dasychira*
subrosea (Walker, 1855) *Anthora*
subrufa Snellen, 1872
subviridis Janse, 1915
swinnyi Janse, 1915
thanatos (Hering, M., 1926) *Dasychira*
whitei (ssp. of *batooides*) (Druce, 1898) *Oecura*
whytei; Pinhey, 1975 *Laelia*
xanthochroma (ssp. of *blasphemia*) (Hering, M., 1926) *Dasychira*
xyleutes Hampson, 1905
xyleutes auct. *Laelia*
Laelioproctis Hering, M., 1926
leucosphena Collenette, 1939
Lepidopalpus Janse, 1915
*hyalina** Janse, 1915
Leptaraoa Hampson, 1910
paupera Hering, M., 1926
Leucoma Hübner, 1822 (replacement name)
Laria Schrank, 1802 (preoccupied)
Leucosia Rambur, 1866 (preoccupied)
Nymphixis Grote, 1895

NOCTUOIDEA

- Stilpnobia* Westwood, 1843
ogovensis (Holland, 1893) *Stilpnobia*
nitida (Swinhoe, 1903) *Stilpnobia*
parva (Plötz, 1880) *Stilpnobia*
albifrons Bethune-Baker, 1911
aurifrons (Möschler, 1887) *Stilpnobia*
- Lymantica* Colenette, 1936
cidariensis Kühne, 2010
- Lymantria* Hübner, [1819]
Barhona Moore, 1879
Enome Walker, 1855
Hypogymna; Hemming, 1937
Hypogymna Billberg, 1820
Hypogymnia; Hübner, [1825]
Nagunda Moore, 1879
Pagella; Kozhanchikov, 1950
Pegella Walker, 1866
Porthetria Hübner, [1819]
Psilura Stephens, 1828
Pyramocera Butler, 1880
Sericaria Berthold, 1827
disparina (Hering, M., 1926) *Aclonophlebia*
kettlewelli Collenette, 1953
tacita Hering, M., 1927
- Marblepsis* Hering, M., 1926
flabellaria (Fabricius, 1787) *Phalaena*
crocicollis (Herrich-Schäffer, 1854) *Antiphella*
flabellaris; Janse, 1917 *Olapa*
temperata (Walker, 1855) *Olapa*
temporata; Janse, 1915 *Olapa*
vecontia (Druce, 1899) *Antiphella*
melanocraspis (Hampson, 1905) *Redoa*
- Micraroa* Hampson, 1905
minima Janse, 1915
*rufescens** Hampson, 1905
- Morasa* Walker, 1855
Sarothropyga, Felder, 1874
*modesta** Walker, 1855
rhodopepla (Felder, 1874) *Sarothropyga*
- Naroma* Walker, 1856
Hysibada Walker, 1865
Woerdenia Snellen, 1872
Zarfa Walker, 1869
varipes (Walker, 1865) *Hysibada*
mabilli (Rochenbrune, 1884) *Dasychira*
signifera Walker, 1856
weyenberghi (Snellen, 1872) *Woerdenia*
- Ogoa* Walker, 1856
*simplex** Walker, 1856
lutea (Grünberg, 1907) *Pirga*
perfasciata (Wichgraff, 1913) *Pirga*
- Olapa* Walker, 1855
Antiphelea; Lucas, 1900
Antiphella Walker, 1856
Pseudogenusa Rebel, 1914
fulviceps Hampson, 1910
nigricosta nigricosta Hampson, 1905
- Palasea* Wallengren, 1863
*albimacula** Wallengren, 1863
mosera (Druce, 1898) *Lymantria*
- Paraproctis* Bethune-Baker, 1911
chionopeza Collenette, 1954
- Penthophera* Germar, 1812 (replacement name)
Erasta Gistl, 1848 (replacement name for *Liparis* Ochsenheimer)
Hipogymna Hübner, [1806] (unavailable)
Liparis Ochsenheimer, 1810 (preoccupied)
Liparus Harris, 1841 (preoccupied)
Penthophora; Walker, 1855
Pentophora; Neave, 1940
Pentophora; Heylaerts, 1884
lutea (Boisduval, 1847) *Liparis*
subfusca (Boisduval, 1847) *Liparis*
- Pirga* Aurivillius, 1891
pellucida Wichgraff, 1921
transvalensis Janse, 1915
- Pirgula* Tessmann, 1921
atrinotata (Butler, 1896) *Antiphella*
*decempunctata** Tessmann, 1921
- Pirgulina* Hering, M., 1926
*jordani** Hering, M., 1926
- Polymona* Walker, 1855
Oreinobia Wallengren, 1865
*rufifemur** *rufifemur* Walker, 1855
lorimeri (Butler, 1878) *Morasa*
scurrilis (Wallengren, 1860) *Psilura*
- Porthesaroa* Hering, M., 1926
maculata Collenette, 1938
meyi Dall'Asta, 2004
- Psalis* Hübner, 1823
Anchyneura Felder, 1861
Aresta; Swinhoe, 1923
Arestha Walker, 1855
africana Kiriakoff, 1956
- Pseudobazisa* Bryk, 1934
*perculta** (Distant, 1897) *Aroa*
- Pteredoa* Hampson, 1905
monosticta (Butler, 1898) *Lopera*
*plumosa** Hampson, 1905
subapicalis Hering, M., 1926
usebia (Swinhoe, 1903) *Leucoma*
usebia; Janse, 1915 *Pteredoa*
- Repena* Walker, 1855
fusca Walker, 1856
- Rhypopteryx* Aurivillius, 1879
Rhypopterix; Hering, M., 1927
chera (ssp. of *diplogramma*) Hering, M., 1927
diplogramma chera Hering, M., 1927
diplogramma diplogramma Hering, M., 1927
hemichrysa Collenette, 1960
lugardi (Swinhoe, 1903) *Lymantria*
lugordi; Hering, M., 1926 *Aclonophlebia*
psolozona (Collenette, 1938) *Aclonophlebia*
rhodalipha (Felder, 1874) *Arctia*
rodophilà; Hering, M., 1926 *Aclonophlebia*
tesellata; Bryk, 1934 *Aclonophlebia*
tessellata; Hering, M., 1926 *Aclonophlebia*
tessellata (Distant, 1897) *Aclonophlebia*
rhoea (Hampson, 1905) *Aclonophlebia*
rubripunctata (Weymer, 1892) *Psilura*
rubripuncta; Hering, M., 1926 *Aclonophlebia*
*sordida** Aurivillius, 1879
rhodocraspeda (Collenette, 1960) *Polymona*
triangulifera (Hampson, 1910) *Aclonophlebia*
- Ruanda* Strand, 1909
aetheria Strand, 1909*
furva (Hampson, 1905) *Olapa*
nuda (Holland, 1897) *Olapa*
- Sphrageidus* Maes, 1984
producta (Walker, 1863) *Euproctis*
depauperata (Mabille, 1880) *Porthesia*
- Stracena* Swinhoe, 1903
bananae (Butler, 1896) *Lymantria*
tavetensis (Holland, 1892) *Leucoma*
nigribasis (Janse, 1917) *Olapa*
telesilla (Druce, 1899) *Antiphella*
tellisilla; Swinhoe, 1922 *Sapelia*
- Tearosoma* Felder, 1874
*aspersum** Felder, 1874
daures Mey, 2007

NOCTUOIDEA

NO AVAILABLE GENUS

"Dasychira" Hübner, [1809]
plesia Collenette, 1938

Pangraptinae author, date*

Episparis Walker, [1857] OPHI
Epigrypodes Turner, 1936
Episparina Berio, 1964
Episparonia Berio, 1964
Neviasca Walker, [1859]
Pradiota Walker, 1866
leucotessellis Hampson, 1902
xanthographa Hampson, 1926

Gracilodes Guenée, 1852 OPHI
*caffra** Guenée, 1852
nysa Guenée, 1852

Pangrapta Hübner, 1818 OPHI
Marmorinia Guenée, 1852
Saraca Walker, [1866]
Stenozethes Hampson, 1926
melaclepta Hampson, 1926

Herminiinae author, date*

Ableptina Prout, A.E., 1927
nubifera (Hampson, 1902) *Pseudaglossa*

Alelimma Hampson, 1895
Hepsidera Swinhoe, 1902
pallicostalis Hampson, 1902

Bleptina Guenée, 1854
Anagoa Möschler, 1886
Opotura Walker, [1859]
frontalis Walker, 1862
intractalis Walker, 1862

Idia Hübner, [1813]
Camptychila Stephens, 1834
Cambylochila Agassiz, [1847] (unjustified emendation)
Epizeuxis Hübner, 1818
Helia Duponchel, 1845 (preoccupied)
Helia Guenée, 1854 (preoccupied)
Pseudaglossa Grote, 1874
Zenomia Dognin, 1914
auge (Hampson, 1902) *Pseudaglossa*
canofusca Hacker, Krüger & Mey, 2019
gigantalis (Hampson, 1902) *Pseudaglossa*
pulverea (Hampson, 1902) *Pseudaglossa*
undulinea Krüger, 2005

Naarda Walker, 1866
Eublemmara Bethune-Baker, 1911
Ptyophora Hampson, 1893
flavisignata Vári, 1962
flavisiquata; Vári, 1962 *Naarda*
leucopis Hampson, 1902
melanomma Hampson, 1902
melanomoides Krüger, 2005
xanthopis Hampson, 1902

Nodaria Guenée, 1854
Anitha Walker, [1866]
brachialis (Zeller, 1852) *Herminia*
externalis Guenée, 1854
cinerealis (Walker, [1866]) *Herminia*
cingala Moore, [1885]
indecisa (Walker, 1866) *Miana*
indistincta (Butler, 1880) *Hydrilloides*
levicula (Swinhoe, 1889) *Aginna*
melaleuca Hampson, 1902
nodosalis (Herrich-Schäffer, 1851) *Herminia*
aesopialis (Walker, [1859]) *Bocana*
aethiopalpis (Herrich-Schäffer, 1851) *Herminia*
hispanalis Guenée, 1854

Polypogon Schrank, 1802
Adrapoides Matsumura, 1925

Cleptomita Grote, 1873
Gryphopogon Beck, 1996
Herminea; Sodoffsky, 1837
Herminia Latreille, 1802
Hipoepa Walker, [1859]
Megachyta Grote, 1873
Mesoplectra Butler, 1879
Microphtha Berio, 1988
Pechipogo Hübner, [1825]
Pechipogon; Stephens, 1834
Pechypogon Agassiz, [1847] (unjustified emendation)
Pityolita Grote, 1873
Pogonitis Sodoffsky, 1837 (unnecessary replacement name)
Popypogon; Doubleday, 1850
Zanclognatha Lederer, 1857
caffrarium (Möschler, 1883) *Zanclognatha*
fractale (Guenée, 1854) *Herminia*
fractilis; Poole, 1989 *Polypogon*
invenustum (Swinhoe, 1890) *Zanclognatha*
pusillum (Butler, 1875) *Gonitis*
raptatale (Walker, [1859]) *Bertula*

Progonia Hampson, 1896
grisea (Hampson, 1905) *Alelimma*
luctuosa (Hampson, 1902) *Nodaria*
perarcuata (Hampson, 1902) *Nodaria*

Simplicia Guenée, 1854
Aginna Walker, 1865
Culicula Walker, [1863]
Libisosa Walker, [1859]
Nabartha Moore, [1885]
Nebartha; Poole, 1989
extinctalis (Zeller, 1852) *Herminia*
capalis (Walker, [1859]) *Sophronia*
inarcualis Guenée, 1854
inflexalis Guenée, 1854
telamusalis (Walker, [1859]) *Libisosa*

Hypenodinae Forbes, 1954

Hypenodes Doubleday, 1850 or Guené e, 1854*?
nigricolora Hacker, 2019

Aganainae author, date*
HYPSIDAE

Asota Hübner, [1819]
Aganais Boisduval, 1832
Antichera Snellen, 1896
Aspa Walker, 1854 (preoccupied)
Damalis Hübner, [1819]
Euimata Billberg, 1820
Hypsa Hübner, [1819]
Lacides Walker, 1854 (preoccupied)
Petalia Walker, 1854 (preoccupied)
Psephea Billberg, 1820
Pseudhypsa Kirby, 1892
[borbonica] (Boisduval, 1833) *Aganais*
antica (Walker, 1856) *Hypsa* [SA]
insularis (Boisduval, 1833) *Aganais*
iodamia (Herrich-Schäffer, 1854) *Aganais* [SA]
stipata (Walker, [1865]) *Hypsa*
speciosa (Drury, 1773) *Aganais*
aphidas (Hopffer, 1857) *Aganais*
conspicua (Swinhoe, 1903) *Aganais*

Digama Moore, [1860]
Bithra Walker, 1865
aganais (Felder, 1874) *Homoeognatha*
budonga Bethune-Baker, 1913
lithosioides Swinhoe, 1907
meridionalis meridionalis Swinhoe, 1907
ostentata Distant, 1899
spilleri (Bethune-Baker, 1908) *Creatonotos* (as *Creatonotus*)

Phaegorista Boisduval, 1836
Stemonoceras Karsch, 1895
*agaristoides** Boisduval, 1836
interrupta Strand, 1909
xanthosoma Hampson, 1910

NOCTUOIDEA

Soleo Walker, 1854
fumipennis Hampson, 1910
tripunctata Druce, 1896

Arctiinae Leach, 1815
 AMATIDAE
 CALLIMORPHIDAE
 CHELONIIDAE
 EMYDIIDAE
 EUCHELIIDAE *still to address synonyms

Lithosiini Billberg, 1820
 Endrosiniae
 Nudariinae

To assign genera to the following tribes:

Cisthenina Bendib & Minet, 1999

Siccia Walker, 1854
atriguttata Hampson, 1909
*caffra** Walker, 1854
nigropunctata (Wallengren, 1860) *Lithosia*
punctigera (Felder, 1874) *Melania*
eberti Kühne, 2007
melanospila Hampson, 1911
punctipennis (Wallengren, 1860) *Lithosia*
quilimania Strand, 1922
pustulata (Wallengren, 1860) *Lithosia*

Nudariina Börner, 1920

Asparus Watson, 1980 (replacement name)
Sarapus Walker, 1855 (preoccupied)
*bicolor** (Walker, 1855) *Sarapus*

Boadicea Tams, 1930
flavimacula Pinhey, 1968

Cyana (Australisine) Karisch, 2013
marshalli (Hampson, 1900) *Cyana*
rhodostriata (Hampson, 1914) *Cyana*

Cyana (Cornutivulpecula) Karisch, 2013
kruegeri (ssp. of *nyasica*) Karisch, 2013
nyasica kruegeri Karisch, 2013
rejecta (Walker, 1854) *Setina*
*bipunctigera** (Wallengren, 1860) *Lithosia*

Cyana (Idiovulpecula) Karisch, 2013
pretoriae pretoriae (Distant, 1897) *Bizone*

Cyana (Isine) Walker, 1854
ignifera Karisch, 2013

Cyana (Strigivulpecula) Karisch, 2013
capensis (Hampson, 1903) *Chionaema*
nemashisa Roesler, 1990

Cyana (Volitivulpecula) Karisch, 2013
natalensis Karisch, 2013
venusta Karisch, 2013

Miltochrista Hübner, [1819]
Ammatho Walker, 1855
Barsine Walker, 1854
Cabarda Walker, 1863
Calligenia Duponchel, [1845]
Castabala Walker, [1865]
Korawa Moore, 1878
Mahavira Moore, 1878
Miltochrysta; Humphreys & Westwood, 1841
Mittochrista; Walker, 1855
Sesapa Walker, 1854
rivilosa (Walker, 1854) *Siccia*

Ochrota Hopffer, 1862
Bettonia Butler, 1898
*unicolor** *unicolor* (Hopffer, 1857) *Crocota*
ferruginea (Butler, 1898) *Bettonia*
iminuta (Saalmüller, 1879) *Setina*
innominata (Saalmüller, 1880) *Setina*

quadripunctata (Walker, 1865) *Setina*
quinquepunctata (Mabille, 1899) *Megacraspedum*
rubriceps (Rogenhofer, 1891) *Lithosia*

Opsaroa Hampson, 1905
*fulvinota** Hampson, 1905

Paurophleps Hampson, 1900
Cycloptera Janse, 1964 (preoccupied)
Cyclopteraana Fletcher, D.S., 1982 (replacement name)
*minuta** Hampson, 1900
reducta (Janse, 1964) *Cycloptera*

Thumatha Walker, 1866
Comacula auct.
Dicenus Butler, 1897
Pelobrochis Lucas, 1892
Thumata; Draudt, 1914
africana (ssp. of *fuscescens*) Kühne, 2007
fuscescens africana Kühne, 2007
punctata Kühne, 2010

Tumicla Wallengren, 1863
Asuroides Durante, 2008
Tumida; Kirby, 1892
fulvia (Hampson, 1900) *Asura*
rubea (Durante, 2008) *Asuroides*
*sageneria** (Wallengren, 1860) *Setina*
faginaria (Wallengren, 1863) *Tumicla*
natalensis (Walker, 1865) *Barsine*
thumataeformis (Strand, 1912) *Asura*

Xanthetis Hampson, 1900
ichorina (Butler, 1877) *Sesapa*

Endrosina Börner, 1932

Setina Schrank, 1802
Endrosa Hübner, [1819]
Philea Zetterstedt, 1839
atrорadiata Walker, 1865
atrорadiella; Kirby, 1900 *Setina*

Lithosiina Stephens, 1829

[**Lithosiina** *sensu* Birket-Smith, 1965]

Archithosia (Archithosia) Birket-Smith, 1965
Architosia; Durante & Panzera, 2001a (misspelling)
*costimacula** (Mabille, 1878) *Paidia*
decipiens (Holland, 1893) *Sozusa*
quadripunctata (Rothschild, 1912) *Eilema* (as *Ilema*)

Bechuanosia Krüger, 2015
*nigrimargo** Krüger, 2015

Campter Krüger, 2015
*goniophorus** (Hampson, 1900) *Eilema* (as *Ilema*)
latefasciatus Krüger, 2016
obliquilinea Krüger, 2016
punctifascia Krüger, 2016

Campteropsis Krüger, 2016
*asaphogramma** Krüger, 2016
goniogramma Krüger, 2016
orthogramma Krüger, 2016

Ligulosia Krüger, 2015
*costimaculata** (Aurivillius, 1910) *Eilema*
rufofasciata (Rothschild, 1912) *Eilema* (as *Ilema*)

Parainesis Krüger, 2015
mashonensis (Strand, 1922) *Lithosia*

Pseudochromatosia Krüger, 2015
*nigrapex** Krüger, 2015

Pseudocragia Krüger, 2015
quadrinotata (Walker, 1864) *Setina*
bipunctigera *sensu* Hampson, 1900a, b *Lexis* (misidentification (*partim*))

NOCTUOIDEA**Zobida** Birket-Smith, 1965*avifex* Kühne, 2010*color* (Möschler, 1872) *Eilema**similipuncta* (Hampson, 1914) *Eilema* (as *Ilema*)[*Eilemina* *sensu* Birket-Smith, 1965]**Acanthofrontia** Hampson, 1910*dicycla* Hampson, 1918*lithosiana** Hampson, 1910**Aglossosia** Hampson, 1900*Caripodia* Hampson, 1900*Charipodia* Grünberg, 1910 (misspelling)*Onychipodia* Hampson, 1900*Onychopodia*; Aurivillius, 1921 (misspelling)*chrysargyria* Hampson, 1900*consimilis* Hampson, 1918*flavimarginata** Hampson, 1900**Anaphosia** Hampson, 1903*cyanogramma** Hampson, 1903**Birketsmithiola** Krüger, 2015*transvaalensis** Krüger, 2015**Brunia** Moore, 1878*Ovenna* Birket-Smith, 1965*vicaria* (Walker, 1854) *Lithosia**imitans* (Mabille, 1878) *Lithosia**simulans* (Mabille, 1878) *Lithosia**vicara* (Strand, 1922) *Eilema***Capnodilema** Krüger, 2015*luctuosum** Krüger, 2015**Carcinopodia** Hampson, 1900*Carsinopodia*; Neave, 1939*argentata* (Distant, 1897) *Gnophria**astrigata* (Hampson, 1910) *Anaphosia**aurantiaca* (Hampson, 1909) *Anaphosia***Ctenosia** Hampson, 1900*psectriphora** (Distant, 1899) *Pusiola***Didymonyx** Watson, 1980 (replacement name)*Diplonyx* Hampson, 1900 (preoccupied)*infumatus** (Hampson, 1900) *Diplonyx***Dimorphilema** Krüger, 2015*virgineolum** (Hampson, 1900) *Eilema* (as *Ilema*)**Eilema (Macrosia)** Hampson, 1900*Hilema* Agassiz, 1847 (unjustified emendation)*Ilema* Hampson, 1900 (unjustified emendation; preoccupied)*brunneotinctum* Rothschild, 1912 (as *Ilema*)*fumeolum** (Walker, 1854) *Lithosia**natalicum* (Möschler, 1872) *Lithosia**trichopteroides* Kühne, 2010 (as *Eilema*)**Entephriolema** Krüger, 2015*aemulum* Krüger, 2019*anceps* Krüger, 2019*angulatum* Krüger, 2019*brevilamina* Krüger, 2019*camdeboo* Krüger, 2019*cedrusmontana* Krüger, 2019*clarki* Krüger, 2019*continentale* (Kühne, 2010) *Phryganopsis**dicksoni* Krüger, 2019*endroedyi* Krüger, 2019*eremita* Krüger, 2019*fallax* Krüger, 2019*fauces* Krüger, 2019*frigens* Krüger, 2019*imitator* Krüger, 2019*immundum* Krüger, 2019*inornatum* Krüger, 2019*kamiense* Krüger, 2019*krooni* Krüger, 2019*litorale* Krüger, 2019*longipenne* Krüger, 2019*maritimum* Krüger, 2019*marlowense* Krüger, 2019*maritimum* Krüger, 2019*murinum** Krüger, 2015*musculus* Krüger, 2019*namquense* Krüger, 2019*namibiense* Krüger, 2019*nigricans* Krüger, 2019*pallens* Krüger, 2019*paradicksoni* Krüger, 2019*parile* Krüger, 2019*promontorii* Krüger, 2019*rattus* Krüger, 2019*sorcinum* Krüger, 2019*swanepoeli* Krüger, 2019*staudei* Krüger, 2019*triumvirale* Krüger, 2019*vansonii* Krüger, 2019*virgatum* Krüger, 2019*vittatum* Krüger, 2019**Eubaphilema** Krüger, 2015*flavilimes* Krüger, 2019*phaeopera* (Hampson, 1900) *Eilema* (as *Ilema*)*phaeapera*; Berio, 1939 *to confirm genus (misspelling)*sarceolum* Hampson, 1900 *Eilema* (as *Ilema*)*verulatum** (Strand, 1912) *Eilema**verulana*; Janse, 1917 *Ilema***Euceregra** Felder, 1874*Eucereaga*; Strand, 1920 (misspelling)*arculifera** Felder, 1874*natalica* (Strand, 1912) *Eilema***Galactilema** Krüger, 2015*lacipenne** Krüger, 2015**Hammatilema** Krüger, 2015*bifasciatum** (Hampson, 1900) *Eilema* (as *Ilema*)**Haplatilema** Krüger, 2015*gilvapatagia** (Kühne, 2010) *Phryganopsis**tenuisparsum* (Kühne, 2010) *Phryganopsis***Homoeotilema** Krüger, 2015*pheletes** Krüger, 2015**Hyleilema** Krüger, 2015*tithorea** Krüger, 2015**Hypocalilema** Krüger, 2015*infasciatum** Krüger, 2015**Hypagoptera** Hampson, 1900*Hypargoptera*; Seitz, 1926 (misspelling)*Hypogoptera*; Pagenstecher, 1909 (misspelling)*Hyrgapoptera*; Strand, 1922 (misspelling)*rufeola** Hampson, 1900**Icteratilema** Krüger, 2015*sheppardi** Krüger, 2015**Lamprosiella** Collins, 1962 (replacement name)*Lamprosia* Hampson, 1900 (preoccupied)*caffra* (Strand, 1912) *Eilema**eborella** (Boisduval, 1847) *Lithosia**plumbea* (Hampson, 1900) *Pasteosia**pygmaea* (Walker, 1854) *Lithosia***Lepista** Wallengren, 1863*Dyphlebia* Felder, 1874*pandula** (Boisduval, 1847) *Lithosia**trimeni*; Strand, 1922 *Dyphlebia**trimeni* (Felder, 1874) *Dyphlebia***Leptilema** Krüger, 2015*albostriatum** (Kühne, 2010) *Eilema***Lomilema** Krüger, 2015*dilatans** Krüger, 2015*gracilipennis* (Wallengren, 1860) *Lithosia**gracilipennis* auct. *Lithosia*

NOCTUOIDEA

Lyscea Walker, 1854
*bigutta** Walker, 1854
bonaespei Krüger, 2017
cohabitans Krüger, 2017
distagma Krüger, 2017
flava Krüger, 2017
geertsemai Krüger, 2017
imitans Krüger, 2017
knysnaensis Krüger, 2017
kubusensis Krüger, 2017
montivaga Krüger, 2017
obscurata Krüger, 2017

Micrilema Hampson, 1903
*craushayi** Hampson, 1903
crawshayi; Strand, 1922 *Micrilema* (incorrect subsequent spelling)

Mimelilema Krüger, 2015
*convexicosta** Krüger, 2015

Namaquapsyche Krüger, 2015
*pithex** Krüger, 2015

Nephilema Krüger, 2015
*fumosum** Krüger, 2015

Oedipygilema Krüger, 2015
*aposema** (Kühne, 2010) *Lepista*

Olisbus Krüger, 2015
*gainsfordi** (Kühne, 2010) *Eilema* (unnecessary replacement name)

Oreadilema Krüger, 2015
occidentale Krüger, 2019
*othreis** Krüger, 2015

Paractenosia Krüger, 2015
*arcadiensis** Krüger, 2015

Parakatha Krüger, 2015
*infirma** Krüger, 2015

Paratrygodus Krüger, 2015
atrescens (Hampson, 1903) *Phryganopsis*
semiochraceus (Felder, 1874) *Dyphlebia*
semiochrea; Seitz, 1926 *Lepista* (incorrect subsequent spelling)

Pasteosia Hampson, 1900
aerumnosa Krüger, 2017
angulata Krüger, 2017
aurora Krüger, 2017
cinerea Krüger, 2017
favillacea Krüger, 2017
furva Krüger, 2017
intermedia Krüger, 2017
inornata Krüger, 2017
*irrorata** Hampson, 1900
lightfooti Krüger, 2017
mendax Krüger, 2017
minor Krüger, 2017
murina Krüger, 2017
nivalis Krüger, 2017
pallens Krüger, 2017
petrodes Krüger, 2017
poliographa Krüger, 2017
promontorii Krüger, 2017
spodoptera Krüger, 2017
swartbergensis Krüger, 2017
tephrinata Krüger, 2017

Phronema Krüger, 2015
*cornuticosmema** Krüger, 2015

Phryganopsis Felder, 1874
asperatella (Walker, [1865]) *Lithosia*
subasperatella Strand, 1912 (valid conditional name)
phoebe Krüger, 2019
*sordida** Felder, 1874

Pseudopelosia Krüger, 2015
*plumosa** (Mabille, [1900]) *Phryganopsis*

Pseudotigrioides Krüger, 2015
*planissimus** (Wallengren, 1875) *Manulea*
Pusiola Wallengren, 1863
cinerella (Wallengren, 1860) *Lithosia*
zelleri (Wallengren, 1863) *Pusiola*
*flavicosta** (Wallengren, 1860) *Lithosia*
interstiteola (Hampson, 1914) *Phryganopsis*

Sozusa Wallengren, 1863
Sozusa; Butler, 1878
deceptrix Krüger, 2019
montana Kühne, 2010
*scutellata** (Wallengren, 1860) *Lithosia*
dorsoglaucia (Walker, 1865) *Lithosia*
triangulata Kühne, 2010

Syntemnilema Krüger, 2015
*disciferum** (Hampson, 1900) *Eilema* (as *Ilema*)

Thymedilema Krüger, 2015
*griseoflavum** Krüger, 2015

Trygodus Krüger, 2015
*xanthopterix** Krüger, 2015

Tulbaghilema Krüger, 2015
*xanthomelas** Krüger, 2015

Zadadrina Kiriakoff, 1954
 Sp. A

Taxa incertae sedis

Lithosia despecta Walker, 1862
desperata; Kirby, 1892 *Lithosia*
Sozusa heterocera Walker, 1865

Eugoa Walker group of genera

Eugoa Walker, [1858]
Hectogama Meyrick, 1889
africana Hampson, 1900

Unassigned

Eurosia Hampson, 1900
fuliginea Hampson, 1903
lineata Hampson, 1900

To confirm placement*

Eurozonosia Hampson, 1914
inconstans (Butler, 1896) *Thumatha*

Exilisia Toulgoët, 1958
bipuncta (Hampson, 1900) *Philenora*
bipuncta ab. *prominens* Strand, 1922 (infrasubspecific)

Arctiini author, date*
 Callimorphinae
 Micractiinae
 Nyctemerinae
 Rhodogastrinae
 Spilosominae

Acantharctia Aurivillius, 1899
flavicosta (Hampson, 1900) *Amsacta*
flavicostata; Bartel, 1903 *Acantharctia*
latifasciata Hampson, 1909
latefasciata; Gaede, 1926 *Acantharctia*
vittata Aurivillius, 1899

Afrocoscinia Dubatolov, 2011
*aethiopica** (Kühne, 2010) *Coscinia*

Afronyctemera Dubatolov, 2006
itokina (Aurivillius, 1904) *Deilemerra*
camerunica (Strand, 1909) *Deilemerra*
marcida (Swinhoe, 1906) *Deilamera*
plana (Wichgraf, 1921) *Deilemerra*

NOCTUOIDEA

- Afrospilarctia** Dubatolov, 2006
dissimilis (Distant, 1897) *Spilosoma*
flavida (Bartel, 1903) *Creatonotos*
lucida (Druce, 1898) *Euchoetes*
steudeli (Bartel, 1903) *Spilosoma*
unipunctum (Hampson, 1905) *Estigmene*
- Alpenus** Walker, 1855
Eminaria Bethune-Baker, 1908
auriculatus Watson, 1988
investigatorum (Karsch, 1898) *Spilosoma*
cribrarius (Bartel, 1903) *Spilosoma*
mhondanus (Bartel, 1903) *Spilosoma*
maculosus (Stoll, 1781) *Phalaena*
*aequalis** Walker, 1855
assimilis (Hübner, 1820) *Ecpanterheria* (unnecessary replacement name)
eyralpenus (Plötz, 1880) *Spilosoma*
indeterminatus (Walker, 1855) *Ecpanterheria*
macularius (Walker, [1865]) *Halysidota*
nigropunctatus (Bethune-Baker, 1908) *Eminaria*
antemediatus (Rothschild, 1933) *Acantharctia*
cincticorpus (Hampson, 1920) *Spilosoma*
jacksoni (Rothschild, 1910) *Estigmene*
nigropuncta auct. *Eminaria*
oligostictus (Hampson, 1920) *Spilosoma*
whalleyi Watson, 1989
- Alytarchia** Wallengren, 1863
Xantesthes; Bryk, 1937
Xanthespis Rambur, 1866
amanda (Boisduval, 1847) *Euchelia*
albocincta (Rambur, [1866]) *Xanthespis*
cingulifera (Walker, 1854) *Deiopeia*
ocellina (Walker, 1854) *Deiopeia*
serrata (Mabille, 1879) *Deiopeia*
leonina (Walker, [1865]) *Deiopeia*
leona; Pinhey, 1975 *Deiopeia*
- Amerila** Walker, 1855
Amblythyris Mabille, 1879
Canopus Walker, 1855 (preoccupied)
Euthoracia Hulstaert, 1923
Gastrochrysis Kiriakoff, 1954
Phryganeomorpha Wallengren, 1858
affinis (Rothschild, 1910) *Rhodogastria*
pallens (Bethune-Baker, 1925) *Rhodogastria*
bauri Möschler, 1884
bipartita (Rothschild, 1910) *Rhodogastria*
bipartitoides (ssp. of *brunnea*) Häuser & Boppré, 1997
brunnea bipartitoides Häuser & Boppré, 1997
bubo (Walker, 1855) *Canopus*
lupia (Druce, 1888) *Pelochyta*
nivaria Weymer, 1892
magnifica (Rothschild, 1910) *Rhodogastria*
mulleri Häuser & Boppré, 1997
phaedra Weymer, 1892
saalmuelleri (ssp. of *vitrea*) (Rothschild, 1911) *Rhodogastria*
vitrea saalmuelleri (Rothschild, 1911) *Rhodogastria*
vidua (Saalmüller, 1884) *Pelochyta*
- Amphicallia** Aurivillius, 1900
*bellatrix** (Dalman, 1823) *Callimorpha*
pardalina (Herrick-Schäffer, 1854) *Euchelia*
- Amsacta** *sensu lato*
grammiphlebia Hampson, 1901
nivea Hampson, 1916
- Argina** Hübner, [1819]
astrea (Drury, 1773) *Phalaena*
astraea auct. *Amerila*
astreas auct. *Rhodogastria*
astreus auct. *Rhodogastria*
*cribraria** (Clerck, 1764) *Phalaena* (preoccupied)
- Caryatis** Hübner, [1819]
hersilia Druce, 1887
- Chiromachla** Strand, 1909
*leuconoe leuconoe** (Hopffer, 1858) *Nyctemera*
- Creatonotos** Hübner, [1819]
Amphissa Walker, 1855 (preoccupied)
- Creationotus** Agassiz, 1847 (unjustified emendation)
Phissama Moore, [1860] (replacement name)
punctivitta (Walker, 1855) *Spilosoma*
- Cymaroa** Hampson, 1905
grisea (Thunberg, 1784) *Bombyx*
*leptopepla** Hampson, 1905
- Dasyarctia** Gaede, 1923
*grisea** Gaede, 1923
- Dionychoscelis** Aurivillius, 1922
Monarcia Talbot, 1929
*venata** Aurivillius, 1922
lactea (Talbot, 1929) *Monarcia*
- Diota** Wallengren, 1865
Dicta; Pagenstecher, 1909
*rostrata** (Wallengren, 1860) *Euchelia*
privata (Walker, 1865) *Anthora*
pustularia (Walker, [1863]) *Panagra*
- Epilacydes** Butler, 1875
*simulans** Butler, 1875
rachis (Strand, 1915) *Estigmene*
unistriga (Grünberg, 1910) *Amsacta*
- Estigmene** Hübner, [1820]
Leucarctia Packard, 1864
internigralis Hampson, 1905
multivittata Rothschild, 1910
tenuistrigata Hampson, 1900
trivitta (Walker, 1855) *Spilosoma*
- Eyralphenus (Eyralphenus)** Butler, 1875
diplostictus (Hampson, 1900) *Diacrisia*
diplosticha; Hampson, 1901 *Spilosoma*
scioanus scioanus (Oberthür, 1880) *Cycnia*
abbotti (Holland, 1892) *Spilarctia*
scioanus var. *multipictus* (Strand, 1921) *Diacrisia*
subluteus (Bartel, 1903) *Spilosoma*
*testaceus** (Walker, 1855) *Spilosoma*
subflavescens (Walker, [1865]) *Spilosoma*
- Eyralphenus (Pareyralpenus)** Dubatolov & Haynes, 2008
meinhofii (Bartel, 1903) *Spilosoma*
meinhoffi auct. *Spilosoma*
- Galtara** Walker, [1863]
Bithra Fawcett, 1918 (preoccupied)
Pseudocallimorpha Oberthür, 1879
doriae doriae (Oberthür, 1880) *Pseudocallimorpha*
pulverata (Hampson, 1910) *Secusio*
nepheloptera (Hampson, 1910) *Digama*
*purata** Walker, [1863]
basifurca (Walker, 1865) *Anthora*
- Ilemodes** Hampson, 1900
astriga Hampson, 1916
*heterogyna** *heterogyna* Hampson, 1900
heterogenea; Gaede, 1926 *Ilemodes*
interjecta (Strand, 1912) *Paraona* [probably a syn. of *heterogyna*]
isogyna Romieux, 1935
- Karschiola** Gaede, 1926
*holoclera** (Karsch, 1894) *Caryatis*
- Kenyarcinia** Dubatolov, 2013
melanogastra (Holland, 1897) *Cycnia*
epicaste (Fawcett, 1915) *Diacrisia*
occidentalis (Bartel, 1903) *Spilosoma*
- Leucaloa** Butler, 1875
butti (Rothschild, 1910) *Diacrisia*
*eugraphica** (Walker, [1865]) *Spilosoma*
engraphica; Rothschild, 1910 *Diacrisia*
undistriga (Felder, 1874) *Aloa*
nyasicum (Hampson, 1911) *Diacrisia*
- Logunovium** Dubatolov, 2006
scortillum scortillum (Wallengren, 1875) *Spilosoma*
scontilla; Strand, 1919 *Diacrisia*

NOCTUOIDEA

Menegites Kiriakoff, 1954
*nivea** Kiriakoff, 1954

Micralarctia Watson, 1989
auricincta (ssp. of *punctulata*) (Butler, 1897) *Spilosoma*
australis Watson, 1989
punctulata auricincta (Butler, 1897) *Spilosoma*
evadne (Fawcett, 1915) *Amsacta*
nivaria (Bartel, 1903) *Spilosoma*
nyassana (Bartel, 1903) *Diacrisia*
*punctulata** *punctulata* (Wallengren, 1860) *Spilosoma*

Neuroxena Kirby, 1896
Eohemera Aurivillius, 1904
Parachelona Aurivillius, 1900
obscurascens (Strand, 1909) *Eohemera*
obscurescens; Vári & Kroon, 1986 *Eohemera*

Paralacydes Aurivillius, 1899
Caligula Aurivillius, 1879 (preoccupied)
Eutaenia Wallengren, 1875 (preoccupied)
Maenas Hübner, [1819] (preoccupied)
arborifera (Butler, 1875) *Lacydes*
gracilis (Butler, 1898) *Lacydes*
impia (Strand, 1909) *Amsacta*
scapulosa (Wallengren, 1875) *Eutaenia*
smithii (Holland, 1897) *Conchylia*
wallengreni (Aurivillius, 1879) *Caligula*
bomfordi (Pinhey, 1968) *Maenas*
destructus Kühne, 2010
jeskei (Grünberg, 1911) *Maenas*
ramosa (Hampson, 1907) *Maenas*
*vocula** (Stoll, 1790) *Phalaena*

Paralpenus Watson, 1988
julius Kühne, 2010
kotunovitchi (ssp. of *wintgensi*) Dubatolov, 2011
strigulosus (Hampson, 1901) *Hyphantria*
atropunctatus (Fawcett, 1903) *Estigmene*
wintgensi kotunovitchi Dubatolov, 2011

Paramaenas Grünberg, 1911
affinis (Rothschild, 1933) *Pericallia*
nephelistis (Hampson, 1907) *Pericallia*
hecate (Fawcett, 1916) *Pericallia*
*strigosus** Grünberg, 1911

Pareuchaetes Grote, 1865
[*aurata* (Butler, 1875) *Euchaetes*] failed deliberate introduction
insulata (Walker, 1855) *Halesidota* deliberate introduction
[*pseudoinsulata* Rego Barros, 1956] failed deliberate introduction

Phlyctaenogastra Gaede, 1915
britae Kühne, 2010
familia Kühne, 2010
*rangei** Gaede, 1915

Podomachla Strand, 1909
apicalis Walker, 1854

Poecilarctia Aurivillius, 1921
*venata** Aurivillius, 1921
rubicosta (Talbot, 1929) *Spilosoma*

Popoudina Dubatolov, 2006
dorsalis (Walker, 1855) *Spilosoma*
griseipennis (Bartel, 1903) *Spilosoma*
kotunovitchi Dubatolov, 2011
leighi (Rothschild, 1910) *Diacrisia*
lemniscata (Distant, 1898) *Spilosoma*
linea (Walker, 1855) *Spilosoma*
strigata (Wallengren, 1860) *Spilosoma*
linea var. *truncata* (Walker, 1856) *Spilosoma*

Pseudophragmatobia Krüger, 2009
cinnamomea Krüger, 2009
limbata Krüger, 2009
*parvula** (Felder, 1874) *Arctia*
paucirubra Krüger, 2009
perpunctata Krüger, 2009
salmo Krüger, 2009
unicolor Krüger, 2009

Note. Probably close to *Carcinarcia* Hampson, 1901 but here females fully winged.

Pseudoradiarctia Haynes, 2011
lentifasciata (Hampson, 1916) *Diacrisia*
pallida Haynes, 2011
*rhodesiana** (Hampson, 1900) *Diacrisia*
scita (Walker, 1865) *Antheua*

Radiarctia Dubatolov, 2006
nyangana (ssp. of *screabilis*) Haynes, 2011
screabilis nyangana Haynes, 2011
screabilis screabilis (Wallengren, 1875) *Spilosoma*
lutescens (Walker, 1855) *Diacrisia* *priority?
lutescens Vári & Kroon, 1986 *Spilosoma*

Rhodogastria Hübner, [1819]
Dionychopus Herrich-Schäffer, 1855
Munychia Wallengren, 1858
*amasis** (Cramer, 1779) *Phalaena*
callipyga (Wallengren, 1860) *Munychia*
delineata (Walker, 1855) *Aloa*
erythronota (Boisduval, 1847) *Chelonia*
serici (Thunberg, 1781) *Noctua*
thunbergii (Guérin-Méneville, 1862) *Bombyx*
similis (Möschler, 1883) *Dionychopus*

Saenura Wallengren, 1858
Senura; Wallengren, 1873
*flava** Wallengren, 1858
oriens (Rothschild, 1917) *Diacrisia*

Secusio Walker, 1854
deilemara Talbot, 1929
discoidalis Talbot, 1929
mania Druce, 1888
monteronis Rothschild, 1933
*strigata** *strigata* Walker, 1854
hymenaea Gerstaeker, 1871

Sydelia Kiriakoff, 1952
elliotti (Butler, 1895) *Callarctia*

Spilosoma Curtis, 1825
Ardices Walker, 1855
Olistheria Hübner, [1820]
Rhagonis Walker, 1862
Spilarctia Butler, 1875
Spilosoma Stephens, 1827 (preoccupied)
Spilosomia; Lucas, T.P., 1898
Thanatarctia Butler, 1877
bipartitum Rothschild, 1933
unimaculatum Bartel, 1903
euryphlebium (Hampson, 1903) *Diacrisia*
gynephaeum (Hampson, 1901) *Estigmene*
latiradiatum (Hampson, 1901) *Diacrisia*
sinefascia (Hampson, 1916) *Diacrisia*

Teracotona Butler, 1878
Macronyx Felder, 1874
euprepia euprepia Hampson, 1900
metaxantha (Hampson, 1909) *Seirarctia*
*rhodophaea** (Walker, [1865]) *Aloa*
debilis (Felder, 1874) *Macronyx*
rhodophaea; Pinhey, 1975 *Teracotona*
rodophaea; Gaede, 1926 *Teracotona*
submacula (Walker, 1855) *Spilosoma*
roseata Butler, 1878

Ustjuzhania Dubatolov, 2009
chioneum (Hampson, 1900) *Diacrisia*
lineata (Walker, 1855) *Spilosoma*
album (Wallengren, 1860) *Saenura*
puella (Druce, 1898) *Spilarctia*
simplex (Walker, 1855) *Aloa*

Utetheisa Hübner, [1819]
Atasca Swinhoe, 1892
Deiopeia Curtis, 1827
Dejopeia auct.
Exitelica Turner, 1921
Pitasila Moore, 1878
Uthetheisa; Hübner, [1824]

NOCTUOIDEA

Uthetheisa; Mey, 2011
lepidia (ssp. of *lotrix*) (Rambur, [1866]) *Deiopeia*
lotrix lepida (Rambur, [1866]) *Deiopeia*
pulchella (Linnaeus, 1758) *Phalaena*
amabilis (Trost, 1801) *Lithosia*
antennata (Swinhoe, 1893) *Deiopeia*
candida (Butler, 1877) *Deiopeia*
pulchra ([Denis & Schiffermüller], 1775) *Noctua*
thyter (Butler, 1877) *Deiopeia*
thytea; Rothschild, 1914 *Utetheisa*

Syntomini author, date***Syntomina author, date*****Amata** Fabricius, 1807

Asinusca Wallengren, 1862
Asinutea; Wallengren, 1863
Buthisia; Walker, 1866
Buthysia; Wallengren, 1863
Callitomis Butler, 1876
Callitornis; Neave, 1939
Coenochromia Hübner, [1819]
Hydrusa Walker, 1854
Leopoldina Hering, M., 1934
Syntomis; Mabille, 1892
Syntoma Billberg, 1820 (emendation)
Syntomis Ochsenheimer, 1808
alicia damarensis Grünberg, 1910
*atricornis** (Wallengren, 1863) *Asinusca*
sirius (Distant, 1897) *Syntomis*
bifasciata (Hopffer, 1857) *Syntomis*
bokkeveldensis de Freina, 2013
cerbera (Linnaeus, 1764) *Sphinx*
fantasia (Butler, 1876) *Syntomis*
phantasia; Zerny, 1912 (incorrect subsequent spelling)
cuprizonata (Hampson, 1914) *Syntomis*
damarensis (ssp. of *alicia*) Grünberg, 1910
endocrocius (Hampson, 1903) *Syntomis*
endocrossis; Hampson, 1905 *Syntomis*
johanna (Butler, 1876) *Syntomis*
anna (Butler, 1876) *Syntomis*
kuhlweini (Lefèbvre, 1831) *Syntomis*
kuhlweini; Distant, 1892 *Syntomis*
kuhlweini; Pinhey, 1975 *Syntomis*
natalii (Boisduval, 1847) *Syntomis*
miozona (Hampson, 1910) *Syntomis*
montagua de Freina, 2014
polidamon (Cramer, 1779) *Sphinx*
polydama; Keferstein, 1861 *Syntomis*
polydamon auct. *Syntomis*
pseudosimplex de Freina, 2013
rendalli (Distant, 1897) *Syntomis*
simplex (Walker, 1854) *Syntomis*
corvus (Wallengren, 1860) *Syntomis*
monedula (Wallengren, 1860) *Syntomis*
nostalis (Walker, 1854) *Syntomis*

Cacosoma Felder, 1874

gnatulum (Boisduval, 1847) *Naclia*
*nacloides** Felder, 1874

Ceryx Wallengren, 1863

Agaphthora Meyrick, 1886
anthraciformis (Wallengren, 1860) *Naclia*
fuscicornis (Wallengren, 1860) *Naclia*
pygnula (Oberthür, 1878) *Naclia*
fulvescens (Walker, 1854) *Naclia*
caffraria (Herrich-Schäffer, 1855) *Thyretes*
molanna (Wallengren, 1875) *Syntomis*
moloana; Pagenstecher, 1903 *Syntomis*
*thyretiformis** (Wallengren, 1860) *Naclia*
thyrotiformis; Wallengren, 1863 *Naclia*
longipes (Herrich-Schäffer, 1855) *Syntomis*
caryocatactes (Wallengren, 1860) *Syntomis*
nacliodes Hampson, 1914
resecta (Herrich-Schäffer, 1855) *Syntomis*
toxotes Hampson, 1898

Epitoxis Wallengren, 1863

Epatosis; Pagenstecher, 1909

Epitaxis; Walker, 1866
*amazonula** (Boisduval, 1847) *Thyretes*
amazonula; Walker, 1865 *Syntomis*
namaqua de Freina & Mey, 2011
nigra Hampson, 1903

Eutomis Hübner, [1819]

Eutomia; Pagenstecher, 1909
*mineus** (Stoll, 1781) *Sphinx*

Hampsonata de Freina, 2008

*natalithala** de Freina, 2008
phoenicia (Hampson, 1898) *Syntomis*
xaixaia de Freina, 2013

Pseudonacula Butler, 1876

Pseudonacha; Kirby, 1892
bifasciata Aurivillius, 1909
*puella** *puella* (Boisduval, 1847) *Naclia*

Trichaeta Swinhoe, 1892

pterophorina (Mabille, 1892) *Syntomis*

Euchromiina author, date***Euchromia** Hübner, [1819]

Hira Walker, 1854
Phalanna Walker, 1854
amoena (Möschler, 1872) *Phalanna*
africana Butler, 1876
formosa (Guérin-Méneville, 1829) *Glaukopis*
folletii (Gray, 1833) *Glaukopis*
lethe Monteiro, 1891

Thyretina author, date***Apisa** (*Apisa*) Walker, 1855

*canescens** Walker, 1855
cana Holland, 1893
homoerotica Strand, 1916 (infrasubspecific, unavailable)
microcanescens Berio, 1935
pallata (Plötz, 1880) *Psychotae*
perversa Strand, 1916 (infrasubspecific, unavailable)
tamsi Kiriakoff, 1957

Apisa (*Dufraneella*) Kiriakoff, 1953

grisescens (Dufrane, 1945) *Metarctia*
hildae Kiriakoff, 1961

Automolis Hübner, [1819]

Decimia Walker, 1856
Zagaris Walker, 1855
bicolora (Walker, 1856) *Decimia*
crassa (Felder, 1874) *Zagaris*
meteus (Walker, 1855) *Zagaris*
incensa (Walker, 1864) *Anace*
hewitti (Janse, 1945) *Metarctia*
*meteus** (Stoll, 1781) *Sphinx*
metus; Taylor, 1968 *Metarctia*

Metarctia Walker, 1855

Metarctia; Pagenstecher, 1909

Metarctia (*Collocaliodes*) Kiriakoff, 1957

collocalia *collocalia* Kiriakoff, 1957
jansei Kiriakoff, 1957

Metarctia (*Hebena*) Walker, 1856

Hexaneura Kiriakoff, 1953
cinnamomea (Wallengren, 1860) *Hexaneura*
lateritia (Herrich-Schäffer, 1855) *Automolis*
abyssinibia Strand, 1920 (infrasubspecific, unavailable)
lateritiola Strand, 1916 (infrasubspecific, unavailable)
venosa (Walker, 1856) *Hebena*
rubra (Walker, 1856) *Anace*
kelleni (Snellen, 1886) *Automolis*
helleni; Hampson, 1900
titan Talbot, 1929

Metarctia (*Metarctia*) Walker, 1855

Notharctia Kiriakoff, 1953

NOCTUOIDEA

Oenarctia Kiriakoff, 1953
Pterophaea Kiriakoff, 1953
benitensis Holland, 1893
paniscus Kiriakoff, 1957
subnigra Kiriakoff, 1958
flavivena (Hampson, 1901) *Metarcinia*
flavivena Hampson, 1902 (2nd print of 1901 description)
panyamana Strand, 1920
rothschildi Le Cerf, 1922
zegina Strand, 1920
*rufescens** Walker, 1855
fuscorufescens Strand, 1916 (infrasubspecific, unavailable)
maculifera (Wallengren, 1860) *Hexaneura*
postrufescens Strand, 1916 (infrasubspecific, unavailable)
tenera (Kiriakoff, 1973) *Automolis*
transvaalica (Kiriakoff, 1973) *Automolis*

Metarcinia (Metarhodia) Kiriakoff, 1953
confederationis Kiriakoff, 1961
heringi Kiriakoff, 1957

Metarcinia (Pinheyata) Nye, 1980
crocina (Kiriakoff, 1973) *Automolis*
*quinta** (Kiriakoff, 1973) *Automolis*

Owambarcinia Kiriakoff, 1957
*owamboensis** Kiriakoff, 1957

Thyretes Boisduval, 1847
Eressades Bethune-Baker, 1911
caffra Wallengren, 1863
*hippotes** (Cramer, 1780) *Sphinx*
hiphothes; Wallengren, 1856 *Thyretes*
hiphothes; Boisduval, 1847
montana Boisduval, 1847
negus Oberthür, 1878
misa Strand, 1911
misera; Pinhey, 1975 *Thyretes*
phasma Butler, 1897

Taxa transferred from Arctiini without indication as to subfamilial placement

Axiopoeniella Strand, 1909
octocentra Vári, 1964

Carpostalagma Karsch, 1894
chalybeatum Talbot, 1929

Grammarctia Aurivillius, 1899
*bilinea** (Walker, [1865]) *Setina*

Procanthia Hampson, 1900
distantii (Dewitz, 1881) *Lacipa*
*argentea** Hampson, 1900
distinti auct. *Procanthia*
nivea Rothschild, 1910

Sommeria Hübner, [1831]
*culta** Hübner, [1831]
marmorata (Walker, 1865) *Spilosoma*
sinuosa (Hampson, 1905) *Digama*
spilosoma (Felder, 1874) *Homoeognatha*
spilosomoides (Walker, 1865) *Bithra*
strabonis (Hampson, 1910) *Digama*

Taxa transferred from Arctiidae to Metoponiinae (Stiriinae)

Proschaliphora Hampson, 1901
albida Hampson, 1909
traiecta Grünberg, 1910
traiecta auct. *Proschaliphora*
aurata Kühne, 2010
butti Rothschild, 1910
bulti; Janse, 1917 *Proschaliphora*
lineata Kühne, 2010
minima Kühne, 2010

Calpinae Boisduval, 1849
Phyllodini author, date

Miniodes Guenée, 1852
*discolor** Guenée, 1852

Ophiderini, author, date*

Eudocima Billberg, 1820
Acacalis Agassiz, [1847] (unjustified emendation)
Acacallis Hübner, [1823]
Adris Moore, 1881
Argadesa Moore, 1881
Corycia Hübner, [1823]
Elygea Billberg, 1820
Eumaenas Hampson, 1924 (replacement name)
Halastus Butler, 1892
Khadira Moore, 1881
Leptophara Billberg, 1820
Maenas Hübner, [1823] (preoccupied)
Ophideres Boisduval, 1832
Ophideres Agassiz, [1847] (unjustified emendation)
Othreis Hübner, [1823]
Othrysis Agassiz, [1847] (unjustified emendation)
Purbia Moore, 1881
Rhytia Hübner, [1823]
Trissphaea Hübner, [1823]
Vandana Moore, 1881
cajeta (Cramer, 1775) *Phalaena Noctua*
multiscripta (Walker, [1858]) *Ophideres*
talboti (Prout, A.E., 1922) *Othreis*
divitiosa (Walker, 1869) *Ophideres*
banakus (Plötz, 1880) *Ophideres*
intricatus (Butler, 1892) *Halastus*
fullonia (Clerck, [1764]) [*Phalaena*]
dioscoreae (Fabricius, 1775) *Noctua*
dioscoriae auct. *Noctua*
fulionica; Linnaeus, 1767 *Phalaena Noctua*
fullonica; Linnaeus, 1767 *Phalaena Noctua*
obliterans (Walker, 1858) *Ophideres*
phalonia (Linnaeus, 1763) *Phalaena Noctua*
pomona (Cramer, 1776) *Phalaena*
princeps (Guenée, 1852) *Ophideres*
materna (Linnaeus, 1767) *Phalaena Noctua*
apta (Walker, [1858]) *Ophideres*
chalcogramma (Walker, 1865) *Ophideres*
hybrida (Fabricius, 1775) *Noctua*

Hemiceratooides Strand, 1911
*hieroglyphica** (Salmüller, 1891) *Hemiceras*
hieroglyphica vadoni Viette, 1976
sittaca (Karsch, 1896) *Calpe*

Calpini Boisduval, 1849

Oraesia (Oraesia) Guenée, 1852
albescens (Gaede, 1940) *Calpe*
emarginata defreinai Behounek *et al.*, 2010
provocans Walker, [1858]
hartmanni Möschler, 1883
wintgensi (Strand, 1909) *Calpe*

Plusiodonta Guenée, 1852
Deva Walker, [1858]
Gadera Walker, [1858]
Odontina Guenée, 1862 (preoccupied)
Tafalla Walker, 1869
Tinnodoa Nye, 1975 (replacement name)
achalcea Hampson, 1926
commoda Walker, 1865
natalensis Walker, 1865
detracta Walker, 1865
nummaria Felder & Rogenhofer, 1874
tripartita Walker, 1865
nictites Hampson, 1902
wahlbergi (Felder & Rogenhofer, 1874) *Plusia*
africana (Holland, 1894) *Deva*

Genera of Calpinae unplaced as to tribe

Antiophlebia Felder, 1874
*bracteata** Felder, 1874
bourgognei Laporte, 1975

NOCTUOIDEA

Archephia Hampson, 1926
basilinea (Hampson, 1902) *Polydesma*
*olivacea** Hampson, 1926

Athyryma Hübner, [1823]
anuliplaga Walker, 1865
anguliplaga; Hampson, 1902 *Athyryma*

Authadistis Hampson, 1902
*metaleuca** Hampson, 1902

Avitta Walker, 1858
Asta Walker, [1863]
Imleanga Lucas, 1901
Imleonga; Rothschild, 1915
Oroba Walker, [1863]
Pantura Moore, [1885]
lineosa (Saalmüller, 1891) *Epizeuxis*

----- Clade?? -----

Bamra Moore, 1882
Ostacronycta Bethune-Baker, 1911
delicata Hampson, 1922
marmorifera (Walker, 1858) *Agriopsis*
Halochroa Hampson, 1926
*aequatoria** (Mabille, 1879) *Diphthera*
equatoria; Gaede, 1939 *Halochroa*
eudela Fletcher, D.S., 1963

Bareia Walker, 1858
*incidentis** Walker, 1858

Beihania Wiltshire, 1967
 Sp. A

Bonaberiana Strand, 1915
*crassisquama** Strand, 1915

Chalestra Walker, 1859
*podaresalis** Walker, 1859

Chitasida Hampson, 1926
*diplogramma** (Hampson, 1905) *Catephia*

Chusaris Walker, [1859]
Alelimminola Strand, 1919
Luceriola Strand, 1920
typomelas Krüger, 2005
venata Warren, 1914

Crionica Hampson, 1926
*cervicornis** (Fawcett, 1917) *Pteronycta*
diversipennis Gaede, 1939

----- Clade? To Pangraptinae? -----

Disticta Hampson, 1902 *to Pangraptinae?
*atava** (Felder & Rogenhofer, 1874) *Achantodes* (as *Acanthodes*)

Egnasia Walker, [1859]
Margana Walker, [1866]
Matella Moore, [1885] (preoccupied)
Spectrophysa Swinhoe, 1900
Talmala; Poole, 1989
Talmela Nye, 1975 (replacement name)
lioperas Prout, A.E., 1922
vicaria (Walker, 1866) *Thyridospila*
treicegcroma (Bethune-Baker, 1911) *Nagadeba*
treicegeroma; Poole, 1989
treicegroma; Gaede, 1940

Ecpatia Turner, 1902
Eopaectes; Hulstaert, 1924
*dulcistriga** (Walker, 1858) *Anophia*

Epimeciodes Hampson, 1926
*abunda** (Felder & Rogenhofer, 1874) *Epimecia*

Euippodes Hampson, 1926
*euprepes** Hampson, 1926

----- group of two -----

Facidia Walker, 1865
vacillans (Walker, 1858) *Tavia*
fenestrata (Möschler, 1887) *Megacephalon*
horrida Holland, 1894
*nigrofusca** Walker, 1865
phaeophoenica (Hampson, 1905) *Platyja*
vacilans; Walker, 1858 *Tavia*
vaccillans; Gaede, 1939 *Facidia*

Facidina Hampson, 1926
semifimbria (Walker, [1858]) *Alamis*

----- group of two -----

Fodina Guenée, 1852
Anocala Scott, 1891
arctioides Walker, 1865
embolophora Hampson, 1902
hypercompoides Walker, 1865

Parafodina Hampson, 1926 **stat. rev.**
ectrogia Hampson, 1926
pentagonalis (Butler, 1894) *Colbusa*

Geniascota Hampson, 1926
patagiata Hampson, 1926

Gesonia Walker, [1859]
Amblygoes Butler, 1879 (replacement name)
Apphadana Walker, [1866] (preoccupied)
Dragana Walker, [1859]
Hileia Walker, 1861
Maresia Walker, 1866
stictigramma Hampson, 1926

Gnampotgyia Hampson, 1894
diagonalis Hampson, 1910

Herpeperas Hampson, 1926
barnesi Pinhey, 1968
violaris Hampson, 1926

----- group of two -----

Hondryches Nye, 1975 OPHI (replacement name)
Rhynchodes Guenée, 1852 (preoccupied)
*phalaeniformis** (Guenée, 1852) *Rhynchodes*

Paralephana Hampson, 1926
argyrestrisia Hampson, 1926
nigriciliata (Hampson, 1910) *Rhynchodes* (as *Rhyncodes*)
*poliotis** Hampson, 1926

Hyamia Walker, [1859]
Juncaria Walker, 1863 (preoccupied)
subterminalis Walker, [1866]

Hypersynoides Berio, 1954 to Synnini?*
Hyposynoides Berio, 1954
Othresynna Berio, 1958
*congoensis** Berio, 1954

Isadelphina Hampson, 1926
vinacea (Hampson, 1902) *Mesogenea*

Lacera Guenée, 1852
*alope** (Cramer, 1780) *Phalaena Bombyx*

Leiorhynx Hampson, 1902
*argentifascia** Hampson, 1902

Leoniloma Hampson, 1926
*convergens** Hampson, 1926

Lipatephia Hampson, 1926
*illegitima** (Wallengren, 1875) *Anophia*

Lophotavia Hampson, 1926

NOCTUOIDEA

- globulipes**** (Walker, 1865) *Homoptera*
- Loxiola*** Warren, 1913
ochrota (Hampson, 1909) *Acantholipes*
- Marca*** Saalmüller, 1891
*proclinata** Saalmüller, 1891
 arcuata (Bethune-Baker, 1911) *Corgatha*
 loxia (Hampson, 1905) *Acantholipes*
 praelineata; Pagenstecher, 1893 *Marca*
- group of two -----
- Maxera*** Walker, 1865
 Parathermes Hampson, 1902
 atripunctata (Hampson, 1910) *Parathermes*
 brachypecten Hampson, 1926
 digoniata (Hampson, 1902) *Parathermes*
 marchalii (Boisduval, 1833) *Ophiusa*
 kerima (Felder & Rogenhofer, 1874) *Herminia*
 marmorea (Hampson, 1891) *Poaphila*
 melanocephala (Hampson, 1891) *Poaphila*
 nigriceps (Walker, 1858) *Renodes*
 nigrifrontalis (Walker, [1859]) *Herminia*
 nigrocollaris (Saalmüller, 1891) *Alamis*
 pallidula (Butler, 1875) *Renodes*
 zygia (Wallengren, 1863) *Thermesia*
 fuscescens (Walker, 1865) *Thermesia*
 larvata (Walker, 1865) *Scambina*
 morosa (Walker, 1865) *Thermesia*
 obumbrata (Walker, 1865) *Thermesia*
 vestispica (Wallengren, 1863) *Thermesia*
- Pleuronodes*** Hampson, 1926
arida (Hampson, 1902) *Zethes*
*leptycyma** (Hampson, 1909) *Pleurona*
 leptocyma; Gaede, 1940 *Pleuronodes*
trogopera (Hampson, 1910) *Pleurona*
odorino (Bryk, 1915) *Pleurona*
-
- Meliaba*** Walker, [1859]
 Ichthyopselapha Aurivillius, 1910
*pelopsisalis** Walker, [1859]
 insignis (Aurivillius, 1910) *Ichthyopselapha*
- Mepantadrea*** Hampson, 1926
*simia** (Saalmüller, 1891) *Zethes*
- Mesogenea*** Hampson, 1902
costimacula Hampson, 1926
persinuosa Hampson, 1910
*varians** Hampson, 1902
- Mesosciera*** Hampson, 1926
picta Hampson, 1926
- Nagia*** Walker, 1858
amplificans (Walker, 1858) *Catephia* (as *Catophia*)
*gravipes** Walker, 1858
linteola (Guenée, 1852) *Catephia*
 accylytis Hampson, 1926
 ecclesiastica (Butler, 1874) *Catephia*
 hieratica Hampson, 1926
 homotima Tams, 1935
 leucocelis (Mabille, 1879) *Serrodes*
 magaruna Joannis, 1932
 monastica Hampson, 1926
 pilipes (Guenée, 1852) *Catephia*
 pilipes griveaudi Viette, 1968
 proselytis Hampson, 1926
 syba (Guenée, 1852) *Catephia*
 melipotica Hampson, 1926
 natalensis (Hampson, 1902) *Catephia*
 sacerdotis Hampson, 1926
 subalbida Hampson, 1926
- Oedebasis*** Hampson, 1902
*ovipennis** Hampson, 1902
- Ogovia*** Holland, 1892
 Tolnosphingia Berio, 1964
- pudens*** (Holland, 1894) *Sphingomorpha*
*tavetensis** Holland, 1892
- Paragria*** Hampson, 1926
*sesamiodes** Hampson, 1926
- group of two ? -----
- Prionofrontia*** Hampson, 1902
*erygidia** Hampson, 1902
strigata Hampson, 1926
- Proconis*** Hampson, 1902
*abrostoloides** Hampson, 1902
-
- Pristanepa*** Hampson, 1926
*platti** Hampson, 1926
- Proruaca*** Distant, 1901
 Proruaca Hampson, 1902 (preoccupied)
*harmonica** Distant, 1901
recurrens Hampson, 1902
- Pseudogiria*** Berio, 1965
angulata (Bethune-Baker, 1909) *Ogovia*
- Radara*** Walker, 1862
 Chabora Walker, [1866] (preoccupied)
 Chirconia Schaus, 1916
 Diodines Schaus, 1916
 Duriga Schaus, 1940
 Matiloxis Schaus, 1916
 Mecynoptera Schaus, 1913 (preoccupied)
 Rhaesena Walker, 1866
 Symplozia Holland, 1894
prunescens (Hampson, 1902) *Rhaesena*
subcupralis (Walker, [1866]) *Bertula*
 frequens (Holland, 1894) *Symplozia*
 obliquifasciata (Moore, 1882) *Rhaesena*
 transcissa (Walker, [1866]) *Rhaesena*
thermeola Hampson, 1926
*vacillans** Walker, 1862
 capensis (Walker, 1862) *Sophronia*
 divialis (Walker, [1866]) *Sarmatia*
 transmissa (von Heyden, 1891) *Simplicia* (as *Simplisia*)
- Raparna*** Moore, 1882
 Rapara; Pagenstecher, 1909
tritonias Hampson, 1902
- Rhanidophora*** Wallengren, 1858
 Enydra Walker, 1862
 agrippa Druce, 1899
 aurantiaca Hampson, 1902
 cinctigutta (Walker, 1862) *Enydra*
 enucleata Mabille, 1900
 flavigutta Hampson, 1926
 odontophora Hampson, 1926
 *phedonia** (Stoll, 1781) *Phalaena Noctua*
 ridens Hampson, 1902
- Rhesalides*** Prout, A.E., 1921
 Rhesalides Hampson, 1926 (preoccupied)
natalensis Hampson, 1926
- Scambina*** Walker, 1865
roseipicta (Druce, 1911) *Acontia*
- Schaliodomitra*** Strand, 1911
*ambages** Strand, 1911
- Strongylodia*** Hampson, 1926
*semiflava** Hampson, 1926
- Tatorinia*** Butler, 1875
 fumipennis (Felder & Rogenhofer, 1874) *Gracilodes*
 burrowsi; Janse, 1917 *Thermesia*
 *burrowsii** Butler, 1875
- Taveta*** Fawcett, 1916 *prob. to Pandesmini
 eucosmia Hampson, 1926

NOCTUOIDEA**Tavia** Walker, 1858 *prob. to Pandesmini*instruens** Walker, 1858*latebra* Hampson, 1926*nycterina* (Boisduval, 1833) *Polydesma**nycterina lyga* Prout, A.E., 1927*plicata* (Hampson, 1910) *Speiredonia***Taviodes** Hampson, 1926*subjecta* (Walker, 1865) *Remigia***Tephrialia** Hampson, 1926*vausema* Hampson, 1926**Tolna** Walker, 1869*Epistona* Möschler, 1883*ambigua* (Gerstaeker, 1871) *Hypogramma* *to *Ophiusa* Ochs.?*complicata* (Butler, 1880) *Sypna**demaculata* Strand, 1913*limula* (Möschler, 1883) *Epistona**macrosema* Hampson, 1913*sinifera* Hampson, 1913*synoides* (Butler, 1878) *Achaea**daedalea* (Mabille, 1878) *Ophiusa**maeandrica*; Hampson, 1913 *Dysgonia**meandrica* (Saalmüller, 1891) *Dysgonia**variegata* (Hampson, 1905) *Homoptera***Trichopalpina** Hampson, 1926*zethesia* Hampson, 1926**Hypocalinae** author, date***Hypocala** Guenée, 1852 OPHI*deflorata** (Fabricius, 1794) *Hyblaea**australiæ* Butler, 1892*moorei* Butler, 1892*rostrata* (Fabricius, 1794) *Hyblaea**angulipalpis* Guenée, 1852*bohemani* (Wallengren, 1856) *Hyblaea**efflorescens* Guenée, 1852*genuina* (Wallengren, 1856) *Hyblaea**plumicornis* Guenée, 1852**Eulepidotinae** author, date***Anticsaria** Hübner, 1818 OPHI*Azazia* Walker, 1858*rrorata* (Fabricius, 1781) *Noctua**consueta* (Walker, 1869) *Thermesia**jocosa* (Hübner, [1823]) *Apistis**rubicans* (Boisduval, 1833) *Ophiusa* *raised to specific rank*sordida* (Fabricius, 1794) *Noctua**transducta* (Walker, 1865) *Thermesia***Toxocampinae** Guenée, 1852**Exophyla** Guenée, 1841 to Toxocampinae *teste* Hacker*Exophila*; Mabille, 1890*molybdea* Hampson, 1926 (as *Exophila*)*multistriata* Hampson, 1910 (as *Exophila*)*platti* Prout, A.E., 1925 (as *Exophila*) *prob. to *Episparis* Walker*poliotis* (Hampson, 1902) *Acripa***Lygephila** Billberg, 1820 OPHI*Asticta* Hübner, [1823]*Craccaephila* Beck, 1996*Eccrita* Lederer, 1857*Toxocampa* Guenée, 1841*salax* (Guenée, 1852) *Toxocampa**immitis* (Walker, [1857]) *Graphiphora***Tinoliinae** author, date***Calesia** Guenée, 1852 OPHI*Asymbata* Gerstaeker, 1871*Caradana* Moore, [1884]*Lecasia* Fawcett, 1916*Mecyra* Walker, 1865*Pasipeda* Walker, 1858**Zirona** Walker, 1869*karschi* (Bartel, 1903) *Enydra**othello* (Fawcett, 1916) *Lecasia**phaiosoma* (Hampson, 1891) *Pasipeda**phaeosoma*; Janse, 1917 *Calesia**xanthognatha* Hampson, 1926*xanthognapha*; Wiltshire, 1983 *Calesia**xanthognatha desdemona* Wiltshire, 1983*zambesita* Walker, 1865*roseiventris* (Gerstaeker, 1871) *Asymbata**sambesita*; Hampson, 1902 *Calesia***Hypenodinae** author, date***Hypenodini** author, date*

*to check under Herminiiinae for any representatives

Micronoctuini Fibiger, 2005**Micronoctua** Fibiger, date*

* to add Fibiger MS names

Tolpia Walker, 1863*suffuscalis* (Swinhoe, 1887) *Nephopterix* (as *Nephopteryx*)**Boletobiinae** Guenée, [1858]**Phytometrini** author, date***Phytometra** Haworth, 1809 OPHI*Antarchaea* Hübner, [1821]*Nanthilda* Blanchard, 1840*Prothymia* Hübner, [1823]*Prothymnia*; Leraut, 1997*Pseudomicra* Butler, 1892*Pyralidesthes* Warren, 1913*africana* (Snellen, 1872) *Xanthoptera**asantesana* Hacker, 2019*carnea* (Prout, A.E., 1922) *Antarchaea**duplicalis* (Walker, [1866]) *Marimatha**allecta* (Schaus, 1893) *Xanthoptera**fragilis* (Butler, 1875) *Aglossa**haemaceps* (Hampson, 1910) *Antarchaea**helesusalis* (Walker, [1859]) *Herminia**muraenula* (Wallengren, 1875) *Xanthoptera**heliriusalis* (Walker, [1859]) *Herminia**hypopsamma* (Hampson, 1926) *Antarchaea**opsiphora* (Hampson, 1926) *Antarchaea**sacaria* (Felder & Rogenhofer, 1874) *Thalpochares**silona* (Schaus, 1893) *Colobochyla* (as *Calobochyla*)*subflavalis* (Walker, [1866]) *Marimatha**terminalis* (Mabille, 1890) *Pionea***Araeopteronini** author, date***Araeopteron** Hampson, 1893*Araeoptera* Hampson, 1910 (unjustified emendation)*Araeopterum* Hampson, 1895 (unjustified emendation)*Essonitis* Meyrick, 1902*Thelxinoa* Turner, 1902*griseatum* Hampson, 1907**Eublemmiini** author, date***Eublemma** Hübner, [1821] (Eublemmiinae)*Anthophila* Ochsenheimer, 1816 (preoccupied)*Antophila* Hübner, [1806] (unavailable)*Antophylia*; Duponchel, 1829*Coccidiophaga* Spuler, 1907*Ecthetis* Hübner, [1823]*Eromene* Hübner, [1821]*Eumestleta* Butler, 1892*Eumicremma* Berio, 1954*Glaphyra* Guenée, 1841 (preoccupied)*Gyophora* Warren, 1913*Gyrophora*; Neave, 1939*Helioptanes* Sodoffsky, 1837 (unnecessary replacement name for*Anthophila* Ochsenheimer)*Micra* Guenée, 1841 (preoccupied)*Microphisa* Boisduval, 1840*Microphysa* Guenée, 1841 (unjustified emendation)*Microphysa* Agassiz, 1846 (unjustified emendation)*Mixocharis* Lederer, 1853 (unnecessary replacement name for

NOCTUOIDEA

Microphisa Boisduval
Odice Hübner, [1823]
Parvablemma Beck, 1996
Polyorycta Warren, 1911
Porphyria Hübner, [1821] (replacement name for *Anthophila* Ochsenheimer)
Rhypagla Nye, 1975 (replacement name for *Glaphyra* Guenée)
Roseoblemma Beck, 1996
Talpochares; Pagenstecher, 1909
Thalomicra Spuler, 1907
Thalpochares Lederer, 1853 (unnecessary replacement name for *Anthophila* Ochsenheimer)
Trothisa Hübner, [1821] (replacement name for *Glaphyra* Guenée)
Zonesthiousa Thierry-Mieg, 1907
acarodes Swinhoe, 1907
albivena (Hampson, 1905) *Erizada*
albivena var. *pallescens* Le Cerf, 1911
albivia Hampson, 1914
anachoresis (Wallengren, 1863) *Xanthoptera*
accidens (Felder & Rogenhofer, 1874) *Thalpochares*
divisa (Moore, 1881) *Thalpochares*
leonata (Butler, 1886) *Thalpochares*
angustizona Hacker, 2019
apicata Distant, 1898
acrochiona (Mabille, 1900) *Erastria*
apicipunctum (Saalmüller, 1891) *Anthophila*
aurantiaca Hampson, 1910
baccalix (Swinhoe, 1886) *Mestleta*
boccalix; Wiltshire, 1990 *Eublemma*
fasciosa (Moore, [1887]) *Mestleta*
bipartita Hampson, 1902
bolinia (Hampson, 1902) *Metachrostis*
brachyptera Hacker, 2019
ceresensis Hacker, 2019
chionophlebia Hampson, 1910 (replacement name)
albivena Hampson, 1910 (preoccupied)
cochylioides (Guenée, 1852) *Micra*
confuscata (Warren, 1913) *Porphyria*
derogata (Walker, [1858]) *Micra*
phoenissa (Lederer, 1855) *Thalpochares*
phoenissa var. *calida* (Staudinger, 1894) *Thalpochares*
rosita (Guenée, 1852) *Micra*
daphoena Hampson, 1910
delicata (Felder & Rogenhofer, 1874) *Thalpochares*
ethaemata Hampson, 1896
spiogramma Rebel, 1912
eupethecica Hampson, 1910
exigua (Walker, [1858]) *Micra*
nuga (Snellen, 1872) *Micra*
parvula (Moore, 1881) *Thalpochares*
flaviceps Hampson, 1902
flavicosta Hampson, 1910
flavida Hampson, 1902
flavinia (Hampson, 1902) *Metachrostis*
flavitermina Hampson, 1910
foedosa (Guenée, 1852) *Anthophila*
fulvitermina Hampson, 1910
gayneri (Rothschild, 1901) *Mestleta*
beraudi Joannis, 1909
glaucizona Hampson, 1908
goniogramma Hampson, 1910
griseofimbriata Gaede, 1935
hemichiasma Hacker, 2019
hemichiona Hampson, 1918
himmighoffeni (Millière, 1867) *Micra*
kettlewelli Wiltshire, 1988
lentirosea Hampson, 1910
leucanitis Hampson, 1910
leucodieranon Grünberg, 1910
leucomelana Hampson, 1902
leuconeura Hampson, 1910
leucoxona Hampson, 1910
melabasis Hampson, 1914
melanodonta Hampson, 1910
mesophaea Hampson, 1910
metacrypta Hacker, 2019

minima (Guenée, 1852) *Micra*
pallida (Schaus, 1904) *Toxophleps*
carmelita (Morrison, 1875) *Thalpochares*
pennula (Felder & Rogenhofer, 1874) *Thalpochares*
misturata Hampson, 1910
nigrivitta Hampson, 1902

notoleuca Hacker, 2019
ochrobasis Hampson, 1910
odontophora Hampson, 1910
ornatula (Felder & Rogenhofer, 1874) *Thalpochares*
parva (Hübner, [1808]) *Noctua*
chalybea (Swinhoe, 1884) *Micra*
nymphodora Meyrick, 1902
parva var. *rubefacta* (Mabille, 1869) *Micra*
penicillata Hampson, 1902
plumbosa Distant, 1899
postrosea Gaede, 1935
postrufa Hampson, 1914
punctilinea Hampson, 1902
pyrastis Hampson, 1910
ragusana (Freyer, 1844) *Anthophila*
cinerina (Ghiliani, 1854) *Anthophila*
dividens (Lucas, 1892) *Thalpochares*
polygramma Hampson, 1894
psilogramma (Lederer, 1855) *Thalpochares*
quinquelinealis (Moore, 1877) *Hypena*
virginea (Guenée, 1852) *Anthophila*
rivila (Moore, 1882) *Thalpochares*
pusilla (Butler, 1886) *Thalpochares* (preoccupied)
rubripuncta (Hampson, 1902) *Metachrostis*
rufimixta Hampson, 1918
sabia (Felder & Rogenhofer, 1874) *Thalpochares*
scitula (Rambur, 1833) *Erastria*
cretacea (Hampson, 1893) *Eulocastra*
exasperata (Lederer, 1855) *Nola*
futilis (Swinhoe, 1884) *Erastria*
gibbosa (Snellen, 1872) *Agrophila*
seminivea Hampson, 1896
sperans (Felder & Rogenhofer, 1874) *Thalpochares*
staudingeri (Wallengren, 1875) *Thalpochares*
pretoriae Distant, 1898
stictilina Hampson, 1910
stygiochroa Hampson, 1910
stygiodonta Hampson, 1910
therma Hampson, 1910
thermochroa Hampson, 1910
thermosticta Hampson, 1910
titanica Hampson, 1910
trigramma Hampson, 1910
tritonia (Hampson, 1902) *Metachrostis*
astristipata (Hampson, 1926) *Plecoptera*
uninotata Hampson, 1902
xanthocraspis Hampson, 1910

(Tribal placement to be determined, ex Acontiinae)

Arenarba Berio, 1950
destituta (Moore, [1884]) *Tarache*

Asplenia Hampson, 1916
Asplenia Hampson, 1926 (preoccupied)
melanodonta erffai (Grünberg, 1913) *Cardiosace*
melanodonta chloridina Hampson, 1926
*rubrescens** Hampson, 1916

*Note: to Acontiinae (as *A. m. rubrescens*) teste Hacker, 2010

Autoba Walker, [1863] (Eublemmiinae)
Mestleta Walker, 1865
Mestletaa; Hacker & Hausmann, 2010
Metaeomera Butler, 1886
Smicroloba Warren, 1913
admota (Felder & Rogenhofer, 1874) *Acontia*
brachygonia Hampson, 1910
costimacula (Saalmüller, 1880) *Thalpochares*
costimacula mascarensis Viette, 1975
plagiopera Hampson, 1902 *Eublemma*

Cerynea Walker, 1859
Busmadis Walker, 1866 (replacement name)
Falcapryris Berio, 1960
Phanaspa Walker, [1866] (preoccupied)
endotrichalis Hampson, 1910
ignealis Hampson, 1910
thermesialis (Walker, [1866]) *Phanaspa*
rhodotrichia Hampson, 1910
virescens Hampson, 1910

NOCTUOIDEA

Chrysozonata Hampson, 1914
*latiflavaria** (Swinhoe, 1904) *Chrysocraspeda purpurascens* Hampson, 1914

Corgatha Walker, [1859]
Ausinza Walker, 1864
Aventina Staudinger, 1892
Callipyris Meyrick, 1891
Celeopsyche Butler, 1879
Guriauna Walker, 1861
Nacerasa Walker, 1866
Palura Walker, 1861
Pseudephrya Butler, 1886
Sophia Walker, [1863]
Trichogatha Warren, 1913
Zitna Walker, [1866]
chionocraspis Hampson, 1918
drepanodes Hampson, 1910
hypoxantha Hampson, 1910
odontota Fletcher, D.S., 1961
producta Hampson, 1902
regula Gaede, 1916

Cretonia Walker, 1866
Svinhoea; Hampson, 1902
Swinhoea Hampson, 1894
ethiopica Hampson, 1910
vegeta (Swinhoe, 1885) *Spadix*

Deltote R. L., 1817
johnjoannoui Mey & Kühne, 2014

Dysgnathia Warren, 1913
*nigropunctata** (Bethune-Baker, 1906) *Corgatha*

Enispa Walker, [1866]
Micraeschus Butler, 1878
Penisa Warren, 1911
Trogacontia Hampson, 1896
albigrisea (Warren, 1914) *Penisa*

Erastria auct.
varipalpis Walker, 1865

Eublemmistic Hampson, 1902
*chlorozonea** Hampson, 1902

Eublemmoides Bethune-Baker, 1906
apicimacula (Mabille, 1880) *Erastria* *to *Eublemma* teste Hacker
truncata (Hampson, 1905) *Eublemma*

Eulocasta Butler, 1886
Thalerastria Staudinger, 1897
aethiops (Distant, 1898) *Tarache*
carnibasalis Hampson, 1918
hypotaenia (Wallengren, 1860) *Microphysa*
poliogramma Hampson, 1918

Eustrotia Hübner, [1821]
Erastria Ochsenheimer, 1816 (preoccupied)
Eutrostia; Chrétien, 1931
Hemeraptena; Sodoffsky, 1837
Hemeroptena Sodoffsky, 1837
Hydrelia Guenée, 1841 (preoccupied)
Hyela Stephens, 1850
albibasis (Hampson, 1902) *Hyela*
albifascia (Walker, 1865) *Anthoecia*
albifissa (Hampson, 1902) *Hyela*
angulissima Gaede, 1935
bella Bethune-Baker, 1911
bryophilina Hampson, 1910
catoxantha Hampson, 1910
cumalinea Bethune-Baker, 1911
decissima (Walker, 1865) *Microphysa*
africana (Felder & Rogenhofer, 1874) *Erastria*
genuflexa (Hampson, 1902) *Xanthoptera*
loxosema Bethune-Baker, 1911
luteocapitata Mey, 2011
megalena (Mabille, 1900) *Metachrostis*
icarus (Fawcett, 1917) *Brevipecten* *see Hacker & Fibiger, 2007: 280
olivula (Guenée, 1852) *Bankia*
schencki Strand, 1912

Fulvarba Berio, 1950
*fulvescens** (Hampson, 1910) *Ozarba*

Hiccodia Moore, 1882 (Eustrotiinae)
nigripalpis (Walker, 1866) *Acontia*
frausa (Swinhoe, 1886) *Photedes*
migripalpis; Janse, 1917 *Hiccodia*
pallida (Hampson, 1893) *Naranga*
roseitincta Hampson, 1920

Holocryptis Meyrick, 1893
Troctoptera Hampson, 1893
erosides (Hampson, 1902) *Troctoptera* (as *Tractoptera*)

Hypercodia Hampson, 1910
wheeleri Pinhey, 1968

Hyposada Hampson, 1910 (August)
Hyposada Hampson, 1910 (December) (preoccupied)

hydrocampata (Guenée, 1858) *Phibalapteryx*
fraterculata (Moore, 1888) *Arasada*
hydrocampatata; Vári & Kroon, 1986 *Hyposada*
pallescens (Hampson, 1894) *Oruza*
partita (Lucas, 1900) *Acidalia*
posticaria (Walker, 1866) *Acidalia*

Lithacodia Hübner, 1818 (Eustrotiinae)

Anchirhoe Saalmüller, 1891
Anchirrhoe; Bertkau, 1892
Motama Moore, 1882
binorbis (Hampson, 1902) *Erastria*
blandula (Guenée, 1863) *Erastria*
igraecum (Mabille, 1881) *Anthophila*
perta (Schaus, 1893) *Tarache*
caffristis Hampson, 1910
normalis Hampson, 1910
varicolora (Hampson, 1902) *Maliattha*

Lophocytarra Hampson, 1914
argyropasta Hampson, 1918
*phoenicoxantha** Hampson, 1914

Lophoruza Hampson, 1910
Bathystolma Turner, 1932
Eugnathia Warren, 1912
Lophograptia Warren, 1913
semiscripta (Mabille, 1893) *Selenis*
lithina (Holland, 1894) *Mestleta*

Meneclia Grünberg, 1910
*pallidula** Grünberg, 1910

Meneptera Hampson, 1910
*diopis** (Hampson, 1905) *Tarache*

Metachrostis Hübner, [1820] (replacement name) (Eublemmiinae)
Leptosia Guenée, 1841 (preoccupied)
Zalaca Walker, [1866]
*anticalis** (Walker, [1866]) *Zalaca*
decora (Walker, 1869) *Erastria*
snelleni (Wallengren, 1875) *Leptosia*
aethiops (Distant, 1892) *Epizeuxis*

Mimasura Hampson, 1910 (August)
Mimasura Hampson, 1910 (December) (preoccupied)
innotata Hampson, 1910
*quadripuncta** Hampson, 1910
tripunctoides Poole, 1989 (replacement name)
tripuncta (Hampson, 1902) *Xanthoptera* (preoccupied)
unipuncta (Hampson, 1902) *Xanthoptera*

Neochrostis Hampson, 1902
*diplogramma** Hampson, 1902

Oederastria Hampson, 1902
*ectorhoda** Hampson, 1902

Oediblemma Hampson, 1918
*trogoptera** Hampson, 1918

Oruza Walker, 1861
Curvatula Staudinger, 1892
Vittapressa Bethune-Baker, 1906
latifera (Walker, 1869) *Acidalia*

NOCTUOIDEA

costalis (Butler, 1875) *Selenis discifascia* (Holland, 1894) *Mestleta*

Ozarba Walker, 1865 (Eustrotiinae)
Acontiola Staudinger, [1900]
abscissa (Walker, 1858) *Microphysa partita* (Mabille, 1880) *Thalpochares accincta* (Distant, 1898) *Metachrostis acclivis* (Felder & Rogenhofer, 1874) *Acontia perssoni* (Wallengren, 1875) *Microphysa africana* Berio, 1940
albimarginata (Hampson, 1896) *Metachrostis atrifera* Hampson, 1910
atrilera khadrafica Wiltshire, 1980
bicoloria Gaede, 1915
binorbis Hampson, 1910
bipartita (Hampson, 1902) *Metachrostis bisexualis* Hampson, 1910
chionoperas Hampson, 1918
cinerea (Aurivillius, 1879) *Thalpochares consanguis* (Hampson, 1902) *Metachrostis marwitzii* Gaede, 1916
contempta (Walker, 1858) *Hydrelia corniculans* (Wallengren, 1860) *Erastria figurata* (Walker, 1865) *Erastria corniculantis* Berio, 1950
cryptochrysea (Hampson, 1902) *Metachrostis centralis* (Pagenstecher, 1907) *Tarache cyanopasta* Hampson, 1910
damarensis Berio, 1940
dense (Walker, 1865) *Panemeria devylderi* Berio, 1940
fasciata (Wallengren, 1860) *Erastria festiva* Berio, 1950
flavipennis Hampson, 1910
fuscata Mey, 2011
gaedei Berio, 1940
gobabis Berio, 1940
heliastis (Hampson, 1902) *Metachrostis hemimelaena* Hampson, 1910 (replacement name)
transversa (Pagenstecher, 1907) *Tarache* (preoccupied)
hemiochra Hampson, 1910
hemiochra hemileuca Wiltshire, 1982
hemipolia Hampson, 1910
hemisarca Hampson, 1916
himbana Mey, 2011
hypoxantha (Wallengren, 1860) *Microphysa vultuosa* (Distant, 1898) *Metachrostis illimitata* Warren, 1914
inobtrusa (Hampson, 1902) *Metachrostis inopinata* Berio, 1940
isocampta Hampson, 1910
jansei Berio, 1940
madanda (Felder & Rogenhofer, 1874) *Acontia dignata* (Möschler, 1883) *Acontia malaisei* Berio, 1940
metachrysea Hampson, 1910
nigroviridis (Hampson, 1902) *Metachrostis nyanza* (Felder & Rogenhofer, 1874) *Erastria olimcorniculans* Berio, 1940
orthozona (Hampson, 1902) *Metachrostis perplexa* Saalmüller, 1891
persinua Berio, 1940
phaea (Hampson, 1902) *Metachrostis plagifera* (Rebel, 1907) *Metachrostis punctigera** Walker, 1865
punctithorax Berio, 1940
regia Warren, 1914
sacra (Staudinger, 1900) *Acontiola schmiedelae* Mey, 2011
semipupurea (Hampson, 1902) *Metachrostis separabilis* Berio, 1940
sinua Hampson, 1910
subterminalis Hampson, 1910
subtusimbrata Berio, 1940
topnaari Mey, 2011
varia (Walker, 1865) *Panemeria mustelina* (Wallengren, 1875) *Microphysa*

Pargona Staudinger, 1892 *Hacker, 2013: Aventiinae
 Sp. A
 Sp. B
 Sp. C

Paroruza Hampson, 1902
lateritia (Felder & Rogenhofer, 1875) *Anisodes subductata** (Walker, 1861) *Acidalia*

Phyllophilia Guenée, 1852
griseola (Felder & Rogenhofer, 1874) *Thalpochares leucostigmata* (Hampson, 1902) *Tarache rufescens* Hampson, 1910

Pseudomicrodes Hampson, 1910 (replacement name)
Pseudomicra Rebel, 1907 (preoccupied)
ecrufa (Hampson, 1905) *Eublemma fuscipars* Hampson, 1910
mediorufa Hampson, 1910
ochrocraspis Hampson, 1910

Pseudozarba Warren, 1913 (Eustrotiinae)
Euthytoma Turner, 1920
*opella** (Swinhoe, 1885) *Acontia orthozona* Wiltshire, 1984

Tegiapa Nye, 1975 (replacement name)
Pagetia Prout, A.E., 1922 (preoccupied)
*larentioides** (Prout, A.E., 1922) *Pagetia larentioides*; Poole, 1989 *Tegiapa*

Thalpochares auct.
caffrorum Wallengren, 1860
squamilinea Felder & Rogenhofer, 1874

Thyatirina Hampson, 1910
*achatina** (Weymer, 1896) *Thyatira*

Toana Walker, 1865
atridiscata Pinhey, 1968
flaviceps Hampson, 1918

Trogocraspis Hampson, 1918
*durbanica** Hampson, 1918

Uncula Swinhoe, 1900
tristigmatias (Hampson, 1902) *Hyela*

Xanthomera Hampson, 1914 (replacement name)
Xanthozona Hampson, 1910 (preoccupied)
*leucoglene** (Mabille, 1880) *Erastria robusta* (Saalmüller, 1891) *Metachrostis*

(Tribe?)

Saroba Walker, 1865 OPHI
cyanescens Hampson, 1926

Erebinae Leach, 1815**Acantholipini**. Fibiger & Lafontaine, 2005

Acantholipes Lederer, 1857 OPHI
Acantholipis; Hampson, 1907
Docela Walker, [1866]
Isatoolna Nye, 1975 (replacement name)
Lasionota Warren, 1912 (preoccupied)
Nolaseniola Strand, 1920
circumdata (Walker, 1858) *Hydrelia affinis* (Butler, 1880) *Docela flavigagna* Moore, 1881
nigrisigna Moore, 1881
vetustalis (Walker, [1866]) *Docela namacensis* (Guenée, 1852) *Microphysa trajecta* (Walker, 1865) *Euclidia inconspicua* Butler, 1880
trifasciata Moore, [1885]
trimeni Felder & Rogenhofer, 1874

Ugia Walker, 1858 OPHI
Sarthida Walker, [1863]
abilinea Hampson, 1926
amaponda (Felder & Rogenhofer, 1874) *Gracilodes loxigramma*; Pinhey, 1975 *Thermesia loxogramma* (Hampson, 1902) *Thermesia taeniatia* (Holland, 1894) *Heterospila*

NOCTUOIDEA

Syphnini author, date
*to place *Hypersyphnoides* here?

Catephiini author, date*

Aedia Hübner, [1823] OPHI

Anophia Guenée, 1841

leucomelas (Linnaeus, 1758) *Phalaena Noctua*

acronyctoides (Guenée, 1852) *Anophia*

adepta (Geyer, [1832]) *Noctua*

diluta Roepke, 1941

leucomelas albodiscalis (Roepke, 1932) *Anophia*

leucomelas thomae (Prout, A.E., 1927) *Anophia*

limitaris (Walker, [1863]) *Anophia*

olivescens (Guenée, 1852) *Anophia*

ramburii (Boisduval, 1829) *Catephia*

phantasma Hacker, 2004

Catephia Ochsenheimer, 1816 OPHI

Idicara Walker, [1863]

Mageutica Hampson, 1926

Zarima Moore, 1882

albifasciata (Pinhey, 1968) *Audea*

barrettae Hampson, 1905

discophora Hampson, 1926

iridocosma (Bethune-Baker, 1911) *Aedia*

pallididisca Hampson, 1926

personata Walker, 1865

squamosa (Wallengren, 1856) *Anophia*

aquamosa; Janse, 1917 *Catephia*

discistriga (Walker, [1858]) *Anophia*

inconclusa (Walker, [1858]) *Plusia*

trispilosa (Saalmüller, 1880) *Anophia*

virescens Hampson, 1902

Melanephia Le Cerf, 1922 OPHI

Melanephia Hampson, 1926 (preoccupied)

metarhabdota Hampson, 1926

nigrescens (Wallengren, 1856) *Anophia*

inquieta (Walker, [1857]) *Agrotis*

nigriscens; Wallengren, 1856 *Melanephia*

sofala (Felder & Rogenhofer, 1874) *Aedia*

teretipalpa (Wallengren, 1860) *Hadena*

teretiplaga; Wallengren, 1860 *Hadena*

trista (Snellen, 1872) *Acontia*

melanophaes (Bethune-Baker, 1911) *Aedia*

tristis; Snellen, 1872 *Acontia*

Pandesmini Wiltshire, 1990

Pandesma Guenée, 1852 OPHI

Cerbia Walker, 1858

Michera Walker, 1865

Subpandesma Berio, 1966

Thria Walker, [1858]

Vapara Moore, 1882

anya Guenée, 1852

muricolor Berio, 1966

robusta (Walker, [1858]) *Thria*

anya auct. *Pandesma*

anya distincta Rothschild, 1920

fugitiva (Walker, 1858) *Cerbia*

grandis (Staudinger, 1877) *Pericyma*

opposita Wallengren, 1863

sennaarenensis Felder & Rogenhofer, 1874

similata Moore, 1883

terrigena (Christoph, 1877) *Pericyma*

In Zahiri et al. (2012) part of an unsupported clade consisting of *Pandesma*, *Heteropalpia*, *Sphingomorpha*, and *Pericyma*

Heteropalpia Berio, 1939 OPHI

*cortyoides** Berio, 1939 *to *Homaea* Guenée, 1852 *teste* Hacker

exarata (Mabille, 1890) *Polydesma*

wolframmeyi Hacker, 2004

Polydesma Boisduval, 1833 OPHI

Anodapha Moore, [1885]

Anthemoessa; Agassiz, [1847] (unjustified emendation)

Anthemoisia; Blanchard, 1840

Anthemoisia; Poole, 1989

Trichopolydesma Berio, 1954

boarmoides Guenée, 1852

mastrucata Felder & Rogenhofer, 1874

sagulata Wallengren, 1875

scriptilis Guenée, 1852

brevipalpis (Walker, [1858]) *Alamis*

otiosa Guenée, 1852

sexmaculata Berio, 1971

*umbricola** Boisduval, 1833

collutrix (Geyer, 1837) *Coenipeta*

colutrix; Hampson, 1916 *Polydesma*

determinata Wallengren, 1863 *1865?

landula Guenée, 1852

laudula; Butler, 1875 *Polydesma*

Sphingomorpha Guenée, 1852 OPHI

*chlorea** (Cramer, 1777) *Phalaena*

monteironis Butler, 1875

rapta (Fabricius, 1787) *Noctua*

sinya; Keferstein, 1861 *Noctua*

sipyla Guenée, 1852

marshalli Hampson, 1902

Pericymini Wiltshire, 1976

Pericyma Herrich-Schäffer, [1851]

Alamis Guenée, 1852

Dugaria Walker, [1858]

Moepa Walker, 1865

atrifusa (Hampson, 1902) *Homoptera*

caffraria (Möschler, 1883) *Alamis*

deducta (Walker, [1858]) *Alamis*

mendax (Walker, [1858]) *Alamis*

ciliipes (Walker, [1858]) *Dugaria*

delineosa (Walker, 1858) *Homoptera*

dilineosa; Hampson, 1902 *Homoptera*

disjuncta (Walker, 1865) *Homoptera*

polygramma Hampson, 1913

scandulata (Felder & Rogenhofer, 1874) *Homoptera*

scandulata; Hampson, 1902 *Homoptera*

umbrina (Guenée, 1852) *Alamis*

albicincta (Guenée, 1852) *Alamis*

albicincta; Poole, 1989 *Alamis*

continua (Walker, 1865) *Alamis*

hypophaea (Guenée, 1852) *Alamis*

plumipes (Walker, 1865) *Homoptera*

Erebini author, date*

Ascalapha Hübner, [1809] OPHI

Idechthis Hübner, [1821]

Otosema Hübner, [1823]

*odorata** (Linnaeus, 1758) *Phalaena Bombyx*

agarista (Cramer, 1777) *Phalaena Attacus*

odora auct. *Otosema*

Cyligramma Boisduval, 1833

Cylogramma Agassiz, [1847] (unjustified emendation)

fluctuosa (Drury, 1773) *Phalaena Noctua*

latona (Cramer, 1775) *Phalaena Noctua*

troglodyta (Fabricius, 1794) *Noctua*

limacina (Guérin-Méneville, [1832]) *Erebis*

acutior Guenée, 1852

argillosa Guenée, 1852

bisignata (Walker, 1858) *Brujas*

importuna Keferstein, 1870

intellecta Keferstein, 1870

interlecta auct. *Cyligramma*

magus (Guérin-Méneville, [1844]) *Erebis*

buchholzi Plötz, 1880

buchholzi; Berio, 1965 *Cyligramma*

goudotii Guenée, 1852

Erebis Latreille, 1810

Argiva Hübner, [1823]

Bocana Walker, [1865] (preoccupied)

Byas Billberg, 1820

Cariона Swinhoe, 1918

Coria Walker, 1866 (replacement name)

NOCTUOIDEA

Crishna Kirby, 1897
Eupatula Ragonot, 1894 (replacement name)
Nyctipao Hübner, [1823]
Nyctipaon; Hübner, [1826]
Patula Guenée, 1852 (preoccupied)
atavistis (Hampson, 1913) *Nyctipao*
walkeri (Butler, 1875) *Patula*
macrops auct. *Nyctipao*
valceri; Hampson, 1913 *Nyctipao*

Melipotini author, date*

Melipotis Hübner, 1818
Coronta Walker, [1858]
Gerespa Walker, 1858
Jarasana Moore, 1882
Lyncestis Walker, 1857 *treated as valid by Hacker & Saldaitis (2010)
amphix (Cramer, 1777) *Phalaena Noctua*
lativitta (Moore, 1882) *Jarasana*
mimica (Gaede, 1939) *Lyncestis*

Audeini author, date*

Audea Walker, [1858]
Davea Berio, 1959
*bipunctata** Walker, [1858]
fatua (Felder & Rogenhofer, 1874) *Phoberia*
hypostigmata Hampson, 1913
blockwitzi Kühne, 2005
melanoplaga Hampson, 1902
antennalis Berio, 1954
nigrior Kühne, 2005
subligata Distant, 1902
tegulata Hampson, 1902
humeralis Hampson, 1902
watusi Kühne, 2005
zimmeri Kühne, 2005

Catocalini Boisduval, [1828]

Archaeopilocornus Kühne, 2005
lucidus (Pinhey, 1968) *Ulotrichopus*
luridus; Pinhey, 1968 *Ulotrichopus*
Cryptotidia Rothschild, 1901
Cremopalpus Strand, 1909
Cryptotidia; Hayward, 1926
bibrachiata Kühne, 2005
inquirenda (Strand, 1909) *Cremopalpus*
longicosta Kühne, 2004
mesosema Hampson, 1913 * Ex. teste Kühne (2005)

Hypotacha Hampson, 1913
austera Kühne, 2004
brandbergensis Kühne, 2004
catilla Kühne, 2004
isthmigera Wiltshire, 1968
isthmigera; Hacker & Saldaitis, 2010 *Hypotacha*
nigristria (Hampson, 1902) *Audea*
parva Kühne, 2004
pulla Kühne, 2004
*retracta retracta** (Hampson, 1902) *Audea*
retracta waterbergensis Kühne, 2004
waterbergensis (ssp. of *retracta*) Kühne, 2004

Ulotrichopus Wallengren, 1860
Alura Möschler, 1883
Ulothrichopus; Wallengren, 1865
Ulotricopus; Hampson, 1902
Ulthrichopus; Poole, 1989
catocala (Felder & Rogenhofer, 1874) *Phoberia*
caupona (Möschler, 1883) *Alura*
fatilega (Felder & Rogenhofer, 1874) *Anophia*
mesoleucus (Walker, 1858) *Audea*
*tortuosus** Wallengren, 1860
nigricans Laporte, 1973
primulinus (Hampson, 1902) *Audea*
pseudomarmoratus Kühne, 2005
stertzi (Püngeler, 1907) *Audea*
glaucescens Hampson, 1913 (as *Ulothrichopus*)
leucopastus Hampson, 1913 (as *Ulothrichopus*)

tinctipennis (Hampson, 1902) *Audea*
arabica (Rebel, 1907) *Audea*
variegatus (Hampson, 1902) *Audea*

Hypopyrini author, date*

Comaster Hampson, 1913
*pyrula** (Hopffer, 1857) *Spirama*
lucida (Felder, 1874) *Spirama*

Hypopyra Guenée, 1852

Enmonodia Walker, 1858
Maxula Walker, 1865
Pyramarista Kirby, 1896
africana (Kirby, 1896) *Maxula*
allardi (Oberthür, 1878) *Ophiusa*
leucochiton (Mabille, 1884) *Ophisma*
capensis Herrich-Schäffer, [1854]
endoxantha (Hampson, 1913) *Enmonodia*
hampsoni (Aurivillius, 1926) *Enmonodia*
miniata Wallengren, 1856
occidentalis (Hampson, 1913) *Enmonodia*
plumbefusa (Hampson, 1913) *Enmonodia*
plumbeofusa; Gaede, 1936 *Enmonodia*
pulverulenta (Hampson, 1913) *Enmonodia*
carneotincta (Hampson, 1913) *Enmonodia*

Spirama Guenée, 1852

Spiramia; Walker, 1858
glaucescens (Butler, 1893) *Calliodes*
griseisigna (Hampson, 1913) *Speiredonia*
inconspicua (Herrich-Schäffer, [1854]) *Hypopyra*

Euclidiini author, date*

Mocis Hübner, [1823]
Baratha Walker, 1865
Cauninda Moore, [1885]
Pelania Guenée, 1852
Pelomia; Warren, 1913
Remigia Guenée, 1852
conveniens (Walker, 1858) *Remigia*
detersa (Walker, 1865) *Remigia*
mayeri (Boisduval, 1833) *Ophiusa*
associata (Walker, 1865) *Remigia*
diffundens (Walker, 1865) *Hypaetra*
inconcisa (Walker, 1865) *Remigia*
insulsa (Wallengren, 1860) *Grammodes*
judicans (Walker, 1858) *Ophiusa*
jugalis (Walker, 1858) *Remigia*
mutuaria (Walker, 1858) *Remigia*
mutuata (Walker, 1858) *Remigia*
nigrimacula (Mabille, 1879) *Ophiusa*
pellita (Guenée, 1852) *Remigia*
subauenescens (Walker, 1869) *Ophiusa*
torpida (Walker, 1865) *Remigia*
undata auct. *Remigia*
proverai Zilli, 2000 *this replaces *frugalis*
undata (Fabricius, 1775) *Noctua*
archesia (Cramer, 1780) *Phalaena*
bifasciata (Walker, 1865) *Remigia*
gregalis (Guenée, 1852) *Remigia*
velata (Walker, [1863]) *Ophisma*
*virbia** (Cramer, 1780) *Phalaena*

Pantydia Guenée, 1852 OPHI

Rhiscipha Walker, 1865
Tanydia; Tillyard, 1926
anderson (Felder & Rogenhofer, 1874) *Ophiusa*
scissa (Walker, 1865) *Rhiscipha*

Ercheiini author, date*

Ercheia Walker, [1858]
subsignata (Walker, 1865) *Achaea*
periploca Holland, 1894

NOCTUOIDEA**Hulodini** author, date*

- Ericeia** Walker, [1858] OPHI
Erceia; Turner, 1933
Girpa Walker, 1858
Villosa Koch, 1865
albangula (Saalmüller, 1880) *Alamis*
albangula dodo Viette, 1975
albungula Möschler, 1883 *Alamis*
terrena (Mabille, 1882) *Homoptera*
congregata (Walker, 1858) *Remigia*
infirma (Holland, 1894) *Naxia*
taedia (Felder & Rogenhofer, 1874) *Grammodes*
waterstoni Wiltshire, 1982
congressa (Walker, 1858) *Remigia*
sandii (Guenée, 1862) *Hulodes*
inangulata (Guenée, 1852) *Hulodes*
certilinea Prout, A.E., 1929
comitata (Walker, 1865) *Remigia*
intextilia (Schultze, 1908) *Remigia*
intracta (Walker, 1864) *Remigia*
levuensis Prout, A.E., 1929
optativa (Walker, 1858) *Remigia*
optatura (Walker, 1858) *Remigia*
subcinerea (Snellen, 1880) *Alamis*
umbrosa (Walker, 1869) *Hulodes*
zeta (Walker, 1864) *Remigia*
sobria Walker, [1858]
aliena (Walker, 1858) *Girpa*
pampoecila Bethune-Baker, 1914
statina (Möschler, 1883) *Ophisma*

Cocytini Boisduval, 1874

- Serrodes** Guenée, 1852 OPHI
flavitincta Hampson, 1926
korana (Felder & Rogenhofer, 1874) *Phoberia*
partita auctt. nec Fabricius, 1775
trispila (Mabille, 1890) *Athyrra*

Poaphilini Guenée, 1837

- Achaea** Hübner, [1823]
Geria Walker, 1858
albicilia (Walker, 1858) *Ophisma*
boris (Geyer, 1837) *Blosyris*
debilis (Holland, 1894) *Naxia*
mundissima (Walker, 1858) *Ophisma*
oblita (Walker, 1858) *Ophisma*
senior (Walker, 1858) *Ophisma*
sinistra Mabille, 1880
catella Guenée, 1852
chrysopera Druce, 1912
confinis (Wallengren, 1856) *Ophisma*
dasybasis Hampson, 1913
echo (Walker, 1858) *Ophisma*
mariaca Plötz, 1880
ezea (Cramer, 1779) *Phalaena Noctua*
ezea thomensis Prout, A.E., 1927
hircus (Fabricius, 1794) *Noctua*
leona Felder & Rogenhofer, 1874
faber Holland, 1894
finita (Guenée, 1852) *Ophisma*
ficitia; Pagenstecher, 1907 *Ophiosa*
limbata (Felder & Rogenhofer, 1874) *Ophisma*
finitima (Wallengren, 1856) *Ophisma*
illustrata Walker, 1858
mabillii (Saalmüller, 1879) *Ophisma*
mabilli; Janse, 1917 *Achaea*
in determinata (Walker, 1865) *Ophisma*
demta (Möschler, 1883) *Ophisma*
infinita (Guenée, 1852) *Ophisma*
intermedia Wallengren, 1856
lienardi (Boisduval, 1833) *Ophiosa*
cerbera (Guenée, 1852) *Ophiosa*
chamaeleon Guenée, 1852
chameleon; Monteiro, 1891 *Achaea*
chamoeleon; Hampson, 1902 *Achaea*
externesignata (Saalmüller, 1880) *Ophisma*
hilaris Plötz, 1880
lienhardi; Hacker & Hausmann, 2010 *Achaea*

- locra* Plötz, 1880
ophismoides Walker, 1869
partita Walker, 1869
partitina; Pinhey, 1975 *Achaea*
spectatura Walker, 1858
zabulon (Guenée, 1852) *Ophiosa*
mercatoria (Fabricius, 1775) *Noctua*
accelerans Walker, 1858
ino Hübner, [1823]
vulpina (Fabricius, 1794) *Noctua*
mormoides Walker, 1858
mania Felder & Rogenhofer, 1874
schuetzei Bryk, 1915
obvia Hampson, 1913
angustifascia Fletcher, D.S., 1963
praestans Guenée, 1852
arabella Bryk, 1915
bryoxantha (Hampson, 1902) *Ophiosa*
byroxantha; Poole, 1989 *Ophiosa*
rufobrunnea Strand, 1914
sordida (Walker, 1865) *Ophisma*
pretoriae (Distant, 1892) *Ophisma*
tolnaodes Berio, 1956
tornistigma Prout, A.E., 1921
trapezoides (Guenée, 1862) *Ophisma*
trapezioides; Saalmüller, 1891 *Ophiodes*
umbrigera Mabille, 1898
violascens Hampson, 1918
- Chalciope** Hübner, [1823]
Euclidisema Hampson, 1913
delta (Boisduval, 1833) *Ophiosa*
crestonion (Snellen, 1902) *Grammodes*
decta; Wallengren, 1856 *Grammodes*
erecta Hampson, 1902
pusilla (Holland, 1894) *Grammodes*
- Ophiusini** author, date*
- Ophiosa** Ochsenheimer, 1816
Anua Walker, 1858
Hemachra Sodoffsky, 1837
Meropis Hübner, 1822
Ophiogenes Reichenbach, 1816
Ophiussa; Hübner, [1823]
Peranua Berio, 1959
Perophiusa Berio, 1959
Stenopsis Mabille, 1880
Stenopsis; Hampson, 1913
Subanua Berio, 1959
Trichanua Berio, 1954
dianaris (Guenée, 1852) *Ophiodes*
dianiris; Pinhey, 1975 *Anua*
rungsi (Laporte, 1975) *Clytie*
tempica (Möschler, 1883) *Pandesma*
dilecta Walker, 1865
finifascia (Walker, 1858) *Nephelodes*
amplia; Walker, 1858 *Anua*
amplior (Walker, 1858) *Anua*
lilaceofasciata (Pagenstecher, 1907) *Pseudophodia*
hypoxantha (Hampson, 1918) *Anua*
maculata (Wallengren, 1856) *Ophiodes*
maraisi (Hacker, 2004) *Trichanua*
mejanesi (Guenée, 1852) *Ophiodes*
cameronis (Plötz, 1880) *Ophiodes*
expedita (Walker, 1858) *Ophiosa*
majanesi; Pinhey, 1975 *Ophiodes*
tettensis (Hopffer, 1857) *Ophiodes*
wahlbergi (Wallengren, 1856) *Ophiodes*
melaconia Hampson, 1905
nocturnia Hampson, 1902
pseudotirhaca (Berio, 1956) *Anua*
salita Distant, 1898
selenaris (Guenée, 1852) *Ophiodes*
obhaerens Walker, 1858
welwitschi (Felder & Rogenhofer, 1874) *Pseudophodia*
subdiversa (Prout, L. B., 1919) *Anua*
tirhaca* (Cramer, 1777) *Phalaena Noctua*
auricularis (Hübner, [1803]) *Noctua*
bottentota; Poole, 1989 *Ophiodes*
clementi (Swinhoe, 1918) *Anua*
hottentota (Guenée, 1852) *Ophiodes*

NOCTUOIDEA

separans (Walker, 1858) *Ophiodes*
tirrhaca obscura Pinker & Bacallado, 1974
tirrhaca auct. *Ophiusa*
tirrhaea (Fabricius, 1781) *Noctua* (emendation)
vesta (Esper, 1789) *Noctua*
vester; Pinhey, 1974 *Noctua*
tumiditermina Hampson, 1910
fumida (Hampson, 1913) *Anua*
hampsoni (Holland, 1920) *Anua*
umbrilinea Hampson, 1902 (as *Ophiusa*)
violascens Hampson, 1902
violisparsa (Prout, L.B., 1919) *Anua*

Thyas Hübner, [1824]
Dermaleipa Saalmüller, 1891
Lagoptera Guenée, 1852
arcifera (Hampson, 1913) *Dermaleipa*
parallelipipeda (Guenée, 1852) *Ophiodes*
parallelepipedata; Saalmüller, 1891 *Dermaleipa*
saalmuelleri (Mabille, 1879) *Ophisma*
saalmulleri; Mabille, 1879 *Ophisma*
rubricata (Holland, 1894) *Lagoptera*
daseia (Fawcett, 1902) *Dermaleipa*
ignicans (Hampson, 1902) *Ophiusa*

Unplaced as to tribe

Rhesala Walker, 1858 OPHI
Hingula Moore, 1882
Magulaba Walker, [1866]
Rimulia Saalmüller, 1891
goleta (Felder & Rogenhofer, 1874) *Antiblemma*
grisea (Hampson, 1916) *Magulaba*
moestalis (Walker, [1866]) *Magulaba*
figurata (Moore, [1885]) *Hingula*
maestalis; Hampson, 1902 *Magulaba*
malgassica (von Heyden, 1891) *Rimulia*
ragazzii (Berio, 1937) *Cerynea*

Note. According to Zahiri *et al.* (2012), *Rhesala* is an Asian genus.

NOCTUOIDEA

RESIDUAL OF GENERA TO BE ASSIGNED TO TRIBE, MOSTLY
WITHIN EREBIDAE: EREBINAЕ

Catocalinae (incl. Ophiderinae)

Erebinae
Erebinae
Othreinae
Scoliopteryginae

Aburina Möschler, 1887 OPHI

Ugana Swinhoe, 1909
coerulescens Hampson, 1926
poliophaea Hampson, 1926

Acanthodelta Hampson, 1908
*distriga** Hampson, 1908

Attatha Moore, 1878

Arattatha; Janse, 1917
attathoides (Karsch, 1896) *Fodina*
barlowi Prout, A. E., 1921
ethiopica Hampson, 1910
superba Janse, 1917 (as *Arathatha*)

Beriohansa Nye, 1975 (replacement name)

Hansa Berio, 1959 (preoccupied)
*hansali** (Felder & Rogenhofer, 1874) *Remigia*

Bocula Guenée, 1852 OPHI

Aramuna Moore, [1884]
Borsippa Walker, 1858
Eudragana Butler, 1888
Lacibisa Walker, [1863]
Sillophora Warren, 1912 (preoccupied)
Trapezoptera Hulstaert, 1924
Trichoptya Warren, 1912 (replacement name)
metochrea Hampson, 1926
terminata (Walker, 1869) *Hydrelia*

Calliodes Guenée, 1852

pretiosissima Holland, 1892
rivilifera Butler, 1893
riviligera auct. *Calliodes*

Cerocala Boisduval, 1829

contraria (Walker, 1865) *Poaphila*
revulsa (Wallengren, 1875) *Bolina*
insana (Herrick-Schäffer, [1858]) *Grammodes*
vermiculosa Herrick-Schäffer, 1854
vermiculosa megalesia Griveaud & Viette, 1961

Colbusa Walker, 1865

*euclidica** Walker, 1865
eucidia; Möschler, 1887 *Colbusa*
maltzanae (Strand, 1914) *Fodina*
postlutea Strand, 1916
reussiana Strand, 1914

Cortyta Walker, [1858]

*canescens** Walker, [1858]
diapera Hampson, 1913
phaeocyma Hampson, 1913
polycyma (Hampson, 1909) *Hypoglaucitis*
setifera Hampson, 1918
tamsi (Berio, 1971) *Polydesma*

Ctenusa Hampson, 1910

Acanthonyx Hampson, 1902 (preoccupied)
curvilinea Hampson, 1913
rectilinea Fawcett, 1916
pallida (Hampson, 1902) *Calliodes*
brevipecten Hampson, 1913
*carnicolor** (Hampson, 1902) *Chalciope*
rufirena Hampson, 1910
varians (Wallengren, 1863) *Agrotis*
marginalis (Walker, 1858) *Agrotis* (preoccupied)
marginifera (Walker, 1864) *Agrotis* (replacement name)
pretoriae (Distant, 1902) *Chalciope*
seriopuncta (Hampson, 1916) *Acanthonyx*

Cuneisigna Hampson, 1913

cumamita (Bethune-Baker, 1911) *Chalciope*
*obstans** (Walker, 1858) *Trigonodes*

hemidelta (Mabille, 1890) *Trigonodes*
rivulata (Hampson, 1902) *Chalciope*

Dysgonia Hübner, [1823]

Bastilla Swinhoe, 1918
Caranilla Moore, [1885]
Macaldenia Moore, [1885] (replacement name)
Naxia Guenée, 1852 (preoccupied)
Pasipeda Moore, 1882 (preoccupied)
Pindara Moore, [1885]
Xiana Nye, 1975 (replacement name)
abnegans (Walker, 1858) *Ophiusa*
abilinea (Hampson, 1918) *Parallelia*
angularis (Boisduval, 1833) *Ophiusa*
camerunica Holland, 1894
chiliensis (Guenée, 1852) *Ophiusa*
properans (Walker, 1858) *Ophiusa*
conjunctura (Walker, 1858) *Ophiusa*
neptunia Holland, 1894
crameri Moore, [1885] (replacement name)
achatina (Cramer, 1780) *Phalaena Noctua* (preoccupied)
derogans (Walker, 1858) *Ophiusa*
erectata (Hampson, 1902) *Ophiusa*
joviana (Stoll, 1782) *Phalaena Noctua*
jovis; Hübner, [1823] *Dysgonia*
myops (Guenée, 1852) *Ophiusa*
myopis; Wallengren, 1865 *Ophiusa*
sinuata (Fabricius, 1781) *Noctua* (preoccupied)
latifascia Warren, 1888
macrorhyncha (Hampson, 1913) *Parallelia*
proxima (Hampson, 1902) *Ophiusa*
conjuraturana (Strand, 1918) *Parallelia*
torrida (Guenée, 1852) *Ophiusa*
albivitta (Guenée, 1852) *Ophiusa*
festina (Walker, 1858) *Ophiusa*
algira auct. *Ophiusa*
triplocyma (Hampson, 1913) *Parallelia*

Egybolis Boisduval, 1847

Caloptera Blanchard, 1845 (preoccupied)
*vallantina** (Stoll, [1790]) *Phalaena Bombyx*
dohertyi Rothschild, 1901
formosa (Blanchard, 1845) *Caloptera*
natalica; Pagenstecher, 1903 *Egybolis*
natalii Boisduval, 1847
vallantina cameroona Bethune-Baker, 1927
vallantina var. *vallantiana* Angas, 1849

Entomogramma Guenée, 1852

Taramina Moore, [1885]
pardus Guenée, 1852
anteponens (Walker, 1858) *Hypopyra*
grisea Wallengren, 1856
panthera Felder & Rogenhofer, 1874
pardalis Saalmüller, 1880
syngrammata (Mabille, 1880) *Scotosia*
venusta (Walker, 1865) *Remigia*

Euonychodes Warren, 1914

*albivenata** Warren, 1914

Euphiusa Hampson, 1913
*harmonica** (Hampson, 1902) *Chalciope*

Grammodes Guenée, 1852

Prodotis John, 1910
africana Berio, 1956
africana; Vári & Kroon, 1986 *Grammodes*
bifasciata (Petagna, 1787) *Noctua*
chalciptera (Borkhausen, 1792) *Phalaena*
linearis (Hübner, 1790) *Phalaena Noctua*
parallela (Cyrillo, 1790) *Noctua*
parallelaris (Hübner, [1803]) *Noctua*
congenita Walker, 1858
euclidiooides Guenée, 1852
dubitans (Walker, 1858) *Euclidia*
euclidiooides postfumida Wiltshire, 1970
exclusiva Pagenstecher, 1907
paerambae Brandt, 1939
microgonia (Hampson, 1910) *Chalciope*
monodonta Berio, 1956
monodonta somaliensis Berio, 1956
*stolidia** (Fabricius, 1775) *Noctua*

NOCTUOIDEA*cingularis* (Hübner, [1808]) *Noctua**curvilinea* Walker, 1869*stupida* (Herrick-Schäffer, 1851) *Euclidia****Heliophisma*** Hampson, 1913*catocalina* Holland, 1894*zanziparica* Hampson, 1913*klugii* (Boisduval, 1833) *Ophiusa**clugi* Hampson, 1913 (unjustified emendation)*croceipennis** (Walker, 1858) *Ophisma**klugei*; Vári & Kroon, 1986 *Heliophisma**rivalaris* (Butler, 1875) *Ophisma**varians* (Mabille, 1897) *Ophisma**xanthoptera* (Hampson, 1910) *Ophiusa****Hyanpanua*** Hampson, 1913*roseotincta* Hampson, 1918*xylinia** (Distant, 1898) *Ophiusa****Minucia*** Moore, [1885]*Nantesia* Kirby, 1897*Ophiodes* Guenée, 1841 (preoccupied)

Falls away

Ophiodes auct.
to fall away***Ophisma*** Guenée, 1852*albitermia* (Hampson, 1910) *Ophiusa**exuleata* Möschler, 1883*esculeata*; Hampson, 1913 *Ophisma**lunulifera* Walker, 1865***Parachalciope*** Hampson, 1913*benitensis* (Holland, 1894) *Grammodes**euclidicola** (Walker, 1858) *Fodina**furcifera* (Hampson, 1902) *Mecodina**mahura* (Felder & Rogenhofer, 1874) *Chalciope**ditrigona* (Hampson, 1910) *Chalciope**nahura*; Janse, 1917 *Parachalciope****Parallelura*** Berio, 1954*palumbioides** (Hampson, 1902) *Ophiodes**palumbioides*; Berio, 1954 *Achaea****Plecopterodes*** Hampson, 1913*deprivata* Warren, 1914*exigua* Gaede, 1914*heterochroa* (Hampson, 1910) *Remigia**lutosa* (Grünberg, 1910) *Chalciope**melliflua* (Holland, 1897) *Caradrina**calida* (Hampson, 1902) *Chalciope**melliflua punctata* Berio, 1984*moderata** (Wallengren, 1860) *Grammodes**alyphane*; Pinhey, 1975 *Remigia**alyphane* (Bethune-Baker, 1911) *Remigia**variabilis* (Mabille, 1890) *Heliothis**molybdopasta* (Hampson, 1910) *Remigia****Pseudoarcte*** Viette, 1949 * to Ophiusini*melanis* (Mabille, 1890) *Catephia**maurus** (Holland, 1894) *Arcte****Tachosa*** Walker, 1869*Anabathra* Möschler, 1887*Lophotidia* Hampson, 1913*Metoposcopta* Strand, 1912***acronyctoides**** Walker, 1869*una* (Möschler, 1887) *Anabathra**aspera* Kühne, 2004*fumata* (Wallengren, 1860) *Lophoptera****Tathorhynchus*** Hampson, 1894 OPHI*Tathorhyncus*; Bethune-Baker, 1911*Xymehops* Viette, 1954***exsiccatus*** (Lederer, 1855) *Spintherops**angustioratus* (Grote, 1882) *Platysenta**exsiccatus greuteri* Koutsafitkis, 1973*vincitalis** (Walker, [1866]) *Scopula****homogyna*** Hampson, 1902*homogyna malagasy* Viette, 1967***leucobasis*** Bethune-Baker, 1911 (as *Tathorhynchus*)***plumbeus*** (Distant, 1898) *Toxocampa****Trigonodes*** Guenée, 1852*hypasia** (Cramer, 1779) *Phalaena Noctua**acutata* Guenée, 1852*anfractuosa* (Boisduval, 1833) *Ophiusa**compar* Walker, 1858*deliana* (Stoll, 1790) *Phalaena**hypatia* auct. *Noctua**inacuta* Guenée, 1852***Tytroca*** Wiltshire, 1970*leucoptera** (Hampson, 1896) *Hypaetra**balnearia* (Distant, 1898) *Polydesma****metaxantha*** (Hampson, 1902) *Chalciope**metaxantla*; Grünberg, 1910 *Chalciope*Subfamily not listed by Zahiri *et al.* (2012):***Thiacidinae*** Hacker & Zilli, 2007*Thiacidini* Berio, 1992*Trisulini* Wiltshire, 1990***Amblyprora*** Bethune-Baker, 1911 OPHI*magnifica* (Schaus, 1893) *Trisula****Thiacidas*** Walker, 1855 OPHI*Auchenisa* Hampson, 1905*Galactomoia* Fawcett, 1916*Panthauma* Staudinger, 1892*Pteronycta* Fawcett, 1918*Pteronycta* Hampson, 1926 (preoccupied)*Thiacides*; Mey, 2011*Trisula* Moore, 1858*Trisulana* Bethune-Baker, 1911*callipona* (Bethune-Baker, 1911) *Auchenisa**cookei* (Pinhey, 1958) *Auchenisa**dukei dukei* (Pinhey, 1968) *Auchenisa**duplicata* (Grünberg, 1910) *Antiphlebia**fasciata* (Fawcett, 1918) *Pteronycta**fasciata* Hampson, 1926 (preoccupied)*hastifera* (Hering, M., 1926) *Dasychira**fractilinea* (Pinhey, 1968) *Pteronycta**intermedia* Hacker & Zilli, 2007*khomasana* Mey, 2011*krooni* Hacker & Zilli, 2007*nigrimacula* (Pinhey, 1968) *Auchenisa**permutata* Hacker & Zilli, 2007*postalbida* (Gaede, 1939) *Pteronycta**canemarmorea* (Hacker, 2004) *Auchenisa**roseotincta roseotincta* (Pinhey, 1962) *Auchenisa**senex* (Bethune-Baker, 1911) *Trisulana**smythi* (Gaede, 1939) *Pteronycta**striata* (Hampson, 1902) *Catephia*

abbottii (Holland, 1892) *Lycaena* [3] (LYCAEN—Lycaen)
abebalus (Stoll, 1781) *Carystus* [3] (HESP)
ablunaris (Guenée, 1852) *Achaea* [3] (NOCT—Cato)
abraxas (Westwood, 1851) *Pentila* [3] (LYCAEN—Lipt)
absistalis Walker, 1859 *Pyrausta* [3] (CRAM—Pyraus)
abstitalis; Meyrick, 1884 *Pelecyntis* [3] (CRAM—Pyraus)
abyssinica (Lucas, H., 1857) *Pseudoclanis* [3] (SPHING—Sphing)
acaciae (Klug, 1829) *Strebloste* [3] (LASIO—Lasio)
acaciaria Boisduval, 1833 *Boarmia* [3] (GEOM—Ennom)
acamas Klug, 1834 *Lycaena* [3] (LYCAEN—Thecl)
acanthadactyla (Hübner, 1813) *Amblyptilia* [3] (PTEROPH—Pteroph)
accipiter Schaus, 1893 *Scrancia* [3] (NOTO)
acetes (Westwood, 1849) *Lobobunaea* [3] (SATURN—Saturn)
achatinella (Hübner, 1824) *Nyctegretis* [3] (PYRAL—Phycit)
achrodisca Hampson, 1910 *Aroa* [3] (LYMAN—)
achrosis Hampson, 1918 *Eilema* [3] (EREB—Arct)
acosmialis Mabille, 1879 *Botys* [3] (CRAM—Pyraus)
acraea (Westwood, 1851) *Telipna* [3] (LYCAEN—Lipt)
acraeina Trimen, 1891 *Erikssonia* [3] (LYCAEN—Thecl)
actaeon (Fabricius, 1775) *Hesperia* [3] (HESP—Hesp)
actiosella Walker, 1863 *Zophodia* [3] (PYRAL—Phycit)
acutangulalis (Snellen, 1875) *Botys* [3] (CRAM—Spilom)
acutangulata Gaede, 1916 *Borolia* [3] (NOCT—Hade)
adamis Stempffer, 1954 *Aphnaeus* [3] (LYCAEN—Thecl)
addictaria (Walker, 1861) *Scopula* [3] (GEOM—Sterrh)
adelica Karsch, 1892 *Caprona* [3] (HESP—Pyrg)
adiegetum Karsch, 1892 *Orthogonioptilum* [3] (SATURN—Saturn)
adjectella Walker, 1863 *Phycodes* [3] (BRAC—Phycod)
admatha Hewitson, 1865 *Acraea* [3] (NYMPHAL—Helico)
admetus Esper, 1786 *Lycaena* [3] (LYCAEN—Polyom)
adrasta (Felder & Rogenhofer, 1874) *Plusiopalpa* [3] (NOCT—Plus)
aegusalis (Walker, 1859) *Epicrocis* [3] (PYRAL—Phycit)
aeolopa Meyrick, 1907 *Lobesia* [3] (TORT—Oleth)
aequatorialis (Sharpe, 1891) *Harpendyreus* [3] (LYCAEN—Polyom)
aethiopia (Bethune-Baker, 1923) *Lepidochrysops* [3] (LYCAEN—Polyom)
aeolus Hübner, 1807 *Rusticus* [3] (LYCAEN—Riodin)
affinia Whalley, 1971 *Cecidothyris* [3] (THYRID—Siculo)
affinalis Guenée, 1854 *Paraponyx* (as *Paraponyx*) [3] (CRAM—Acentr)
affiniolus (Strand, 1919) *Alpenus* [3] (ARCT—Arct)
affinis Riley, 1921 *Aphnaeus* [3] (LYCAEN—Thecl)
africanella Strand, 1909 *Alavona* [3] (ERIOCOT)
africanus (Mabille, 1884) *Lepella* [3] (HESP—Hesp)
aglaia (Linnaeus, 1758) *Argynnis* [3] (NYMPHAL—Helico)
aglossalis Ragonot, 1892 *Crocalia* [3] (PYRAL—Pyral)
agonchae (Plötz, 1880) *Brunia* [3] (EREB—Arct)
agrrippina (Błeszyński, 1961) *Calamotropha* [3] (CRAM—Cram)
albangula (Salmüller, 1880) *Ericeia* [3] (NOCT—Cato)
albiceps (Zeller, 1839) *Parachronistis* [3] (GELE—)
albicosta (Moore, 1881) *Aletia* [3] (NOCT—Hade)
albida Warren, 1899 *Induna* [3] (GEOM—Sterrh)
albiguttalis Warren, 1889 *Sameodes* [3] (CRAM—Spilom)
albimargo Warren, 1901 *Mixocera* [3] (GEOM—Geom)
albina Boisduval, 1836 *Pieris* [3] (PIER—Pier)
albibennella (Hampson, 1895) *Argyria* [3] (CRAM—Cram)
abipuncta (Holland, 1893) *Latoiola* [3] (LIMA—Lima)
abivenalis Hampson, 1919 *Diatraea* [3] (CRAM—Cram)
albosignata Walker, 1863 *Petrodava* [3] (GEOM—Ennom)
algira (Linnaeus, 1767) *Dysgonia* [3] (NOCT—Cato)
alopocedes Meyrick, 1911 *Deuterocopus* [3] (PTEROPH—Pteroph)
alphitodes Meyrick, 1891 *Calyptritis* [3] (GELE—)
alternata (Romieux, 1943) *Gaedeina* [3] (NOTO—Noto)
amanica Stempffer, 1951 *Hypolycaena* [3] (LYCAEN—Thecl)
amana crowleyi Sharpe, 1898 *Teracolus* [3] (PIER—Pier)
amazona (Mabille, 1880) *Eunica* [3] (NYMPHAL—Limen)
amenaida Hewitson, 1873 *Pentila* [3] (LYCAEN—Lipt)
amethystina Swinhoe, 1894 *Autocharis* [3] (CRAM—Odont)
amorpha Hampson, 1919 *Chamanthedon* [3] (SESIID—Sesiin)
ampla (Walker, 1859) *Lymantria* [3] (LYMAN—)
amydrota Meyrick, 1920 *Ctenocompa* [3] (PSYC—Psyc)
anyntusalis (Walker, 1859) *Pardomima* [3] (CRAM—Pyraus)
anelia Bethune-Baker, 1908 *Parnara* [3] (HESP—Hesp)
angolana Le Cerf, 1918 *Bunaeopsis* [3] (SATURN—Saturn)
angulata Rothschild, 1895 *Usta* [3] (SATURN—Saturn)
angulata Shibuya, 1928 *Calamotropha* [3] (CRAM—Cram)
angulata Warren, 1901 *Dysodia* [3] (THYRID—Pachy)
angulifera (Moore, 1882) *Autoba* [3] (NOCT—Acon)

anisastra Meyrick, 1932 *Trapezoritis* [3] (PSYC—)
anisobapta Prout, 1932 *Astenotricha* [3] (GEOM—Larent)
anophthalma Prout, L.B., 1916 *Pareclipsis* [3] (GEOM—Ennom)
antevippe zera (Lucas, 1852) *Colotis* [3] (PIER—Pier)
anthina (Karsch, 1892) *Antherea* [3] (SATURN—Saturn)
anthyllidella (Hübner, 1813) *Stomopteryx* [3] (GELE—Gele)
anticlea (Drury, 1782) *Charaxes* [3] (NYMPHAL—Charax)
anticlia (Hübner, 1819) *Lachnoptera* [3] (NYMPHAL—Helico)
antifaunus (Westwood, 1851) *Hypolycaena* [3] (LYCAEN—Thecl)
antinorii Oberthür, 1880 *Epiphora* [3] (SATURN—Saturn)
antiqualis (Hübner, 1809) *Hypena* [3] (NOCT—Hypen)
aphrodite (Fabricius, 1787) *Speyeria* [3] (NYMPHAL—Helico)
aphrospila Meyrick, 1936 *Nausinoe* [3] (CRAM—Pyraus)
Aphytoceros Meyrick, 1884 [3] (CRAM—Spilom)
apicalis Guenée, 1854 *Isopteryx* [3] (CRAM—Pyraus)
appensalis (Snellen, 1884) *Chalcidoptera* [3] (CRAM—Pyraus)
applana (Fabricius, 1777) *Agonopterix* [3] (DEPR—)
appolina Guenée, 1852 *Calliodes* [3] (NOCT—Cato)
apro bola Meyrick, 1886 *Argyroloce* [3] (TORT—Oleth)
araca (Waterhouse & Lyell, 1914) *Atella* [3] (NYMPHAL—Helico)
aracinthus (Fabricius, 1793) *Heteropterus* [3] (HESP—Hesp)
aratus (Westwood, 1849) *Saturnia* [3] (SATURN—Saturn)
arcifera (Hampson, 1910) *Milocera* [3] (GEOM—Ennom)
arcuata Berio, 1970 *Mythymima* [3] (NOCT—Hade)
arethusa (Drury, 1773) *Colotis* [3] (PIER—Pier)
argentia Whalley, 1964 *Aphomia* [3] (PYRAL—Gall)
argenticilia Hampson, 1919 *Crambus* [3] (CRAM—Cram)
Argyracitis Hampson, 1897 [3] (CRAM—Acentr)
Argyria Hübner, 1818 [3] (CRAM—Cram)
argyrogramma Karsch, 1896 *Brachia* [3] (LIMA—Lima)
argyrophoralis Hampson, 1912 *Chalcidoptera* [3] (CRAM—Pyraus)
arnobia Westwood, 1849 *Pseudantheraea* [3] (SATURN—Saturn)
aslauga Kirby, 1877 *Bunaea* [3] (SATURN—Saturn)
atbarina Butler, 1870 *Epiphora* [3] (SATURN—Saturn)
atkinsoni Moore, 1881 *Adisura* [3] (NOCT—Heliothin)
atlantica Boursin, 1944 *Sesamia* [3] (NOCT—Caradr. ass.)
atmota Janse, 1964 *Trogocrada* [3] (LIMA—Lima)
atomaria (Warren, 1902) *Eupithecia* [3] (GEOM—Larent)
atomosa (Walsingham, 1886) *Exelastis* [3] (PTEROPH—Pteroph)
atrisquamalis Hampson, 1906 *Paraglossa* [3] (PYRAL—Pyral)
atroviridaria (Mabille, 1880) *Traminda* [3] (GEOM—Sterrh)
aubyni australis van Someren & Jackson, 1957 *Charaxes* [3] (NYMPHAL—
 Charax)
aurantiaca Janse, 1931 *Termioptycha* [3] (PYRAL—Epipas)
aurantiaca Rothschild, 1895 *Bunaeopsis* [3] (SATURN—Saturn)
auricolor Mabille, 1890 *Bunaea* [3] (SATURN—Saturn)
auriflua (Zeller, 1863) *Scirpophaga* [3] (CRAM—Cram)
auriginea (Butler, 1883) *Colotis* [3] (PIER—Pier)
aurivillii Bouvier, 1930 *Decachorda* [3] (SATURN—Saturn)
aurivillii Schultze, 1908 *Zeritis* [3] (LYCAEN—Thecl)
aurolinealis Walker, 1859 *Zebronia* [3] (CRAM—Pyraus)
aurora (Cramer, 1780) *Colotis* [3] (PIER—Pier)
aurorina Butler, 1894 *Junonia* [3] (NYMPHAL—Nymphal)
azumai Błeszyński, 1960 *Calamotropha* [3] (CRAM—Cram)
Bacotoma Moore, [1885] [3] (CRAM—Spilom)
Balacra Walker, 1856 [3] (THYRET—)
balanoa (Guérin-Méneville, 1847) *Bombyx* [3] (SATURN—Saturn)
bambana Grose-Smith, 1900 *Axiceresa* [3] (LYCAEN—Thecl)
barotsina Rothschild, 1907 *Pselaphelia* [3] (SATURN—Saturn)
basalis (Walker, 1857) *Anomis* [3] (NOCT—Cato)
basilaria (Mabille, 1890) *Boarmia* [3] (GEOM—Ennom)
bastialis (Walker, 1859) *Rhodoneura* [3] (THYRID—Siculo)
batikeli (Boisduval, 1833) *Deudorix* [3] (LYCAEN—Thecl)
bellus (Cotes & Swinhoe, 1889) *Eromene* [3] (CRAM—Cram)
bengalensis Moore, 1866 *Lycaenesthes* [3] (LYCAEN—Polyom)
berenice (Fawcett, 1916) *Galactomia* [3] (NOCT—Ophi)
bernice Hewitson, 1866 *Mylothris* [3] (PIER—Pier)
betsimisaraka Lucas, 1872 *Charaxes* [3] (NYMPHAL—Charax)
bianchii (Oberthür, 1833) *Pseudoclanis* [3] (SPHING—Sphing)
bicolor (Rothschild, 1894) *Phylloxiphia* [3] (SPHING—Sphing)
bicornutella Błeszyński, 1961 *Calamotropha* [3] (CRAM—Cram)
bifascia Janse, 1964 *Latoiola* [3] (LIMA—Lima)
bifasciata (Moore, 1881) *Eublemma* [3] (NOCT—Acon)
biliturata (Karsch, 1895) *Fentonina* [3] (NOTO)
biliturata (Karsch, 1895) *Fentonina* [3] (NOTO)

bipuncta (Hübner, 1827) *Eilema* [3] (ARCT—Lithos)
bipunctalis (Fabricius, 1794) *Psara* [3] (LYMAN—)
biselata (Hufnagel, 1767) *Idaea* [3] (GEOM—Sterrh)
bivittata (Walker, 1865) *Zeuzera* [3] (COSS—Zeuz)
bjerkandrella (Thunberg, 1784) *Tebenna* [3] (CHOR—Chor)
blandialis Walker, 1859 *Cataclysta* [3] (CRAM—Acentr)
blandina (Stoll, [1780]) *Papilio* [3] (NYMPHAL—Limen)
boerhaviae (Fabricius, 1775) *Hippotion* [3] (SPHING—Macrog)
boleti (Fabricius, 1777) *Morophaga* [3] (TINE—Scard)
bolina (Linnaeus, 1758) *Hypolimnas* [3] (NYMPHAL—Nymphal)
bombayensis Cotes & Swinhoe, 1889 *Cataclysta* [3] (CRAM—Acentr)
bombyliformis (Stoll, 1782) *Melittia* [3] (SESIID—Sesiin)
bonasia (Fabricius, 1775) *Acraea* [3] (NYMPHAL—Helico)
botrana ([Denis & Schiffermüller], 1775) *Eudemis* [3] (TORT—Oleth)
bouvieri Hering, 1929 *Decachorda* [3] (SATURN—Saturn)
brachymorpha Meyrick, 1883 *Platytilla* [3] (PTEROPH—Pteroph)
brazilensis Moore, 1897 *Vanessa* [3] (NYMPHAL—Nymphal)
brunnescens (Snellen, 1880) *Ericeia* [3] (NOCT—Cato)
bubulcella Staudinger, 1859 *Holcopogon* [3] (HOLC—)
bucephala (Snellen, 1884) *Morophaga* [3] (TINE—Scard)
buchananii Rothschild, 1921 *Spindasis* [3] (LYCAEN—Thecl)
Buckleria Tutt, 1905 [3] (PTEROPH—Pteroph)
buruensis Janse, 1931 *Lamida* [3] (PYRAL—Epipas)
butyrospermi Vuillot, 1911 *Cirina* [3] (SATURN—Saturn)
cacta amaniensis Vosseler, 1907 *Salamis* [3] (NYMPHAL—Nymphal)
cacuthis Hewitson, 1863 *Charaxes* [3] (NYMPHAL—Charax)
caecilia (Fabricius, 1781) *Acraea* [3] (NYMPHAL—Helico)
caenias (Drury, 1773) *Cymothoe* [3] (NYMPHAL—Limen)
Calamia Hübner, [1821] [3] (NOCT—Caradr. ass.)
calamina (Hampson, 1919) *Diatraea* [3] (CRAM—Cram)
calidalis (Guenée, 1854) *Aethaloessa* [3] (CRAM—Pyraus)
californicalis (Packard, 1874) *Eromene* [3] (CRAM—Cram)
callista Jordan, 1910 *Pseudobunaea* [3] (SATURN—Saturn)
calvaria ([Denis & Schiffermüller], 1775) *Idia* [3] (HERM)
calypso (Drury, 1773) *Belenois* [3] (PIER—Pier)
campana Guenée, 1852 *Serrodes* [3] (NOCT—Cato)
campionea (Signoret, 1845) *Saturnia* [3] (SATURN—Saturn)
Campogramma Stephens, 1831 [3] (GEOM—Larent)
campogramma Hampson, 1910 *Proxenus* [3] (NOCT—Caradr. ass.)
cana Felder, 1874 *Cirina* [3] (SATURN—Saturn)
cantidialis (Walker, 1864) *Pterophorus* [3] (PTEROPH—Pteroph)
capella Guenée, 1852 *Lacera* [3] (NOCT—Cato)
capensis (Cramer, 1777) *Anthocitta* [3] (NOCT—Cato)
carcharopa Meyrick, 1914 *Odites* [3] (LECI—)
carissae Vári, 1963 *Metriocheiroa* [3] (GRAC—Grac)
cassius Cramer, 1777 *Papilio* [3] (LYCAEN—Polyom)
Cataclysta Hübner, [1825] [3] (CRAM—Acentr)
cataplecta Meyrick, 1934 *Deloscopa* [3] (PSYC—)
catharotes Meyrick, 1908 *Pselaphorus* [3] (PTEROPH—Pteroph)
catochra Karsch, 1893 *Bunaea* [3] (SATURN—Saturn)
catori Bethune-Baker, 1911 *Latoia* [3] (LIMA—Lima)
celtis Moore, 1858 *Selepa* [3] (NOCT—Sarro)
cephalochra Meyrick, 1907 *Pachnistis* [3] (OECO—Autost)
cepheus (Linnaeus, 1758) *Acraea* [3] (NYMPHAL—Helico)
Cephis Ragonot, 1892 [3] (CRAM—Cram)
Ceratoclasis Lederer, 1863 [3] (CRAM—Spilom)
ceres (Hewitson, 1865) *Iolaus* [3] (LYCAEN—Thecl)
ceres Butler, 1886 *Terias* [3] (PIER—Coliad)
cerurodes (Hampson, 1916) *Trisulana* [3] (NOCT—Cato)
chacooides Gaede, 1916 *Kedesetes* [3] (HESP—Hesp)
chalcanthes (Meyrick, 1894) *Caloptilia* [3] (GRAC—Grac)
chalepteryx (Felder, 1874) *Chelepteryx* [3] (ANTH—)
chalybeata Hampson, 1901 *Macrosia* [3] (EREB—Arct)
chambezi Neave, 1910 *Parnara* [3] (HESP—Hesp)
chanleri Holland, 1896 *Charaxes* [3] (NYMPHAL—Charax)
chapmani Kirby, 1892 *Parasa* [3] (SESIID—Sesiin)
charina simana (Hopffer, 1855) *Dixeia* [3] (PIER—Pier)
chelias (Meyrick, 1907) *Cydia* [3] (TORT—Oleth)
chevalia (Stoneham, 1933) *Nudaurelia* [3] (SATURN—Saturn)
chiarinii (Oberthür, 1883) *Hypochorosis* [3] (GEOM—Enno)
chintechi van Someren, 1975 *Charaxes* [3] (NYMPHAL—Charax)
chlamydata Joannis, 1906 [3] (GEOM—Larent)
chloris (Fabricius, 1775) *Mylothriss* [3] (PIER—Pier)
chlorophasma (Butler, 1878) *Samea* [3] (CRAM—Spilom)
chloroptera (Meyrick, 1920) *Pseudurgis* [3] ([COSS—Coss])
chloroscia (Hering, 1926) *Paqueta* [3] (LYMAN—)
Cholius Guenée, 1845 [3] (CRAM—Scop)
chorimene (Guérin-Méneville, 1844) *Junonia* [3] (NYMPHAL—Nymphal)
christyi (Sharpe, 1898) *Bunaea* [3] (SATURN—Saturn)

chrysochlora (Walker, 1865) *Blenina* [3] (NOCT—Sarro)
chrysographella (Kollar, 1844) *Ancylolomia* [3] (CRAM—Cram)
chrysonome (Klug, 1829) *Colotis* [3] (PIER—Pier)
ciliissa (Lederer, 1861) *Spindasis* [3] (LYCAEN—Thecl)
cinerea Kiriakoff, 1962 *Stauropida* [3] (NOTO—)
cinerea Walker, 1855 *Antheua* [3] (NOTO—)
Cirrhocephala Lederer, 1863 [3] (CRAM—Spilom)
citrinaria (Gaede, 1930) *Pseudobunaea* [3] (SATURN—Saturn)
citrolimbaria Guenée, [1858] *Chlorocoma* [3] (GEOM—Geom)
clara Meyrick, 1934 *Hapsifera* [3] (TINE—Haps)
clavipalpis (Scopoli, 1763) *Caradrina* [3] (NOCT—Amph)
Cnaphalocrocis Lederer, 1863 (CRAM—Spilom)
cnejus Fabricius, 1789 *Hesperia* [3] (LYCAEN—Polyom)
coecaria (Guenée, 1858) *Ephyra* [3] (GEOM—Sterrh)
coerulea Boisduval, 1847 *Euriphene* [3] (NYMPHAL—Limen)
colligata (Walker, 1865) *Anomis* [3] (NOCT—Cato)
colotes colotes (Druce, 1875) [3] (HESP—Pyrg)
columbina (Cramer, 1779) *Papilio* [3] (NYMPHAL—Helico)
comma Fabricius, 1793 *Hesperia* [3] (HESP—Hesp)
commasiae (Walker, 1856) *Leucostrophus* [3] (SPHING—Macrog)
comorarum Oberthür, 1916 *Artitropa* [3] (HESP—Hesp)
compsa Jordan, 1904 *Balacra* [3] (THYRET—)
comus (Stoll, 1782) *Artitropa* [3] (HESP—Hesp)
confertana (Walker, 1863) *Astroloba* [3] (TORT—Oleth)
confusa Moore, 1888 *Plusia* [3] (NOCT—Plus)
confusa Walker, 1855 *Negera* [3] (DREP—Drep)
conradti (Oberthür, 1893) *Hyalites* [3] (NYMPHAL—Helico)
consanguis Guenée, 1852 *Hadena* [3] (NOCT—Hade)
conscitalis Walker, 1866 *Hypena* [3] (NOCT—Hypen)
consobrina (Warren, 1901) *Chloroclystis* [3] (GEOM—Laren)
conspersa Kirby, *year *Chrysopoloma* [3] (LIMA—Chrysopol)
conspurcata Aurivillius, 1895 *Chrysopoloma* [3] (LIMA—Chrysopol)
convexella Lederer, 1855 *Myelois* [3] (PYRAL—Phycit)
cooksoni Druce, 1905 *Erikssonia* [3] (LYCAEN—Thecl)
coriacella (Ragonot, 1888) *Ilithya* [3] (PYRA—Phycit)
corrivalaria (Kretschmar, 1862) *Scopula* [3] (GEOM—Sterrh)
costiguttata (Warren, 1899) *Azata* [3] (GEOM—Ennom)
cottalis (Walker, 1859) *Zebronia* [3] (CRAM—Spilom)
crameri Moore, 1885 *Dysgonia* [3] (NOCT—Cato)
craspedica Hampson, 1910 *Toana* [3] (NOCT—Acon)
crawshayi Aurivillius, 1904 *Chrysopoloma* [3] (LIMA—Chrysopol)
crawshayi Butler, 1893 *Belenois* [3] (PIER—Pier)
crawshayi Butler, 1896 *Mylothris* [3] (PIER—Pier)
creatoplagia Hampson, 1901 *Eilema* [3] (EREB—Arct)
creberrima (Walker, 1858) *Hypospila* [3] (NOCT—Cato)
creta Hewitson, 1878 *Iolaus* [3] (LYCAEN—Thecl)
crocata Guenée, 1852 *Acontia* [3] (NOCT—Acon)
croceus (Fourcroy, 1785) *Colias* [3] (PIER—Coliad)
crociicapitella Clemens, 1859 *Monopsis* [3] (TINE—Tine)
croconota Meyrick, 1918 *Idiophantis* [3] (GELE—)
crocopa (Meyrick, 1907) *Cydia* [3] (TORT—Oleth)
cucullioides Guenée, 1852 *Stictoptera* [3] (NOCT—Stict)
cuneifera Moore, 1885 *Cataclysta* [3] (CRAM—Acentr)
cuprea Hampson, 1905 *Westermannia* [3] (NOCT—Chloep)
cuprealis (Hübner, 1825) *Aglossa* [3] (PYRAL—Pyral)
cuprescens Hampson, 1919 *Paranthrene* [3] (SESIID—Sesiin)
curvilinea (Janse, 1924) *Palpita* [3] (CRAM—Pyraus)
Cyclocena Möschler, 1890 [3] (CRAM—Spilom)
cymatodactyla (Zeller, 1852) *Alucita* [3] (ALUC—)
cynica Riley, 1921 *Spindasis* [3] (LYCAEN—Thecl)
cynthia Butler, 1865 *Charaxes* [3] (NYMPHAL—Charax)
cytilla Rothschild, 1900 *Charaxes* [3] (NYMPHAL—Charax)
Dalaca Walker, 1856 [3] (HEPI)
dammii van Vollenhoven, 1869 *Acraea* [3] (NYMPHAL—Helico)
danae eupompe (Klug, 1829) *Colotis* [3] (PIER—Pier)
danae pseudacasta (Butler, 1876) *Colotis* [3] (PIER—Pier)
dankelmanni Rogohenfer, 1891 *Bicyclus* [3] (NYMPHAL—Satyr)
dannfelti restricta Talbot, 1940 *Amauris* [3] (NYMPHAL—Danain)
Datana Walker, 1855 [3] (NOTO)
decipiens (Kiriakoff, 1962) *Codita* [3] (NOTO)
decurtella (Hübner, 1813) *Aristotelia* [3] (GELE—)
decusella (Walker, 1864) *Dichomeris* [3] (GELE—)
defamatialis Walker, 1859 *Ilurgia* [3] (CRAM—Pyraus)
defectalis (Walker, 1864) *Megalorrhripida* [3] (PTEROPH—Pteroph),
deficiens Dufrane, 1950 *Pselaphelia* [3] (SATURN—Saturn)
delalandei Godart, 1824 *Papilio* [3] (PAPILIO—Papilio)
delineana (Walker, 1863) *Laspeyresia* [3] (TORT—Oleth)
dentata Aurivillius, 1904 *Ludia* [3] (SATURN—Saturn)
dentata Hampson, 1891 *Ludia* [3] (SATURN—Saturn)
dentatissima Warren, 1898 *Chloroclystis* [3] (GEOM—Larent)
dentatissima Warren, 1899 *Asthenotricha* [3] (GEOM—Larent)

- dentatus* Shaffer, 1997 *Parematheudes* [3] (PYRAL—Phycit)
denticulella (Thunberg, 1794) *Callisto* [3] (GRAC—)
dentilinea Warren, 1897 *Antityrgodes* [3] (GEOM—Geom)
derasata Bastelberger, 1905 [3] (GEOM—Larent)
derivalis (Hübner, 1796) *Paracolax* [3] (NOCT—Hypen)
designalis (Guenée, 1854) *Stenurges* [3] (CRAM—Pyraus)
desolata (Butler, 1876) *Bicyclus* [3] (NYMPHAL—Satyr)
despectella Walker, 1863 *Ephyteris* [3] (GELE—)
destituta Moore, 1884 *Ozarba* [3] (NOCT—Acon),
detersella (Hampson, 1926) *Ancylosis* [3] (PYRAL—Phycit),
detersella Zeller, 1847 *Stomopteryx* [3] (GELE—)
Deuterarcha Meyrick, 1884 [3] (CRAM—Spilom)
Deuterocopus Zeller, 1852 [3] (PTEROPH—Pteroph)
dialitha Tams, 1930 *Pselaphelia* [3] (SATURN—Saturn)
diarhabdellus Hampson, 1919 *Crambus* [3] (CRAM—Cram)
diasporas Prout, L.B., 1932 *Mauna* [3] (GEOM—Enno)
Diatraea Guilding, 1828 [3] (CRAM—Cram)
diemenalis (Guenée, 1854) *Lamprosema* [3] (CRAM—Pyraus)
difficilis Balinsky, 1994 *Paralaodamia* [3] (PYRAL—Phycit)
dilucidalis Walker, 1859 *Cataclysta* [3] (CRAM—Acentr)
dimidiella ([Denis & Schiffermüller], 1775) *Brachmia* [3] (GELE)
dione (Fabricius, 1793) *Imbrasia* [3] (SATURN—Saturn)
discrepans (Karsch, 1896) *Colbusa* [3] (NOCT—Cato)
dispilata Swinhoe, 1891 *Axylia* [3] (NOCT—Noct)
disputaria Guenée, [1858] *Eubolia* [3] (GEOM—Ennom)
dissimilis Hampson, 1909 *Proxenus* [3] (NOCT—Caradr. ass.)
ditiorana (Walker, 1863) *Chrysocentris* [3] (GLYP—)
dolabella Druce, 1886 *Ubaena* [3] (SATURN—Saturn)
dosaroides Moore, 1882 *Hiccodia* [3] (NOCT—Acon)
doubledayi Guérin-Méneville, 1849 *Acraea* [3] (NYMPHAL—Helico)
drona Horsfield, 1829 *Terias* [3] (PIER—Coliad)
dschilus Plötz, 1885 *Apaustus* [3] (HESP—)
dumolinii carteri Rothschild, 1894 [3] (SPHING—Sphing)
duplex Butler, 1885 *Neocoenyra* [3] (NYMPHAL—Satyr)
dyscapna Fletcher, 1963 *Plusia* [3] (NOCT—Plus)
ecliptis Meyrick, 1914 *Xenophanta* [3] (METACH—)
editrix Guenée, 1852 *Gonitis* [3] (NOCT—Cato)
egenella (Walker, 1864) *Brachiolia* [3] (TORT—Tort)
ehlersi Karsch, 1896 *Artitropa* [3] (HESP—Hesp)
ejectana Walker, 1863 *Sciaphila* [3] (TORT—Tort)
eleaza (Hewitson, 1873) *Pseuderlesia* [3] (LYCAEN—Lipt)
elegans Boisduval, 1833 *Cyrestis* [3] (NYMPHAL—Limen)
eleus (Drury, 1782) *Euphaedra* [3] (NYMPHAL—Limen)
elgonella Błeszyński, 1970 *Culladia* [3] (CRAM—Cram)
ellenbecki Pagenstecher, 1902 *Euphaedra* [3] (NYMPHAL—Limen)
elongata (Rothschild, 1912) *Onychipoda* [3] (EREV—Arct)
endophaga Meyrick, 1911 *Argyroploce* [3] (TORT—Oleth)
enucleata Mabille, 1900 *Rhanidophora* [3] (NOCT—Cato)
Eoreuma Ely, 1910 [3] (CRAM—Cram)
epaphia orbona (Boisduval, 1833) *Appias* [3] (PIER—Pier)
epargyros (Eversmann, 1854) *Spindasis* [3] (LYCAEN—Thecl)
ephyria (Klug, 1829) *Colotis* [3] (PIER—Pier)
epidectes Meyrick, 1908 *Oxyptilus* [3] (PTEROPH—Pteroph)
epidus (Stoll, 1781) *Pardaleodes* [3] (HESP—)
epijasius Reiche, 1850 *Charaxes* [3] (NYMPHAL—Charax)
epimethea (Drury, 1773) *Imbrasia* [3] (SATURN—Saturn)
epithymella (Staudinger, 1859) *Gnorimoschema* [3] (GELE—)
epithyrema Maassen & Weyding, 1885 *Bunaea* [3] (SATURN—Saturn)
epius Westwood, 1852 *Lucia* [3] (LYCAEN—Thecl)
eremna Meyrick, 1909 *Commatica* [3] (GELE—)
erosa (Hübner, 1821) *Cosmophila* [3] (NOCT—Cato)
ertli Suffert, 1904 *Mylothris* [3] (PIER—Pier)
Eschata Walker, 1856 [3] (CRAM—Cram)
esmeralda (Warren, 1898) *Comibaena* [3] (GEOM—Geom)
esmeralda Butler, 1885 *Chloroselas* [3] (LYCAEN—Thecl)
etheocles (Cramer, 1777) *Charaxes* [3] (NYMPHAL—Charax)
ethra (Karsch, 1896) *Saturnia* [3] (SATURN—Saturn)
etulalis ([Denis & Schiffermüller], 1775) *Cataclysta* [3] (CRAM—Acentr)
Euchlaena Hübner, [1823] [3] (GEOM—Ennom)
eudoxus (Drury, 1782) *Charaxes* [3] (NYMPHAL—Charax)
eulepidea (Hampson, 1896) *Protarache* [3] (NOCT—Acon)
euproctinum Aurivillius, 1899 *Spilosoma* [3] (ARCT—Arct)
eurinome (Cramer, [1775]) *Euxanthe* [3] (NYMPHAL—Charax)
europa Bethune-Baker, 1915 *Oidemaskelis* [3] (LIMA—Lima)
eurytus conradti Oberthür, 1893 *Pseudacraea* [3] (NYMPHAL—Limen)
euterpina Oberthür, 1912 *Zamarada* [3] (GEOM—Ennom)
evanthe (Boisduval, 1836) *Colotis* [3] (PIER—Pier)
evarne (Klug, 1829) *Colotis* [3] (PIER—Pier)
excisa (Swinhoe, 1885) *Eulocastra* [3] (NOCT—Acon)
excisa Walsingham, *Dichrorampha* [3] (TORT—Oleth)
faidherbia Rondot, 1887 *Epiphora* [3] (SATURN—Saturn)
falkensteinii (Dewitz, 1879) *Uranotauma* [3] (LYCAEN—Polyom)
falsaria Walker, 1863 *Macaria* [3] (GEOM—Ennom)
faunus (Drury, 1773) *Oxylides* [3] (LYCAEN—Thecl)
favillatrixoides Poole, 1989 *Eutelia* [3] (NOCT—Eutel)
festivella Zeller, 1848 *Epicrociis* [3] (PYRAL—Phycit)
fibulata (Guenée, [1858]) *Scopula* [3] (GEOM—Sterr)
fickei Weymer, 1907 *Pseudacraea* [3] (NYMPHAL—Limen)
filigeralis Lederer, 1863 *Euclasta* [3] (CRAM—Pyraus)
flavescens Hampson, 1910 *Ozarba* [3] (NOCT—Acon)
flavibasis Hampson, 1900 *Eilema* [3] (EREV—Arct)
flavipalpis (Hampson, 1910) *Artona* [3] (ZYGAEN—Proc)
flavizonatus (Hampson, 1911) *Paralpenus* [3] (ARCT—Arct)
floeshialis Legrand, 1965 *Duponchelia* [3] (CRAM—Spilom)
florentina (Esper, 1788) *Phalaena Noctua* [3] (NOCT—)
floricola (Boisduval, 1833) *Eurema* [3] (PIER—Coliad)
fontainei Stempffer, 1956 *Zeritis* [3] (LYCAEN—Thecl)
formosa Schultze, 1914 *Phylloxyphia* [3] (SPHING—Sphing)
frangulella (Goeze, 1783) *Bucculatrix* [3] (BUCC—)
fructicassella Ragonot, 1887 *Trachylepidia* [3] (PYRAL—Gall)
frugalis (Fabricius, 1775) *Noctua* [3] (NOCT—Cato)
fuelleborniana Karsch, 1900 *Ubaena* [3] (SATURN—Saturn)
fumipennis Hampson, 1891 *Maenas* [3] (NOCT—Cato)
fumosa (Butler, 1886) *Lepidochrysops* [3] (LYCAEN—Polyom)
funebris (Guérin-Méneville, 1844) *Bicyclus* [3] (NYMPHAL—Satyr)
furculata (Pagenstecher, 1892) *Siculodes* [3] (THYRID—Siculo)
fuscescens (Haworth, 1828) *Borkhausenia* [3] (OECO—Oeco)
fuscescens Walker, 1866 *Thumatha* [3] (ARCT—Litho)
fuscicollis Snellen, 1880 *Heterogramma* [3] (NOCT—Hypen)
fuscivena Swinhoe, 1903 *Stracena* [3] (LYMAN—)
fuscomaculalis Saalmüller, 1880 *Hypena* [3] (NOCT—Hypen),
gaedei Dufrane, 1953 *Decachorda* [3] (SATURN—Saturn)
Gaedeina Romieux, 1945 [3] (NOTO—Noto)
gaetana (Oberthür, 1923) *Atthata* [3] (NOCT—Cato)
galathea (Linnaeus, 1758) *Melanargia* [3] (NYMPHAL—Satyr)
ganale (Pagenstecher, 1903) *Omocena* [3] (LIMA—Lima)
Gargetta Walker, 1865 [3] (NOTO—)
geminus Rothschild, 1900 *Charaxes* [3] (NYMPHAL—Charax)
*gemifera** (Butler, 1878) *Copaxa* [3] (SATURN—Saturn)
geometrica (Fabricius, 1775) *Grammodes* [3] (NOCT—Cato)
geryon (Fabricius, 1781) *Heraclia* [3] (NOCT—Agar)
Gethosyne Warren, 1896 [3] (CRAM—Acentr)
gilletti (Riley, 1925) *Spindasis* [3] (LYCAEN—Thecl)
gilviberbis (Zeller, 1863) *Scirpophaga* [3] (CRAM—Cram)
glagoessa Holland, *Balacra* [3] (THYRET—)
glandularis Meyrick, 1908 *Ceromitia* [3] (ADEL—Adel)
gloriosa Hampson, 1912 *Westermannia* [3] (NOCT—Chloep)
gonophora (Holland, 1893) *Dasychira* [3] (LYMAN—)
goudotii Boisduval, 1833 *Euploea* [3] (NYMPHAL—Danain)
grammodactyla (Zeller, 1841) *Alucita* [3] (ALUC—)
grandidieri kenyae Clark, 1928 *Pseudoclaniis* [3] (SPHING—Sphing)
gratirosella (von Caradjá, 1910) *Eromene* [3] (CRAM—Cram)
gravata Guenée, 1852 *Ophisma* [3] (NOCT—Cato)
gregorii Butler, 1894 *Castalius* [3] (LYCAEN—Polyom)
grisea Warren, 1897 *Chloroclystis* [3] (GEOM—Larent)
grisealis ([Denis & Schiffermüller], 1775) *Polypogon* [3] (NOCT—Hypen)
griseola Snellen, 1872 *Erastria* [3] (NOCT—Acon)
grisescens Hampson, 1916 *Eutelia* [3] (NOCT—Eutel)
griseus Riley, 1921 *Aloeides* [3] (LYCAEN—Thecl)
gueneata (Millière, 1862) *Eupithecia* [3] (GEOM—Larent)
guessfeldtii (Dewitz, 1879) *Oboronia* [3] (LYCAEN—Polyom)
guttata Wallengren, 1856 *Hypopyra* [3] (NOCT—Cato)
guttularis (Walker, 1855) *Amydona* [3] (LASIO)
haematella (Felder & Rogenhofer, 1875) *Tanyzancla* [3] (OECO—Oeco)
halimilignella Walsingham, 1904 *Proactica* [3] (GELE—)
haltica Meyrick, 1933 *Audeoudia* [3] (PYRAL—Phycit)
hamifera (Meyrick, 1909) *Cosmopterix* [3] (COSM—Cosm)
hannibal Karsch, 1898 *Lobobunaea* [3] (SATURN—Saturn)
harpax (Fabricius, 1775) *Axiocerses* [3] (LYCAEN—Thecl)
harpax piscatoris Clench, 1943 *Axiocerses* [3] (LYCAEN—Thecl)
havei (Boisduval, 1833) *Borbo* [3] (HESP—Hesp)
heathi Gardiner, 1998 *Lepidochrysops* [3] (LYCAEN—Polyom)
hecabe (Linnaeus, 1758) *Eurema* [3] (PIER—Coliad)
*hecate** Rougeot, 1955 *Imbrasia* (*Gonimbrasia*) [3] (SATURN—Saturn)

heliopa (Low, 1900) *Scrobipalpa* [3] (GELE—)
helvolalis (Maassen, 1890) *Nomophila* [3] (CRAM—Pyraus)
hemileuca (Hampson, 1909) *Matopo* [3] (NOCT—Hade)
henleyi (Warren & Rothschild, 1905) *Brachylia* [3] (COSS—Coss)
heracliana (Linnaeus, 1758) *Agonopterix* [3] (DEPR—)
herbaria (Hübner, [1813]) *Geometra* [3] (GEOM—Geom)
herewardi Riley, 1921 *Eretis* [3] (HESP—Pyrg)
herilla (Westwood, 1849) *Micragone* [3] (SATURN—Saturn)
heringi Vári, 1963 *Stomphastis* [3] (GRAC—Grac)
Herse Agassiz, 1846 [3] (SPHING—Sphing)
hesperis Gozmány, 1967 *Hyperbola* [3] (TINE—Periss)
hewitsoni Mabille, 1877 *Epitola* [3] (LYCAEN—Lipt)
hexadactyla (Linnaeus, 1758) *Alucita* [3] (ALUC—)
hierichuntia Zeller, 1867 *Calamotropha* [3] (CRAM—Cram)
hilara (Karsch, 1892) *Mylothris* [3] (PIER—Pier)
hintzi (Strand, 1915) [3] (GEOM—Geom)
histrionalis Lederer, 1863 *Botys* [3] (CRAM—Pyraus)
hoehnelii (Rogenhofer, 1891) *Imbrasia* [3] (SATURN—Saturn)
hollandi Butler, 1898 *Goodia* (*Campimoptilum*) [3] (SATURN—Saturn)
Hombergia Joannis, 1910 [3] (CRAM—Cram)
homeyeri Dewitz, 1884 *Liptena* [3] (LYCAEN—Lipt)
homotropha Vári, 1963 *Porphyrosela* [3] (GRAC—Lithocol)
Hoplojana Aurivillius, 1901 [3] (EUPT—Janin)
horrens Balinsky, 1994 *Laodamia* [3] (PYRAL—Phycit)
huebneri (Kirby, 1877) *Antheraea* [3] (SATURN—Saturn)
humiliata (Hufnagel, 1767) *Idaea* [3] (GEOM—Sterrh)
hyalinipennis (Strand, 1910) *Eulophonotus* [3] (COSS—Zeuz)
hyemalis (Butler, 1880) *Oligochroa* [3] (PYRAL—Phycit)
hygropis Meyrick, 1936 *Ctenocompa* [3] (PSYC—Psyc)
hyperbius (Linnaeus, 1763) *Argyreus* [3] (NYMPHAL—Helico)
hyperphyes Prout, L.B., 1911 *Corium* [3] (GEOM—Oeno)
hypospilata Guenée, [1858] *Collix* [3] (GEOM—Larent)
hypotialis (Swinhoe, 1886) *Tyndis* [3] (PYRAL—Pyral)
iagathella (Walsingham, 1903) *Fabiola* [3] (OECO—Oeco)
ictericalis (Swinhoe, 1885) [3] (CRAM—Cybalo)
icterinella (Mann, 1867) *Fabiola* [3] (OECO—Oeco)
illepida Butler, 1882 *Argyroploce* [3] (TORT—Oleth)
irma (Hewitson, 1873) *Tetraharanis* [3] (LYCAEN—Lipt)
imperator Rougeot, 1962 *Pseudantheraea* [3] (SATURN—Saturn)
inconspicua Walsingham, 1897 *Mesopolia* [3] (PSYC—)
indecetata Walker, 1863 *Mixocera* [3] (GEOM—Geom)
indefinita (Bethune-Baker, 1910) *Anthene* [3] (LYCAEN—Polyom)
indicatalis Walker, 1859 *Hypena* [3] (NOCT—Hypen)
indistinctalis (Walker, 1863) *Nomophila* [3] (CRAM—Pyraus)
inxtricans Walker, 1858 *Hadena* [3] (NOCT—Caradr. ass.)
inxtricata Moore, 1882 *Eutelia* [3] (NOCT—Eutel)
infantula (Saalmüller, 1879) *Nudaria* [3] (ARCT—Lithos)
inframicans Hampson, 1893 [3] (NOCT—Hade)
inota Meyrick, 1924 [3] (SCYTH—)
inouei Błeszyński, 1959 *Calamotropha* [3] (CRAM—Cram)
insularis Mabille, 1876 *Tagiades* [3] (HESP—Pyrg)
insulicola (Guenée, 1852) *Leucania* [3] (NOCT—Hade)
intermedialis (Dognin, 1904) *Glyphodes* [3] (CRAM—Spilom)
intermedia (Bremer, 1861) *Actinotia* [3] (NOCT—Caradr. ass.)
intermissa Saalmüller, 1891 *Callopistria* [3] (NOCT—Caradr. ass.)
internella (Walker, 1865) *Celama* [3] (NOCT—Noli)
involuta (Walker, [1858]) *Anomis* [3] (NOCT—Cato)
irioleuca (Meyrick, 1897) *Audea* [3] (NOCT—Cato)
isca (Hewitson, 1873) *Eresiomera* [3] (LYCAEN—Lipt)
isotacta (Meyrick, 1911) *Ascalenia* [3] (COSM—Chrysopel)
itsariensis (Stoneham, 1959) *Nudaurelia* [3] (SATURN—Saturn)
itsariensis (Stoneham, 1962) *Holocera* [3] (SATURN—Saturn)
iterata Butler, 1888 *Herpaenia* [3] (PIER—Pier)
itynx (Fabricius, 1787) *Speiredonia* [3] (NOCT—Cato)
iza Hewitson, 1865 *Spindasis* [3] (LYCAEN—Thecl)
janata (Linnaeus, 1758) *Achaea* [3] (NOCT—Cato)
jansei Munroe, 1977 *Palpita* [3] (CRAM—Pyraus)
jansei Prout, L.B., 1937 [3] (GEOM—Larent)
jarbusalis (Walker, 1859) *Samea* [3] (CRAM—Spilom)
jodutta (Fabricius, 1793) *Acraea* [3] (NYMPHAL—Helico)
joskeaelia Błeszyński, 1961 *Calamotropha* [3] (CRAM—Cram)
junctalis Hampson, 1891 *Cataclysta* [3] (CRAM—Accent)

kafuensis Neave, 1910 *Deudorix* [3] (LYCAEN—Thecl)
kettlewelli Wiltshire, 1983 *Mesoligia* [3] (NOCT—Caradr. ass.)
kinkerella Snellen, 1875 *Dactylocta* [3] (GELE—)
kolga Druce, 1888 *Norasuma* [3] (BOMB—)
krucki Hering, 1930 *Imbrasia* [3] (SATURN—Saturn)
krystina d'Abra, 1980 *Zeritis* [3] (LYCAEN—Thecl)
kuehnei Pinhey, 1969 *Argema* [3] (SATURN—Saturn)
labrys Fletcher, 1974 *Zamarada* [3] (GEOM—Ennom)
lacteipennis Butler, 1889 *Ptychopoda* [3] (GEOM—Sterrh)
laetipicta Oberthür, 1893 *Eligma* [3] (NOCT—Chloep)
lagrya (Hewitson, 1866) *Larinopoda* [3] (LYCAEN—Lipt)
lamprostoma Zeller, 1847 *Gelechia* [3] (GELE—)
lanata Janse, 1931 *Parastericta* [3] (PYRAL—Epipas)
lancealana (Hübner, 1799) *Bactra* [3] (TORT—Oleth)
larydas (Cramer, [1780]) *Anthene* [3] (LYCAEN—Polyom)
lazularia Moore, 1880–1887 *Aphnaeus* [3] (LYCAEN—Thecl)
lebona (Hewitson, 1865) *Hypolycaena* [3] (LYCAEN—Thecl)
leda Gerstaeker, 1873 *Physcaeneura* [3] (NYMPHAL—Satyr)
leium Hampson, 1901 *Eilema* [3] (EREB—Arct)
leoducusalis (Walker, 1859) *Lineodes* [3] (CRAM—Spilom)
leonensis (Hampson, 1910) *Cerura* [3] (NOTO—)
lepeletier (Latreille, [1824]) *Lepella* [3] (HESP—Hesp)
Lepella Evans, 1937 [3] (HESP—Hesp)
leptines (Hewitson, 1874) *Anthene* [3] (LYCAEN—Polyom)
lethe (Fabricius, 1775) *Euchromia* [3] (THYRET—Euchrom)
leucophlebia Hampson, 1894 *Acrapex* [3] (NOCT—Caradr. ass.)
leucopleuralis Mabille, 1900 *Argyria* [3] (CRAM—Cram)
leucostega Meyrick, 1932 *Tinea* [3] (GRAC—)
leucostosalis (Hampson, 1918) *Lygropia* [3] (CRAM—Pyraus)
Lexis Wallengren, 1863 [3] (EREB—Arct)
libyssa (Hewitson, 1866) *Falcuna* [3] (LYCAEN—Lipt)
lienigiana (Zeller, 1851) *Hellinsia* [3] (PTEROPH—Pteroph)
lilacinus (Moore, 1884) *Spindasis* [3] (LYCAEN—Thecl)
limbaria Swainson, 1835 *Lucia* [3] (NOCT—Hypen)
limbata (Butler, 1888) *Dyphlebia* [3] (EREB—Arct)
limniace (Cramer, 1775) *Danaus* [3] (NYMPHAL—Danain)
Liopasia Möschler, 1882 [3] (CRAM—Pyraus)
liophanes Meyrick, 1886 *Marasmarcha* [3] (PTEROPH—Pteroph)
liraea (Hewitson, 1866) *Larinopoda* [3] (LYCAEN—Lipt)
lithas Druce, 1890 *Lycaenesthes* [3] (LYCAEN—Polyom)
Lithosia Fabricius, 1798 [3] (ARCT—Litho)
litura Fabricius, 1775 *Noctua* [3] (NOCT—Caradr. ass.)
livia (Klug, 1834) *Deudorix* [3] (LYCAEN—Thecl)
longaria (Herrich-Schäffer, 1853) *Scopula* [3] (GEOM—Sterrh)
longella Walker, 1863 *Blabophanes* [3] (TINE—Tine)
longisacculata Balinsky, 1994 *Kivia* [3] (PYRAL—Phycit)
loricatella Treitschke, 1832 *Glyphipteryx* [3] (GLYP—Glyp)
lubricipedum (Linnaeus, 1758) *Spilosoma* [3] (ARCT—Arct)
lugens (Rogenhofer, 1891) *Eretis* [3] (HESP—Pyrg)
lusanes (Hewitson, 1878) *Neurellipes* [3] (LYCAEN—Polyom)
lutea (Cramer, 1781) *Hyperythra* [3] (GEOM—Ennom)
lutescens Whalley, 1968 *Dysodia* [3] (THYRID—Pachy)
luticornella (Zeller, 1852) *Lecithocera* [3] (LECI—)
lycaeoides Felder, 1860 *Dipsas* [3] (LYCAEN—)
lychnides (Hewitson, 1878) *Anthene* [3] (LYCAEN—Polyom)
Lypotigris Hübner, [1825] [3] (CRAM—Spilom)
macrops (Linnaeus, 1768) *Phalaena Attacus* [3] (NOCT—Cato)
macrops Rebel, 1917 *Imbrasia* [3] (SATURN—Saturn)
maculata (Mabille, 1891) *Sarangesa* [3] (HESP—Pyrg),
maculosa (Warren, 1899) *Chiasmia* [3] (GEOM—Ennom)
madagascariensis (Boisduval, 1833) *Eunica* [3] (NYMPHAL—Nymphal)
madagascariensis (Boisduval, 1847) *Amerila* [3] (ARCT—Arct)
madagascariensis (Mabille, 1887) *Phalanta* [3] (NYMPHAL—Helico)
madagascariensis Saalmüller, 1891 *Sesamia* [3] (NOCT—Caradr. ass.)
Maelinoptera Staudinger, 1893 [3] (CRAM—Ever)
mahota (Grose-Smith, 1887) *Anthene* [3] (LYCAEN—Polyom)
mailaria (Swinhoe, 1904) *Menopha* [3] (GEOM—Ennom)
major Hampson, 1891 *Nola* [3] (NOCT—Noli)
mandarinula (Holland, 1892) *Eurema* [3] (PIER—Coliad)
marchallii (Boisduval, 1833) *Parnara* [3] (HESP—Hesp)

mardania (Fabricius, 1793) *Bebearia* [3] (NYMPHAL—Limen)
marginalis Felder & Rogenhofer, 1875 *Cyrtochila* [3] (CRAM—Spilom)
marginata Dufrane, 1953 *Pselaphelia* [3] (SATURN—Saturn)
marginata Holland, 1896 *Cosuma* [3] (LIMA—Lima)
marginata Walsingham, 1891 *Lecithocera* [3] (LECI—)
mariae Dufrane, 1953 *Pselaphelia* [3] (SATURN—Saturn)
marmoralis (Fabricius, 1794) *Phalaena* [3] (NOCT—Acon)
marmorata Warren, 1899 *Chloroclystis* [3] (GEOM—Larent)
marshalli argentata (Gaede, 1934) *Cerura* [3] (NOTO—Cerur)
mascarena Butler, 1878 *Dasychira* [3] (LYMAN—)
musculella ([Denis & Schiffermüller], 1775) *Incurvaria* [3] (INCU—)
massalis (Walker, 1859) *Scopula* [3] (CRAM—Pyraus)
masurialis Guenée, 1854 *Hypena* [3] (NOCT—Hypen)
mauensis Bethune-Baker, 1923 *Euchrysops* [3] (LYCAEN—Polyom)
maura (Saalmüller, 1891) *Brithysana* [3] (NOCT—Hade)
mauritanicus (Lucas, 1849) *Thestor* [3] (LYCAEN—Milet)
mauritia (Boisduval, 1833) *Spodoptera* [3] (NOCT—Caradr. ass.)
mauritia Joannis, 1906 *Nycteola* [3] (NOCT—Sarro)
media Walsingham, 1897 *Compsocrena* [3] (ERIOCOT—Comp)
medinalis (Guenée, 1854) *Cnaphalocrois* [3] (CRAM—Pyraus)
medusa (Cramer, 1777) *Leptosia* [3] (PIER—Pier)
Megalorrhida Amsel, 1935 [3] (PTEROPH—Pteroph)
melaleuca Walker, 1865 [3] (NOCT—Cato)
melampus (Cramer, 1781) *Rapala* [3] (LYCAEN—Thecl)
melanaula Meyrick, 1916 *Eucosma* [3] (TORT—Oleth)
melanoscelis (Hampson, 1914) *Celama* [3] (NOLI—Noli)
melanostigma Warren, 1904 *Haggardia* [3] (GEOM—Ennom)
melanostoma (Meyrick, 1908) *Episcardia* [3] (TINE—Periss)
melas (Guérin-Méneville, 1839) *Malamblia* [3] (ZYGAE—Proc)
meleagris Saalmüller, 1891 *Perigea* [3] (NOCT—Caradr. ass.)
melicerta (Drury, 1773) *Neptis* [3] (NYMPHAL—Limen)
melinoe (Godart, [1824]) *Nymphalis* [3] (NYMPHAL—Limen)
melliflua Meyrick, 1914 *Cnephasia* [3] (TORT—Tort)
Melphina Evans, 1937 [3] (HESP—Hesp)
menestheus Drury, 1773 *Papilio* [3] (PAPILIO—Papilio)
merope Cramer, 1777 *Papilio* [3] (PAPILIO—Papilio)
mesorhna Meyrick, 1894 *Cataclysta* [3] (CRAM—Acentr)
mesoxantha Hering, 1926 *Laelia* [3] (LYMAN—)
metallica Kiriakoff, 1954 *Zadadrina* [3] (EREB—Arct)
metarhoda Druce, 1903 *Timora* [3] (NOCT—Heliothin)
Metoportha Meyrick, 1894 [3] (CRAM—Spilom)
micralis (Hampson, 1896) *Caustella* (PYRAL—Phycit)
midea Walker, 1870 *Pelopidas* [3] (HESP—Hesp)
milichopa Meyrick, 1911 *Tinea* [3] (—)
milonia (Felder, C. & R., 1867) *Junonia* [3] (NYMPHAL—Nymphal)
mineus (Linnaeus, 1767) *Bicyclus* [3] (NYMPHAL—Satyr)
minimaria (Swinhoe, 1904) *Ptychopoda* [3] (GEOM—Sterrh)
minimaria (Warren, 1904) *Idaea* [3] (GEOM—Sterrh)
minimella Rebel, 1926 *Trifurcula* [3] (NEPT—)
minor (Sulzer, 1776) *Bombyx* [3] (SATURN—Saturn)
minutissimum Bethune-Baker, 1911 *Eilema* [3] (EREB—Arct)
mirabilioria (Oberthür, 1916) [3] (GEOM—Geom)
mirandus (Butler, 1902) *Chondrolepis* [3] (HESP—Hesp)
mirifica (Butler, 1878) *Chrysopsycche* [3] (LASIO—Malacos)
mochlodroma Meyrick, 1933 *Sphaericobathra* [3] (PSYC—)
moddermanni Heylaerts, 1888 *Clania* [3] (PSYC—Psyc)
moderata (Walker, 1856) *Zeuzera* [3] (COSS—Zeuz)
mollearia Walker, 1860 *Boarmia* [3] (GEOM—Ennom)
mollaria Guenée, [1858] *Metanema* [3] (GEOM—Ennom)
Moma Hübner, [1820] [3] (NOCT—Acon)
monachella (Hübner, 1796) *Monopsis* [3] (TINE—Tine)
monochroma (Holland, 1893) *Lepista* [3] (EREB—Arct)
mormopis Meyrick, 1934 *Crothaema* [3] (LYMAN—)
moschias (Meyrick, 1914) *Hyperbola* [3] (PYRAL—Phycit)
motozioides Holland, 1892 *Sarangesa* [3] (HESP—Pyrg)
mozambique (Mabille, 1890) *Heracleia* [3] (NOCT—Agarist)
mucidella Ragonot, 1887 *Homoeosoma* [3] (PYRAL—Phycit)
multipunctata (Hampson, 1892) *Epaena* [3] (THYRID—Siculo)
mundata Walker, 1865 *Acantharctia* [3] (ARCT—Arct)
muscosa Holland, 1889 *Antinephele* [3] (SPHING—Macrog)
myriopleura Meyrick, 1931 *Ctenocompa* [3] (PSYC—Psyc)
myrmecophila (Dumont, 1922) *Spindasis* [3] (LYCAEN—Thecl)
Nagia Walker, [1866] [3] (CRAM—Spilom)

Nagiella Munroe, 1976 [3] (CRAM—Spilom)
nandensis (Neave, 1904) *Euchrysops* [3] (LYCAEN—Polyom)
narcissus (Fabricius, 1798) *Henotesia* [3] (NYMPHAL—Satyr)
nareda (Kollar, 1844) *Ypthima* [3] (NYMPHAL—Satyr)
naso naso (Fabricius, 1798) *Parnara* [3] (HESP—Hesp)
nathalia (Felder, 1862) *Tachyris* [3] (PIER—Pier)
negrita Hampson, 1894 *Nola* [3] (NOCT—Noli)
negus (Felder C. & R., 1865) *Lepidochrysops* [3] (LYCAEN—Polyom)
negus Jordan, 1926 *Lophostethus* [3] (SPHING—Sphing)
nenia Westwood, 1849 *Micragone* [3] (SATURN—Saturn)
Neomiresa Butler, 1878 [3] (LIMA—Lima)
neriene Boisduval, 1836 *Zeritis* [3] (LYCAEN—Thecl)
nerteria Meyrick, 1906 *Anacampsis* [3] (GELE—)
nerva paola Plötz, 1884 *Kedestes* [3] (HESP—Hesp)
nesciaria (Walker, 1861) *Scopula* [3] (GEOM—Sterrh)
netopha (Hewitson, 1878) *Fresna* [3] (HESP—Hesp)
nigricans Joannis, 1927 *Nephopteryx* [3] (PYRAL—Phycit)
nigripalpis (Walker, 1866) *Hiccoda* [3] (NOCT—Acon)
nigritalis Hampson, 1893 *Cataclysta* [3] (CRAM—Acentr)
nilus (Hewitson, 1865) *Spindasis* [3] (LYCAEN—Thecl)
niphorrhhabda (Meyrick, 1938) *Lathrotinea* [3] (TINE—)
niso brevicornis (Plötz, 1884) *Gegenes* [3] (HESP—Hesp)
nitescens Warren, 1902 *Ptychopoda* [3] (GEOM—Sterrh)
nitidula (Fabricius, 1787) *Bombyx* (NOCT—Acon)
nivella (Fabricius, 1794) *Tinea* [3] (CRAM—Cram)
noctula (Druce, 1909) *Melphina* [3] (HESP—Hesp)
nocturna Hampson, 1901 *Lophonotodia* [3] (NOCT—Agarist)
nora (Plötz, 1884) *Spatialia* [3] (HESP—Pyrg)
notata Warren, 1896 *Ptachophyle* [3] (GEOM—Sterrh)
nubila Hampson, 1910 [3] (NOCT—Acon)
nubilata Holland, 1893 *Goodia* [3] (SATURN—)
nyasae (Bethune-Baker, 1923) *Lepidochrysops* [3] (LYCAEN—Polyom)
nyasalis (Hampson, 1917) *Cataclysta* [3] (CRAM—Acentr)
nyassana Aurivillius, 1899 *Pentila* [3] (LYCAEN—Lipt)
Nymphula Schrank, 1802 [3] (CRAM—Acentr)
obesalis Treitschke, 1829 *Hypena* [3] (NOCT—Hypen)
obliqualis (Kollar, 1844) *Rhynchina* [3] (NOCT—Hypen)
obliquata (Klug, 1830) *Beralade* [3] (LASIO—Lasio)
obscura Warren, 1905 *Pycnostola* [3] (GELE—)
obsitalis (Hübner, 1813) *Hypena* [3] (NOCT—Hypen)
obstinata (Meyrick, 1908) *Eboda* [3] (TORT—Tort)
obtusa Hampson, 1891 *Athetis* [3] (NOCT—Caradr. ass.)
obtusisigna Walker, 1858 *Plusia* [3] (NOCT—Plus)
ocellellus Doubleday, 1859 *Euchromius* [3] (CRAM—Cram)
ochrimesalis Hampson, 1917 *Tegulifera* [3] (PYRAL—Pyral)
octopunctata (Turner, 1894) *Caloptilia* [3] (GRAC—Grac)
octopunctata Gmelin, 1790 *Sphinx* [3] (SPHING—Macrog)
oculigera Guenée, 1852 *Dyops* [3] (NOCT—Cato)
Oedilepia Hampson, 1930 [3] (PYRAL—Phycit)
ognusalis Walker, 1859 *Pyralis* [3] (PYRAL—Pyral)
olivacea (Walker, [1858]) *Autoba* [3] (NOCT—Acon)
olivaceomicans Strand, 1912 *Antheua* [3] (NOTO—)
oo Stoll, 1780 *Phalaena* [3] (NOCT—Plus)
operosa Saalmüller, 1891 *Leucania* [3] (NOCT—Hade)
ophryota Meyrick, 1917 *Ctenocompa* [3] (PSYC—Psyc)
orcias (Drury, 1782) *Aphnaeus* [3] (LYCAEN—Thecl)
orientalis Bouvier, 1927 *Cirina* [3] (SATURN—Saturn)
orinoptena Karsch, 1892 *Ludia* [3] (SATURN—Saturn)
ornata Romieux, 1934 *Crothaema* [3] (LIMA—Lima)
osiris (Druce, 1896) *Antheraea* [3] (SATURN—Saturn)
othello (Meyrick, 1907) *Perissomastix* [3] (TINE—Periss)
otis (Fabricius, 1787) *Zizina* [3] (LYCAEN—Polyom)
oubie Rothschildi Le Cerf, 1911 *Bunaeaopsis* [3] (SATURN—Saturn)
Oxyelophila Forbes, 1922 [3] (CRAM—Acentr)
oxygramma Geyer, 1832 *Plusia* [3] (NOCT—Plus)
pachalica Butler, 1888 *Hypolycaena* [3] (LYCAEN—Thecl)
pachnoscia Meyrick, 1915 *Eporycta* [3] (OECO—Xylory)
Pachynoa Lederer, 1863 [3] (CRAM—Spilom)
palaeographa Meyrick, 1928 *Aeonoxena* [3] (PSYC—)
Palepicorpha Maes, 1995 [3] (CRAM—Pyraus)
palliderosacella Chambers, 1878 *Telphusa* [3] (GELE—)
palocampa (Druce, 1909) *Melphina* [3] (HESP—Hesp)
palpalis (Hübner, 1796) *Hypena* [3] (NOCT—Hypen)
panarista Fletcher, D.S., 1963 *Mythimna* [3] (NOCT—Hade)
pancratii (Cyrillo, 1787) *Brithys* [3] (NOCT—Hade)
panda Godart, 1819 *Pieris* [3] (PIER—Pier)

- paola* (Plötz, 1884) *Kedestes* [3] (HESP—Hesp)
paphia (Houttuyn, 1767) *Bombyx* [3] (SATURN—Saturn)
Paracymoria Warren, 1890 [3] (CRAM—Acentr)
Paraglossa Hampson, 1906 [3] (PYRAL—Pyral)
Paraona Moore, 1878 [3] (ARCT—Lithos)
parastrepta (Meyrick, 1907) *Cydia* [3] (TORT—Oleth)
Parbattia South, 1901 [3] (CRAM—Pyraus)
pardalina Bartel, 1903 *Teracotona* [3] (ARCT—Arct)
parei orangica Henning, G.A. & S.F., 1996 *Acraea* [3] (NYMPHAL—Helico)
parilis (Vári, 1963) *Chrysoesthia* [3] (GELE—)
parmeus Chenu, 1852 *Gnophodes* [3] (NYMPHAL—Satyr)
parsimon (Fabricius, 1775) *Lepidochrysops* [3] (LYCAEN—Polyom)
partita (Fabricius, 1775) *Noctua* [3] (EREB—)
parva Rothschild, 1907 *Melanocera* [3] (SATURN—Saturn)
Patna Ragonot, 1888 [3] (PYRAL—Phycit)
patnalis Felder & Rogenhofer, 1875 *Cataclysta* [3] (CRAM—Acentr)
Pectinigeria Ragonot, 1888 [3] (PYRAL—Phycit)
pedicata Meyrick, 1914 *Odites* [3] (LECI—)
pelarga (Fabricius, 1775) *Junonia* [3] (NYMPHAL—Nymphal)
pelecoides Tams, 1930 *Boadicea* [3] (ARCT—Lithos)
pelochroa Janse, 1964 *Gyroptera* [3] (LIMA—Lima)
pelodurus Butler, 1896 *Papilio* [3] (PAPILIO—Papilio)
peltigera ([Denis & Schiffermüller], 1775) *Noctua* [3] (NOCT—)
peltigera var. *insulata* (Navas, 1924) *Chloridea* [3] (NOCT—)
pelosema (Lower, 1900) *Deltophora* [3] (GELE—)
penicillata Walker, 1864 *Binna* [3] (ARCT—Arct)
penicillifera Balinsky, 1994 *Paralaodamia* [3] (PYRAL—Phycit)
penatula (Fabricius, 1793) *Psalis* [3] (LYMAN—)
pentheus (Fawcett, 1916) *Phytometra* [3] (NOCT—Cato)
pentopalpis Hampson, 1906 *Argyrapcis* [3] (CRAM—Acentr)
pepon Karsch, 1896 *Phorma* [3] (LIMA—Lima)
perdentellus Hampson, 1919 *Crambus* [3] (CRAM—Cram)
pericles (Fabricius, 1793) *Anthene* [3] (LYCAEN—Polyom)
perion (Stoll, [1782]) *Axiocerses* [3] (LYCAEN—Thecl)
perirrorata (Hampson, 1917) *Cataclysta* [3] (CRAM—Acentr)
perkeo Rothschild & Jordan, 1903 *Theretra* [3] (SPHING—Macrog)
peron Latreille, 1824 *Toxidia* [3] (HESP—)
persephone Staudinger, 1872 *Imbrasia* (*Imbrasia*) [3] (SATURN—Saturn)
perspicua Butler, 1878 *Epiphora* [3] (SATURN—Saturn)
pervenustalis (Hampson, 1897) *Cataclysta* [3] (CRAM—Acentr)
pesseuta Meyrick, 1906 *Cosmoclostis* [3] (PTEROPH—)
petraea Meyrick, 1907 *Stenoptilia* [3] (PTEROPH—Pteroph)
petrosperma Meyrick, 1935 *Cuphomantis* [3] (PSYC—)
phaeax Jordan, 1910 *Lobobunaea* [3] (SATURN—Saturn)
phaeocraspis (Hampson, 1909) *Celama* [3] (NOLI—Noli)
phalacropis Meyrick, 1915 *Etnodona* [3] (TINE—)
phidias Fabricius, 1793 *Hesperia* [3] (LYCAEN—Thecl)
phidias Weymer, 1909 *Bunaepois* [3] (SATURN—Saturn)
phileris Boisduval, 1833 *Mylothriss* [3] (PIER—Pier)
phyctaenias Meyrick, 1911 *Marasmarcha* [3] (PTEROPH—Pteroph)
phragmatoecia (Rothschild, 1917) *Turnaca* [3] (NOTO—Ceir)
phragmitella Stainton, 1851 *Limnaecia* [3] (COSM—Cosm)
picta Meyrick, 1913 *Platypilia* [3] (PTEROPH—Pteroph)
pictura (Saalmüller, 1891) *Timaea* [3] (NOCT—Caradr. ass.)
pigra (Guenée, 1852) *Caradrina* (NOCT—Caradr. ass.)
Pitacanda Moore, [1886] [3] (CRAM—Spilom)
plana Kiriakoff, 1962 *Batempa* [3] (NOTO—)
Platamonia Lederer, 1863 [3] (CRAM—Spilom)
plebeja Karsch, 1899 *Paryphanta* [3] (LIMA—Lima)
plecta (Linnaeus, 1761) *Ochropleura* [3] (NOCT—Noct)
pleione (Klug, 1829) *Colotis* [3] (PIER—Pier)
plinius (Fabricius, 1793) *Syntarucus* [3] (LYCAEN—Polyom)
polycentra Meyrick, 1916 *Tretoscopa* [3] (PSYC—)
polychroaria (Mabille, 1890) *Endropia* [3] (GEOM—Ennom),
polyxena (Cramer, 1775) *Charaxes* [3] (NYMPHAL—Charax)
poppea (Cramer, 1777) *Mylothriss* [3] (PIER—Pier)
populella (Clerck, 1759) *Anacampsis* [3] (GELE—)
porrectellus (Walker, 1863) *Schoenobius* [3] (CRAM—Schoen)
poutieri Boisduval, 1833 *Hesperia* [3] (HESP—Hesp)
practicodes (Meyrick, 1918) *Plesiosticha* [3] (OECO—Oeco)
praefica Saalmüller, 1884 *Nola* [3] (NOLI—Noli)
praeramis Meyrick 1918 *Oegoconia* [3] (OECO—Autost)
pratti (Janse, 1924) *Palpita* [3] (CRAM—Pyraus)
pratti Janse, 1931 *Plumiphora* [3] (CRAM—Epipas)
pretiosana Duponchel, 1842 *Xylopoda* [3] (CHOR—)
prismallae Janse, 1964 *Omomocnoides* [3] (LIMA—Lima)
proboscidalis (Linnaeus, 1758) *Hypena* [3] (NOCT—Hypen)
proboscidaria Walker, 1862 *Sauris* [3] (GEOM—Larent)
procellosa Butler, 1879 *Lacera* [3] (NOCT—Cato)
prolocha Meyrick, 1910 *Eridachtha* [3] (LECI—)
protomanica van Someren, 1975 *Charaxes* [3] (NYMPHAL—Charax)
protomedia (Klug, 1929) *Colotis* [3] (PIER—Pier)
Protonoceras Warren, 1890 [3] (CRAM—Spilom)
proximella (Hübner, 1796) *Pseudotelphusa* [3] (GELE—)
psaphon Westwood, 1847 *Charaxes* [3] (NYMPHAL—Charax)
Pseudancyloloomia Ahmad et al., 1982 [3] (CRAM—Cram)
pseudobombycella (Hübner, 1796) *Taleporia* [3] (PSYC—Talep)
pseudolycia Butler, 1874 *Acraea* [3] (NYMPHAL—Helico)
pseudomanica Minig, 1976 *Charaxes* [3] (NYMPHAL—Charax)
Pseudoparaponyx Patocka, 1951 [3] (CRAM—Acentr)
Pseudopyrausta Amsel, 1956 [3] (CRAM—Spilom)
psittacalis (Hübner, 1825) *Pachyarches* [3] (CRAM—Pyraus)
Pterolonche Zeller, 1847 [3] (PTEROL—),
Ptychopseustis Meyrick, 1889 [3] (CRAM—Cybalo)
ptychora (Meyrick, 1907) *Cydia* [3] (TORT—Oleth)
pulcherrima Aurivillius, 1924 *Zeritis* [3] (LYCAEN—Thecl)
pulchra Aurivillius, 1892 *Balacra* [3] (THYRET—)
pulverulenta Dufrane, 1953 *Pselaphelia* [3] (SATURN—Saturn)
pumilia Zeller, 1873 *Marasmarcha* [3] (PTEROPH—Pteroph)
pumilio (Zeller, 1873) *Exelastis* [3] (PTEROPH—Pteroph)
punctalis [Denis & Schiffermüller, 1775] *Stenia* [3] (CRAM—Pyraus)
punctata (Clerck, 1759) *Agonopterix* [3] (DEPR—)
puncticorpus (Warren, 1897) *Terina* [3] (GEOM—Ennom)
punctidiscellus (Clemens, 1836) *Dichomeris* [3] (GELE—)
punctilineata Hampson, 1901 *Eilema* [3] (EREB—Arct)
purella Leech, 1889 *Calamotropha* [3] (CRAM—Cram)
purpurascens (Holland, 1890) *Aslauga* [3] (LYCAEN—Liphyr)
purpurea Walsingham, 1897 *Ptilothryis* [3] (LECI—)
putrefacta (Guenée, 1852) *Axylia* [3] (NOCT—Noct)
pylas exilis Kernbach, 1962 *Tennora* [3] (SPHING—Macrog)
pyrocera Hampson, 1919 *Sura* [3] (SESIID—Sesiin)
pythiaria Guenée, [1858] *Argyris* [3] (GEOM—Sterrh)
quenavadi Guenée, 1852 *Pandesma* [3] (NOCT—Cato)
querula Meyrick, 1912 *Eucosma* [3] (TORT—Oleth)
quilimania Strand, 1922 *Siccia* [3] (ARCT—Lithos)
quirina (Fabricius, 1781) *Acraea* [3] (NYMPHAL—Helico)
rabefaner Mabille, 1877 *Lycaena* [3] (LYCAEN—Polyom)
ramburiellus (Duponchel, 1836) *Euchromius* [3] (CRAM—Cram)
ranavalona Boisduval, 1833 *Acraea* [3] (NYMPHAL—Helico)
rara Holland, 1892 *Procampa* [3] (HESP—Pyrg)
ratek (Boisduval, 1833) *Borbo* [3] (HESP—Hesp)
ratalis Walker, 1859 *Pyralis* [3] (PYRAL—Pyral)
reconditaria (Walker, 1861) *Scopula* [3] (GEOM—Sterrh)
rectilinea (Boisduval, 1836) *Aegocera* [3] (NOCT—Agar)
rectistria Guenée, 1852 *Oraesia* [3] (NOCT—Cato)
reflexaria Walker, 1863 *Zamarada* [3] (GEOM—Ennom)
relicata Walker, 1862 *Coremia* [3] (GEOM—Larent)
remissa (Hübner, [1809]) *Apamea* [3] (NOCT—Caradr. ass.)
renata Prout, A.E., 1927 *Achaea* [3] (NOCT—Cato)
repanda (Fabricius, 1794) *Remigia* [3] (NOCT—Cato)
repanda (Hübner, 1808) *Streblote* [3] (LASIO—Lasio)
Reskovitisa Szent-Ivány, 1942 [3] (CRAM—Ever)
resplendens Butler, 1876 *Castalius* [3] (LYCAEN—Polyom)
restricta Talbot, 1940 *Amauris* [3] (NYMPHAL—Danain)
restricta Hampson, 1910 *Eilema* [3] (EREB—Arct)
retatalis Walker, 1858 *Chusaris* [3] (NOCT—Cato)
Rhabdomantis Holland, 1898 [3] (HESP—Hesp)
rhacota Meyrick, 1915 *Zelomora* [3] (PSYC—Psyc)
rhodina (Rothschild, 1907) *Nudaurelia* [3] (SATURN—Saturn)
rhodope (Fabricius, 1775) *Mylothriss* [3] (PIER—Pier)
rhombella ([Denis & Schiffermüller], 1775) *Gelechia* [3] (GELE—)
richelmanni (Weymer, 1909) *Nudaurelia* [3] (SATURN—Saturn)
rileyi Kiriakoff, 1954 *Desmeocraera* [3] (NOTO)
ritsemae Walsingham, 1884 *Deuterocopus* [3] (PTEROPH—Pteroph)
rogatalis (Hulst, 1886) *Botys* [3] (CRAM—Glaph)
rogersi Trimen, 1909 *Pseudacraea* [3] (NYMPHAL—Limen)
romi (Robbe, 1892) *Lepella* [3] (HESP—Hesp)
rosea Sonthonnax *Lobobunaea* [3] (SATURN—Saturn)

roseitincta lucida (Aurivillius, 1921) *Closteria* [3] (NOTO—Noto)
rosimon (Fabricius, 1787) *Castalius* [3] (LYCAEN—Polyom)
rostralis (Linnaeus, 1758) *Hypena* [3] (NOCT—Hypen)
rotha Hewitson, 1873 *Pentila* [3] (LYCAEN—Lipt)
rotundata (Hering, 1928) *Semibirthama* [3] (LIMA—Lima)
rotundimacula herewardi Riley, 1921 *Eagris* [3] (HESP—Hesp)
rubra Bouvier, 1927 *Imbrasia* [3] (SATURN—Saturn)
rubrodactylus Pagenstecher, 1900 *Deuteroscopus* (PTEROPH—)
rudis (Walker, 1869) *Nyssia* [3] (SESIID—Sesiin)
rufescens Kirakoff, 1954 *Rhenea* [3] (NOTO—Noto)
ruficollis Walker, 1862 *Data* [3] (NOTO—)
rufifasciata (Haworth, 1809) *Gymnoscelis* [3] (GEOM—Larent)
rufilimes (Warren, 1899) *Alcis* [3] (GEOM—Ennom)
rufimixta (Warren, 1901) *Sterrha* [3] (GEOM—Sterrh)
rufipalpis Hampson, 1926 *Mecodina* [3] (NOCT—Cato)
rufocellata (Mabille, 1900) [3] (GEOM—Geom)
rufostellata (Mabille, 1900) [3] (GEOM—Geom)
rusticella (Hübner, 1796) *Monopsis* [3] (TINE—Tine)
sabadius (Gray, 1832) *Eagris* [3] (HESP—Pyrg)
sabinusalis (Walker, 1859) *Pleuroptya* [3] (CRAM—Pyraus)
sabulosa Rothschild, 1907 *Tagoropsis* [3] (SATURN—Saturn)
sacculata Balinsky, 1994 *Nakurubia* [3] (PYRAL—Phycit)
saffronica Pinhey, 1972 *Bunaeopsis* [3] (SATURN—Saturn)
sagittilinea (Warren, 1897) *Scopula* [3] (GEOM—Sterrh)
salaminia (Cramer, 1777) *Eudocima* [3] (NOCT—Cato)
salmacis (Drury, 1773) *Hypolimnas* [3] (NYMPHAL—Nymphal)
samaritanella (Zeller, 1867) *Euzophera* [3] (PYRAL—Phycit)
sanguicosta Hampson, 1901 *Eilema* [3] (Ereb—Arct)
saturata (Guenée, [1858]) *Xanthorhoe* [3] (GEOM—Larent)
schausi Hampson, 1905 *Auchenisa* [3] (NOCT—Cato)
schausi Janse, 1931 *Tancoa* [3] (PYRAL—Epipas)
scintillans Aurivillius, 1905 *Iolaus* [3] (LYCAEN—Thecl)
scleropis Meyrick, 1914 *Amydria* [3] (PSYC—Talep)
scotinopa Vári, 1963 *Metroichroa* [3] (GRAC—Grac)
scutata Meyrick, 1894 *Anacampsis* [3] (GELE—)
scutigera Borkhausen, 1792 *Phalaena* [3] (NOCT—)
secundella Walsingham, 1897 *Eccompsocetna* [3] (ERIOCOT—)
securis (Hübner, 1823) *Psalis* [3] (LYMAN—)
secutaria (Guenée, [1858]) *Zamarada* [3] (GEOM—Ennom)
selenaria ([Denis & Schiffermüller], 1775) *Ascotis* [3] (GEOM—Ennom)
selene (Kirby, 1896) *Lasioptia* [3] (SATURN—Saturn)
semialba (Swinhoe, 1906) *Chlorosterra* [3] (GEOM—Geom)
semihyalinum Bartel, 1903 *Spilosoma* [3] (ARCT—Arct)
semilactea Warren & Rothschild, 1905 *Alavona* [3] (ERIOCOT—)
Señoithisa Hübner, 1818 [3] (GEOM—Ennom)
semnostola (Meyrick, 1897) *Pyroderces* [3] (COSM—Cosm)
senegalensis Boisduval, 1836 *Eurema* [3] (PIER—Coliad)
senegalensis Herrich-Schäffer, 1858 *Bebearia* [3] (NYMPHAL—Limen)
senilis Janse, 1931 *Polylophota* [3] (PYRAL—Epipas)
seriata (Schrank, 1802) *Idaea* [3] (GEOM—Sterrh)
serva (Walker, 1858) *Condica* [3] (NOCT—Caradr. ass.)
servalis (Lederer, 1863) *Herpetogramma* [3] (CRAM—Spilom)
sevectella (Walker, 1864) *Ilingiotis* [3] (GELE—)
sexguttella (Thunberg, 1794) *Chrysoesthia* [3] (GELE—)
seydeli Rougeot, 1962 *Aurivillius* [3] (SATURN—Saturn)
signatella Herrich-Schäffer, 1855 *Symnoeca* [3] (SYMM—)
signella Hübner, 1796 *Symnoeca* [3] (SYMM—)
signifera (Walker, 1855) *Jana* [3] (EUPT—Janin)
signifera Walker, 1856 *Naroma* [3] (LYMAN—)
signifrontaria (Mabille, 1893) [3] (GEOM—Ennom)
silenus deserticola Stempffer, 1969 *Myrina* [3] (LYCAEN—Thecl)
simaria Guenée, [1858] *Thalassodes* [3] (GEOM—Geom)
similis (Felder, 1874) *Parasa* [3] (SESIID—Sesiin)
simplex Butler, 1880 *Chilo* [3] (CRAM—Cram)
simplex Warren, 1902 *Comostolopsis* [3] (GEOM—Geom)
simulans (Mabille, 1878) *Brunia* [3] (EREB—Arct)
simulata Janse, 1931 *Epileia* [3] (PYRAL—Epipas)
simulator Grose-Smith, 1889 *Pseudacraea* [3] (NYMPHAL—Limen)
sinuata Janse, 1931 *Tancoa* [3] (PYRAL—Epipas)
siphax Lucas, 1849 *Aphnaeus* [3] (LYCAEN—Thecl)
skotios (Druce, 1905) *Lepidochrysops* [3] (LYCAEN—Polyom)
smithii (Holland, 1897) *Parauchmis* [3] (NOTO—)
sobria Walker, 1854 *Halone* [3] (ARCT—Lith)

socotrensis Hampson, 1901 *Celama* [3] (NOCT—Noli)
solani Boisduval, 1833 *Coelonia* [3] (SPHING—Sphing)
somalina Butler, 1886 *Spindasis* [3] (LYCAEN—Thecl)
sophia (Fabricius, 1793) *Junonia* [3] (NYMPHAL—Nymphal)
sosia (Mabille, 1891) *Rhabdotantis* [3] (HESP—Hesp)
spiculata Balinsky, 1994 *Laodamia* [3] (PYRAL—Phycit)
spinulosa Gozmány, 1965 *Criticonoma* [3] (TINE—)
Stenochilo Hampson, 1896 [3] (CRAM—Cram)
stigma (Rothschild & Jordan, 1903) *Hippotion* [3] (SPHING—Macrog)
stigmatica (Mabille, 1878) *Platysphinx* [3] (SPHING—Sphing)
stipalis (Snellen, 1880) *Nymphicula* [3] (CRAM—Acentr)
straminea (Donovan, 1793) *Phalaena* [3] (NOCT—)
striata Fawcett, 1916 *Fulvaria* [3] (GEOM—Ennom)
strigatus (Fabricius, 1798) *Hypena* [3] (NOCT—Hype)
stuposa (Fabricius, 1793) *Dysgonia* [3] (NOCT—Cato)
styx Westwood, 1848 *Acherontia* [3] (SPHING—Sphing)
subalbescens Swinhoe, 1894 *Acharana* [3] (CRAM—Pyraus)
subalbicans Bethune-Baker, 1906 *Sarangesa* [3] (HESP—Pyrg)
subflavidus Holland, 1896 *Gorgyra* [3] (HESP—Hesp)
subgriseola (Strand, 1912) *Brunia* [3] (EREB—Arct)
subochracea Holland, 1896 *Parnara* [3] (HESP—Hesp)
subolivescens Hallind, 1892 *Eagris* [3] (HESP—Hesp)
subpellucens Karsch, 1899 *Sporetolepis* [3] (LIMA—Lima)
subperla Warren, 1897 *Scopula* [3] (GEOM—Sterrh)
subsatura Guenée, 1852 *Hypocala* [3] (NOCT—Cato)
substriata Walsingham, 1891 *Phycodes* [3] (BRAC—Phycod)
sufferti Weymer, 1896 *Melanocera* [3] (SATURN—Saturn)
suffusa Hampson, 1891 *Phibalapteryx* [3] (GEOM—Larent)
superba Hübner, 1823 *Westermannia* [3] (NOCT—Chloep)
superbella (Zeller, 1849) *Crambus* [3] (CRAM—Cram)
superpalpia Balinsky, 1994 *Magiriamorpha* [3] (PYRAL—Phycit)
suppressalis (Walker, 1863) *Chilo* [3] (CRAM—Cram)
susanna Staudinger, 1894 *Euproctis* [3] (LYMAN—)
sutor (Guenée, 1852) *Condica* [3] (NOCT—Caradr. ass.)
syama Horsfield, 1828-29 *Aphnaeus* [3] (LYCAEN—Thecl)
sylvanus (Drury, 1773) *Anthene* [3] (LYCAEN—Polyom)
sylvanus Fabricius, 1793 *Hesperia* [3] (HESP—Hesp)
sylvia (Fabricius, 1775) *Appias* [3] (PIER—Pier)
sylvicola Boisduval, 1833 *Leucophasia* [3] (PIER—Pier)
Symmoracma Meyrick, 1894 [3] (CRAM—Spilom)
syrtis (Schaus & Clements, 1893) *Neomocera* [3] (LIMA—Lima)
szunyoghi (Gozmány, 1965) *Pseudurgis* [3] ([COSS—])
taboranum Oberthür, 1886 *Graphium* [3] (PAPILIO—Papilio)
taeniata Snellen, 1874 *Nola* [3] (NOLI—Noli)
tamaniba (Walker, 1870) *Chloroselas* [3] (LYCAEN—Thecl)
tamaricicola Walsingham, 1911 *Cecidophaga* [3] (GELE—)
tandoana (Bethune-Baker, 1911) *Naarda* [3] (HERM—)
taprobanensis Zeller, 1877 *Ancylolomia* [3] (CRAM—Cram)
tarsicrinialis (Knoch, 1782) *Polypogon* [3] (HERM—)
tectonica Meyrick, 1914 *Xyroptila* [3] (PTEROPH—)
tenebrosa (Moore, 1867) *Magusa* [3] (NOCT—Caradr. ass.)
tengstroemi Zeller, 1852 *Deuterocopus* [3] (PTEROPH—)
tentacularia (Linnaeus, 1758) *Polypogon* [3] (HERM—)
tephrantha (Meyrick, 1916) *Harmaclona* [3] (TINE—Myrmeco)
terminigera (Walker, 1858) *Polydesma* [3] (NOCT—Cato)
terpsichorina Westwood, 1881 *Usta* [3] (SATURN—Saturn)
terpsicore (Linnaeus, 1758) *Acraea* [3] (NYMPHAL—Helico)
terricolor Meyrick, 1915 *Sapheneutis* [3] (PSYC—Psyc)
tetraplagalis Hampson, 1896 *Pyrausta* [3] (CRAM—Pyraus)
tetrastigma (Mabille, 1891) *Eagris* [3] (HESP—Pyrg)
themeliota Meyrick, 1915 *Apaphristis* [3] (PSYC—)
theobene Doubleday, 1848 *Harma* [3] (NOTO—)
theophrastus (Fabricius, 1793) *Tarucus* [3] (LYCAEN—Polyom)
Thopeutis Hübner, 1818 [3] (CRAM—Cram)
thoracica (Butler, 1895) *Philotherma* [3] (LASIO—Lasio)
thrax thrax (Hübner, 1821) *Pelopidas* [3] (HESP—Hesp)
Tigrioides Butler, 1877 [3] (EREB—Arct)
tiridates (Cramer, 1777) *Charaxes* [3] (NYMPHAL—Charax)
tosta Snellen, 1872 *Sesamia* [3] (NOCT—Caradr. ass.)
transversa (Moore, 1882) *Iambia* [3] (NOCT—Caradr. ass.)
trapezoidea (Aurivillius, 1899) *Latoia* [3] (LIMA—Lima)
traumataria Guenée, [1858] *Onycodes* [3] (GEOM—Oeno)
trefurthi Strand, 1909 *Microgone* [3] (SATURN—Saturn)
triarcha (Meyrick, 1908) *Phyllonorycter* [3] (GRAC—Lithocol)

tricolora (Bethune-Baker, 1909) *Aegoceropsis* [3] (NOCT—Agarist)
tricommata Warren, 1899 *Craspedia* [3] (GEOM—Sterrh)
trifasciata (Moore, 1881) *Eublemma* [3] (NOCT—Acon)
trifasciata Bartel, 1903 *Teracotona* [3] (ARCT—Arct)
triplecta Meyrick, 1936 *Loxophantis* [3] (CRAM—Cram)
trisema Hampson, 1913 *Lophotarsia* [3] (NOCT—Caradr. ass.)
tristis (Sonthonnax, 1899) *Guillemeia* [3] (SATURN—Saturn)
trogobasalis Hampson, 1912 *Chalcidoptera* [3] (CRAM—Pyraus)
trophoides (Meyrick, 1908) *Argyroploce* [3] (TORT—Oleth)
tumidipes (Hampson, 1912) *Sylepte* [3] (CRAM—Pyraus)
tyrannica Whalley, 1971 *Cecidothyris* [3] (THYRID—Siculo)
undularis Hewitson, 1866 *Liptena* [3] (LYCAEN—Lipt)
uniformella Hampson, 1896 *Ancylolomia* [3] (CRAM—Cram)
uniformis (Gaede, 1928) *Epiphalera* [3] (NOTO—)
uniformis Warren, 1897 *Xantheliodes* [3] (GEOM—Oeno)
unipunctalis (Duponchel, 1853) *Botys* [3] (CRAM—Pyraus)
unisona Fletcher, 1974 *Zamarada* [3] (GEOM—Ennom)
ursulella Walker, 1863 *Alavona* [3] (ERIOCOT—)
vacillans (Walker, 1864) *Zurobata* [3] (NOCT—Acon)
vadonella Viette, 1954 *Sporadartha* [3] (TINE—Hierox)
variegata Hering, M., 1937 *Chrysopoloma* [3] (LIMA—Chrysopol)
vari Munroe, 1977 *Palpita* [3] (CRAM—Pyraus)
vegetus (Swinhoe, 1885) *Cretonia* [3] (NOCT—Acon)
venosa Moore, 1879 *Maenas* [3] (NOCT—Cato)
venusta Kiriakoff, 1954 *Desmeocraera* [3] (NOTO—Noto)
vermiculata (Warren, 1897) [3] (GEOM—Geom)
verminalis (Guenée, 1854) *Botys* [3] (CRAM—Spilom)
versicolor Walker, 1863 *Autoba* [3] (NOCT—Acon)
vesperina Stoneham, 1962 *Imbrasia* (*Imbrasia*) [3] (SATURN—Saturn)
vetusta (Walker, 1865) *Polydesma* [3] (NOCT—Cato)
vialis (Moore, 1882) *Maliattha* [3] (NOCT—Acon)
vibralis Zeller, 1847 *Choreutis* [3] (CHOR—Chor)
vibrana (Hübner, 1813) *Porpe* [3] (CHOR—Chor)
victoria Dixey, 1915 *Belenois* [3] (PIER—Pier)
vidua Weymer, 1901 *Abantis* [3] (HESP—Pyrg)
vinetella (Fabricius, 1789) *Eucarphia* [3] (PYRAL—Phycit),
viola Butler, 1865 *Charaxes* [3] (NYMPHAL—Charax)
violascens (Rebel, 1914) *Goodia* [3] (SATURN—Saturn)
viridifasciata (Aurivillius, 1899) *Arniocera* [3] (THYRID—Charid)
viridifusca Pinhey, 1968 *Latoia* [3] (LIMA—Lima)
viridissima (Holland, 1893) *Latoia* [3] (LIMA—Lima)
vitreata (Rothschild, 1910) *Balacra* [3] (THYRET—)
wallacei (Neave, 1910) *Tsitana* [3] (HESP—Hesp)
wambo Plötz, 1886 *Hesperia* [3] (HESP—Hesp)
wintensi Strand, 1909 *Junonia* [3] (NYMPHAL—Nymphal)
xanthobathra (Meyrick, 1894) *Anydraula* [3] (CRAM—Acentr)
xanthochalca Meyrick, 1914 *Lecithocera* [3] (LECI—)
xerodes (Meyrick, 1886) *Strangeia* [3] (PTEROPH—Pteroph)
xiphia (Fabricius, 1781) *Leptosia* [3] (PIER—Pier)
Xyrotilla Meyrick, 1908 [3] (PTEROPH—Pteroph)
zebrina Warren, 1899 *Racotis* [3] (GEOM—Ennom)
zela Hewitson, 1869 *Deudorix* [3] (LYCAEN—Thecl)
zelleri (Dewitz, 1881) [3] (THYRID—Pachy)
zenobia (Fabricius, 1775) *Princeps* [3] (PAPILIO—Papilio)
zochalia agrippinides Holland, 1896 *Belenois* [3] (PIER—Pier)
zohra Donzel, 1847 *Cigaritis* [3] (LYCAEN—Thecl)
zonellus Zeller, 1847 *Crambus* [3] (CRAM—Cram)
zophodactyla (Duponchel, 1840) *Stenoptilia* [3] (PTEROPH—Pteroph)

NOMINA NUDA and NOMINA DUBIA

aenescens Le Cerf, *Chamaesphecia* [4] (SESIID—Sesiin)
arerilater Le Cerf, *Chamaespacia* [4] (SESIID—Sesiin)
aeshra Hampson, *Zeuxinia* [4] (NOCT—Hypen)
agathis Felder, *Neptis* [4] (NYMPHAL—Limen)
albicostata Warren, ... [4] (—)
pe
amaura Hampson, *Deltinella* [4] (NOCT—Hypen)
arenacea Walsingham, *Tineola* [4] (TINE—Tine)
argyrostrota Hampson, *Heterographis* [4] (PYRAL—Phycit)
asemella Hampson, *Homoeosoma* [4] (PYRAL—Phycit)
atriceps Walsingham, *Perissomastix* [4] (TINE—Periss)
atricostella Hampson, *Homoeosoma* [4] (PYRAL—Phycit)

bapta Warren, *Leptomeris* Prout, 1922 [4] (GEOM—Sterrh)
bipinnata Meyrick, *Epermenia* [4] (EPER—Eper)
britoides Hampson, *Megistophora* [4] (NOCT—)
caerulescens Le Cerf, *Melittia* [4] (SESIID—Sesiin)
caffra Hampson, *Sclerobia* [4] (PYRAL—Phycit)
caffrensis Hampson, *Euzophera* [4] (PYRAL—Phycit)
caliginosa Esper, *Bombyx* [4] (—)
callichroma Le Cerf, *Janseia* [4] (SESIID—Sesiin)
calypta Vári, *Borolia* [4] (NOCT—Hade)
canthina Janse, *Janomima* [4] (EUPT—Striph)
capensis Hampson, *Oedilepia* [4] (PYRAL—Phycit)
cataleuca Meyrick, *Pachytenis* [4] (—)
citrina Aurivillius, *Antheua* [4] (NOCT—)
commixtalis Zeller, 1852 *Hypena* [4] (NOCT—Hypen)
cormata Hampson, *Ancylosis* [4] (PYRAL—Phycit)
costipunctata Gaede, *Hypena* [4] (NOCT—Hypen)
cyaniris Le Cerf, *Paranthrene* [4] (SESIID—Sesiin)
dementria Martin, *Ancylolomia* [4] (PYRAL—Phycit)
divergens Warren, *Apleroneura* [4] (GEOM—Ennom)
dubium *Brephos* [4] (NOCT—Agarist)
ectophaea Hampson, *Metallosticha* [4] (PYRAL—Phycit)
ectoscota Hampson, *Ilithya* [4] (PYRAL—Phycit)
elasticella Hampson, *Funtumivora* [4] (PYRAL—Phycit)
erythrocroctis Hampson, *Salebria* [4] (PYRAL—Phycit)
euprepia Hampson, *Crocidomera* [4] (PYRAL—Phycit)
flavabasis Le Cerf, *Melittia* [4] (SESIID—Sesiin)
flavitincta Hampson, *Ilithya* [4] (PYRAL—Phycit)
hemipolia Hampson, *Ilithya Dalaca* [4] (PYRAL—Phycit)
holobapta Prout, *Chrysocraspeda* [4] (GEOM—Sterrh)
holopolia Hampson, *Ilithya* [4] (PYRAL—Phycit)
hypoleuca Le Cerf, *Synanthedon* [4] (SESIID—Sesiin)
idioptera Le Cerf, *Trichocerota* [4] (SESIID—Sesiin)
ianthina; Aurivillius, *Desmeocraera* [4] (NOTO—)
janthina Aurivillius, *Desmeocraera* [4] (NOTO—)
inanimis Hampson, *Xerophyllidia* [4] (NOCT—Hypen)
innotella Hampson, *Getulia* [4] (PYRAL—Phycit)
iodoptera Le Cerf, *Trichocerota* [4] (SESIID—Sesiin)
lacunata Prout, L.B., *Pithea* [4] (GEOM—Ennom)
ladon Cramer, 1780 *Papilio* [4] (LYCAEN—Polyom)
latimarginella Hampson, *Ilithya* [4] (PYRAL—Phycit)
lenticiliata Warren, *Tephrina* [4] (GEOM—Ennom)
leucocerus Warren, *Bostra* [4] (PYRAL—Pyral)
lithosiella Hampson, *Trissonca* [4] (PYRAL—Phycit)
marioni Martin, *Ancylolomia* [4] (CRAM—Cram)
microspila Le Cerf, *Melittia* [4] (SESIID—Sesiin)
mijburghi Vári, 1986 *Orachrysops* [4] (LYCAEN—Polyom)
modestella Rebel, *Lita* [4] (GELE—Gele)
nivei Aurivillius, *Pachymeta* [4] (LASIO—Gastrop)
niveimargo Le Cerf, *Chamaesphecia* [4] (SESIID—Sesiin)
ochracea Strand, *Acrojana* [4] (EUPT—Janin)
ochrias Hampson, *Paurophylla* [4] (NOCT—Hypen)
ochroptera Le Cerf, *Paranthrene* [4] (SESIID—Sesiin)
ordinaria Walker, 1865 *Mamestra* [4] (NOCT—Haden)
parazyga Meyrick, *Bucculatrix* [4] (BUCC—)
perinus Monteiro, 1891 *Papilio* [4] (PAPILIO—Papilio)
planilinea Warren, *Hemijana* [4] EUPT—Janin)
polytrema Le Cerf, *Dipsosphecia* [4] (SESIID—Sesiin)
postaurantiaca Strand, *Remigia* [4] (NOCT—Cato)
pretoriensis (Hampson, 1893) *Megasis* [4] (PYRAL—Phycit)
prominentia Strand, *Eutamsia* [4] (NOCT—Caradr. ass.)
protusilinea Prout, *Hyostomodes* [4] (GEOM—Ennom)
provocata Walker, [4] (—)
pulchriventris Le Cerf, *Homogyna* [4] (SESIID—Sesiin)
pyromera Hampson, *Argyrorhabda* [4] (PYRAL—Phycit)
rhodesiensis Hampson, *Microphestia* [4] (PYRAL—Phycit)
rhodocincta Warren, *Zygophyxia* [4] (GEOM—Sterrh)
rossouwi Vári, 1986 *Lepidochrysops* [4] (LYCAEN—Polyom)
rufiscripta Hampson, *Ancylosis* [4] (PYRAL—Phycit)
rufomacula (Strand,) *Eutamsia* [4] (NOCT—Caradr. ass.),
sarcopis Hampson, *Ilithya* [4] (PYRAL—Phycit)
saturnus Fabricius, 1793 *Bombyx* [4] (SATURN—)
semiusta Hampson, *Piesmopoda* [4] (PYRAL—Phycit)
stenozoa Hampson, *Ancylosis* [4] (PYRAL—Phycit)
subflava Warren, *Remigia* [4] (NOCT—Cato)

subtaenialis Mabille, *Marasmia* [4] (CRAM—Pyraus)
synagris Le Cerf, *Monopetalotaxis* [4] (SESIID—Sesiin)
tetraplagella Hampson, *Ancylosis* [4] (PYRAL—Phycit)
tetrasticta Hampson, 1900 *Ilema* [4] (ARCT—Lithos)
tsino Murray, 1958 *Poecilmitis* [4] (LYCAEN—Thecl)
venata Hampson, *Edulica* [4] (PYRAL—Phycit)
vicinia Le Cerf, *Sura* [4] (SESIID—Sesiin)
vinosalis Warren, *Lepidogma* [4] (PYRAL—Epipas)
vittatula Strand, *Egybolis* [4] (NOCT—Cato)
ximenicola Tams, *Nephopteryx* [4] (PYRAL—Phycit)