





















































Ref. no.	Lepidoptera species	Host species (Family)	Locality	Date of collection (c), pupation (p), emergence (e)	Rearer	Final instar larva	Adult
Bombycidae: Bombycinae							
AM88	<i>Racinoa ficicola</i>	<i>Ficus natalensis</i> (Moraceae)	Kameelfontein, farm; Pretoria; Gauteng; South Africa	c 13.11.2017 p 2.12.2017 e 16.12.2017	A. & I. Sharp		
M2187	<i>Racinoa ficicola</i>	<i>Ficus burkei</i> (Moraceae)	Glencoe 2; Hoedspruit; Limpopo; South Africa	c 8.6.2018 p 15.6.2018 e 26.6.2018	A. & I. Sharp		
M2391	<i>Racinoa ficicola</i>	<i>Ficus glumosa</i> (Moraceae)	Epsom (South) Wild Rivers Game Reserve; Hoedspruit; Limpopo; South Africa	c 30.1.2019 p 4.2.2019 e 11.2.2019	A. & I. Sharp		
M2513	<i>Racinoa ficicola</i>	<i>Ficus glumosa</i> (Moraceae)	Moholoholo; Kampersrus; Limpopo; South Africa	c 11.4.2019 p 23.4.2019 e 30.4.2019	A. & I. Sharp		
Eupterotidae: Janinae							
M1548	<i>Stenoglene obtusa</i>	<i>Strychnos madagascariensis</i> (Loganiaceae)	Xilutsi; Acornhoek; Limpopo; South Africa	c 3.12.2016 p 9.12.2016 e 21.12.2016	A. & I. Sharp		
AM18	<i>Stenoglene obtusa</i>	<i>Strychnos pungens</i> (Loganiaceae)	Kameelfontein, farm; Pretoria; Gauteng; South Africa	c 23.10.2017 p 21.11.2017 e 8.12.2017	A. & I. Sharp		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>















M1933	<i>Stenoglene obtusa</i>	<i>Strychnos madagascariensis</i> (Loganiaceae)	York; Hoedspruit; Limpopo; South Africa	c 4.11.2017 p 21.11.2017 e 5.12.2017	A. & I. Sharp		
M1536	<i>Stenoglene obtusa</i>	<i>Strychnos madagascariensis</i> (Loganiaceae)	York; Hoedspruit; Limpopo; South Africa	c 30.11.2016 p 3.12.2016 e 4.4.2018	A. & I. Sharp		
M2453	<i>Stenoglene obtusa</i>	<i>Strychnos madagascariensis</i> (Loganiaceae)	Guernsey Conservancy; Hoedspruit; Limpopo; South Africa	c 28.2.2019 p 8.3.2019 e 21.3.2019	A. & I. Sharp		
17HSS147	<i>Stenoglene obtusa</i>	<i>Strychnos pungens</i> (Loganiaceae)	Steenkoppies, farm; Magaliesburg; Gauteng; South Africa	c 9.12.2017 p 29.12.2017 e 14.1.2018	H. S. Staude		
18HSS293	<i>Stenoglene obtusa</i>	<i>Strychnos pungens</i> (Loganiaceae)	Hornbill Lodge; Magaliesburg; Gauteng; South Africa	c 2.2.2019 p 11.2.2019 e 24.2.2019	H. S. Staude		
Eupterotidae: Striphnopteryginae							
M1308	<i>Janomima mariana</i>	<i>Grewia villosa</i> (Malvaceae)	Tshukudu Game Reserve; Hoedspruit; Limpopo; South Africa	c 15.4.2016 p 12.6.2016 e 15.9.2016	A. & I. Sharp		
M1223	<i>Janomima mariana</i>	<i>Panicum maximum</i> / <i>Combretum mossambicense</i> (Poaceae / Combretaceae)	Tshukudu Game Reserve; Hoedspruit; Limpopo; South Africa	c 27.2.2016 p 14.8.2016 e 24.9.2016	A. & I. Sharp		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>















SBR028	<i>Lichenopteryx despecta</i>	<i>Dovyalis caffra</i> (Salicaceae)	Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa	c 17.9.2017 p 23.9.2017 e 7.10.2018	S. Bradley		
M501, M1501b	<i>Phiala albidorsata</i>	<i>Asparagus cf. suaveolens</i> (Asparagaceae)	York; Hoedspruit; Limpopo; South Africa	c 21.11.2016 p 2.12.2016 e 18.1.2017	A. & I. Sharp		
17HSS293	<i>Phiala arrecta</i>	<i>Asparagus</i> sp. (Asparagaceae)	Steenkoppies, farm; Magaliesburg; Gauteng; South Africa	c 20.2.2018 p 2.5.2018 e 14.11.2018	H. S. Staude		
17HSS243	<i>Phiala wichgrafi</i>	<i>Asparagus suaveolens</i> (Asparagaceae)	Golden Valley, farm; Magaliesburg; Gauteng; South Africa	c 23.1.2018 p 4.2.2018 e 1.12.2018	H. S. Staude		
MM130	<i>Schistissa uniformis</i>	<i>Ehrharta longiflora</i> , <i>Acroceras macrum</i> (Poaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 9.9.2018 p 28.10.2018 e 21.4.2019	M. Maclean		
SBR078	<i>Striphnopteryx edulis</i>	<i>Osteospermum moniliferum</i> (Asteraceae)	Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa	c 23.9.2018 p ?.10.2018 e 10.4.2019	S. Bradley		

Eupterotidae: undetermined subfamily							
M1298	<i>"Hemijana" variegata</i>	<i>Canthium armatum</i> (Rubiaceae)	Tshukudu Game Reserve; Hoedspruit; Limpopo; South Africa	c 10.4.2016 p 16.4.2016 e 6.2.2017	A. & I. Sharp		
M1540	<i>"Hemijana" variegata</i>	<i>Canthium armatum</i> (Rubiaceae)	Xilutsi; Acornhoek; Limpopo; South Africa	c 3.12.2016 p 5.12.2016 e 29.12.2016	A. & I. Sharp		
Lasiocampidae: Lasiocampinae							
13HSS37	<i>Anadiasa jansei</i>	<i>Elephantorrhiza elephantina</i> (Fabaceae)	Steenkoppies, farm; Magaliesburg; Gauteng; South Africa	c 8.12.2013 p 15.12.2013 e 2.1.2014	H. S. Staude		
18HSS52	<i>Anadiasa punctifascia</i>	<i>Vachellia karroo</i> (Fabaceae)	Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa	c 20.10.2018 p 11.11.2018 e 28.11.2018	H. S. Staude		
	<i>Bombycomorpha bifascia</i>	<i>Searsia undulata</i> (Anacardiaceae)	Elands Bay; Western Cape; South Africa	c ? p 1.9.2015 e 23.3.2016	A. Morton		
DW003	<i>Bombycomorpha pallida</i>	<i>Searsia dentata</i> , <i>S. pyroides</i> (Anacardiaceae)	Kloofendal Nature Reserve; Johannesburg; Gauteng; South Africa	c 18.5.2016 p 22.5.2016 e 18.12.2016	D. Wood		
16HSS196	<i>Bombycomorpha pallida</i>	<i>Searsia dentata</i> (Anacardiaceae)	Golden Valley, farm; Magaliesburg; Gauteng; South Africa	c 12.4.2017 p ? e ?	H. S. Staude		 *













Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

SBR005	<i>Bombycopsis bipars</i>	<i>Microglossa mespilifolia</i> (Asteraceae)	Westville; Durban; KwaZulu-Natal; South Africa	c 31.10.2017 p 12.11.2017 e 2.12.2017	S. Bradley		
AM095	<i>Bombycopsis capicola</i>	<i>Rubus</i> sp. / <i>Searsia</i> sp. (Rubiaceae / Anacardiaceae)	Muizenberg; Cape Town; Western Cape; South Africa	c 18.1.2018 p 14.2.2018 e 27.2.2018	A. Morton		
AM094	<i>Bombycopsis</i> cf. <i>capicola</i>	<i>Erioccephalus africanus</i> (Asteraceae)	Welcome Glen, Glencairn; Cape Town; Western Cape; South Africa	c 13.10.2018 p 15.11.2018 e 30.11.2018	A. Morton		
17HSS209	<i>Bombycopsis punctimarginata</i>	<i>Thesium utile</i> (Santalaceae)	Nooitgedacht; Hekpoort; Gauteng; South Africa	c 6.1.2018 p 27.2.2018 e 20.3.2018	H. S. Staude		
MM048a-f	<i>Bombycopsis</i> sp.	<i>Caroxylon aphyllum</i> (reared <i>ab ovum</i>) (Amaranthaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 2.10.2015 p 4.12.2015 e 21.12.2015	M. Maclean		
AM076	<i>Bombycopsis swanepoeli</i>	<i>Erioccephalus</i> sp. (Asteraceae)	Graafwater; Western Cape; South Africa	c 13.9.2018 p 28.9.2018 e 16.10.2018	A. Morton		
17HSS343	<i>Borocera madagascariensis</i>	<i>Maesa lanceolata</i> (Primulaceae)	Ranomafana National Park; Ranomafana; Madagascar	c 10.4.2018 p 18.4.2018 e 24.9.2018	H. S. Staude		













Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

18HSS464	<i>Braura truncata</i>	<i>Vachellia karroo</i> (Fabaceae)	Uthukela; Escourt; KwaZulu-Natal; South Africa	c 7.4.2019 p 18.5.2019 e 22.7.2019	H. S. Staude		
PE003	<i>Braura truncata</i>	Did not feed	Towla HQ, Buby Valley Conservancy; Bulawayo; Zimbabwe	c 13.3.2017 p 13.3.2017 e 8.4.2017	P. English		
L20180630-1V	<i>Epitrabala argenteoguttata</i>	<i>Diospyros mespiliformis</i> (Ebenaceae)	Lower Sabie, Kruger National Park; Skukuza; Mpumalanga; South Africa	c 30.6.2018 p 20.7.2018 e 17.9.2018	J. Balona		
M1543	<i>Eucraera gemmata</i>	<i>Lannea schweinfurthii</i> (Anacardiaceae)	Xilutsi; Acornhoek; Limpopo; South Africa	c 3.12.2016 p 15.12.2016 e 22.12.2016	A. & I. Sharp		
M1580	<i>Eucraera gemmata</i>	<i>Lannea ?</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 11.12.2016 p 15.12.2016 e 5.1.2017	A. & I. Sharp		
M1697	<i>Eucraera gemmata</i>	<i>Lannea schweinfurthii</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 5.4.2017 p 13.4.2017 e 15.11.2017	A. & I. Sharp		
mb-170223-1	<i>Eutricha capensis</i>	<i>Cliffortia</i> sp. (reared <i>ab ovum</i>) (Rosaceae)	Meerenvlei at Kleinmond lagoon; Kleinmond; Western Cape; South Africa	c 23.2.2017 p 28.9.2017 e 11.11.2017	M. Brink		













Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

M1344	<i>Eutricha morosa</i>	<i>Sclerocarya birrea</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 19.7.2016 p 1.8.2016 e 11.10.2016	A. & I. Sharp		
M1468	<i>Eutricha morosa</i>	<i>Sclerocarya birrea</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 5.11.2016 p 13.11.2016 e 30.12.2016	A. & I. Sharp		
L20170405-1V	<i>Eutricha obscura</i>	<i>Diospyros whyteana</i> (Ebenaceae)	Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa	c 5.4.2017 p 19.10.2017 e 5.12.2017	J. Balona		
L20170902-2V	<i>Eutricha obscura</i>	<i>Diospyros lycioides</i> <i>lycioides</i> , <i>D. whyteana</i> (Ebenaceae)	Basson Street, Southcrest; Alberton; Gauteng; South Africa	c 2.9.2017 p 10.10.2017 e 30.12.2017	J. Balona		
L20170902-1V	<i>Eutricha obscura</i>	<i>Diospyros lycioides</i> <i>lycioides</i> , <i>D. lycioides guerkei</i> , <i>D. whyteana</i> (Ebenaceae)	Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa	c 2.9.2017 p 5.12.2017 e 7.1.2018	J. Balona		
MM089	<i>Gonometa postica</i>	<i>Vachellia karroo</i> (leaves & thorns) (reared <i>ab ovum</i>) (Fabaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 2.10.2016 p 30.12.2016 e 10.10.2017	M. Maclean		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

M1342	<i>Henometa clarki</i>	<i>Schotia brachypetala</i> (Fabaceae)	York; Hoedspruit; Limpopo; South Africa	c 25.6.2016 p 29.6.2016 e 22.9.2016	A. & I. Sharp		
M1314	<i>Henometa clarki</i> (probably; adult not well formed)	<i>Schotia brachypetala</i> (Fabaceae)	Dixie Koppie (Manyeleti Game Reserve); Hoedspruit; Mpumalanga; South Africa	c 26.4.2016 p 25.5.2016 e ?	A. & I. Sharp		
GH003	<i>Leipoxais peraffinis</i>	<i>Scadoxus puniceus</i> (Amaryllidaceae)	Hillcrest; KwaZulu-Natal; South Africa	c 20.1.2018 p 25.2.2018 e 11.3.2018	G. Hoile		
MJB001	<i>Leipoxais peraffinis</i>	<i>Eriobotrya japonica</i> (Rosaceae)	St Lucia; KwaZulu-Natal; South Africa	c 1.12.2017 p 13.1.2018 e 24.1.2018	M. J. Botha		
PW017	<i>Leipoxais peraffinis</i>	<i>Crassula</i> sp. (Crassulaceae)	Kloof; KwaZulu-Natal; South Africa	c 29.12.2016 p 20.1.2017 e 3.2.2017	P. Webb		
SBR052	<i>Leipoxais peraffinis</i>	<i>Trema orientalis</i> (Cannabaceae)	Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa	c 1.1.2019 p 10.1.2019 e 22.1.2019	S. Bradley		














Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

SBR059	<i>Leipoxais peraffinis</i>	<i>Trema orientalis</i> (Cannabaceae)	Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa	c 25.1.2019 p 27.1.2019 e 9.2.2019	S. Bradley		
MM068	<i>Mescocelis monticola</i> (Cape Peninsula form)	<i>Searsia lancea</i> (needed <i>Passerina obtusifolia</i> for comfort but did not eat it) (Anacardiaceae)	Groot Toren 4x4; McGregor; Western Cape; South Africa	c 8.9.2016 p 9.10.2016 e 25.11.2016	M. Maclean		
CMMI001	<i>Metajana chanleri</i>	<i>Combretum collinum</i> (Combretaceae)	Livingstone; Zambia	c 5.5.2017 p 6.8.2017 e 9.10.2017	C. Mateke & M. Imakando		
M1550b	<i>Metajana marshalli</i>	<i>Combretum apiculatum</i> (Combretaceae)	Xilutsi; Acornhoek; Limpopo; South Africa	c 3.12.2016 p 23.1.2017 e 15.2.2017	A. & I. Sharp		
M1654	<i>Metajana marshalli</i>	<i>Combretum zeyheri</i> (Combretaceae)	Kameelfontein, farm; Pretoria; Gauteng; South Africa	c 5.2.2017 p 11.4.2017 e 7.5.2017	A. & I. Sharp		
AM025	<i>Metajana marshalli</i>	<i>Combretum zeyheri</i> (Combretaceae)	Kameelfontein, farm; Pretoria; Gauteng; South Africa	c 23.10.2017 p 7.12.2017 e 26.1.2018	A. & I. Sharp		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>














18HSS75	<i>Metajana marshalli</i>	<i>Combretum zeyheri</i> (Combretaceae)	Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa	c 27.10.2018 p 11.12.2018 e 1.2.2019	H. S. Staude		
MJB073	<i>Pallastica denticula</i>	<i>Medinilla magnifica</i> (Melastomataceae)	St Lucia; KwaZulu-Natal; South Africa	c 6.2.2019 p 25.2.2019 e 12.3.2019	M. J. Botha		
PE001	<i>Pallastica denticula</i>	<i>Schinus molle</i> , <i>Lanea schweinfurthii</i> var. <i>stuhmannii</i> (Anacardiaceae)	Towla HQ, Buby Valley Conservancy; Bulawayo; Zimbabwe	c 2.7.2016 p 3.9.2016 e ~8.10.2016	P. English		
JS014	<i>Philotherma jachus</i>	<i>Prunus laurocerasus</i> (reared extraliminally) (Rosaceae)	Zomba; Malawi	c ? p ? e ?	J. Saksida		
17HSS246	<i>Philotherma rennei</i>	<i>Searsia pyroides</i> (Anacardiaceae)	Golden Valley, farm; Magaliesburg; Gauteng; South Africa	c 27.1.2018 p 6.4.2018 e 18.9.2018	H. S. Staude		
PWnn	<i>Philotherma rosa</i>	Did not feed before pupation	~17 km NW of Howick; Howick; KwaZulu-Natal; South Africa	c 22.4.2017 p 28.4.2017 e 28.9.2017	P. Webb		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>













M1273	<i>Sena prompta</i>	<i>Vachellia tortilis</i> (Fabaceae)	Casketts, farm; Hoedspruit; Limpopo; South Africa	c 25.3.2016 p 27.3.2016 e 6.4.2016	A. & I. Sharp		
M1515	<i>Sena prompta</i>	<i>Dichrostachys cinerea</i> (Fabaceae)	York; Hoedspruit; Limpopo; South Africa	c 23.11.2016 p 2.12.2016 e 12.12.2016	A. & I. Sharp		
BAI02	<i>Sena prompta</i>	Not recorded	Kudu River Valley, Mooketsi; Tzaneen; Limpopo; South Africa	c 5.6.2016 p 6.6.2016 e 11.9.2016	B. Altenroxel		
MJB033	<i>Sena prompta</i>	<i>Vachellia kosiensis</i> (Fabaceae)	St Lucia; KwaZulu-Natal; South Africa	c 6.10.2018 p 19.10.2018 e 5.11.2018	M. J. Botha		
MJB034	<i>Sena prompta</i>	<i>Vachellia kosiensis</i> (Fabaceae)	St Lucia; KwaZulu-Natal; South Africa	c 6.10.2018 p 13.10.2018 e 30.10.2018	M. J. Botha		
SBR007	<i>Stoermeriana</i> sp.	Did not feed	Westville; Durban; KwaZulu-Natal; South Africa	c 9.12.2017 p 10.12.2017 e 25.12.2017	S. Bradley		
SBR029	<i>Stoermeriana</i> sp.	<i>Trichilia dregeana</i> (Meliaceae)	Palmiet Nature Reserve, Westville; Durban; KwaZulu-Natal; South Africa	c 15.9.18 p 25.9.2018 e 14.10.2018	S. Bradley		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily

DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

MI874	<i>Streblote ? pancala</i>	<i>Sclerocarya birrea</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 2.10.2017 p 25.10.2017 e 7.11.2017	A. & I. Sharp		
MM060 & MM061	<i>Streblote ? pancala</i>	<i>Schinus molle</i> (reared <i>ab ovum</i>) (Anacardiaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 12.4.2016 p 15.6.2016 e 30.8.2016	M. Maclean		
MM062	<i>Streblote ? pancala</i>	<i>Schinus molle</i> (Anacardiaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 21.4.2016 p 9.8.2016 e 3.10.2016	M. Maclean		
MM073	<i>Streblote ? pancala</i>	<i>Searsia lancea</i> (reared <i>ab ovum</i> laid by female MM060) (Anacardiaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 30.9.2016 p 25.11.2016 & 11.12.2016 e 14.12.2016 & 29.12.2016	M. Maclean		
MM094	<i>Streblote ? pancala</i>	<i>Searsia lancea</i> (reared <i>ab ovum</i> , laid by gynandromorph female MM073) (Anacardiaceae)	Rietvlei No. 2, farm; Montagu; Western Cape; South Africa	c 2.1.2017 p 19.3.2017 & 7.2.2017 e 9.3.2017 & 21.3.2017	M. Maclean		
JG011	<i>Streblote cristata</i>	<i>Erica</i> sp. (Ericaceae)	Steenbras Nature Reserve; Gordon's Bay; Western Cape; South Africa	c 8.10.2016 p 23.10.2016 e 15.11.2016	J. Groenewald		
16HSS88	<i>Streblote jansei</i>	<i>Sphenostylis angustifolia</i> (Fabaceae)	Steenkoppies, farm; Magaliesburg; Gauteng; South Africa	c 27.11.2016 p 12.12.2016 e 17.1.2017	H. S. Staude		

Bombycoidea: Bombycidae: Bombycinae; Eupterotidae: Janinae, Striphnopteryginae, undetermined subfamily; Lasiocampidae: Lasiocampinae, undetermined subfamily
 DOI: <https://dx.doi.org/10.4314/met.v31i3.2>

MJB003	<i>Streblote</i> sp.	<i>Bauhinia galpinii</i> , <i>B. tomentosa</i> (reared <i>ab ovum</i>) (Fabaceae)	St Lucia; KwaZulu-Natal; South Africa	c 17.10.2017 p 4.12.2017 e 20.12.2017	M. J. Botha		
M1667, M1673	<i>Trichopisthia igneotincta</i>	<i>Terminalia sericea</i> (Combretaceae)	Xilutsi; Acornhoek; Limpopo; South Africa	c 2.3.2017 p 17.3.2017 e 31.3.2017	A. & I. Sharp		
M2449	<i>Trichopisthia igneotincta</i>	<i>Terminalia sericea</i> (Combretaceae)	Guernsey Private Nature Reserve; Hoedspruit; Limpopo; South Africa	c 28.2.2019 p 3.3.2019 e 20.3.2019	A. & I. Sharp		
M1711	<i>Trichopisthia monteiroi</i>	<i>Sclerocarya birrea</i> (Anacardiaceae)	York; Hoedspruit; Limpopo; South Africa	c 17.4.2017 p 22.4.2017 e 27.11.2017	A. & I. Sharp		
PE002	<i>Trichopisthia monteiroi</i>	Did not feed	Towla HQ, Buby Valley Conservancy; Bulawayo; Zimbabwe	c 15.1.2017 p 15.1.2017 e 10.2.2017	P. English		
Lasiocampidae: undetermined subfamily							
AM079	<i>Trichiurana</i> sp. ?	<i>Osteopermum incanum</i> (Asteraceae)	Nieuwoudtville Waterfall; Nieuwoudtville; Northern Cape; South Africa	c 26.8.2018 p 15.9.2018 e 4.4.2019	A. Morton		

Photographs marked with * are not of the actual adult specimen that emerged from the larva illustrated.