



























Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| Ref. no. | Lepidoptera species | Host species (Family) | Locality | Date of collection (c), pupation (p), emergence (e) | Rearer | Final instar larva | Adult |
|---------------------------------|-------------------------------------|---|--|---|---------------|---|---|
| Geometridae: Geometrinae | | | | | | | |
| AM5 | <i>Antharmostes papilio papilio</i> | <i>Combretum zeyheri</i> (Combretaceae) | Kameelfontein, farm; Pretoria; Gauteng; South Africa | c 17.1.2017 p 28.1.2017 e 9.2.2017 | A. & I. Sharp |  |  |
| AM282 | <i>Antharmostes papilio papilio</i> | <i>Combretum zeyheri</i> (Combretaceae) | Kameelfontein, farm; Pretoria; Gauteng; South Africa | c 17.2.2019 p -3.2019 e 11.3.2019 | A. & I. Sharp |  |  |
| M1786 | <i>Celidomphax rubrimaculata</i> | <i>Combretum apiculatum</i> (Combretaceae) | York; Hoedspruit; Limpopo; South Africa | c 19.5.2017 p 23.5.2017 e 7.6.2017 | A. & I. Sharp |  |  |
| M1803 | <i>Chlorissa albistrigulata</i> | <i>Chamaecrista mimosoides</i> (Fabaceae) | York; Hoedspruit; Limpopo; South Africa | c 26.5.2017 p 27.6.2017 e 16.7.2017 | A. & I. Sharp |  |  |
| M2165 | <i>Chlorissa albistrigulata</i> | <i>Parapolydora fastigiata</i> (Asteraceae) | York; Hoedspruit; Limpopo; South Africa | c 14.5.2018 p 2.6.2018 e 21.6.2018 | A. & I. Sharp |  |  |
| M2474b | <i>Chlorissa albistrigulata</i> | <i>Ormocarpum trichocarpum</i> (Fabaceae) | York; Hoedspruit; Limpopo; South Africa | c 9.3.2019 p 28.4.2019 e 11.4.2019 | A. & I. Sharp |  |  |


Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|----------|-------------------------------|---|--|---|---------------|---|---|
| 18HSS90 | <i>Chlorocoma clopia</i> | <i>Vachellia karroo</i> (Fabaceae) | Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa | c 3.11.2018 p 11.11.2018 e 28.11.2018 | H. S. Staude |  |  |
| SM911 | <i>Chlorocoma clopia</i> | <i>Vachellia karroo</i> (Fabaceae) | Near Kruisrivier farm; Calitzdorp; Western Cape; South Africa | c 2.1.2016 p 8.1.2016 e 20.1.2016 | S. Mecenero |  |  |
| CS50 | <i>Chlorocoma didita</i> | <i>Erica</i> sp. (Ericaceae) | Wedderwill Country Estate, Sir Lowry's Pass; Somerset West; Western Cape; South Africa | c 6.9.2016 p 29.9.2016 e 22.10.2016 | C. Schuster |  |  |
| 16HSS107 | <i>Chlorocoma didita</i> | <i>Erica canaliculata</i> (Ericaceae) | Bergplaas; Hoekwil; Western Cape; South Africa | c 18.12.2016 p 7.1.2017 e 19.1.2017 | H. S. Staude |  |  |
| 18HSS11 | <i>Chlorocoma didita</i> | <i>Erica</i> sp. (Ericaceae) | Kwelera Mouth; East London; Eastern Cape; South Africa | c 31.7.2018 p 8.8.2018 e 25.8.2018 | H. S. Staude |  |  |
| M1751 | <i>Comibaena leucospilata</i> | <i>Ozoroa obovata</i> var. <i>elliptica</i> (Anacardiaceae) | York; Hoedspruit; Limpopo; South Africa | c 10.5.2017 p 3.6.2017 e 21.6.2017 | A. & I. Sharp |  |  |
| AM069 | <i>Comostolopsis capensis</i> | <i>Colpoen compressum</i> (Santalaceae) | Mount Road, Muizenberg; Cape Town; Western Cape; South Africa | c 18.3.2019 p 22.3.2019 e 8.4.2019 | A. Morton |  |  |









Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--------------|-------------------------------|---|--|--|--------------|---|---|
| 16HSS114 | <i>Comostolopsis germana</i> | <i>Osteospermum moniliferum</i> (Asteraceae) | Sasol; George; Western Cape; South Africa | c 22.12.2016 p 26.12.2016 e 4.1.2017 | H. S. Staude |  |  |
| 17HSS76 | <i>Comostolopsis germana</i> | <i>Osteospermum moniliferum</i> (Asteraceae) | Umdloti beach; Durban; KwaZulu-Natal; South Africa | c 29.10.2017 p 10.11.2017 e 18.11.2017 | H. S. Staude |  |  |
| 17HSS306 | <i>Comostolopsis germana</i> | <i>Osteospermum moniliferum</i> (Asteraceae) | Bergplaas; Hoekwil; Western Cape; South Africa | c 24.2.2018 p 6.3.2018 e 21.3.2018 | H. S. Staude |  |  |
| L20171231-2V | <i>Comostolopsis germana</i> | <i>Osteospermum moniliferum</i> (Asteraceae) | Munster; Port Edward; KwaZulu-Natal; South Africa | c 31.12.2017 p 5.1.2018 e 13.1.2018 | J. Balona |  |  |
| SBR112 | <i>Comostolopsis germana</i> | <i>Osteospermum moniliferum</i> (Asteraceae) | Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa | c 12.5.2019 p 26.5.2019 e 5.6.2019 | S. Bradley |  |  |
| L20170205-1 | <i>Comostolopsis stillata</i> | <i>Ziziphus mucronata</i> (Rhamnaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 5.2.2017 p 8.2.2017 e 17.2.2017 | J. Balona |  |  |

Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|---------------------------------|-----------------------------------|--|---|---|---------------|---|---|
| M1999b | <i>Heterorachis despoliata</i> | | Glen Lyden (Franklyn Park); Kampersrus; Mpumalanga; South Africa | c 8.2.2018 p 24.2.2018 e 8.3.2018 | A. & I. Sharp |  |  |
| 16HSS125 | <i>Heterorachis despoliata</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 23.1.2017 p 26.2.2017 e 16.3.2017 | H. S. Staude |  |  |
| 17HSS241, 17HSS238, 17HSS242 | <i>Heterorachis despoliata</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Maloney's Eye, farm; Magaliesburg; Gauteng; South Africa | c 22.1.2018 p 4.2.2018 e 17.2.2018 | H. S. Staude |  |  |
| AM142 | <i>Heterorachis disconotata</i> | <i>Psyrdrax livida</i> (Rubiaceae) | Kameelfontein, farm; Pretoria; Gauteng; South Africa | c 31.12.2017 p 10.1.2018 e 22.1.2018 | A. & I. Sharp |  |  |
| 17HSS41 | <i>Heterorachis simplicissima</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Maloney's Eye, farm; Magaliesburg; Gauteng; South Africa | c 28.9.2017 p 12.11.2017 e 28.11.2017 | H. S. Staude |  |  |
| M2553 | <i>Microbaena pulchra pulchra</i> | <i>Ozoroa obovata</i> (Anacardiaceae) | York; Hoedspruit; Limpopo; South Africa | c 21.5.2019 p 2.6.2019 e 21.6.2019 | A. & I. Sharp |  |  |
| M2178 | <i>Microloxia ruficornis</i> | <i>Emilia transvaalensis</i> (Asteraceae) | York; Hoedspruit; Limpopo; South Africa | c 2.6.2018 p 15.6.2018 e 29.6.2018 | A. & I. Sharp |  |  |













Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|---------------------------------------|-------------------------------|--|---|--|---------------|---|---|
| 17HSS286 | <i>Microloxia ruficornis</i> | <i>Senecio othonnifloris</i> (flowers) (Asteraceae) | Golden Valley, farm; Magaliesburg; Gauteng; South Africa | c 8.2.2018 p 27.2.2018 e 6.3.2018 | H. S. Staude |  |  |
| 17HSS303 | <i>Microloxia ruficornis</i> | <i>Nidorella podocephala</i> (flowers) (Asteraceae) | Maloney's Eye, farm; Magaliesburg; Gauteng; South Africa | c 22.2.2018 p 3.3.2018 e 13.3.2018 | H. S. Staude |  |  |
| 17HSS302, 17HSS311 | <i>Microloxia ruficornis</i> | <i>Nidorella anomala</i> (flowers) (Asteraceae) | Maloney's Eye, farm; Magaliesburg; Gauteng; South Africa | c 22.2.2018 p 3.3.2018 e 14.3.2018 | H. S. Staude |  |  |
| 18HSS210a, 18HSS207a, 18HSS209b | <i>Microloxia ruficornis</i> | <i>Nidorella hottentotica</i> (flowers) (Asteraceae) | Lower Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 1.1.2019 p 13.1.2019 e 23.1.2019 | H. S. Staude |  |  |
| AM126 | <i>Mictoschema swierstrai</i> | <i>Croton gratissimus</i> (Euphorbiaceae) | Kameelfontein, farm; Pretoria; Gauteng; South Africa | c 6.12.2017 p 13.12.2017 e 25.12.2017 | A. & I. Sharp |  |  |
| 17HSS90 | <i>Neromia activa</i> | <i>Elephantorrhiza burkei</i> (Fabaceae) | Lapalala Wilderness, Melkrivier; Vaalwater; Limpopo; South Africa | c 14.11.2017 p 21.11.2017 e 12.9.2018 | H. S. Staude |  |  |
| 19HSS66 | <i>Neromia cohaerens</i> | <i>Elephantorrhiza elephantina</i> (Fabaceae) | Derby road near Olifantsnek; Rustenburg; North West; South Africa | c 22.10.2019 p 31.10.2019 e 12.11.2019 | H. S. Staude |  |  |


Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v3i1i3.8>

| | | | | | | | |
|------------|------------------------------------|--|---|---|---------------|---|---|
| 18HSS93 | <i>Neromia rubripunctilla</i> | <i>Senegalia caffra</i> (Fabaceae) | Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa | c 3.11.2018 p 25.11.2018 e 10.12.2018 | H. S. Staude |  |  |
| SM907a | <i>Omphacodes cf. delicata</i> | <i>Vachellia karroo</i> (Fabaceae) | Near Kruisrivier farm; Calitzdorp; Western Cape; South Africa | c 2.1.2016 p 13.1.2016 e 20.1.2016 | S. Mecenero |  |  |
| SM908 | <i>Omphacodes cf. delicata</i> | <i>Vachellia karroo</i> (Fabaceae) | Near Kruisrivier farm; Calitzdorp; Western Cape; South Africa | c 2.1.2016 p 7.1.2016 e 14.1.2016 | S. Mecenero |  |  |
| AM77 | <i>Omphax idonea</i> | <i>Vangueria infausta</i> (Rubiaceae) | Kameelfontein, farm; Pretoria; Gauteng; South Africa | c 4.11.2017 p 7.11.2017 e 21.11.2017 | A. & I. Sharp |  |  |
| 18HSS135 | <i>Omphax idonea</i> | <i>Vangueria infausta</i> (Rubiaceae) | Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 12.11.2018 p 25.11.2018 e 6.12.2018 | H. S. Staude |  |  |
| 18HSS94 | <i>Omphax idonea</i> | <i>Vangueria infausta</i> (Rubiaceae) | Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa | c 3.11.2018 p 8.12.2018 e 28.12.2018 | H. S. Staude |  |  |
| C. R. – M1 | <i>Petovia marginata marginata</i> | <i>Vangueria cyanescens</i> (Rubiaceae) | Presidentsrus valley; Middelburg; Mpumalanga; South Africa | c ? p ? e ? | C. Reynolds |  |  |




Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--------------------------|-------------------------------|--|--|--|---------------|---|---|
| AM039 | <i>Pingasa distensaria</i> | <i>Virgilia</i> sp. (Fabaceae) | Glencairn; Cape Town; Western Cape; South Africa | c ? p 5.12.2016 e 28.12.2016 | A. Morton |  |  |
| 18HSS300 | <i>Prasinocyma immaculata</i> | <i>Searsia pyroides</i> (Anacardiaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 3.2.2019 p 18.2.2019 e 9.3.2019 | H. S. Staude |  |  |
| 17HSS220, 17HSS222 | <i>Prasinocyma magica</i> | <i>Clematis villosa</i> (Ranunculaceae) | Upper Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 13.1.2018 p 21.1.2018 e 31.1.2018 | H. S. Staude |  |  |
| 18HSS442 | <i>Prasinocyma magica</i> | <i>Clematis villosa</i> (Ranunculaceae) | Hornbill Lodge; Magaliesburg; Gauteng; South Africa | c 30.3.2019 p 12.4.2019 e 5.5.2019 | H. S. Staude |  |  |
| 18HSS286, 18HSS287a,b | <i>Prasinocyma panchlora</i> | <i>Searsia pyroides</i> (feeding on flowers and later leaves) (Anacardiaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 30.1.2019 p 11.2.2019 e 24.2.2019 | H. S. Staude |  |  |
| M1712 | <i>Prasinocyma</i> sp. | <i>Faidherbia albida</i> (Fabaceae) | Jongmansspruit; Hoedspruit; Limpopo; South Africa | c 17.4.2017 p 18.4.2017 e 30.4.2017 | A. & I. Sharp |  |  |
| 17HSS48 | <i>Prasinocyma</i> sp. | <i>Combretum erythrophyllum</i> (Combretaceae) | Lower Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 6.10.2017 p 23.10.2017 e 5.11.2017 | H. S. Staude |  |  |















Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|---------------------------------|----------------------------------|---|---|--|--------------------------|---|---|
| 18HSS284, 18HSS285 | <i>Prasinocyma cf. panchlora</i> | <i>Myrsine africana</i> (Myrsinaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 26.1.2019 p 1.2.2019 e 16.2.2019 | H. S. Staude |  |  |
| 18HSS89 | <i>Syndromodes prasinops</i> | <i>Vachellia karroo</i> (Fabaceae) | Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa | c 3.11.2018 p 7.11.2018 e 28.11.2018 | H. S. Staude |  |  |
| AE004 | <i>Thallasodes quadraria</i> | <i>Ricinus communis</i> (Euphorbiaceae) | Cecelias Place, Zinkwazi Beach; Kwadukuza; KwaZulu-Natal; South Africa | c 26.8.2018 p 30.8.2018 e 9.9.2018 | A. Coetzer & E. Brand |  |  |
| magrietb-170206-1 | <i>Victoria albipicta</i> | <i>Viscum capense</i> (Santalaceae) | Coastal reserve path; Kleinmond; Western Cape; South Africa | c 6.2.2017 p 18.3.2017 e 9.4.2017 | M. Brink |  |  |
| SCC55 | <i>Victoria cf. fuscithorax</i> | <i>Englerina woodfordioides</i> (Loranthaceae) | Karen; Nairobi; Kenya | c 11.8.2018 p 17.9.2018 e 6.10.2018 | S. C. Collins |  |  |
| SCC016 | <i>Victoria mirabilis</i> | <i>Phragmanthera</i> sp. (Loranthaceae) | Cintsa; East London; Eastern Cape; South Africa | c 12.12.2017 p ? e 3.1.2018 | S. C. Collins |  |  |
| Geometridae: Larentiinae | | | | | | | |












Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|-------------|--|---|--|--|---------------|---|---|
| MJB068 | <i>Chloroclystis gymmoscelides</i> | <i>Setaria</i> sp. (on flowers) (Poaceae) | St Lucia; KwaZulu-Natal; South Africa | c 2.2.2019 p 3.2.2019 e 11.2.2019 | M. J. Botha |  |  |
| MJB069 | <i>Chloroclystis gymmoscelides</i> | <i>Setaria</i> sp. (on flowers) (Poaceae) | St Lucia; KwaZulu-Natal; South Africa | c 2.2.2019 p 5.2.2019 e 11.2.2019 | M. J. Botha |  |  |
| M2068 | <i>Chloroclystis muscosa tumefacta</i> | <i>Terminalia prunoides</i> (Combretaceae) | York; Hoedspruit; Limpopo; South Africa | c 14.4.2018 p 20.4.2018 e 30.4.2018 | A. & I. Sharp |  |  |
| DW005 | <i>Disclisioprocta natalata</i> | <i>Mirabilis jalapa</i> (Nyctaginaceae) | Weltevreden Park; Roodepoort; Gauteng; South Africa | c 3.6.2016 p 7.6.2016 e 8.7.2016 | D. Wood |  |  |
| L20170117-2 | <i>Disclisioprocta natalata</i> | <i>Bougainvillea spectabilis</i> (Nyctaginaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 17.1.2017 p 22.1.2017 e 6.2.2017 | J. Balona |  |  |
| 19HSS08 | <i>Episteira confusidentata</i> | <i>Searsia chirindensis</i> (Anacardiaceae) | Upper Touwsriver forest; Hoekwil; Western Cape; South Africa | c 18.7.2019 p 2.8.2019 e 15.8.2019 | H. S. Staude |  |  |
| M1904 | <i>Eupithecia cf. brachyptera</i> | <i>Phyllanthus reticulatus</i> (Phyllanthaceae) | Glen Lyden (Franklyn Park); Kampersrus; Mpumalanga; South Africa | c 21.10.2017 p 6.11.2017 e 6.11.2017 | A. & I. Sharp |  |  |













Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--------------|--------------------------------|---|--|---|--------------|---|---|
| 17HSS134 | <i>Eupithecia gradatilinea</i> | <i>Vachellia karroo</i> (Fabaceae) | Lower Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 2.12.2017 p 9.12.2017 e 22.12.2017 | H. S. Staude |  |  |
| 18HSS354 | <i>Eupithecia gradatilinea</i> | <i>Vachellia karroo</i> (Fabaceae) | Golden Valley, farm; Magaliesburg; Gauteng; South Africa | c 18.2.2019 p 25.2.2019 e 22.3.2019 | H. S. Staude |  |  |
| SBR020 | <i>Eupithecia cf. immodica</i> | <i>Tetradenia riparia</i> (Lamiaceae) | Westville; Durban; KwaZulu-Natal; South Africa | c 12.8.2018 p 13.8.2018 e 3.9.2018 | S. Bradley |  |  |
| 19HSS40 | <i>Eupithecia infausta</i> | <i>Plectranthus</i> sp. (Lamiaceae) | Woodbush Forest Reserve; Haenertsburg; Limpopo; South Africa | c 1.10.2019 p 15.10.2019 e 28.10.2019 | H. S. Staude |  |  |
| L20170508-1 | <i>Eupithecia infausta</i> | (Lamiaceae or Acanthaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 8.5.2017 p 15.6.2017 e 16.7.2017 | J. Balona |  |  |
| L20181029-2V | <i>Eupithecia infausta</i> | <i>Tecomaria capensis</i> (Bignoniaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 29.10.2018 p 25.11.2018 e 9.12.2018 | J. Balona |  |  |















Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--------------------------------|------------------------------|---|--|---|--------------|---|---|
| 18HSS37 | <i>Eupithecia infelix</i> | <i>Hypolepis sparsisora</i> (Dennstaedtiaceae) | Upper Touwsriver forest; Hoekwil; Western Cape; South Africa | c 13.10.2018 p 3.11.2018 e 18.11.2018 | H. S. Staude |  |  |
| L20170119-1 | <i>Eupithecia infelix</i> | <i>Thunbergia</i> sp. (Acanthaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 19.1.2017 p 24.1.2017 e 9.2.2017 | J. Balona |  |  |
| L20180326-3V | <i>Eupithecia infelix</i> ? | <i>Euryops pectinatus</i> (Asteraceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 26.3.2018 p 15.4.2018 e 19.5.2018 | J. Balona |  |  |
| mb-150710-1 | <i>Eupithecia laticallis</i> | <i>Euryops abrotanifolius</i> (Asteraceae) | Kleinmond mountain near golf course; Kleinmond; Western Cape; South Africa | c 10.12.2015 p 30.8.2015 e 7.2.2016 | M. Brink |  |  |
| 16HSS110, 16HSS98, 16HSS100 | <i>Haplolabida inaequata</i> | <i>Erica canaliculata</i> (Ericaceae) | Bergplaas; Hoekwil; Western Cape; South Africa | c 19.12.2016 p 17.12.2016 e 5.1.2017 | H. S. Staude |  |  |
| 18HSS05, 18HSS07, 18HSS09 | <i>Haplolabida inaequata</i> | <i>Erica</i> sp. (Ericaceae) | Bergplaas; Hoekwil; Western Cape; South Africa | c 14.7.2018 p 28.7.2018 e 12.8.2018 | H. S. Staude |  |  |













Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|-------------------------|------------------------------|--|--|--|---------------|---|---|
| 18HSS359a, 18HSS359b | <i>Horisme obscurata</i> | <i>Clematis villosa</i> (Ranunculaceae) | Golden Valley, crater; Magaliesburg; Gauteng; South Africa | c 18.2.2019 p 9.3.2019 e 22.3.2019 | H. S. Staude |  |  |
| M1181a, M1181b | <i>Mesocolpia lita</i> | <i>Harpephyllum caffrum</i> (Anacardiaceae) | Selati Game Reserve; Gravelotte; Limpopo; South Africa | c 1.2.2016 p 9.2.2016 e 16.2.2016 | A. & I. Sharp |  |  |
| M2371 | <i>Mesocolpia lita</i> | <i>Hilliardiella aristata</i> (Asteraceae) | Glen Lyden (Franklyn Park); Kampersrus; Mpumalanga; South Africa | c 24.1.2019 p 28.1.2019 e 7.2.2019 | A. & I. Sharp |  |  |
| 18HSS269 | <i>Mesocolpia lita</i> | <i>Searsia pyroides</i> (flowers) (Anacardiaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 26.1.2019 p 30.1.2019 e 9.2.2019 | H. S. Staude |  |  |
| No.10 | <i>Mimoclystia explanata</i> | <i>Anthospermum spathulatum spathulatum</i> (Rubiaceae) | Helderberg Nature Reserve; Somerset West; Western Cape; South Africa | c 28.6.2016 p 9.7.2016 e 27.7.2016 | C. Schuster |  |  |
| 16HSS27, 16HSS32 | <i>Mimoclystia pudicata</i> | <i>Kohautia amatymbica</i> (Rubiaceae) | Golden Valley, farm; Magaliesburg; Gauteng; South Africa | c 11.10.2016 p 16.10.2016 e 25.10.2016 | H. S. Staude |  |  |
| 18HSS27 | <i>Mimoclystia pudicata</i> | <i>Kohautia amatymbica</i> (Rubiaceae) | Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 11.10.2018 p 21.10.2018 e 30.10.2018 | H. S. Staude |  |  |















Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--|---|--|---|---|---------------|---|---|
| MR002 | <i>Protosteira</i> sp. | <i>Englerina woodfordioides</i> (Loranthaceae) | Lolldaiga Hills Ranch, 25km NNE of Nanyuki, Laikipia County; Nanyuki; Laikipia; Kenya | c 16.2.2016 p 28.2.2016 e 20.3.2016 | M. Roberts |  |  |
| SCC56 | <i>Protosteira</i> sp. | <i>Bakerella</i> sp. (Loranthaceae) | Ranomafana; Madagascar | c 22.10.2018 p ? e 13.11.2018 | S. C. Collins |  |  |
| AM056 | <i>Xanthorhoe exorista</i> | <i>Searsia</i> sp. (Anacardiaceae) | Welcome Glen, Glencairn; Cape Town; Western Cape; South Africa | c 1.11.2017 p 12.12.2017 e 28.12.2017 | A. Morton |  |  |
| Geometridae: Sterrhinae: Rhodometrini | | | | | | | |
| M1333 | <i>Afrophyla vethi</i> | <i>Plumbago auriculata</i> (Plumbaginaceae) | Casketts, farm; Hoedspruit; Limpopo; South Africa | c 4.5.2016 p 11.5.2016 e 23.5.2016 | A. & I. Sharp |  |  |
| PW016 | <i>Chlorerythra rubriplaga rubriplaga</i> | <i>Vachellia karroo</i> (Fabaceae) | Garden; Irene; Gauteng; South Africa | c 15.1.2017 p 22.1.2017 e 28.1.2017 | P. Webb |  |  |
| L20170109-2 | <i>Palaeaspilates inoffensa</i> | <i>Plumbago auriculata</i> (Plumbaginaceae) | Rhodes Avenue, Parktown; Johannesburg; Gauteng; South Africa | c 9.1.2017 p 24.1.2017 e 6.2.2017 | J. Balona |  |  |













Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|----------|----------------------------|--|--|--|---------------|---|---|
| M2141 | <i>Rhodometra sacraria</i> | <i>Oxygonum sinuata</i> (Polygonaceae) | Casketts, farm; Hoedspruit; Limpopo; South Africa | c 7.5.2018 p 11.5.2018 e 21.5.2018 | A. & I. Sharp |  |  |
| M2322 | <i>Rhodometra sacraria</i> | <i>Oxygonum sinuatum</i> (Polygonaceae) | York; Hoedspruit; Limpopo; South Africa | c 16.1.2019 p 22.1.2019 e 25.1.2019 | A. & I. Sharp |  |  |
| 18HSS14 | <i>Rhodometra sacraria</i> | <i>Rumex crispus</i> (Polygonaceae) | Golden Valley, farm; Magaliesburg; Gauteng; South Africa | c 2.9.2018 p 16.9.2018 e 24.9.2018 | H. S. Staude |  |  |
| MM054 | <i>Rhodometra sacraria</i> | <i>Polygonum aviculare</i> (Polygonaceae) | Rietvlei No. 2, farm; Montagu; Western Cape; South Africa | c 28.3.2016 p 4.4.2016 e 17.4.2016 | M. Maclean |  |  |
| MM099 | <i>Rhodometra sacraria</i> | <i>Polygonum aviculare</i> (Polygonaceae) | Rietvlei No. 2, farm; Montagu; Western Cape; South Africa | c 8.4.2018 p 8.4.2018 e 23.4.2018 | M. Maclean |  |  |
| M1948 | <i>Traminda neptunaria</i> | <i>Vachellia gerrardii</i> (Fabaceae) | Glen Lyden (Franklyn Park); Kampersrus; Mpumalanga; South Africa | c 18.11.2017 p 21.11.2017 e 29.11.2017 | A. & I. Sharp |  |  |
| 17HSS119 | <i>Traminda neptunaria</i> | <i>Vachellia gerrardii</i> (Fabaceae) | Franklyn Park, Mariepskop; Klaserie; Limpopo; South Africa | c 17.11.2017 p 25.11.2017 e 3.12.2017 | H. S. Staude |  |  |















Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|---|----------------------------|---|--|---|--------------|--|---|
| 17HSS323 | <i>Traminda obversata</i> | <i>Vachellia kosiensis</i> (Fabaceae) | Umlalazi Nature Reserve; Mtunzini; KwaZulu-Natal; South Africa | c 10.3.2018 p 12.3.2018 e 25.3.2018 | H. S. Staude |  pupa (larva pupated before picture could be taken) |  |
| SBR034 | <i>Traminda obversata</i> | Did not feed | Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa | c 2.11.18 p 4.11.18 e 11.11.18 | S. Bradley |  |  |
| 17HSS298 | <i>Traminda ocellata</i> | <i>Vachellia karroo</i> (Fabaceae) | Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 17.2.2018 p 20.2.2018 e 28.2.2018 | H. S. Staude |  |  |
| 18HSS432 | <i>Traminda ocellata</i> | <i>Vachellia karroo</i> (Fabaceae) | Orania; Northern Cape; South Africa | c 31.3.2019 p 18.4.2019 e 5.5.2019 | H. S. Staude |  |  |
| 19HSS32 | <i>Traminda ocellata</i> | <i>Vachellia karroo</i> (Fabaceae) | Buffelshoek; Rustenburg; North West; South Africa | c 24.9.2019 p 27.9.2019 e 6.10.2019 | H. S. Staude |  |  |
| Geometridae: Sterrhinae: Scopulini | | | | | | | |
| 17HSS331 | <i>Aletis cf. concolor</i> | <i>Oxyanthus speciosus</i> (Rubiaceae) | Ngoye Forest Reserve; Eshowe; Kwazulu-Natal; South Africa | c 10.3.2018 p 14.3.2018 e 6.4.2018 | H. S. Staude |  |  |













Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--------------|------------------------------|---|---|---|---------------|---|---|
| MJB038 (1-4) | <i>Aletis libyssa</i> | <i>Mitriostigma axillare</i> (Rubiaceae) | St Lucia; KwaZulu-Natal; South Africa | c 13.10.2018 p 20.10.2018 e 7.11.2018 | M. J. Botha |  |  |
| SCC57 | <i>Aletis libyssa</i> | <i>Oxyanthus</i> sp. (Rubiaceae) | Kwale; Kenya | c ?.6.2019 p ? e 6.7.2019 | S. C. Collins |  |  |
| SCC013 | <i>Aletis</i> sp. | <i>Oxyanthus</i> sp. (Rubiaceae) | Liwonde; Malawi | c 10.7.2016 p ? e 8.10.2016 | S. C. Collins |  |  |
| 18HSS163 | <i>Problepsis ctenophora</i> | <i>Olea europaea</i> <i>cuspidata</i> (Oleaceae) | Breedt's Nek, north, Magaliesberg; Magaliesburg; North West; South Africa | c 24.11.2018 p 2.12.2018 e 16.12.2018 | H. S. Staude |  |  |
| 18HSS219 | <i>Problepsis ctenophora</i> | <i>Olea europaea</i> <i>cuspidata</i> (Oleaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 4.1.2019 p 23.1.2019 e 7.2.2019 | H. S. Staude |  |  |
| 18HSS227 | <i>Problepsis ctenophora</i> | <i>Olea europaea</i> <i>cuspidata</i> (Oleaceae) | Mogale's Gate Biodiversity Centre; Hekpoort; Gauteng; South Africa | c 4.1.2019 p 29.1.2019 e 14.2.2019 | H. S. Staude |  |  |
| 18HSS436 | <i>Scopula caesaria</i> | <i>Oocephala</i> <i>staeheliniodes</i> (Asteraceae) | Hornbill Lodge; Magaliesburg; Gauteng; South Africa | c 30.3.2019 p 15.4.2019 e 5.5.2019 | H. S. Staude |  |  |



Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|-------------|---|---|--|--|---------------|---|---|
| L20161211-1 | <i>Scopula cf. nigrinotata</i> (No.12) | <i>Oxalis latifolia</i> (Oxalidaceae) | Basson Street, Southcrest; Alberton; Gauteng; South Africa | c 11.12.2016 p 25.12.2016 e 8.1.2017 | J. Balona |  |  |
| SBR063 | <i>Scopula cf. nigrinotata</i> (No.12) | <i>Senecio tamoides</i> (Asteraceae) | Private garden, bordering Roosfontein Nature Reserve, Dawncliffe, Westville; Durban; KwaZulu-Natal; South Africa | c 1.1.2019 p 24.1.2019 e 8.2.2019 | S. Bradley |  |  |
| AM091 | <i>Scopula cf. nigrinotata</i> (No.14) | <i>Searsia pendulina</i> (Anacardiaceae) | Welcome Glen, Glencairn; Cape Town; Western Cape; South Africa | c 21.1.2018 p 22.2.2018 e 4.3.2018 | A. Morton |  |  |
| SBR021 | <i>Scopula internata</i> | | Palmiet Nature Reserve, Westville; Durban; KwaZulu-Natal; South Africa | c 5.7.2018 p 22.8.2018 e 6.9.2018 | S. Bradley |  |  |
| 18HSS443 | <i>Scopula minorata</i> | <i>Clematis villosa</i> (Ranunculaceae) | Hornbill Lodge; Magaliesburg; Gauteng; South Africa | c 30.3.2019 p 12.4.2019 e 23.4.2019 | H. S. Staude |  |  |
| M2468 | <i>Scopula penricei</i> | <i>Barleria senensis</i> (Acanthaceae) | Ndlovumzi; Hoedspruit; Limpopo; South Africa | c 7.3.2019 p 11.3.2019 e 22.3.2019 | A. & I. Sharp |  |  |







Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| | | | | | | | |
|--|--------------------------|--|---|--|-----------|---|---|
| L20160702-1 L20160702-2 L20160702-3 L20160702-4 | <i>Scopula sublobata</i> | <i>Jasminum polyanthum</i> (Oleaceae) | Basson Street, Southcrest; Alberton; Gauteng; South Africa | c 2.7.2016 p 22.8.2016 e 12.9.2016 | J. Balona |  |  |
|--|--------------------------|--|---|--|-----------|---|---|

Geometroidea: Geometridae: Geometrinae, Larentiinae, Sterrhinae; Uraniidae

DOI: <https://dx.doi.org/10.4314/met.v31i3.8>

| Uraniidae: Epipleminae | | | | | | |
|------------------------|-----------------------------|--|---|--|--------------|---|
| 18HSS186 | <i>Epiplema inconspicua</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Breedt's Nek, top, Magaliesberg; Magaliesburg; North West; South Africa | c 1.12.2018 p 5.12.2018 e 11.12.2018 | H. S. Staude |   |
| 16HSS143 | <i>Epiplema pulveralis</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Steenkoppies, farm; Magaliesburg; Gauteng; South Africa | c 11.2.2017 p 16.2.2017 e 25.2.2017 | H. S. Staude |   |
| 17HSS232 | <i>Epiplema pulveralis</i> | <i>Afrocanthium mundianum</i> (Rubiaceae) | Maloney's Eye, farm; Magaliesburg; Gauteng; South Africa | c 18.1.2018 p 24.1.2018 e 30.1.2018 | H. S. Staude |   |