

The butterflies (Lepidoptera: Papilionoidea) of the north-eastern Democratic Republic of Congo

Published online: 31 May 2018

DOI: <https://dx.doi.org/10.4314/met.v29i1.7>

Robert Ducarme

21, Avenue du Paepedelle, 1160 Bruxelles, Belgique. E-mail: ginetteducarme@yahoo.fr

Copyright © Lepidopterists' Society of Africa

Abstract: A checklist of the butterflies (Lepidoptera: Papilionoidea) of the north-eastern Democratic Republic of Congo is provided. The list was compiled from records made by the author as well as from historical records and the records of a number of field workers. The presence records are separated into five fairly distinct regions, namely the Ituri Forest, Semuliki Valley in the Albertine Rift, Central Forest Block, Mount Mitumba and Mount Blue.

Key words: Lepidoptera, Papilionoidea, butterflies, Democratic Republic of Congo, Kivu, Ituri, Semuliki Valley, Albertine Rift, Mount Mitumba, Mount Blue.

Citation: Ducarme, R. (2018). The butterflies (Lepidoptera: Papilionoidea) of the north-eastern Democratic Republic of Congo. *Metamorphosis* 29: 23–37.

INTRODUCTION

The author has spent more than forty years in Beni, North Kivu Province, in the north-eastern Democratic Republic of Congo (DRC) (Fig. 1). He and local people (for the last 15 years) have collected butterflies in a 200 km radius around Beni. The locals are in the insect trade but have also provided many specimens for the African Butterfly Research Institute (ABRI), in Nairobi, Kenya. Many descriptions of species new to science have been made from this material. Collecting in the area is easy if you have permission. However, at present the area is not safe as a result of local human conflicts. The inventory has been compiled over the last forty years. The author has collaborated with many people who are specialists with regard to particular taxa.

MATERIALS AND METHODS

Specimens were collected over a period of forty years from five localities in north-eastern Zaire. Identifications were made using standard texts and by the specialist collaborators listed in the Introduction.

Coordinates for each of these five localities were:

- 1) Ituri Forest – evergreen forest near Epulu, 01° 23'N, 29° 36'E, 850 m;
- 2) Semuliki Valley – sclerophyllous forest near Lume 00° 15'N, 29° 34'E, 1 200 m;
- 3) Central forest block – evergreen forest near Kisangani (127 km from Bunia), 00° 15'N, 29° 15'E, 600 m;
- 4) & 5) Mounts Mitumba and Blue – montane forest near Djugu, 02° 10'N, 30° 40'E.

Received: 20 February 2018

Published: 31 May 2018

Copyright: This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License. To view a copy of this license, send a letter to Creative Commons, Second Street, Suite 300, San Francisco, California, 94105, USA, or visit: <http://creativecommons.org/licenses/by-nc-nd/3.0/>

Afrotropical butterfly taxonomy to generic level, follows Williams (2015), Dhungel & Wahlberg (2018) and Espeland *et al.* (2018).




Figure 1 – North-eastern provinces of the DRC (green). Adjoining provinces in red and adjoining countries in yellow.

RESULTS

The number of taxa recorded for each locality in the north-eastern Democratic Republic of Congo, to subfamily level, is given in Table 1. The complete list of taxa for each locality is given in Table 2.

DISCUSSION

The provinces of north-eastern DRC (Kivu, Ituri, Uele, Tshopo and Maniema) (Fig. 1) are exceptionally rich in butterfly species (Continued on page 37).

Table 1 – Number of taxa recorded for each locality in n-e DRC, to subfamily level (I F = Ituri Forest; S V = Semuliki Valley, Albertine rift; CFB = Central Forest Belt; M M = Mount Mitumba; M B = Mount Blue)

TAXON	I F	S V	CFB	M M	M B
FAMILY PAPILIONIDAE Latreille, 1802	30	24	22	24	12
FAMILY HESPERIIDAE Latreille, 1809	191	68	41	141	30
Subfamily Coeliadinae Evans, 1937	5	2	0	5	1
Subfamily Pyrginae Burmeister, 1878	56	22	8	43	17
Subfamily Heteropterinae Aurivillius, 1925	0	3	0	4	2
Subfamily Hesperiinae Latreille, 1809	130	41	33	89	10
FAMILY NYMPHALIDAE Rafinesque, 1815	422	274	202	340	190
Subfamily Danainae Boisduval, 1833	9	7	3	10	10
Subfamily Libytheinae Boisduval, 1833	1	1	1	1	0
Subfamily Satyrinae Boisduval, 1833	43	32	13	39	25
Subfamily Charaxinae Guénée, 1865	52	40	47	54	38
Subfamily Nymphalinae Rafinesque, 1815	33	28	6	30	24
Subfamily Cyrestinae Guenée, 1865	1	1	1	1	0
Subfamily Biblidinae Boisduval, 1833	13	10	3	7	7
Subfamily Apaturinae Boisduval, 1840	1	1	1	1	0
Subfamily Heliconiinae Swainson, 1822	68	64	32	72	32
Subfamily Limenitidinae Behr, 1864	201	90	97	125	54
FAMILY PIERIDAE Swainson, 1820	51	59	17	57	32
Subfamily Pseudopontiinae Reuter, 1896	1	1	0	0	0
Subfamily Coliadinae Swainson, 1821	7	8	4	8	7
Subfamily Pierinae Swainson, 1820	43	50	13	49	25
FAMILY RIODINIDAE Grote, 1895	5	2	2	4	2
FAMILY LYCAENIDAE Leach, 1815	406	169	114	306	76
Subfamily Poritiinae Doherty, 1886	183	49	42	142	13
Subfamily Miletinae Reuter, 1896	26	12	6	14	7
Subfamily Aphnaeinae Distant, 1884	24	5	6	16	3
Subfamily Polyommatinae Swainson, 1827	96	63	33	67	37
Subfamily Lycaeninae Leach, 1815	0	0	0	1	0
Subfamily Theclinae Swainson, 1830	77	40	27	66	16
Taxon totals for each locality	1105	596	398	872	342

Table 2 – Complete checklist of taxa for each locality

TAXON	I F	S V	CFB	M M	M B
FAMILY PAPILIONIDAE Latreille, 1802					
Subfamily Papilioninae Latreille, 1802					
Tribe Leptocircini Kirby, 1896					
Genus Graphium Scopoli, 1777					
<i>G. angolanus baronii</i> (Ungemach, 1932)	x	x			x
<i>G. ridleyanus</i> (White, 1843)	x	x	x	x	
<i>G. tynderaeus</i> (Fabricius, 1793)	x		x	x	
<i>G. latreillianus theorini</i> (Aurivillius, 1881)	x		x	x	
<i>G. hachei moebii</i> (Suffert, 1904)	x			x	
<i>G. ucalegon schoutedeni</i> Berger, 1950	x		x		
<i>G. ucalegonides</i> (Staudinger, 1884)	x	x	x		
<i>G. almansor uganda</i> (Lathy, 1906)	x	x			
<i>G. leonidas leonidas</i> (Fabricius, 1793)	x	x	x	x	
<i>G. illyris girardeau</i> Guilbot & Plantrou, 1978	x		x		
<i>G. gudenusi</i> (Rebel, 1911)				x	
<i>G. policenes</i> (Cramer, 1775)	x	x	x	x	
<i>G. antheus</i> (Cramer, 1779)	x	x	x	x	
Tribe Papilionini Latreille, 1802					
Genus Papilio Linnaeus, 1758					
<i>P. mackinnoni mackinnoni</i> Sharpe, 1891		x		x	
<i>P. charopus montuosus</i> Joicey & Talbot, 1927		x		x	
<i>P. sosia pulchra</i> Berger, 1950	x	x	x		

<i>P. chrapkowskoides chrapkowskoides</i> Storace, 1952	x	x	x	x	
<i>P. nireus nireus</i> Linnaeus, 1758	x	x	x	x	
<i>P. nireus lyaeus</i> Doubleday, 1845		x ¹			
<i>P. zalmoxis</i> Hewitson, 1864	x		x		
<i>P. antimachus antimachus</i> Drury, 1782	x	x	x	x	
<i>P. rex mimeticus</i> Rothschild, 1897		x		x	
<i>P. cynorta</i> Fabricius, 1793	x	x	x		
<i>P. echeriooides zoroaster</i> Druce, 1878	x	x		x	
<i>P. echeriooides nioka</i> Hancock, 1989	x ²				
<i>P. jacksoni ruandana</i> Le Cerf, 1924	x	x		x	
<i>P. jacksoni hecqui</i> Berger, 1954				x	
<i>P. dardanus dardanus</i> Brown, 1776	x	x	x	x	
<i>P. phorcas congoanus</i> Rothschild, 1896	x	x		x	
<i>P. nobilis crippsonianus</i> Stoneham, 1936		x		x	
<i>P. hesperus hesperus</i> Westwood, 1843	x	x	x	x	
<i>P. lormieri lormieri</i> Distant, 1874	x	x	x	x	
<i>P. lormieri semlikana</i> Le Cerf, 1924			x ³		
<i>P. demodocus demodocus</i> Esper, 1798	x	x	x	x	
<i>P. mechowi mechowi</i> Dewitz, 1881	x		x	x	
<i>P. gallienus</i> Distant, 1879			x		
<i>P. mechowianus</i> Dewitz, 1885	x		x		
<i>P. zenobia</i> Fabricius, 1775	x	x	x	x	
Totals for the family Papilionidae	30	24	22	24	12
FAMILY HESPERIIDAE Latreille, 1809					
Subfamily Coeliadinae Evans, 1937					
Genus Coeliades Hübner, 1818					
<i>C. bixana</i> Evans, 1940	x			x	
<i>C. chalybe chalybe</i> (Westwood, 1852)	x	x		x	
<i>C. forestan forestan</i> (Stoll, 1782)	x			x	
<i>C. libeon</i> (Druce, 1875)	x	x		x	
<i>C. hanno</i> (Plötz, 1879)	x			x	
Totals for the subfamily Coeliadinae	5	2	0	5	1
Subfamily Pyrginae Burmeister, 1878					
Tribe Tagiadini Mabille, 1878					
Genus Eagris Guenée, 1862					
<i>E. lucetia</i> (Hewitson, 1875)	x	x		x	
<i>E. tigris tigris</i> Evans, 1937	x				
<i>E. tigris kayonza</i> Evans, 1956				x	
<i>E. sabadius astoria</i> Holland, 1896				x	
<i>E. notoana notoana</i> (Wallengren, 1857)				x	
<i>E. decastigma purpura</i> Evans, 1937	x			x	
Genus Procampta Holland, 1892					
<i>P. admiratio</i> Larsen & Rawlins, 2014	x		x	x	
Genus Calleagris Aurivillius, 1925					
<i>C. lacteus lacteus</i> (Mabille, 1877)	x	x			
Genus Tagiades Hübner, 1819					
<i>T. flesus</i> (Fabricius, 1781)	x		x	x	
Genus Netrobalane Mabille, 1903					
<i>N. canopus</i> (Trimen, 1864)	x	x		x	
Genus Caprona Wallengren, 1857					
<i>C. pillaana</i> Wallengren, 1857		x			
Genus Abantis Hopffer, 1855					
<i>A. iruma</i> Evans, 1951	x			x	
<i>A. leucogaster rotundata</i> Larsen & Collins, 2014	x		x		
<i>A. contigua</i> Evans, 1937	x	x	x	x	
<i>A. venosa</i> Trimen, 1889				x	
<i>A. teresa</i> (Manuscript name)	x			x	
<i>A. efulensis</i> Holland, 1896		x		x	
<i>A. rubra</i> Holland, 1920			x		
<i>A. ja ja</i> Druce, 1909	x				
<i>A. lucretia etoumbiensis</i> Miller, 1971	x				
<i>A. ituri</i> Larsen & Collins, 2014	x	x		x	
Tribe Celaenorrhinini Swinhoe, 1912					
Genus Ortholexis Karsch, 1895					
<i>O. holocausta</i> (Mabille, 1891)	x				
Genus Celaenorrhinus Hübner, 1819					
<i>C. proxima proxima</i> (Mabille, 1877)	x			x	
<i>C. perimitans</i> Libert, 2014	x			x	
<i>C. toro</i> Evans, 1937	x			x	
<i>C. larseni</i> Libert, 2014		x	x	x	

TAXON	I	F	S	V	CFB	M	M	M	B
<i>C. mutavalii mutavalii</i> Libert, 2014	x								
<i>C. mediodistictus mediodistictus</i> Libert, 2014	x	x				x			
<i>C. dargei peteri</i> Libert, 2014	x					x			
Genus Scopulifera Libert, 2014									
<i>S. nigropunctata</i> (Bethune & Baker, 1908)	x								
<i>S. mulinzi</i> Libert, 2014	x					x			
<i>S. intricata intricata</i> Libert, 2014	x					x			
Genus Bettonula Libert & Larsen, 2014									
<i>B. bettoni bettoni</i> (Butler, 1902)	x	x				x			
Genus Apallaga Strand, 1911									
<i>A. alluaudi</i> (Mabille & Bouillet, 1916)	x					x			
<i>A. fulgens montanus</i> Libert, 2014	x					x			
<i>A. hecqii</i> (Berger, 1976)	x								
<i>A. rwandae</i> Libert, 2014						x			
<i>A. beni beni</i> (Bethune-Baker, 1908)	x					x	x		
<i>A. evansi</i> (Berger, 1975)	x	x				x			
<i>A. jacksoni</i> Libert, 2014	x						x		
<i>A. homeyeri fracta</i> Libert, 2014	x								
<i>A. ovalis ovalis</i> (Evans, 1937)	x					x			
<i>A. perlustris</i> (Rebel, 1914)	x					x			
<i>A. adora</i> Libert, 2014	x	x				x			
<i>A. katangensis minor</i> Libert, 2014						x			
<i>A. darlustris</i> Libert, 2014	x								
<i>A. inexpectata</i> Libert, 2014	x								
<i>A. ducarnei</i> Libert, 2014	x	x	x						
<i>A. orientalis</i> Libert, 2014						x			
<i>A. chrysoglossa</i> (Mabille, 1891)	x								
<i>A. boadicea howarthi</i> (Berger, 1976)	x								
Genus Eretis Mabille, 1891									
<i>E. vaga</i> Evans, 1937	x								
<i>E. buamba</i> Evans, 1937						x			
<i>E. lugens</i> (Rogenhofer, 1891)	x	x				x	x		
<i>E. melania</i> Mabille, 1891	x	x				x	x		
<i>E. artorius</i> Larsen & Cock, 2011						x	x		
<i>E. mitiana</i> Evans, 1937						x			
<i>E. cameronia</i> Evans, 1937	x					x			
Genus Sarangesa Moore, 1881									
<i>S. bouvieri</i> (Mabille, 1877)	x								
<i>S. tertullianus</i> (Fabricius, 1793)	x								
<i>S. maculata</i> (Mabille, 1891)	x	x				x			
<i>S. thecla mabiria</i> Evans, 1956	x					x			
<i>S. haplopa</i> Swinhoe, 1907		x					x		
<i>S. brigida sanaga</i> Miller, 1964	x	x				x			
Genus Triskelionia Larsen & Congdon, 2011									
<i>T. tricerata</i> (Mabille, 1891)	x				x				
Tribe Carcharodini Verity, 1940									
Genus Gomalia Moore, 1879									
<i>G. elma elma</i> (Trimen, 1862)	x	x							
Genus Spialia Swinhoe, 1912									
<i>S. dromus</i> (Plötz, 1884)	x	x			x	x			
<i>S. ploetzi ploetzi</i> (Aurivillius, 1891)	x	x	x	x	x	x			
<i>S. zebra bifida</i> (Higgins, 1925)	x					x			
<i>S. spio</i> (Linnaeus, 1764)	x	x			x	x			
<i>S. diomus</i> (Hopffer, 1855)	x					x			
Totals for the subfamily Pyrginae	56	22	8	43	17				
Subfamily Heteropterinae Aurivillius, 1925									
Genus Metisella Hemming, 1934									
<i>M. orientalis orientalis</i> (Aurivillius, 1925)	x			x	x				
<i>M. midas midas</i> (Butler, 1894)	x			x	x				
<i>M. alticola</i> (Aurivillius, 1925)	x			x	x				
<i>M. medea medea</i> Evans, 1937					x				
Totals for the subfamily Heteropterinae	0	3	0	4	2				
Subfamily Hesperiinae Latreille, 1809									
Tribe incertae sedis									
Genus Lepella Evans, 1937									
<i>L. lepeletier</i> (Latreille, 1824)	x			x	x				
Genus Prosopalpus Holland, 1896									
<i>P. styla</i> Evans, 1937	x	x							
Genus Kedestes Watson, 1893									
<i>K. wallengrenii wallengrenii</i> Trimen, 1883	x								

Genus <i>Gorgyra</i> Holland, 1896				
<i>G. aretina</i> (Hewitson, 1878)	x			x
<i>G. mocquerysii</i> Holland, 1896	x			x
<i>G. sara</i> Evans, 1937	x			x
<i>G. kalinzu</i> Evans, 1949	x			x
<i>G. afikpo</i> Druce, 1909	x	x		x
<i>G. kasungo</i> Larsen & Collins, 2014				x
<i>G. rubescens</i> Holland, 1896	x		x	
<i>G. pali</i> Evans, 1937	x			
<i>G. bibulus</i> Riley, 1929				x
Genus <i>Gyrogra</i> Lindsey & Miller, 1965				
<i>G. subnotata</i> (Holland, 1894)				x
Genus <i>Teniorhinus</i> Holland, 1892				
<i>T. ignita</i> (Mabille, 1877)	x	x	x	x
<i>T. niger</i> (Druce, 1910)	x		x	
Genus <i>Ceratrichia</i> Butler, 1870				
<i>C. semilikensis</i> Jocey & Talbot, 1921	x			x
<i>C. clara medea</i> Evans, 1937	x			x
<i>C. hollandi</i> Bethune-Baker, 1908	x	x		x
<i>C. brunnea brunnea</i> Bethune-Baker, 1906	x			x
<i>C. wollastonii</i> Heron, 1909	x	x	x	x
<i>C. aurea</i> Druce, 1910	x			
<i>C. argyrostictica enta</i> Evans, 1947	x			x
<i>C. mabirensis</i> Riley, 1925	x			
Genus <i>Ceraticula</i> Larsen, 2013				
<i>C. semilutea congdoni</i> Larsen, 2013	x	x		x
Genus <i>Pardaleodes</i> Butler, 1870				
<i>P. tibullus torensis</i> Bethune-Baker, 1906	x			x
<i>P. sator pusilla</i> Mabille, 1877	x	x	x	x
<i>P. bule</i> Holland, 1896	x	x		x
<i>P. edipus</i> (Stoll, 1781)	x			x
<i>P. incerta incerta</i> (Snellen, 1872)	x	x	x	x
<i>P. howardi</i> (Manuscript name)				x
Genus <i>Ankola</i> Evans, 1937				
<i>A. fan</i> (Holland, 1894)	x	x		x
Genus <i>Xanthodisca</i> Aurivillius, 1925				
<i>X. vibius</i> (Hewitson, 1878)	x			x
<i>X. astrape</i> (Holland, 1892)	x			
Genus <i>Acada</i> Evans, 1937				
<i>A. annulifer</i> (Holland, 1892)	x			
Genus <i>Rhabdomantis</i> Holland, 1896				
<i>R. galatia</i> (Hewitson, 1868)	x	x	x	
<i>R. sosia</i> (Mabille, 1891)	x	x		
Genus <i>Osmodes</i> Holland, 1892				
<i>O. adonia</i> Evans, 1937	x		x	x
<i>O. laronia</i> (Hewitson, 1868)	x		x	x
<i>O. hollandi</i> Evans, 1937	x			
<i>O. lindseyi lindseyi</i> Miller, 1964	x			
<i>O. adosus</i> (Mabille, 1889)	x	x		x
<i>O. adon</i> (Mabille, 1889)	x			
<i>O. costatus</i> Aurivillius, 1896	x			
<i>O. thora</i> (Plötz, 1884)	x		x	x
<i>O. distincta</i> Holland, 1896	x		x	
Genus <i>Parosmodes</i> Holland, 1896				
<i>P. morantii axis</i> Evans, 1937	x			x
<i>P. lentiginosa</i> (Holland, 1896)	x			x
Genus <i>Osphantes</i> Holland, 1896				
<i>O. ogowena ogowena</i> Mabille, 1891	x			x
Genus <i>Acleros</i> Mabille, 1885				
<i>A. ploetzi</i> Mabille, 1889	x	x		x
<i>A. mackenii olaus</i> (Plötz, 1884)	x	x	x	x
<i>A. sparsum</i> Druce, 1909	x		x	
<i>A. bibundica</i> Strand, 1913	x			
<i>A. nigrapex</i> Strand, 1913	x			
Genus <i>Paracleros</i> Berger, 1978				
<i>P. biguttulus</i> (Mabille, 1890)	x			x
Genus <i>Semalea</i> Holland, 1896				
<i>S. pulvina</i> (Plötz, 1879)	x	x		x
<i>S. sextilis</i> (Plötz, 1886)	x		x	x
<i>S. arela</i> (Mabille, 1891)	x	x		x
Genus <i>Hypoleucus</i> Mabille, 1891				
<i>H. tripunctata draga</i> Evans, 1937	x			x
<i>H. ophiusa ophir</i> Evans, 1937	x		x	

TAXON	I	F	S	V	CFB	M	M	M	B
Genus Meza Hemming, 1939									
<i>M. meza</i> (Hewitson, 1877)	x				x	x			
<i>M. mabilie</i> (Holland, 1893)	x								
<i>M. cybeutes pallida</i> (Evans, 1937)	x	x				x			
<i>M. indusata</i> (Mabille, 1891)	x					x			
<i>M. leucophaea leucophaea</i> (Holland, 1894)					x				
Genus Paronymus Aurivillius, 1925									
<i>P. budonga</i> (Evans, 1938)	x					x			
<i>P. ligora</i> (Hewitson, 1876)	x				x				
<i>P. xanthias kiellandi</i> Congdon & Collins, 1998	x								
<i>P. nevea</i> (Druce, 1910)	x					x			
Genus Andronymus Holland, 1896									
<i>A. gander</i> Evans, 1947	x	x	x	x					
<i>A. neander neander</i> (Plötz, 1884)	x			x	x				
<i>A. evander</i> (Mabille, 1890)	x								
<i>A. caesar philander</i> (Hopffer, 1855)	x	x							
<i>A. helles</i> Evans, 1937	x		x						
<i>A. fontainei</i> Larsen & Congdon, 2012	x								
<i>A. hero</i> Evans, 1937				x					
<i>A. fenestrella</i> Bethune-Baker, 1908	x								
Genus Chondrolepis Mabille, 1904									
<i>C. cynthia</i> Evans, 1936				x					
<i>C. niveicornis</i> (Plötz, 1883)	x			x					
<i>C. leggei</i> (Heron, 1909)	x			x					
<i>C. ducarmei</i> Larsen & Congdon, 2012				x					
Genus Zophopetes Mabille, 1904									
<i>Z. cerymica</i> (Hewitson, 1867)	x			x					
<i>Z. dysmephila</i> (Trimen, 1868)	x			x					
<i>Z. quaternata</i> (Mabille, 1876)		x							
<i>Z. ganda</i> Evans, 1937	x								
Genus Gamia Holland, 1896									
<i>G. buchholzi</i> (Plötz, 1879)	x								
<i>G. shelleyi</i> (Sharpe, 1890)	x			x					
Genus Artitropa Holland, 1896									
<i>A. reducta</i> Riley, 1925	x		x						
<i>A. milleri milleri</i> Riley, 1925				x					
Genus Mopala Evans, 1937									
<i>M. orma</i> (Plötz, 1879)	x								
Genus Gretna Evans, 1937									
<i>G. balenge balenge</i> (Holland, 1891)	x			x					
<i>G. cylinda</i> (Hewitson, 1876)	x								
<i>G. waga</i> (Plötz, 1886)	x								
<i>G. carmen carmen</i> Evans, 1937	x								
Genus Pteroteinon Watson, 1893									
<i>P. laterculus</i> (Holland, 1890)	x			x					
<i>P. iricolor</i> (Holland, 1890)	x		x	x					
<i>P. laufella</i> (Hewitson, 1868)	x								
<i>P. caenira</i> (Hewitson, 1867)	x		x						
<i>P. concaenira</i> Belcastro & Larsen, 1996			x						
<i>P. concaenira gaeli</i> (Manuscript name)	x								
<i>P. capronnieri</i> (Plötz, 1879)	x								
<i>P. pruna</i> Evans, 1937	x								
Genus Leona Evans, 1937									
<i>L. meloui</i> (Riley, 1926)	x								
<i>L. maracanda</i> (Hewitson, 1876)	x								
<i>L. lena</i> Evans, 1937	x								
<i>L. leonora leonora</i> (Plötz, 1879)	x		x						
<i>L. lissa lissa</i> Evans, 1937	x			x					
<i>L. stoehri</i> (Karsch, 1893)				x					
Genus Caenides Holland, 1896									
<i>C. dacena</i> (Hewitson, 1876)	x	x		x					
<i>C. dacela</i> (Hewitson, 1876)	x			x					
<i>C. hidaroides</i> Aurivillius, 1896	x			x					
<i>C. xyphus</i> (Mabille, 1891)	x	x	x	x					
<i>C. benga</i> (Holland, 1891)	x								
<i>C. kangensis</i> Holland, 1896	x		x						
Genus Monza Evans, 1937									
<i>M. cretacea</i> (Snellen, 1872)	x	x	x	x	x				
<i>M. alberti</i> (Holland, 1896)	x	x		x					
<i>M. punctata crola</i> Evans, 1937		x		x					

Genus Melphinyet Larsen, 2012					
<i>M. tarace</i> (Mabille, 1891)	x			x	
<i>M. unistriga</i> (Holland, 1893)	x				
<i>M. flavina</i> (Evans, 1937)	x			x	
<i>M. statirides</i> (Holland, 1896)	x				
Genus Noctulana Larsen, 2012					
<i>N. noctula</i> (Druce, 1909)	x			x	
Genus Fresna Evans, 1937					
<i>F. netophae</i> (Hewitson, 1878)	x		x	x	
<i>F. nyassae</i> (Hewitson, 1878)	x	x	x	x	
<i>F. maesseni</i> Miller, 1971	x				
<i>F. carlo</i> Evans, 1937	x			x	
<i>F. cojo</i> (Karsch, 1893)	x				
Genus Platylesches Holland, 1896					
<i>P. galesa</i> (Hewitson, 1877)	x			x	
<i>P. picanini</i> (Holland, 1894)	x			x	
<i>P. rasta anka</i> Evans, 1937	x			x	
<i>P. chamaeleon tero</i> Evans, 1937				x	
<i>P. lamba</i> Neave, 1910	x			x	
<i>P. moritili</i> (Wallengren, 1857)	x				
<i>P. panga</i> Evans, 1937	x			x	
<i>P. festa</i> Evans, 1937				x	
Tribe Baorini Doherty, 1886					
Genus Zenonia Evans, 1935					
<i>Z. zeno</i> (Trimen, 1864)	x	x	x	x	
<i>Z. crasta</i> Evans, 1937				x	
Genus Pelopidas Walker, 1870					
<i>P. thrax</i> (Hübner, 1821)	x				
<i>P. mathias mathias</i> (Fabricius, 1798)	x	x	x		
Genus Borbo Evans, 1949					
<i>B. lugens</i> (Hopffer, 1855)		x		x	
<i>B. detecta</i> (Trimen, 1893)		x			
<i>B. borbonica borbonica</i> (Boisduval, 1833)	x	x	x	x	
<i>B. fanta</i> (Evans, 1937)	x	x			
<i>B. fatuelus fatuellus</i> (Hopffer, 1855)	x	x	x	x	
<i>B. fallax</i> (Gaede, 1916)				x	
<i>B. micans</i> (Holland, 1896)	x	x			
<i>B. kaka</i> (Evans, 1938)		x	x		
Genus Larsenia Chiba, Fan & Sáfián, 2016					
<i>L. gemella</i> (Mabille, 1884)		x		x	
<i>L. holtzi</i> (Plötz, 1883)		x		x	
<i>L. perobscura</i> (Druce, 1912)	x			x	
Genus Parnara Moore, 1881					
<i>P. monasi</i> (Trimen, 1889)	x	x			
Genus Afrogegenes De Jong & Coutsis, 2017					
<i>A. hottentota</i> (Latreille, 1824)	x	x		x	
<i>A. letterstedti</i> (Wallengren, 1857)	x	x	x	x	
Totals for the subfamily Hesperiinae	130	41	33	89	10
Totals for the family Hesperiidae	191	68	41	141	30
FAMILY NYMPHALIDAE Rafinesque, 1815					
Subfamily Danainae Boisduval, 1833					
Tribe Danaini Boisduval, 1833					
Subtribe Danaina Boisduval, 1833					
Genus Danaus Kluk, 1780					
<i>D. chrysippus chrysippus</i> Linnaeus, 1758	x	x		x	
Genus Tirumala Moore, 1880					
<i>T. petiverana</i> (Doubleday, 1847)	x	x		x	
<i>T. formosa mercedonia</i> (Karsch, 1894)	x	x	x	x	
Subtribe Amaurina Le Cerf, 1922					
Genus Amauris Hübner, 1816					
<i>A. ellioti ellioti</i> Butler, 1895		x		x	
<i>A. niavius niavius</i> (Linnaeus, 1758)	x	x	x	x	
<i>A. tartarea tartarea</i> Mabille, 1876	x		x	x	
<i>A. hecate hecate</i> (Butler, 1866)	x	x	x	x	
<i>A. hyalites hyalites</i> Butler, 1874	x		x	x	
<i>A. inferna grogani</i> Sharpe, 1901		x		x	
<i>A. albimaculata magnimacula</i> Rebel, 1914	x			x	
<i>A. echeria terrena</i> Talbot, 1940	x			x	
<i>A. crawshayi oscarus</i> Thurau, 1904				x	
Totals for the subfamily Danainae	9	7	3	10	10
Subfamily Libytheinae Boisduval, 1833					

TAXON	I	F	S	V	CFB	M	M	M	B
Genus <i>Libythea</i> Fabricius, 1807									
<i>L. labdaca</i> Westwood, 1851	x	x	x	x					
Totals for the subfamily Libytheinae	1	1	1	1	0				
Subfamily Satyrinae Boisduval, 1833									
Tribe Elymniiini Herrich-Schaeffer, 1864									
Genus <i>Elymnias</i> Hübner, 1816									
<i>E. bambakoo rattrayi</i> Sharpe, 1902	x			x					
Tribe Melanitini Reuter, 1896									
Genus <i>Gnophodes</i> Doubleday, 1849									
<i>G. grogani</i> Sharpe, 1901		x		x	x				
<i>G. betsimena parmeno</i> Doubleday, 1849	x	x	x	x	x				
<i>G. chelys</i> (Fabricius, 1793)	x	x	x	x	x				
Genus <i>Melanitis</i> Fabricius, 1807									
<i>M. leda</i> (Linnaeus, 1758)	x	x	x	x	x				
<i>M. libya</i> Distant, 1882	x								
<i>M. ansorgei</i> Rothschild, 1904	x	x	x			x			
Tribe Satyrini Boisduval, 1833									
Subtribe Mycalesina Reuter, 1896									
Genus <i>Bicyclus</i> Kirby, 1871									
<i>B. alboplaga</i> (Rebel, 1914)					x				
<i>B. hewitsoni</i> (Doumet, 1861)	x				x				
<i>B. medontias</i> (Hewitson, 1873)	x				x	x			
<i>B. iccius</i> (Hewitson, 1865)					x				
<i>B. bergeri</i> Condamin, 1965	x					x			
<i>B. sweadneri</i> Fox, 1963	x								
<i>B. graueri</i> graueri (Rebel, 1914)	x				x				
<i>B. sebetus</i> (Hewitson, 1877)	x				x	x			
<i>B. mesogena ugandae</i> (Riley, 1926)		x		x					
<i>B. sambulos sambulos</i> (Hewitson, 1877)	x	x		x					
<i>B. collinsi</i> Aduse-Poku, Lees & Wahlberg, 2016		x	x		x				
<i>B. auricruda fulgida</i> Fox, 1963	x	x							
<i>B. vulgaris</i> (Butler, 1868)	x	x	x	x	x				
<i>B. dorothaea dorothaea</i> (Cramer, 1779)	x	x	x						
<i>B. moyeses</i> Condamin & Fox, 1964	x	x	x						
<i>B. jefferyi</i> Fox, 1963	x	x		x	x				
<i>B. sandace</i> (Hewitson, 1877)	x	x		x					
<i>B. aurivillii aurivillii</i> (Butler, 1896)		x							
<i>B. albocincta</i> (Rebel, 1914)		x		x					
<i>B. matuta matuta</i> (Karsch, 1894)		x		x					
<i>B. persimilis</i> (Joicey & Talbot, 1931)		x	x	x					
<i>B. sanaao</i> (Hewitson, 1866)	x								
<i>B. sophrosyne sophrosyne</i> (Plötz, 1880)	x	x	x		x				
<i>B. mollitia</i> (Karsch, 1895)	x	x			x				
<i>B. smithi smithi</i> (Aurivillius, 1899)	x	x			x				
<i>B. golo</i> (Aurivillius, 1893)	x								
<i>B. ignobilis</i> (Butler, 1870)	x			x	x				
<i>B. brakefieldi</i> Brattström, 2012	x				x				
<i>B. xeneoides</i> Condamin, 1961	x								
<i>B. dubia</i> (Aurivillius, 1893)	x			x					
<i>B. dentata</i> (Sharpe, 1898)	x	x		x	x				
<i>B. saussurei saussurei</i> (Dewitz, 1879)		x		x	x				
<i>B. suffusa ituriensis</i> Condamin, 1970				x	x				
<i>B. safitza safitza</i> (Hewitson, 1850)	x	x	x		x				
<i>B. campus</i> (Karsch, 1893)					x	x			
<i>B. funebris</i> (Guérin-Méneville, 1844)	x	x	x	x					
<i>B. milyas</i> (Hewitson, 1864)					x				
<i>B. procora</i> (Karsch, 1893)	x	x			x				
<i>B. uniformis</i> (Bethune-Baker, 1908)	x				x				
<i>B. analis</i> (Aurivillius, 1895)	x				x				
<i>B. heathi</i> Brattström, 2015	x								
Genus <i>Hallelesis</i> Condamin, 1961									
<i>H. asochis congoensis</i> (Joicey & Talbot, 1921)	x		x	x					
Genus <i>Brakefieldia</i> Aduse-Poku, Lees & Wahlberg, 2016									
<i>B. phaea ignota</i> (Libert, 2006)	x	x			x				
<i>B. peitho reducta</i> (Libert, 2006)	x			x	x				
Subtribe Lethina Reuter, 1896									
Genus <i>Aphysoneura</i> Karsch, 1894									
<i>A. pigmentaria semilatilimba</i> Kielland, 1989					x				
Subtribe Ypthimina Reuter, 1896									
Genus <i>Ypthima</i> Hübner, 1818									
<i>Y. asterope asterope</i> (Klug, 1832)						x		x	
<i>Y. simplicia</i> Butler, 1876			x	x			x	x	
<i>Y. doleta</i> Kirby, 1880			x	x	x			x	
<i>Y. albida albida</i> Butler, 1888			x	x			x	x	
Genus <i>Ypthinomorpha</i> van Son, 1955									
<i>Y. itonia</i> (Hewitson, 1865)			x	x			x	x	
Totals for the subfamily Satyrinae	43	32	13	39	25				
Subfamily Charaxinae Guenée, 1865									
Tribe Pallini Rydon, 1971									
Genus <i>Palla</i> Hübner, 1819									
<i>P. ussheri interposita</i> Joicey & Talbot, 1925			x	x	x				
<i>P. publius centralis</i> van Someren, 1975			x						
<i>P. violintens bwamba</i> van Someren, 1975			x		x				
Tribe Charaxini Guenée, 1865									
Genus <i>Charaxes</i> Ochsenheimer, 1816									
<i>C. varanes volorges</i> (Mabille, 1876)		x	x		x	x		x	x
<i>C. fulvescens monitor</i> Rothschild, 1900		x	x	x	x	x		x	x
<i>C. acuminatus kigezia</i> van Someren, 1963		x			x	x		x	x
<i>C. candiope</i> (Godart, 1824)		x	x	x	x	x		x	x
<i>C. protoclea nothodes</i> Jordan, 1911		x	x	x	x	x		x	x
<i>C. boueti boueti</i> Feisthamel, 1850		x	x	x	x	x		x	x
<i>C. rectans</i> Rothschild & Jordan, 1903								x	
<i>C. alticola</i> Grünberg, 1911								x	
<i>C. cynthis kinduana</i> Le Cerf, 1923		x	x	x	x	x		x	x
<i>C. lucretius maximus</i> van Someren, 1971		x	x	x	x	x		x	x
<i>C. epijasius</i> Reiche, 1850					x			x	
<i>C. saturnus brunnescens</i> Poulton, 1926					x				
<i>C. castor castor</i> (Cramer, 1775)		x	x	x	x	x		x	x
<i>C. brutus angustus</i> Rothschild, 1900		x	x	x	x	x		x	x
<i>C. ansorgei ruandana</i> Talbot, 1932					x			x	
<i>C. pollux pollux</i> (Cramer, 1775)		x	x	x	x	x		x	x
<i>C. eudoxus mechowi</i> Rothschild, 1900		x		x	x	x		x	x
<i>C. druceanus obscura</i> Rebel, 1914			x						
<i>C. richelmanni richelmanni</i> Röber, 1936		x		x	x	x			
<i>C. ducarnei</i> Plantrou, 1982								x	
<i>C. numenes aequatorialis</i> van Someren, 1972		x	x	x	x	x		x	x
<i>C. tiridates tiridatinus</i> Röber, 1936		x	x	x	x	x		x	x
<i>C. bipunctatus ugandensis</i> van Someren, 1972		x	x	x	x	x		x	x
<i>C. mixtus mixtus</i> Rothschild, 1894		x			x				
<i>C. smaragdalis smaragdalis</i> Butler, 1866		x	x	x	x	x		x	x
<i>C. xiphares burgessi</i> van Son, 1953					x				
<i>C. bohemani bohemani</i> Felder & Felder, 1859						x			
<i>C. imperialis ugandicus</i> van Someren, 1972		x		x	x	x		x	x
<i>C. ameliae ameliae</i> Doumet, 1861		x	x	x	x	x		x	x
<i>C. pythodoris pythodoris</i> Hewitson, 1873		x	x	x	x	x		x	x
<i>C. hadrianus</i> Ward, 1871		x		x	x	x		x	x
<i>C. nobilis nobilis</i> Druce, 1873		x		x	x	x		x	x
<i>C. acraeoides</i> Druce, 1908		x							
<i>C. fournierae fournierae</i> Le Moutl, 1930		x			x			x	
<i>C. zingha</i> (Stoll, 1780)		x	x	x	x	x		x	x
<i>C. etesipe etesipe</i> (Godart, 1824)		x	x	x	x	x		x	x
<i>C. achaemenes monticola</i> van Someren, 1970						x			
<i>C. anticlea adusta</i> Rothschild, 1900	x	x	x	x	x	x		x	x
<i>C. baumannii bwamba</i> van Someren, 1971			x						
<i>C. opinatus</i> Heron, 1909			x			x		x	x
<i>C. taverniersi</i> Berger, 1975						x			
<i>C. thysi</i> Capronnier, 1889						x			
<i>C. hildebrandti hildebrandti</i> (Dewitz, 1879)		x		x	x				
<i>C. virilis lenis</i> Henning, 1989	x	x	x	x	x	x		x	x
<i>C. catachrouss</i> van Someren & Jackson, 1952	x	x	x					x	
<i>C. ethoeclues carpenteri</i> van Someren & Jackson, 1957	x	x	x	x	x	x		x	x
<i>C. mafuga</i> van Someren, 1969					x			x	x
<i>C. cedreatis</i> Hewitson, 1874	x	x	x	x	x	x		x	x

TAXON	I	F	S	V	CFB	M	M	M	B
<i>C. viola picta</i> van Someren & Jackson, 1952	x	x				x	x		
<i>C. kirki suk</i> Carpenter & Jackson, 1950		x							
<i>C. pleione bebra</i> Rothschild, 1900	x		x	x	x				
<i>C. paphianus subpallida</i> Joicey & Talbot, 1925	x	x	x	x	x				
<i>C. kahldeni</i> Homeyer & Dewitz, 1882	x		x	x					
<i>C. mafugensis</i> Jackson, 1956		x		x	x				
<i>C. nichetes nichetes</i> Grose-Smith, 1883	x	x	x	x					
<i>C. lycurgus</i> (Fabricius, 1793)	x		x						
<i>C. zelica depuncta</i> Joicey & Talbot, 1921	x		x	x	x				
<i>C. porthos dummeri</i> Joicey & Talbot, 1922	x	x	x	x					
<i>C. doubledayi</i> Aurivillius, 1899	x		x	x					
<i>C. mycerina nausicaa</i> Staudinger, 1891	x		x	x					
<i>C. trajanus vansonereni</i> (Poulton, 1929)	x	x	x	x	x				
<i>C. eurinome ansellica</i> (Butler, 1870)	x		x						
<i>C. eurinome lequeuxi</i> (Turlin, 2009)	x	x							
<i>C. crossleyi magnifica</i> (Rebel, 1914)	x		x	x					
<i>C. eupale latimargo</i> Joicey & Talbot, 1921	x	x	x	x	x				
<i>C. minor</i> Joicey & Talbot, 1921	x	x	x	x					
<i>C. montis</i> Jackson, 1956	x			x					
<i>C. schiltzei</i> Bouyer, 1991				x	x				
Totals for the subfamily Charaxinae	52	40	47	54	38				
Subfamily Nymphalinae Rafinesque, 1815									
Tribe Nymphalini Rafinesque, 1815									
Genus Antanartia Rothschild & Jordan, 1903									
<i>A. schaeneia dubia</i> Howarth, 1966		x		x	x				
<i>A. delius delius</i> (Drury, 1782)	x	x		x					
Genus Vanessa Fabricius, 1807									
<i>V. cardui</i> (Linnaeus, 1758)	x	x		x	x				
<i>V. abyssinica vansonereni</i> (Howarth, 1966)	x			x					
<i>V. dimorphica dimorphica</i> (Howarth, 1966)	x	x		x	x				
Tribe Kallimini Doherty, 1886									
Genus Catacroptera Karsch, 1894									
<i>C. cloanthe cloanthe</i> (Stoll, 1781)	x	x		x	x				
Tribe Junoniini Reuter, 1896									
Genus Junonia Hübner, 1819									
<i>J. chorimene</i> (Guérin-Méneville, 1844)	x	x							
<i>J. gregorii</i> Butler, 1896	x			x	x				
<i>J. terea tereoides</i> (Butler, 1901)	x	x		x	x				
<i>J. sophia sophia</i> (Fabricius, 1793)	x	x		x	x				
<i>J. westermanni westermanni</i> Westwood, 1870	x	x	x	x	x				
<i>J. oenone oenone</i> (Linnaeus, 1758)	x	x		x	x				
<i>J. schmiedeli</i> (Fielder, 1920)				x	x				
<i>J. stygia</i> (Aurivillius, 1894)	x	x			x				
<i>J. hirta cebrene</i> Trimen, 1870	x	x		x					
<i>J. orithya madagascariensis</i> Guénée, 1865	x				x				
<i>J. ansorgei</i> (Rothschild, 1899)	x			x	x				
<i>J. cymodoce lugens</i> (Schultze, 1912)	x	x	x						
Genus Salamis Boisduval, 1833									
<i>S. cacta cacta</i> (Fabricius, 1793)	x			x					
Genus Protagonimorpha Wallengren, 1857									
<i>P. temora temora</i> (Felder & Felder, 1867)	x	x		x	x				
<i>P. parhassus</i> (Drury, 1782)	x	x		x					
<i>P. anacardii nebulosa</i> (Trimen, 1881)		x							
Genus Precis Hübner, 1819									
<i>P. archesia ugandensis</i> (McLeod, 1980)	x								
<i>P. ceryne ceryne</i> (Boisduval, 1847)	x				x				
<i>P. sinuata hecqui</i> Berger, 1981		x		x	x				
<i>P. pelarga</i> (Fabricius, 1775)	x	x		x	x				
<i>P. octavia octavia</i> (Cramer, 1777)	x	x		x	x				
<i>P. octavia sesamus</i> Trimen, 1883				x					
<i>P. milonitis wintgensi</i> Strand, 1909	x		x	x					
<i>P. actia</i> Distant, 1880					x				
<i>P. rauana rauana</i> (Grose-Smith, 1898)	x		x	x					
<i>P. tugela pyriformis</i> (Butler, 1896)		x		x					
Genus Hypolimnas Hübner, 1819									
<i>H. misippus</i> (Linnaeus, 1764)	x	x		x					
<i>H. salmacis salmacis</i> (Drury, 1773)	x	x				x			
<i>H. monteironis monteironis</i> (Druce, 1874)	x					x	x		
<i>H. mechowi</i> (Dewitz, 1884)	x	x				x			
<i>H. dinarcha dinarcha</i> (Hewitson, 1863)	x	x	x			x			
<i>H. bartelotti</i> Grose-Smith, 1890	x					x			
<i>H. anthedon anthedon</i> (Doubleday, 1845)	x	x	x	x	x	x	x		
Tribe <i>incertae sedis</i>									
Genus Kallimoides Shirôzu & Nakanishi, 1984									
<i>K. rumia jadyae</i> (Fox, 1968)	x	x		x	x				
Genus Vanessula Dewitz, 1887									
<i>V. milca latifascia</i> Joicey & Talbot, 1928	x	x				x			
Totals for the subfamily Nymphalinae	33	28	6	30	24				
Subfamily Cyrestinae Guénée, 1865									
Genus Cyrestis Boisduval, 1832									
<i>C. camillus camillus</i> (Fabricius, 1781)	x	x	x	x					
Totals for the subfamily Cyrestinae	1	1	1	1	0				
Subfamily Biblidinae Boisduval, 1833									
Tribe Biblidini Boisduval, 1833									
Genus Byblia Hübner, 1819									
<i>B. anvatara crameri</i> Aurivillius, 1894	x	x	x	x	x				
Genus Mesoxantha Aurivillius, 1899									
<i>M. ethosea ethoseoides</i> Rebel, 1914	x	x							
Genus Ariadne Horsfield, 1829									
<i>A. enotrea suffusa</i> (Joicey & Talbot, 1921)	x	x							
<i>A. albifascia</i> (Joicey & Talbot, 1921)	x	x							
<i>A. pagenstecheri</i> (Suffert, 1904)	x								
<i>A. personata</i> (Joicey & Talbot, 1921)	x	x							
Genus Neptidopsis Aurivillius, 1899									
<i>N. ophione nucleata</i> Grünberg, 1911	x	x	x	x	x				
Genus Eurytela Boisduval, 1833									
<i>E. hiarbas hiarbas</i> (Drury, 1782)	x	x	x	x	x				
<i>E. dryope angulata</i> Aurivillius, 1899	x	x	x	x	x				
<i>E. alinda</i> Mabille, 1893	x								
Tribe Epicaliini Guénée, 1865									
Genus Sevenia Koçak, 1996									
<i>S. occidentalium occidentalium</i> (Mabille, 1876)	x	x			x				
<i>S. garega</i> (Karsch, 1892)	x	x			x	x			
<i>S. boisduvali omissa</i> (Rothschild, 1918)	x				x	x			
Totals for the subfamily Biblidinae	13	10	3	7	7				
Subfamily Apaturinae Boisduval, 1840									
Genus Apaturopis Aurivillius, 1899									
<i>A. cleochares cleochares</i> (Hewitson, 1873)	x	x	x	x					
Totals for the subfamily Apaturinae	1	1	1	1	0				
Subfamily Heliconiinae Swainson, 1822									
Tribe Acraeiini Boisduval, 1833									
Subtribe Acraeina Boisduval, 1833									
Genus Acraea Fabricius, 1807									
<i>A. unimaculata</i> Grose Smith, 1898						x			
<i>A. kraka</i> Aurivillius, 1893	x	x				x			
<i>A. rogersi rogersi</i> Hewitson, 1873	x	x	x	x	x	x			
<i>A. egina egina</i> (Cramer, 1775)	x	x	x	x	x	x			
<i>A. buettneri</i> Rogenhofer, 1890	x	x	x	x	x	x			
<i>A. abdera abdera</i> Hewitson, 1852	x	x	x	x	x	x			
<i>A. cepheus</i> (Linnaeus, 1758)	x	x	x	x	x	x			
<i>A. pseudogina</i> Westwood, 1852	x	x	x	x	x	x			
<i>A. asboloplinta asboloplinta</i> Karsch, 1894	x	x			x	x			
<i>A. caecilia caecilia</i> (Fabricius, 1781)	x				x			x	
<i>A. zetes zetes</i> (Linnaeus, 1758)	x	x	x	x	x	x	x	x	
<i>A. leucographa leucographa</i> Ribbe, 1889	x	x	x	x	x	x	x	x	
<i>A. insignis insignis</i> Distant, 1880	x	x		x	x	x	x	x	
<i>A. eltringhami</i> Joicey & Talbot, 1921	x				x	x	x	x	
<i>A. hamata batangi</i> Bernaud, Ducarme & Pierre, 2017						x	x	x	
<i>A. neobule neobule</i> Doubleday, 1847	x	x	x	x	x	x	x	x	
<i>A. quirina quirina</i> (Fabricius, 1781)	x	x		x	x	x	x	x	
<i>A. epaea epaea</i> (Cramer, 1779)	x	x	x	x	x	x	x	x	
<i>A. parageum kivuana</i> (Jordan, 1910)						x	x	x	
<i>A. tellus tellus</i> (Aurivillius, 1893)	x	x	x	x	x	x	x	x	
<i>A. schubotzi</i> (Grünberg, 1911)	x		x	x	x	x	x	x	
<i>A. ducarmei</i> Bernaud & Pierre, 2012	x	x		x	x	x	x	x	

TAXON	I	F	S	V	CFB	M	M	M	B
<i>A. formosa</i> (Butler, 1874)	x				x				
<i>A. kivuensis</i> (Joycey & Talbot, 1927)	x	x			x	x			
<i>A. poggei nelsoni</i> Grose-Smith & Kirby, 1892	x	x	x		x				
<i>A. leopoldina brevimacula</i> (Talbot, 1928)	x			x					
<i>A. epiprotea</i> (Butler, 1874)	x	x							
<i>A. elongata</i> (Butler, 1874)	x			x					
<i>A. persanguinea</i> (Rebel, 1914)	x				x				
<i>A. alcinoe camerunica</i> (Aurivillius, 1893)	x			x	x				
<i>A. umbra hemileuca</i> (Jordan, 1914)	x				x				
<i>A. consanguinea intermedia</i> (Aurivillius, 1899)	x			x	x				
<i>A. quadricolor latifasciata</i> (Sharpe, 1892)		x			x	x			
<i>A. pseuderyta</i> Godman & Salvini, 1890	x				x				
<i>A. macarista macarista</i> (Sharpe, 1906)	x	x	x	x	x	x			
Subtribe Actinotina Henning, 1992									
Genus Telchinia Hübner, 1819									
<i>T. perenna perenna</i> (Doubleday, 1847)	x	x	x			x			
<i>T. cinerea</i> (Neave, 1904)	x	x			x				
<i>T. orinata</i> (Oberthür, 1893)	x	x	x	x	x				
<i>T. penelope penelope</i> (Staudinger, 1896)	x	x	x	x	x	x			
<i>T. ntebiae ntebiae</i> (Sharpe, 1897)	x	x	x	x					
<i>T. amicitiae</i> (Heron, 1909)					x				
<i>T. quirinalis</i> (Grose Smith, 1900)	x	x			x				
<i>T. parrhasia servona</i> (Godart, 1819)	x	x	x	x					
<i>T. peneleos pelasgia</i> (Grose-Smith, 1900)	x	x	x	x	x				
<i>T. pelopeia</i> (Staudinger, 1896)	x		x	x					
<i>T. grosvenori</i> (Eltringham, 1912)		x		x					
<i>T. oreas oreas</i> (Sharpe, 1891)	x	x			x	x			
<i>T. semivitrea</i> (Aurivillius, 1895)	x	x	x	x					
<i>T. iturina</i> (Grose-Smith, 1890)	x	x			x				
<i>T. kalinzu</i> (Carpenter, 1936)	x	x			x				
<i>T. humiliis</i> (Sharpe, 1897)	x				x				
<i>T. pharsalus pharsalus</i> (Ward, 1871)	x	x			x	x			
<i>T. encedon encedon</i> (Linnaeus, 1758)	x	x			x	x			
<i>T. encedana</i> (Pierre, 1976)					x				
<i>T. ansorgei</i> (Grose-Smith, 1898)		x			x	x			
<i>T. disjuncta</i> (Grose-Smith, 1898)		x			x	x			
<i>T. jodutta jodutta</i> (Fabricius, 1793)	x	x			x	x			
<i>T. esebrria</i> (Hewitson, 1861)	x	x							
<i>T. alciope</i> (Hewitson, 1852)	x	x			x				
<i>T. aurivillii aurivillii</i> (Staudinger, 1896)	x	x	x						
<i>T. alciopoides</i> (Joycey & Talbot, 1921)	x				x				
<i>T. lycoa</i> (Godart, 1819)	x	x	x	x	x				
<i>T. toruna</i> (Grose-Smith, 1900)		x			x	x			
<i>T. serena</i> (Fabricius, 1775)	x	x	x	x	x				
<i>T. ventura ochrascens</i> (Sharpe, 1902)					x				
<i>T. pierrei</i> (Berger, 1981)		x			x				
<i>T. acerata</i> (Hewitson, 1874)	x	x			x	x			
<i>T. althoffi rubrofasciata</i> (Aurivillius, 1895)		x	x	x	x				
<i>T. oberthueri</i> (Butler, 1895)	x	x	x						
<i>T. uvui uvui</i> (Grose-Smith, 1890)		x			x	x			
<i>T. lumiri</i> (Bethune Baker, 1908)	x	x			x	x			
<i>T. bonasia bonasia</i> (Fabricius, 1775)	x	x	x	x	x				
<i>T. alicia alicia</i> (Sharpe, 1890)	x	x			x				
<i>T. sotikensis sotikensis</i> (Sharpe, 1892)	x	x			x	x			
<i>T. viviana</i> (Staudinger, 1896)	x	x			x	x			
<i>T. orestia orestia</i> (Hewitson, 1874)	x	x			x	x			
<i>T. vesperalis</i> (Grose Smith, 1890)	x				x				
<i>T. pentapolis pentapolis</i> (Ward, 1871)	x	x			x				
<i>T. anacreontica anacreontica</i> (Grose-Smith, 1898)					x	x			
Tribe Vagrantini Pinratana & Eliot, 1996									
Genus Lachnoptera Doubleday, 1847									
<i>L. anticia</i> (Hübner, 1819)	x	x	x	x					
Genus Phalanta Horsfield, 1829									
<i>P. phalantha aethiopica</i> (Rothschild & Jordan, 1903)		x	x		x	x			
<i>P. eurytis eurytis</i> (Doubleday, 1847)	x	x			x				
Tribe Argynnini Swainson, 1833									
Subtribe Argynnia Swainson, 1833									

Genus Issoria Hübner, 1819					
<i>I. baumannii excelsior</i> (Butler, 1896)		x		x	
Tribe incertae sedis					
Genus Pardopsis Trimen, 1887		x		x	
<i>P. punctatissima</i> (Boisduval, 1833)		x	x		
Totals for the subfamily Heliconiinae	68	64	32	72	32
Subfamily Limenitidinae Behr, 1864					
Tribe Pseudoneptini Dhungel & Wahlberg, 2018					
Genus Pseudoneptis Snellen, 1882					
<i>P. bugandensis ianthe</i> Hemming, 1964	x	x	x	x	x
Tribe Cymothoini Dhungel & Wahlberg, 2018					
Genus Cymothoe Hübner, 1819					
<i>C. reinholdi vitalis</i> Rebel, 1914	x	x	x	x	
<i>C. beckeri theodosia</i> Staudinger, 1890	x	x	x		x
<i>C. confusa</i> Aurivillius, 1887	x	x			x
<i>C. orphnina orphnina</i> Karsch, 1894	x				x
<i>C. cyclades</i> (Ward, 1871)	x	x	x		
<i>C. ochreatae</i> Grose Smith, 1890	x		x		
<i>C. lurida tristis</i> Overlaet, 1952	x		x		
<i>C. colmanti</i> Aurivillius, 1898	x		x	x	
<i>C. hyarbida hyarbitina</i> Aurivillius, 1897	x				
<i>C. hesiodotus clarior</i> Overlaet, 1952	x		x	x	x
<i>C. haynae diphya</i> Karsch, 1894	x			x	
<i>C. harmilla micans</i> Bouyer & Joly, 1995	x	x	x		
<i>C. indamora indamora</i> (Hewitson, 1866)	x	x	x	x	
<i>C. collarti collarti</i> Overlaet, 1942					x
<i>C. zenkeri</i> Richelmann, 1913	x		x		
<i>C. herminia herminia</i> (Grose-Smith, 1887)	x	x	x	x	x
<i>C. weymeri weymeri</i> Suffert, 1904	x	x	x	x	x
<i>C. eris capellae</i> Holland, 1920				x	
<i>C. caenis</i> (Drury, 1773)	x	x	x	x	x
<i>C. bouyeri</i> Vande weghe, 2011				x	
<i>C. arcuata</i> Overlaet, 1945			x		
<i>C. angulifascia</i> Aurivillius, 1897			x		
<i>C. aramus schoutedeni</i> Overlaet, 1952	x	x		x	
<i>C. distincta kivuenis</i> Overlaet, 1952	x				
<i>C. coccinata vrydaghi</i> Overlaet, 1944	x	x	x	x	x
<i>C. excelsa regisleopoldi</i> Overlaet, 1944	x		x	x	
<i>C. reginaelisabethae reginaelisabethae</i> Holland, 1920	x	x	x		x
<i>C. sangaris sangaris</i> (Godart, 1824)			x		
<i>C. hobarti mwamikazi</i> Overlaet, 1952	x	x		x	
<i>C. jodutta mostinckxi</i> Overlaet, 1952	x	x	x	x	
<i>C. isiro</i> Rydon, 1981	x				
<i>C. meridionalis ghesquierei</i> Overlaet, 1944			x		
Genus Harma Doubleday, 1848					
<i>H. theobene superna</i> (Fox, 1968)	x	x	x	x	
Tribe Neptini Newman, 1870					
Genus Neptis Fabricius, 1807					
<i>N. saclava marpessa</i> Hopffer, 1855	x	x		x	x
<i>N. metella metella</i> (Doubleday, 1850)	x	x			
<i>N. nysiades</i> Hewitson, 1868	x	x	x	x	
<i>N. nemetes margueriteae</i> Fox, 1968	x	x	x	x	x
<i>N. nicomedes</i> Hewitson, 1874	x		x	x	x
<i>N. strigata kakamega</i> Collins & Larsen, 1996		x	x		x
<i>N. nicobule</i> Holland, 1892	x	x	x		
<i>N. mixophyes</i> Holland, 1892	x				
<i>N. nicoteles</i> Hewitson, 1874	x				
<i>N. rothschildi</i> Eltringham, 1921	x				
<i>N. nina</i> Staudinger, 1896				x	
<i>N. melicerta</i> (Drury, 1773)	x	x	x	x	x
<i>N. liberti</i> Pierre & Pierre-Baltus, 1998	x	x			
<i>N. puella</i> Aurivillius, 1894	x			x	
<i>N. agouale parallela</i> Collins & Larsen, 1996		x		x	x
<i>N. lermannii</i> Aurivillius, 1896	x				
<i>N. jamesoni</i> Godman & Salvini, 1890	x		x		
<i>N. trigonophora melicertula</i> Strand, 1911	x		x		
<i>N. laeta</i> Overlaet, 1955	x	x		x	x
<i>N. kiriai</i> Overlaet, 1955	x	x			x

TAXON	I	F	S	V	CFB	M	M	M	B
<i>N. serena serena</i> Overlaet, 1955	x	x				x	x		
<i>N. morosa</i> Overlaet, 1955	x	x							
<i>N. seeldrayersi</i> Aurivillius, 1895	x	x	x						
<i>N. alta</i> Overlaet, 1955	x			x					
<i>N. angusta</i> Condamin, 1966	x								
<i>N. exaleuca suffusa</i> Rothschild, 1918	x					x	x		
<i>N. ochracea ochreata</i> Gaede, 1915	x	x				x	x		
<i>N. occidentalis occidentalis</i> Rothschild, 1918			x			x			
<i>N. continuata</i> Holland, 1892	x								
Tribe Adoliadini Doubleday, 1845									
Subtribe Bebearina Hemming, 1960									
Genus Evena Westwood, 1850									
<i>E. crithea</i> (Drury, 1773)	x	x					x		
<i>E. angustatum</i> (Felder & Felder, 1867)	x	x							
<i>E. oberthueri</i> (Karsch, 1894)	x	x	x						
Genus Aterica Boisduval, 1833									
<i>A. galene extensa</i> Heron, 1909	x	x	x	x	x				
Genus Pseudargynnis Karsch, 1892									
<i>P. hegemon</i> (Godart, 1819)	x	x			x	x			
Genus Cynandra Schatz, 1887									
<i>C. opis bernardii</i> Lagnel, 1967	x	x			x	x			
Genus Euryphura Staudinger, 1891									
<i>E. chalcis chalcis</i> (Felder & Felder, 1860)	x	x	x	x	x				
<i>E. porphyron fontainei</i> Hecq, 1990			x						
<i>E. plautilla</i> (Hewitson, 1865)	x		x	x	x				
<i>E. athymoides</i> Berger, 1981	x	x	x	x	x				
<i>E. ducarmei</i> Hecq, 1990			x						
<i>E. congoensis</i> Joicey & Talbot, 1921	x								
Genus Euryphurana Hecq, 1992									
<i>E. nobilis nobilis</i> (Staudinger, 1891)	x			x					
Genus Harmilla Aurivillius, 1892									
<i>H. elegans hawkera</i> Joicey & Talbot, 1926	x	x			x				
Genus Euphaedra Hübner, 1819									
<i>E. rubrocostata rubrocostata</i> (Aurivillius, 1897)	x	x			x				
<i>E. aurivillii</i> Niepelt, 1914	x				x				
<i>E. symphona symphona</i> Bethune-Baker, 1908	x				x				
<i>E. medon fraudata</i> Thurau, 1903	x	x			x	x			
<i>E. medon neustetteri</i> Niepelt, 1915	x								
<i>E. thalie</i> Hecq, 1981	x				x				
<i>E. ducarmei</i> Hecq, 1977	x								
<i>E. zaddachii zaddachii</i> Dewitz, 1879	x				x	x			
<i>E. barnsi</i> Joicey & Talbot, 1922					x				
<i>E. mirabilis nubila</i> Hecq, 1986				x					
<i>E. hewitsoni angusta</i> Hecq, 1974	x		x						
<i>E. maxima</i> Holland, 1920	x								
<i>E. graueri</i> Rothschild, 1918				x					
<i>E. karschi</i> Bartel, 1905					x				
<i>E. sinuosa sinuosa</i> Hecq, 1974	x			x					
<i>E. caerulescens caerulescens</i> Grose Smith, 1890	x								
<i>E. diffusa diffusa</i> Gaede, 1916	x	x		x					
<i>E. ansorgei</i> Rothschild, 1918				x					
<i>E. imitans</i> Holland, 1893	x		x	x	x				
<i>E. permixtum permixtum</i> (Butler, 1873)	x		x	x	x				
<i>E. eberti hamus</i> Berger, 1940	x	x			x	x			
<i>E. campaspe campaspe</i> (Felder & Felder, 1867)	x		x						
<i>E. ueleana</i> Hecq, 1982	x		x	x					
<i>E. uniformis</i> Berger, 1981	x		x	x					
<i>E. adonina spectacularis</i> Hecq, 1997	x		x						
<i>E. sarita sarita</i> (Sharpe, 1891)	x		x						
<i>E. intermedia</i> Rebel, 1914	x								
<i>E. viridicaerulea inanoides</i> Holland, 1920	x								
<i>E. cottoni</i> Sharpe, 1907	x		x						
<i>E. ravola</i> (Hewitson, 1866)	x								
<i>E. preussi preussi</i> Staudinger, 1891	x	x	x	x	x				
<i>E. vicina vicina</i> Hecq, 1984	x			x					
<i>E. procerata</i> Hecq, 1984	x	x			x				
<i>E. subprocera</i> Hecq, 1984	x	x							
<i>E. albofasciata</i> Berger, 1981						x	x	x	
<i>E. disjuncta disjuncta</i> Hecq, 1984						x		x	
<i>E. fascinata</i> Hecq, 1984						x			
<i>E. subferruginea</i> Guillaumin, 1976						x			
<i>E. fulvofasciata</i> Hecq, 1984						x			
<i>E. eleus eleus</i> (Drury, 1782)						x	x	x	
<i>E. simplex</i> Hecq, 1978						x			
<i>E. hybrida</i> Hecq, 1978						x	x	x	
<i>E. alacris</i> Hecq, 1978						x	x	x	
<i>E. rattrayi rattrayi</i> Sharpe, 1904						x	x		
<i>E. ruspina</i> (Hewitson, 1865)						x	x		x
<i>E. edwardsii langoueensis</i> Oremans, 2010						x			
<i>E. harpalyc spatiosa</i> (Mabille, 1876)						x	x		x
<i>E. losinga losinga</i> (Hewitson, 1864)						x	x		x
Genus Euriphene Boisduval, 1847									
<i>E. doriclea infusca</i> Capronnier, 1889						x	x	x	x
<i>E. melanops</i> (Aurivillius, 1897)						x			x
<i>E. goniogramma</i> (Karsch, 1894)						x	x		x
<i>E. camarensis</i> (Ward, 1871)						x			
<i>E. luteostriata</i> (Bethune-Baker, 1908)						x	x	x	
<i>E. butleri remota</i> Hecq, 1994								x	
<i>E. butleri kivuensis</i> Jackson, 1957						x			
<i>E. ituriensis</i> (Jackson & Howarth, 1957)								x	x
<i>E. ribensis</i> (Ward, 1871)						x		x	
<i>E. adumbra</i> (Joicey & Talbot, 1928)						x		x	
<i>E. atossa australis</i> d' Abrera, 1980						x	x		
<i>E. gambiae gabonica</i> Bernardi, 1966						x	x	x	
<i>E. amaranta</i> (Karsch, 1894)						x	x		x
<i>E. mawamba</i> Bethune-Baker, 1908						x			
<i>E. alberici</i> (Dufrane, 1945)						x			
<i>E. conjungens chalybeata</i> (Talbot, 1937)						x		x	
<i>E. obsoleta obsoleta</i> (Grünberg, 1908)						x		x	
<i>E. amicia excelsior</i> (Rebel, 1911)						x	x	x	
<i>E. tadema nigropunctata</i> (Aurivillius, 1901)						x			
<i>E. saphirina saphirina</i> (Karsch, 1894)						x	x	x	x
<i>E. intermixta</i> (Aurivillius, 1904)						x		x	
<i>E. incerta kivu</i> Hecq, 2002						x			
Genus Bebearia Hemming, 1960									
<i>B. languida</i> (Schultze, 1920)						x	x	x	x
<i>B. carshena</i> (Hewitson, 1871)						x	x		x
<i>B. absolon absoloni</i> (Fabricius, 1793)						x	x		
<i>B. abesa pandera</i> Hecq, 1988						x	x		
<i>B. micans</i> (Aurivillius, 1899)						x		x	
<i>B. zonara</i> (Butler, 1871)						x	x	x	
<i>B. mandinga beni</i> Hecq, 1990						x	x	x	
<i>B. oxione squalida</i> (Talbot, 1928)						x			x
<i>B. partita</i> (Aurivillius, 1895)						x	x		x
<i>B. cornus retracta</i> Hecq, 1989						x			
<i>B. ikelemba kamituga</i> Berger, 1981						x			
<i>B. improvisa</i> Hecq, 2000						x			
<i>B. barce maculata</i> (Aurivillius, 1912)						x	x	x	
<i>B. staudingeri staudingeri</i> (Aurivillius, 1893)						x		x	
<i>B. plistonax</i> (Hewitson, 1874)						x			x
<i>B. cocalia katera</i> (van Someren, 1939)						x		x	x
<i>B. guineensis</i> (Felder & Felder, 1867)								x	
<i>B. sophus aruunda</i> (Overlaet, 1955)						x	x	x	x
<i>B. cottoni</i> (Bethune-Baker, 1908)						x	x	x	
<i>B. fulgurata</i> (Aurivillius, 1904)						x	x	x	x
<i>B. dowsetti</i> Hecq, 1990								x	
<i>B. brunhilda iturina</i> (Karsch, 1894)						x	x	x	
<i>B. laetitia laetitia</i> (Joicey & Talbot, 1921)						x	x	x	
<i>B. congoensis</i> (Capronnier, 1889)						x			
<i>B. hargreavesi</i> d' Abrera, 1980						x			
<i>B. severini</i> (Aurivillius, 1897)						x		x	
<i>B. phranza moreelsi</i> d' Abrera, 1980						x		x	
<i>B. laetitia laetitia</i> (Plötz, 1880)						x		x	x
<i>B. aurora aurora</i> (Aurivillius, 1896)						x	x	x	x
<i>B. flaminia flaminia</i> (Staudinger, 1891)						x			x
<i>B. ducarmei</i> Hecq, 1987						x		x	x
<i>B. maximiana</i> (Staudinger, 1891)						x	x	x	x
<i>B. deflueria</i> Hecq, 1998						x		x	x
<i>B. phantasia concolor</i> Hecq, 1988						x	x	x	x

TAXON	I	F	S	V	CFB	M	M	M	B
<i>B. nivaria tenuimacula</i> Berger, 1981	x			x					
<i>B. makala makala</i> (Bethune-Baker, 1908)	x	x	x						
<i>B. chloeropis</i> (Bethune-Baker, 1908)	x		x	x					
<i>B. eliensis unita</i> (Capronnier, 1889)				x					
<i>B. braytoni</i> (Sharpe, 1907)	x								
<i>B. leptotypa</i> (Bethune-Baker, 1908)	x				x				
<i>B. picturata</i> Hecq, 1989				x					
Genus Euptera Staudinger, 1891									
<i>E. elabontas elabontas</i> (Hewitson, 1871)	x		x	x					
<i>E. neptunus</i> Joicey & Talbot, 1924	x		x	x					
<i>E. semirufa</i> Joicey & Talbot, 1921	x		x						
<i>E. chothyma</i> Libert, 2017			x	x					
<i>E. hirundo</i> Staudinger, 1891	x	x		x					
<i>E. amieti</i> Collins & Libert, 1998	x			x					
<i>E. schultzei</i> Libert & Chovet, 1998	x								
<i>E. mirifica</i> Carpenter & Jackson, 1950	x		x	x					
<i>E. miranda</i> Libert, 2014	x			x					
<i>E. fallax</i> Libert, 2014					x				
<i>E. grepri grepri</i> Libert, 2014	x								
<i>E. freyja ornata</i> Libert, 1998	x								
<i>E. crowleyi centralis</i> Libert, 1995	x		x	x					
<i>E. falsathyma</i> Schultze, 1916	x		x	x					
<i>E. choveti Amiet & Collins, 1998</i>	x		x						
<i>E. ginetae</i> Libert, 2005	x								
<i>E. liberti</i> Collins, 1987	x			x					
<i>E. ducarmei</i> Collins, 1998	x	x							
<i>E. pluto pluto</i> (Ward, 1873)	x	x	x	x					
<i>E. debruynei</i> (Hecq, 1990)	x								
<i>E. ituriensis</i> Libert, 1998	x		x						
Genus Pseudathyma Staudinger, 1891									
<i>P. plutonica plutonica</i> Butler, 1902	x	x		x					
<i>P. neptidina</i> Karsch, 1894	x	x	x	x					
<i>P. jacksoni kivuensis</i> Libert, 2002	x			x					
<i>P. callina</i> (Grose-Smith, 1898)	x		x	x					
<i>P. michelae</i> Libert, 2002	x			x					
<i>P. cyrili</i> Chovet, 2002	x		x	x					
Genus Hamanumida Hübner, 1819									
<i>H. daedalus</i> (Fabricius, 1775)	x	x		x	x				
Tribe Pseudacraeini Dhungel & Wahlberg, 2018									
Genus Pseudacraea Westwood, 1850									
<i>P. eurytus eurytus</i> (Linnaeus, 1758)	x	x	x	x					
<i>P. dolomena congoensis</i> Jackson, 1951	x		x	x	x				
<i>P. rubrobasalis</i> Aurivillius, 1903	x		x	x					
<i>P. kuenowii</i> kuenowii Dewitz, 1879	x		x	x					
<i>P. clarkei</i> Butler & Rothschild, 1892	x		x	x					
<i>P. acholica mayenceae</i> Hecq, 1987				x	x				
<i>P. boisduvalii</i> boisduvalii (Doubleday, 1845)	x	x	x	x					
<i>P. lucretia protracta</i> (Butler, 1875)	x	x	x	x	x				
<i>P. deludens ducarmei</i> Hecq, 1990					x				
<i>P. deludens rwandaensis</i> Hecq, 1991					x				
<i>P. semire</i> (Cramer, 1779)	x	x			x	x			
<i>P. warburgi</i> Aurivillius, 1892	x		x						
Tribe incertae sedis									
Genus Kumothales Overlaet, 1940									
<i>K. inexpectata</i> Overlaet, 1940					x				
Totals for the subfamily Limenitidinae	201	90	97	125	54				
FAMILY PIERIDAE Swainson, 1820									
Subfamily Pseudopontiinae Reuter, 1896									
Genus Pseudopontia Plötz, 1870									
<i>P. paradoxa</i> (Felder & Felder, 1869)	x	x							
Totals for the subfamily Pseudopontiinae	1	1	0	0	0				
Subfamily Coliadinae Swainson, 1821									
Genus Eurema Hübner, 1819									
<i>E. hecate solifera</i> (Butler, 1875)	x	x	x	x	x				
<i>E. floricola leonis</i> (Butler, 1886)	x	x	x						
<i>E. senegalensis</i> (Boisduval, 1836)	x	x		x					
<i>E. desjardinsi regularis</i> (Butler, 1876)	x	x		x	x				
<i>E. mandarinula</i> (Holland, 1892)			x		x	x			
<i>E. brigitta brigitta</i> (Stoll, 1780)	x	x		x	x				
<i>E. hapale</i> (Mabille, 1882)						x	x	x	x
Genus Catopsilia Hübner, 1819									
<i>C. florella</i> (Fabricius, 1775)						x	x	x	x
Genus Colias Fabricius, 1807									
<i>C. electo pseudohecate</i> Berger, 1940								x	x
Totals for the subfamily Coliadinae	7	8	4	8	7				
Subfamily Pierinae Swainson, 1820									
Tribe Leptosiaini Braby, 2014									
Genus Leptosia Hübner, 1818									
<i>L. marginata</i> (Mabille, 1890)						x	x		x
<i>L. hybrida somereni</i> Bernardi, 1959						x	x	x	x
<i>L. wigginsi wigginsi</i> (Dixey, 1915)						x			
<i>L. nupta pseudonupta</i> Bernardi, 1959						x	x	x	x
<i>L. alcesta inalcesta</i> Bernardi, 1959						x			
Tribe Nepheroniini Braby, 2014									
Genus Nepheronia Butler, 1870									
<i>N. pharis pharis</i> (Boisduval, 1836)						x	x	x	
<i>N. thalassina verulanus</i> (Ward, 1871)						x	x	x	x
<i>N. argia argia</i> (Fabricius, 1775)						x	x	x	x
<i>N. buquetii buquetii</i> (Boisduval, 1836)						x			
Tribe Teracolini Reuter, 1896									
Genus Colotis Hübner, 1819									
<i>C. euipe euipe</i> (Linnaeus, 1758)						x	x		x
<i>C. aurigineus</i> (Butler, 1883)							x		
<i>C. vesta princeps</i> Talbot, 1939						x			
<i>C. protomedia</i> (Klug, 1829)						x			
<i>C. ione</i> (Godart, 1819)						x			
<i>C. hetaera ankoleensis</i> Stoneham, 1940						x		x	
<i>C. elgonensis basilewskyi</i> Berger, 1956						x	x	x	x
<i>C. danae eupompe</i> (Klug, 1829)						x			
<i>C. evarde</i> (Klug, 1829)						x			
<i>C. antevippe zera</i> (Lucas, 1852)						x		x	
<i>C. evagore antigone</i> (Boisduval, 1836)						x		x	
Genus Eronia Hübner, 1823									
<i>E. cleodora</i> Hübner, 1823						x		x	
Genus Pinacopteryx Wallengren, 1857									
<i>P. eriphia wittei</i> Berger, 1940								x	
Genus Afrodryas Stoneham, 1957									
<i>A. leda</i> (Boisduval, 1847)						x		x	
Tribe Pierini Swainson, 1820									
Subtribe Appiadina Kuzsenov, 1921									
Genus Appias Hübner, 1819									
<i>A. perlucens</i> (Butler, 1898)						x		x	x
<i>A. sabina sabina</i> (Felder & Felder, 1865)						x	x	x	x
<i>A. phaola intermedia</i> Dufrane, 1848						x		x	x
<i>A. epaphia epaphia</i> (Cramer, 1779)						x	x	x	x
<i>A. sylvia zairensis</i> Berger, 1981						x		x	
Subtribe Pierina Swainson, 1820									
Genus Pontia Fabricius, 1807									
<i>P. helice johnstonii</i> (Crowley, 1887)								x	x
Subtribe Aporiina Chapman, 1895									
Genus Belenois Hübner, 1819									
<i>B. creona severina</i> (Stoll, 1781)						x	x		x
<i>B. aurota</i> (Fabricius, 1793)						x	x		x
<i>B. gidica gidica</i> (Godart, 1819)						x	x		
<i>B. raffrayi extendens</i> (Joicey & Talbot, 1927)						x	x	x	x
<i>B. zochalia agrippinides</i> (Holland, 1896)						x	x	x	x
<i>B. crawshayi</i> Butler, 1894						x	x		x
<i>B. victoria schoutedeni</i> Berger, 1953									x
<i>B. victoria hecqui</i> Berger, 1953									x
<i>B. subeida subeida</i> (Felder & Felder, 1865)						x	x		x
<i>B. calypso marlieri</i> Berger, 1981						x		x	
<i>B. thysa meldolae</i> Butler, 1872							x		x
<i>B. theora laeta</i> (Weymer, 1903)						x	x	x	x
<i>B. theuszi</i> (Dewitz, 1889)						x	x	x	x
<i>B. solilucis loveni</i> (Aurivillius, 1921)						x	x		x
<i>B. rubrosignata rubrosignata</i> (Weymer, 1901)						x			
<i>B. sudanensis katalensis</i> Berger, 1981						x	x		x
Genus Dixeia Talbot, 1932									
<i>D. dixeyi</i> (Neave, 1904)						x	x		x
<i>D. pigea</i> (Boisduval, 1836)						x	x		x

TAXON	I	F	S	V	CFB	M	M	M	B
<i>D. orbona vidua</i> (Butler, 1900)					x				
Genus <i>Mylothris</i> Hübner, 1819									
<i>M. croceus</i> Butler, 1896	x	x			x	x			
<i>M. alberici</i> Dufrane, 1940		x			x				
<i>M. flaviana interposita</i> Joicey & Talbot, 1921	x								
<i>M. similis noel</i> Talbot, 1944	x	x							
<i>M. chloris chloris</i> (Fabricius, 1775)	x	x			x	x			
<i>M. agathina richlora</i> Suffet, 1904	x	x			x	x			
<i>M. sjostedti hecqui</i> Berger, 1952	x	x			x	x			
<i>M. nubila canescens</i> Joicey & Talbot, 1922	x				x				
<i>M. rhodope</i> (Fabricius, 1775)	x	x			x	x			
<i>M. elodina pelenge</i> Berger, 1981	x	x							
<i>M. kiwuensis kiwuensis</i> Grünberg, 1910	x				x				
<i>M. mafuga</i> Berger, 1981		x			x				
<i>M. alcuana alcuana</i> Grünberg, 1910	x	x			x				
<i>M. continua continua</i> Talbot, 1944	x	x			x	x			
<i>M. basalis</i> Aurivillius, 1906	x				x				
<i>M. jacksoni jacksoni</i> Sharpe, 1891		x			x	x			
<i>M. ducarnei</i> Hecq, 2001					x				
<i>M. asphodelus</i> Butler, 1888	x				x				
<i>M. bernice berenices</i> Holland, 1896	x				x				
<i>M. rubricosta pulchra</i> Berger, 1981						x			
Totals for the subfamily Pierinae	43	50	13	49	25				
Totals for the family Pieridae	51	59	17	57	32				
FAMILY RIODINIDAE Grote, 1895									
Subfamily Nemeobiinae Bates, 1868									
Tribe Abisarini Stichel, 1928									
Subtribe Abisarina Stichel, 1928									
Genus Afriodinia d'Abrera, 2009									
<i>A. tantalus cyanis</i> (Callaghan, 2003)	x	x	x	x					
<i>A. rutherfordii cyclops</i> (Riley, 1932)	x		x						
<i>A. caeca caeca</i> (Rebel, 1914)	x			x					
<i>A. neavei kivuensis</i> (Riley, 1932)	x			x	x				
<i>A. rogersi simulacris</i> (Riley, 1932)	x	x		x	x				
Totals for the family Riodinidae	5	2	2	4	2				
FAMILY LYCAENIDAE Leach, 1815									
Subfamily Poritiinae Doherty, 1886									
Tribe Pentilini Aurivillius, 1914									
Genus Ptelina Clench, 1965									
<i>P. carnuta</i> (Hewitson, 1873)	x	x			x				
<i>P. subhyalina</i> (Joicey & Talbot, 1921)	x	x							
Genus Pentila Westwood, 1851									
<i>P. pauli multiplagata</i> Bethune-Baker, 1908	x	x			x				
<i>P. umangiana umangiana</i> Aurivillius, 1898	x	x	x	x	x				
<i>P. inconspicua</i> Druce, 1910	x	x			x	x			
<i>P. tachyroides isiro</i> Berger, 1981	x	x	x	x	x				
<i>P. cloetensi catauga</i> Rebel, 1914	x	x	x	x	x				
<i>P. maculata subochracea</i> Hawker-Smith, 1933	x				x				
<i>P. christina</i> Suffert, 1904	x								
<i>P. alba</i> Dewitz, 1887	x	x			x				
<i>P. glaeossa</i> (Holland, 1893)	x								
<i>P. hewitsoni limbata</i> (Holland, 1893)	x								
Genus Liptenara Bethune-Baker, 1915									
<i>L. hiendmayri</i> (Dewitz, 1887)	x				x				
<i>L. schoutedeni</i> (Hawker Smith, 1926)	x								
Genus Telipna Aurivillius, 1895									
<i>T. acraea nigrita</i> Jackson, 1969				x					
<i>T. aurivillii aurivillii</i> Rebel, 1914	x	x	x	x					
<i>T. medjensis</i> Holland, 1920	x	x		x					
<i>T. kaputui</i> Libert, 2005					x				
<i>T. hollandi hollandi</i> Joicey & Talbot, 1921	x								
<i>T. ducarnei</i> Libert, 2005				x					
<i>T. citrimaculata neavei</i> Bethune-Baker, 1926	x				x				
<i>T. sanguinea sanguinea</i> (Plötz, 1880)	x				x				
<i>T. consanguinea consanguinea</i> Rebel, 1914	x	x	x						
<i>T. nyanza katangae</i> Stempffer, 1961	x	x	x	x	x				

Genus Ornipholidotos Bethune-Baker, 1914					
<i>O. ugandae ugandae</i> Stempffer, 1947	x				
<i>O. ginettae</i> Libert, 2005	x				
<i>O. kivu</i> Collins & Larsen, 2000					x
<i>O. katangae reducta</i> Libert, 2005	x		x	x	
<i>O. amieti angulata</i> Libert, 2005	x	x	x	x	
<i>O. overlaeti fontainei</i> Libert, 2005	x				
<i>O. gemina fourniera</i> Libert, 2005	x		x		
<i>O. congoensis</i> Stempffer, 1964	x				
<i>O. jacksoni jacksoni</i> Stempffer, 1961	x				
<i>O. nbeti</i> Libert, 2006	x			x	
<i>O. ducarnei</i> Libert, 2005	x	x		x	
<i>O. latimargo</i> (Hawker-Smith, 1933)	x				
<i>O. emarginata emarginata</i> (Hawker-Smith, 1933)					x
<i>O. aureliae</i> Libert, 2005					x
<i>O. paradoxoa orientis</i> Libert, 2005	x	x		x	
<i>O. nancy</i> Collins & Larsen, 2000	x				
Genus Cooksonia Druce, 1905					
<i>C. ginettae</i> Collins & Larsen, 2008			x	x	
Tribe Liptenini Röber, 1892					
Genus Liptena Westwood, 1851					
<i>L. fatima</i> (Kirby, 1890)	x	x			
<i>L. batesana</i> Bethune-Baker, 1926	x			x	
<i>L. nigromarginata</i> Stempffer, 1961	x			x	
<i>L. subsuffusa</i> Hawker-Smith, 1933				x	
<i>L. undularis</i> Hewitson, 1866	x		x		
<i>L. ducarnei</i> Schröder, 2013				x	
<i>L. opaca sankuru</i> Bennett & May, 1974	x				
<i>L. albomacula</i> Hawker-Smith, 1933	x	x	x		
<i>L. perobscura</i> Druce, 1910	x				
<i>L. eukrines</i> Druce, 1905				x	
<i>L. decipiens leucostola</i> (Holland, 1890)	x				
<i>L. fontainei</i> Stempffer, Bennett & May, 1974		x			
<i>L. xanthostola xantha</i> (Grose-Smith, 1901)	x	x	x	x	x
<i>L. flavicans praeusta</i> Schultze, 1917	x		x	x	
<i>L. lloydii</i> Collins & Larsen, 2008				x	
<i>L. undina</i> (Grose-Smith & Kirby, 1894)	x			x	
<i>L. durbania</i> Bethune-Baker, 1915	x			x	
<i>L. bergeri</i> Stempffer, Bennett & May, 1974	x			x	
<i>L. o-rubrum tripunctata</i> (Grose-Smith & Kirby, 1894)	x		x	x	
<i>L. congoana</i> Hawker-Smith, 1933	x			x	
<i>L. turbata</i> (Kirby, 1890)	x			x	
<i>L. lualaba</i> Berger, 1981	x			x	
<i>L. despecta</i> (Holland, 1890)	x		x	x	
<i>L. modesta</i> (Kirby, 1890)	x			x	
<i>L. praestans</i> Schultze, 1923	x			x	
<i>L. rubromacula jacksoni</i> Carpenter, 1934				x	
Genus Obania Collins & Larsen					
<i>O. tulliana</i> (Grose-Smith, 1901)	x				
Genus Kakumia Collins & Larsen, 1998					
<i>K. ferruginea</i> (Schultze, 1923)	x				
<i>K. otauga</i> (Grose-Smith & Kirby, 1890)	x				
<i>K. ideoides</i> (Dewitz, 1887)	x		x	x	
Genus Tetrarhanis Karsch, 1893					
<i>T. ilma ilma</i> (Hewitson, 1873)	x	x	x	x	
<i>T. ilma daltoni</i> Poulton, 1929				x ⁵	
<i>T. stempfferi stempfferi</i> (Berger, 1954)	x		x	x	
Genus Falcuna Stempffer & Bennett, 1963					
<i>F. iturina</i> Stempffer & Bennett, 1963	x	x	x	x	
<i>F. kasai</i> Stempffer & Bennett, 1963	x		x		
<i>F. margarita</i> (Suffert, 1904)			x		x
<i>F. orientalis bwamba</i> Stempffer & Bennett, 1963	x			x	
Genus Larinopoda Butler, 1871					
<i>L. tera</i> (Hewitson, 1873)	x	x	x	x	x
<i>L. lagrya lagrya</i> (Hewitson 1866)	x	x		x	
<i>L. lircaea</i> (Hewitson, 1866)			x		
Genus Micropentila Aurivillius, 1895					

TAXON	I	F	S	V	CFB	M	M	M	B
<i>M. fontainei</i> Stempffer & Bennett, 1965	x					x			
<i>M. mpigi</i> Stempffer & Bennett, 1965	x								
<i>M. jacksoni</i> Talbot, 1937						x			
<i>M. adelgitha</i> (Hewitson, 1874)	x	x	x	x					
<i>M. mukanirwai</i> Schröder, 2012	x					x			
<i>M. cingulum</i> Druce, 1910	x								
<i>M. dorothaea</i> Bethune-Baker, 1903						x			
<i>M. sankuru</i> Stempffer & Bennett, 1965	x					x			
<i>M. cherereti</i> Stempffer & Bennett, 1965						x			
<i>M. ugandae</i> Hawker-Smith, 1933	x					x			
<i>M. katerae</i> Stempffer & Bennett, 1965	x					x			
<i>M. victoriae</i> Stempffer & Bennett, 1965	x					x			
<i>M. subplagata</i> Bethune-Baker, 1915	x								
<i>M. bunyoro</i> Stempffer & Bennett, 1965	x					x			
<i>M. brunnea centralis</i> Bennett, 1966	x					x			
Genus Pseuderesia Butler, 1874									
<i>P. vidua</i> Talbot, 1937	x	x				x			
<i>P. eleaza katerae</i> Stempffer, 1961	x					x			
Genus Eresina Aurivillius, 1899									
<i>E. toroensis</i> Joicey & Talbot, 1921	x					x			
<i>E. bergeri</i> Stempffer, 1956	x					x			
<i>E. bilineata</i> Talbot, 1935	x					x	x		
<i>E. rougeoti</i> Stempffer, 1956	x	x				x			
<i>E. jacksoni</i> Stempffer, 1961	x					x			
Genus Eriostomera Clench, 1965									
<i>E. rutilo</i> (Druce, 1910)						x			
<i>E. magnimacula</i> (Rebel, 1914)	x	x				x			
Genus Parasiomera Sáfián & Collins, 2015									
<i>P. kivuensis</i> Sáfián & Collins, 2015						x			
Genus Citrinophila Kirby, 1887									
<i>C. erastus pallida</i> Hawker-Smith, 1933	x				x	x			
<i>C. terias</i> Joicey & Talbot, 1921	x								
<i>C. unipunctata</i> Bethune-Baker, 1908	x	x	x	x					
<i>C. tenera</i> (Kirby, 1887)	x								
Genus Argyrocheila Staudinger, 1892									
<i>A. undifera ugandae</i> Hawker-Smith, 1933	x	x				x			
<i>A. inundifera</i> Hawker-Smith, 1933	x								
Genus Toxochitona Stempffer, 1956									
<i>T. sankuru</i> Stempffer, 1961	x					x			
<i>T. gerda</i> (Kirby, 1890)	x					x			
Genus Mimacraea Butler, 1872									
<i>M. landbecki</i> Druce, 1910	x								
<i>M. telloides</i> Schultze, 1923	x					x			
<i>M. abriana</i> Libert & Collins, 2000	x								
<i>M. fulvaria fulvaria</i> Aurivillius, 1895	x			x					
<i>M. paragora paragora</i> Rebel, 1911	x					x			
<i>M. krausei krausei</i> Dewitz, 1889	x					x			
Genus Mimeresia Stempffer, 1961									
<i>M. debora barnsi</i> (Hawker-Smith, 1933)	x					x			
<i>M. neavei</i> (Joicey & Talbot, 1921)	x	x				x			
<i>M. dinora discirubra</i> (Talbot, 1937)	x								
<i>M. drucei ugandae</i> (Stempffer, 1954)	x					x			
<i>M. moreelsi purpurea</i> (Hawker-Smith, 1933)	x	x				x			
<i>M. russulus russulus</i> (Druce, 1910)	x					x			
<i>M. favillacea griseata</i> (Talbot, 1937)	x								
Tribe Epitolini Jackson, 1962									
Genus Iridana Aurivillius, 1920									
<i>I. marina</i> Talbot, 1935	x								
<i>I. katerae</i> Stempffer, 1964	x								
<i>I. incredibilis</i> (Staudinger, 1891)	x								
<i>I. hypocala</i> Eltringham, 1929	x	x				x			
<i>I. unyoro</i> Stempffer, 1964	x					x			
<i>I. ducarmeae</i> Bouyer, 2013	x					x			
<i>I. noellae</i> Bouyer, 2014						x			
Genus Teratoneura Dudgeon, 1909									
<i>T. isabellae congoensis</i> Stempffer, 1954	x					x			
Genus Epitola Westwood, 1851									
<i>E. uranooides uranooides</i> Libert, 1999	x								
<i>E. urania</i> Kirby, 1887	x					x			
Genus Cerautola Libert, 1999									
<i>C. ceraunia</i> (Hewitson, 1873)						x			x
<i>C. semibrunea semibrunea</i> (Bethune-Baker, 1916)						x			x
<i>C. adolphi friderici</i> (Schultze, 1911)						x			x
<i>C. crowleyi holochroma</i> (Berger, 1981)						x			x
<i>C. miranda vidua</i> (Talbot, 1935)						x	x		x
<i>C. mittoni</i> (Jackson, 1964)							x		x
<i>C. subargentea subargentea</i> (Jackson, 1965)							x		x
Genus Hewitola Libert, 1999									
<i>H. decellei</i> (Stempffer, 1956)	x					x			
Genus Geritola Libert, 1999									
<i>G. gerina</i> (Hewitson, 1878)						x			x
<i>G. dubia</i> (Jackson, 1964)						x	x	x	
<i>G. liana</i> (Roche, 1954)						x			x
<i>G. cynaea</i> (Jackson, 1964)						x			x
<i>G. zelica</i> (Kirby, 1890)						x			x
<i>G. concepcion</i> (Suffert, 1904)									x
Genus Stempfferia Jackson, 1962									
<i>S. cercene</i> (Hewitson, 1873)						x	x		x
<i>S. insulana</i> (Aurivillius, 1923)						x		x	x
<i>S. cercenoides</i> (Holland, 1890)						x	x		x
<i>S. sylviae</i> Libert, 1999						x			
<i>S. marginata</i> (Kirby, 1887)						x			x
<i>S. gordoni</i> (Druce, 1903)						x			
<i>S. annae</i> Libert, 1999						x	x		x
<i>S. ciconia mongiro</i> (Jackson, 1968)						x			
<i>S. cinerea</i> (Berger, 1981)						x	x	x	x
<i>S. badura contrasta</i> Libert, 1999						x			x
<i>S. congoana</i> (Aurivillius, 1923)						x			x
<i>S. iturina</i> (Joicey & Talbot, 1921)						x			x
<i>S. ginettiae ginettiae</i> Libert, 1999						x	x	x	x
<i>S. flavoantennata</i> (Roche, 1954)						x			
<i>S. tumentia</i> (Druce, 1910)						x		x	
Genus Cephetola Libert, 1999									
<i>C. cepheana cepheana</i> (Hewitson, 1873)						x			x
<i>C. viridana</i> (Joicey & Talbot, 1921)						x	x		x
<i>C. maculata</i> (Hawker-Smith, 1926)						x			x
<i>C. eliasis angustata</i> Libert & Collins, 1999									x
<i>C. orientalis</i> (Roche, 1954)						x			x
<i>C. barnsi</i> Libert, 1999						x			
<i>C. catuna catuna</i> (Kirby, 1890)						x	x	x	x
<i>C. nigra</i> (Bethune-Baker, 1903)						x			
<i>C. ghesquierei</i> (Roche, 1954)						x			x
<i>C. subgriseata</i> (Jackson, 1964)						x			
<i>C. kiellandi</i> (Libert & Congdon, 1998)						x			x
<i>C. katerae</i> (Jackson, 1962)						x	x		
<i>C. aureliae</i> Libert, 1999							x		x
<i>C. pinodes budduana</i> (Talbot, 1937)						x	x	x	
<i>C. kisusui</i> (Manuscript name)									x
<i>C. epitolina</i> Libert & Collins, 1999						x			
<i>C. tanzaniensis</i> Libert, 1999						x			
<i>C. sublustris</i> (Bethune-Baker, 1904)						x			
<i>C. vinalli</i> (Talbot, 1935)						x			x
<i>C. kakamegae</i> Libert & Collins, 1999						x			x
<i>C. ducarmeae</i> Libert, 1999						x			x
<i>C. mpangensis</i> (Jackson, 1962)							x		x
Genus Batelusia Druce, 1910									
<i>B. zebra</i> Druce, 1910						x			x
Genus Pseudoneaveia Stempffer, 1964									
<i>P. jacksoni</i> Stempffer, 1964						x			
Genus Neaveia Druce, 1910									
<i>N. lamborni orientalis</i> Jackson, 1962						x			x
Genus Epitolina Aurivillius, 1895									
<i>E. dispar</i> (Kirby, 1887)						x		x	x
<i>E. melissa</i> (Druce, 1888)						x	x	x	x
<i>E. catori ugandae</i> Jackson, 1962						x		x	
Genus Hypophysita Clench, 1965									
<i>H. benitensis minziro</i> Libert & Collins, 1999						x			x
<i>H. vansomereni</i> (Jackson, 1964)						x		x	
<i>H. henleyi</i> (Kirby, 1890)						x			
<i>H. reducta</i> (Aurivillius, 1923)						x			

TAXON	I	F	S	V	CFB	M	M	M
<i>H. hyetta hyetta</i> (Hewitson, 1873)	x							
Genus <i>Phytala</i> Westwood, 1851								
<i>P. elais ugandae</i> Jackson, 1964	x					x		x
<i>P. elais elais</i> Westwood, 1851					x			
Genus <i>Neopeiptola</i> Jackson, 1964								
<i>N. barombiensis</i> (Kirby, 1890)	x					x		
Genus <i>Aethiopana</i> Bethune-Baker, 1915								
<i>A. honorius honorius</i> (Fabricius, 1793)	x	x				x		
Genus <i>Hewitsonia</i> Kirby, 1871								
<i>H. congoensis</i> Joicey & Talbot, 1921	x						x	
<i>H. ugandae ugandae</i> Jackson, 1962	x			x		x		
<i>H. magdalena</i> Stempffer, 1951	x	x				x		
<i>H. inexpectata</i> Bouyer, 1997	x			x				
<i>H. intermedia</i> Jackson, 1962	x	x				x		
Genus <i>Powellana</i> Bethune-Baker, 1908								
<i>P. cottoni</i> Bethune-Baker, 1908	x	x	x	x				
Totals for the subfamily Poritiinae	183	49	42	142	13			
Subfamily Miletinae Reuter, 1896								
Tribe Liphyrini Doherty, 1889								
Genus <i>Euliphyra</i> Holland, 1890								
<i>E. leucyania sjostedti</i> Aurivillius, 1895	x							
Genus <i>Aslauga</i> Kirby, 1890								
<i>A. perspicua</i> Libert, 2016	x				x			
<i>A. ducarmei</i> Libert, 2016					x			
<i>A. abri kivuana</i> Libert, 2016	x				x			
<i>A. bouyeri bouyeri</i> Libert, 1994	x							
<i>A. reducta angulosa</i> Libert, 2016	x				x			
<i>A. michelae</i> Libert, 2016	x	x						
<i>A. pandora</i> Druce, 1913	x							
<i>A. purpurascens levantis</i> Libert, 2016	x	x						
<i>A. bitjensis ginettiae</i> Libert, 2016						x		
<i>A. kallimoides</i> Schultze, 1912	x							
Tribe Lachnocnemini Clench, 1955								
Genus <i>Lachnocnema</i> Trimen, 1887								
<i>L. bibulus</i> (Fabricius, 1793)	x	x			x	x		
<i>L. brunea</i> Libert, 1996	x							
<i>L. divergens</i> Gaede, 1915	x	x			x	x		
<i>L. obscura</i> Libert, 1996	x							
<i>L. albimacula</i> Libert, 1996	x							
<i>L. jolyana</i> Libert, 1996	x							
<i>L. ducarmei</i> Libert, 1996	x	x			x	x		
<i>L. exiguus</i> Holland, 1890	x	x			x			
<i>L. jacksoni</i> Stempffer, 1967	x							
<i>L. luna</i> Druce, 1910	x		x					
<i>L. magna</i> Aurivillius, 1895	x	x	x	x				
<i>L. reutlingeri perspicua</i> Libert, 1996	x	x	x	x	x	x		
Tribe Spalgnini Toxopeus, 1929								
Genus <i>Spalgis</i> Moore, 1879								
<i>S. lemolea lemolea</i> Druce, 1890	x	x			x	x		
<i>S. jacksoni stempfferi</i> Kielland, 1985	x	x						
Tribe Miletini Reuter, 1896								
Genus <i>Megalopalpus</i> Röber, 1886								
<i>M. simplex</i> Röber, 1886	x	x	x	x	x	x		
<i>M. metaleucus</i> Karsch, 1893	x		x	x				
<i>M. zymna</i> (Westwood, 1851)	x	x	x			x		
Totals for the subfamily Miletinae	26	12	6	14	7			
Subfamily Aphnaeinae Distant, 1884								
Genus <i>Aphnaeus</i> Hübner, 1819								
<i>A. orcas</i> (Drury, 1782)	x		x	x				
<i>A. argyrocyclus</i> Holland, 1890	x		x	x				
<i>A. asterius argenteola</i> Holland, 1890	x							
<i>A. chapini ugandae</i> Stempffer, 1961	x							
<i>A. herbuloti</i> Stempffer, 1972				x				
<i>A. jefferyi</i> Hawker Smith, 1928	x							
Genus <i>Axioceres</i> Hübner, 1819								
<i>A. harpax ugandana</i> Clench, 1963	x	x			x	x		
<i>A. bambana orichalcea</i> Henning & Henning, 1996	x					x		
Genus <i>Cigaritis</i> Donzel, 1848								
<i>C. crustaria</i> (Holland, 1890)	x		x	x				
<i>C. dufranei</i> (Bouyer, 1991)	x	x	x	x		x		
<i>C. menelas</i> (Druce, 1907)	x							

<i>C. victoriae</i> (Butler, 1884)			x	
<i>C. ducarmei</i> (Bouyer, 2008)			x	
<i>C. apuleia</i> (Hulstaert, 1924)	x			
Genus <i>Lipaphnaeus</i> Aurivillius, 1916				
<i>L. aderna pan</i> (Talbot, 1935)	x	x	x	x
<i>L. loxura</i> (Rebel, 1914)	x	x	x	x
<i>L. leonina biije</i> (Druce, 1910)	x			x
Genus <i>Pseudaletis</i> Druce, 1888				
<i>P. agrippina agrippina</i> Druce, 1888	x			
<i>P. camarensis</i> Collins & Libert, 2007	x			
<i>P. lusambo</i> Stempffer, 1961	x			x
<i>P. noellae</i> Bouyer, 2014	x			
<i>P. zebra zebra</i> Holland, 1891	x			
<i>P. ducarmei</i> Libert, 2007	x	x		x
<i>P. antimachus</i> (Staudinger, 1887)	x			x
<i>P. abriana orientalis</i> Bouyer, 2014	x			
<i>P. batesi zairiensis</i> Libert, 2007	x		x	
<i>P. busoga</i> van Someren, 1939				x
<i>P. ginettiae</i> Bouyer, 2014	x			x
Totals for the subfamily Aphnaeinae	24	5	6	16
Subfamily Polyommatainae Swainson, 1827				
Tribe Lycaenesthini Toxopeus, 1929				
Genus <i>Anthene</i> Doubleday, 1847				
<i>A. larydas</i> (Cramer, 1780)	x	x	x	x
<i>A. crawshayi crawshayi</i> (Butler, 1899)		x		
<i>A. suquala</i> (Pagenstecher, 1902)	x			
<i>A. ligures ligures</i> (Hewitson, 1874)	x	x	x	x
<i>A. sylvanus</i> (Drury, 1773)	x		x	
<i>A. ukerewensis ukerewensis</i> Strand, 1909	x	x	x	x
<i>A. livida stempfferi</i> Storace, 1954	x	x		x
<i>A. definita definita</i> (Butler, 1899)	x	x	x	x
<i>A. afra afra</i> (Bethune-Baker, 1910)	x	x		x
<i>A. alberta</i> (Bethune-Baker, 1910)	x	x		x
<i>A. hobleyi kigezi</i> Stempffer, 1961	x	x		x
<i>A. rubricinctus rubricinctus</i> (Holland, 1891)	x	x		x
<i>A. ituria</i> (Bethune-Baker, 1910)	x	x	x	x
<i>A. princeps</i> (Butler, 1876)	x	x	x	x
<i>A. lunulata grosei</i> (Aurivillius, 1899)	x	x		
<i>A. liodes liodes</i> (Hewitson, 1874)	x			x
<i>A. amarah amarah</i> (Guérin-Méneville, 1847)		x		
<i>A. levis</i> (Hewitson, 1878)	x			x
<i>A. akae albidiior</i> Libert, 2010	x	x		x
<i>A. irumu</i> (Stempffer, 1948)	x		x	
<i>A. ysobelae cyanea</i> Libert, 2010	x			
<i>A. quadricaudata</i> (Bethune-Baker, 1926)	x			x
Genus <i>Cupidesthes</i> Aurivillius, 1895				
<i>C. robusta</i> Aurivillius, 1895	x			
<i>C. thrysia</i> (Kirby, 1878)	x		x	x
<i>C. gabunica orientalis</i> (Stempffer, 1962)	x	x	x	x
<i>C. mimetica albertina</i> Libert, 2010	x			x
<i>C. cuprifascia</i> Joicey & Talbot, 1921	x			
Genus <i>Neurellipes</i> Bethune-Baker, 1910				
<i>N. onias</i> (Hulstaert, 1924)	x		x	x
<i>N. sonia</i> Libert, 2010	x	x	x	
<i>N. fulvimacula</i> (Mabille, 1890)	x		x	x
<i>N. kampala triangularis</i> Libert, 2010	x		x	x
<i>N. tanzaniensis</i> Libert, 2010	x			
<i>N. katera</i> (Talbot, 1937)	x		x	
<i>N. leptines extensa</i> Libert, 2010	x			
<i>N. makala</i> (Bethune-Baker, 1910)	x			
<i>N. rufomarginata</i> (Bethune-Baker, 1910)	x			
<i>N. scintillula scintillula</i> (Holland, 1891)	x	x	x	
<i>N. discimacula</i> (Joicey & Talbot, 1921)	x			
<i>N. ducarmei ducarmei</i> Libert, 2010	x			
<i>N. pyroptera</i> (Aurivillius, 1895)	x			
<i>N. zenkeri zenkeri</i> (Karsch, 1895)	x		x	
<i>N. lachares toroensis</i> (Stempffer, 1947)	x	x	x	x
<i>N. ramnika</i> (d' Abrera, 1980)	x	x		
<i>N. xanthopoecilus lukokescha</i> (Karsch, 1895)	x			x
<i>N. lycotas</i> (Grose-Smith, 1898)	x			

TAXON	I	F	S	V	CFB	M	M	M	B
<i>N. lysicles lysicles</i> (Hewitson, 1874)	x				x	x			
<i>N. lyzanius</i> (Hewitson, 1874)	x	x							
<i>N. flavomaculatus bipuncta</i> (Joycey & Talbot, 1921)		x			x				
<i>N. lamprocles reducta</i> Libert, 2010	x								
Genus <i>Triclema</i> Karsch, 1893									
<i>T. lucretii</i> (Hewitson, 1874)	x								
<i>T. staudingeri</i> (Grose-Smith & Kirby, 1894)		x			x	x	x		
<i>T. obsoleta</i> (Stempffer, 1947)	x	x			x				
<i>T. phoenicus</i> Karsch, 1893	x	x			x				
<i>T. rufoplagata ituriensis</i> Joycey & Talbot, 1921	x								
<i>T. lutzi</i> Holland, 1920	x								
<i>T. coerulea</i> (Aurivillius, 1895)	x								
<i>T. lacides</i> (Hewitson, 1874)	x	x							
<i>T. fasciatus subnitens</i> (Bethune-Baker, 1903)	x								
<i>T. josianae</i> Libert, 2010	x	x							
<i>T. inconspicua latefascia</i> Libert, 2010	x	x			x				
<i>T. lamias katerae</i> d' Abrera, 1980	x								
<i>T. melambrotus melambrotus</i> (Holland, 1893)	x				x				
Genus <i>Monile</i> Ungemach, 1932									
<i>M. gemmifera gemmifera</i> (Neave, 1910)	x								
Tribe Polyommatinini Swainson, 1827									
Subtribe Polyommatinina Swainson, 1827									
Genus <i>Chilades</i> Moore, 1881									
<i>F. trochylus</i> (Freyer, 1844)	x	x							
Subtribe <i>incertae sedis</i>									
Genus <i>Cupidopsis</i> Karsch, 1895									
<i>C. jobates jobates</i> (Hopffer, 1855)	x								
<i>C. cissus cissus</i> (Godart, 1824)	x	x			x	x			
Genus <i>Pseudonacaduba</i> Stempffer, 1943									
<i>P. aethiops</i> (Mabille, 1877)	x		x	x					
<i>P. sichela sichela</i> Wallengren, 1857)	x	x			x				
Genus <i>Lampides</i> Hübner, 1819									
<i>L. boeticus</i> (Linnaeus, 1767)	x	x			x	x			
Genus <i>Uranothauma</i> Butler, 1895									
<i>U. heritiae intermedia</i> (Tite, 1958)	x	x			x				
<i>U. lunifer</i> (Rebel, 1914)					x	x			
<i>U. nubifer nubifer</i> (Trimen, 1895)			x		x				
<i>U. delatorum</i> Heron, 1909	x	x			x	x			
<i>U. falkensteinii</i> (Dewitz, 1879)	x	x		x	x	x			
<i>U. antinori felthami</i> (Stevenson, 1934)	x	x			x				
<i>U. cyara tenuimarginata</i> (Grünberg, 1908)	x	x			x	x			
Genus <i>Cacyreus</i> Butler, 1897									
<i>C. lingeus</i> (Stoll, 1782)	x	x			x				
<i>C. audeoudi</i> Stempffer, 1936	x	x	x	x	x	x			
<i>C. fracta fracta</i> (Grünberg, 1911)		x			x	x			
Genus <i>Harpendyreus</i> Heron, 1909									
<i>H. marungensis wollastoni</i> (Bethune-Baker, 1926)		x			x	x			
<i>H. reginaldi</i> Heron, 1909					x				
<i>H. kisaba</i> (Joycey & Talbot, 1921)					x				
Genus <i>Leptotes</i> Scudder, 1876									
<i>L. pirithous pirithous</i> (Linnaeus, 1767)	x	x			x	x			
<i>L. jeanneli</i> (Stempffer, 1935)	x	x			x	x			
<i>L. marginalis</i> (Stempffer, 1942)	x	x			x				
<i>L. babaulti</i> (Stempffer, 1935)	x				x				
Genus <i>Tuxentius</i> Larsen, 1982									
<i>T. margaritaceus</i> (Sharpe, 1892)	x	x			x	x			
<i>T. carana carana</i> (Hewitson, 1876)		x			x				
Genus <i>Zizeeria</i> Chapman, 1910									
<i>Z. knysna knysna</i> (Trimen, 1862)	x	x			x	x			
Genus <i>Zizina</i> Chapman, 1910									
<i>Z. otis antanossa</i> (Mabille, 1877)	x	x			x				
Genus <i>Actizera</i> Chapman, 1910									
<i>A. lucida</i> (Trimen, 1883)					x	x			
Genus <i>Zizula</i> Chapman, 1910									
<i>Z. hylax</i> (Fabricius, 1775)	x	x				x			
Genus <i>Azanus</i> Moore, 1881									

<i>A. isis</i> Drury, 1773	x	x	x	x	x
<i>A. mirza</i> (Plötz, 1880)	x	x	x	x	x
<i>A. jesous</i> (Guérin-Méneville, 1849)	x	x		x	
<i>A. natalensis</i> (Trimen, 1887)	x	x		x	
Genus <i>Eicochrysops</i> Bethune-Baker, 1924					
<i>E. hippocrates</i> (Fabricius, 1793)	x	x	x	x	x
Genus <i>Euchrysops</i> Butler, 1900					
<i>E. kabrosae kabrosae</i> (Bethune-Baker, 1906)					x
<i>E. osiris</i> (Hopffer, 1855)	x	x		x	x
<i>E. barkeri</i> (Trimen, 1893)	x	x		x	
<i>E. malathana</i> (Boisduval, 1833)	x	x			x
Genus <i>Lepidochrysops</i> Hedicke, 1923					
<i>L. abyssinensis kiuensis</i> (Joycey et Talbot, 1921)	x	x		x	
Genus <i>Thermoniphas</i> Karsch, 1895					
<i>T. plurilimbata plurilimbata</i> Karsch, 1895	x		x		x
<i>T. plurilimbata rutshurensis</i> (Joycey & Talbot, 1921)				x	
<i>T. togara togara</i> (Plötz, 1880)	x	x			
<i>T. alberici</i> (Dufrane, 1945)	x	x	x	x	x
<i>T. caerulea</i> Stempffer, 1956			x		x
<i>T. kiuensis</i> d' Abrera, 2009				x	
<i>T. bibundana</i> (Grünberg, 1910)				x	
Genus <i>Oboronia</i> Karsch, 1893					
<i>O. punctatus</i> (Dewitz, 1879)	x		x		
<i>O. pseudopunctatus</i> (Strand, 1912)	x	x	x		
<i>O. guessfeldtii</i> (Dewitz, 1879)	x		x		
<i>O. albicosta</i> (Gaede, 1916)				x	
Totals for the subfamily Polyommatiniae	96	63	33	67	37
Subfamily Lyceninae Leach, 1815					
Tribe Lycenini Leach, 1815					
Genus <i>Lycaena</i> Fabricius, 1807					
<i>L. phlaeas ethiopica</i> (Poulton, 1922)				x	
Totals for the subfamily Lycaeninae	0	0	0	1	0
Subfamily Theclinae Swainson, 1830					
Tribe Amblypodini Doherty, 1886					
Genus <i>Myrina</i> Fabricius, 1807					
<i>M. silenus silenus</i> (Fabricius, 1775)	x	x		x	x
<i>M. sharpei fontainei</i> Stempffer, 1961	x	x		x	
Tribe Iolaini Riley, 1958					
Genus <i>Iolaus</i> Hübner, 1819					
<i>I. bolissus bolissus</i> Hewitson, 1873	x	x		x	x
<i>I. sidus</i> Trimen, 1864			x		x
<i>I. hemicyanus barnsi</i> (Joycey & Talbot, 1921)		x		x	
<i>I. mafugae</i> Stempffer & Bennett, 1959				x	
<i>I. neavei neavei</i> (Druce, 1910)	x		x	x	
<i>I. bellina exquisita</i> (Riley, 1928)	x				
<i>I. aurivillii</i> (Röber, 1900)	x				
<i>I. frater frater</i> (Joycey & Talbot, 1921)	x	x		x	x
<i>I. pollux albocerulea</i> (Riley, 1929)	x	x		x	x
<i>I. maesa</i> (Hewitson, 1863)	x			x	
<i>I. creta</i> (Hewitson, 1878)	x				
<i>I. coelestis</i> Bethune-Baker, 1926	x				
<i>I. sibella</i> (Druce, 1910)	x				
<i>I. agnes</i> (Aurivillius, 1898)	x				
<i>I. fontainei</i> (Stempffer, 1956)	x				
<i>I. henryi</i> (Stempffer, 1961)		x		x	
<i>I. poecilaon poecilaon</i> (Riley, 1928)	x		x	x	
<i>I. alcibiades</i> Kirby, 1871	x			x	
<i>I. cottrelli</i> Stempffer & Bennett, 1958	x				
<i>I. iulus</i> Hewitson, 1869	x			x	
<i>I. iturensis</i> (Joycey & Talbot, 1921)	x			x	
<i>I. menas menas</i> Druce, 1890	x	x		x	
<i>I. menas tatiana</i> (d' Abrera, 1980)			x ⁹		
<i>I. caesareus caesareus</i> (Aurivillius, 1895)				x	
<i>I. crawshayi littoralis</i> Stempffer & Bennett, 1958		x			
<i>I. timon congoensis</i> (Joycey & Talbot, 1921)	x		x	x	
<i>I. parasilanus divaricatus</i> (Riley, 1928)	x	x			

TAXON	I	F	S	V	CFB	M	M	M	B
Genus <i>Etesiolaus</i> Stempffer & Bennett, 1959									
<i>E. catori cottoni</i> (Bethune-Baker, 1908)	x				x	x			
Tribe Hypolycaenini Swinhoe, 1910									
Genus <i>Hypolycaena</i> Felder, 1862									
<i>H. antifaunus antifaunus</i> (Westwood, 1851)	x	x	x	x	x	x			
<i>H. liara liara</i> Druce, 1890	x	x	x	x	x				
<i>H. naara</i> Hewitson, 1873	x	x							
<i>H. kadiskos</i> Druce, 1890	x	x				x			
<i>H. philippus philippus</i> (Fabricius, 1793)	x	x				x	x		
<i>H. pachalica</i> Butler, 1888			x						
<i>H. jacksoni</i> Bethune-Baker, 1906			x			x	x		
<i>H. nigra</i> Bethune-Baker, 1914	x	x	x	x	x	x			
<i>H. hatita</i> Hewitson, 1865	x	x	x	x	x	x			
<i>H. lebona davenporti</i> Larsen, 1997	x			x	x				
Tribe Cheritriini Swinhoe, 1910									
Genus <i>Daplidigrama</i> Karsch, 1895									
<i>D. demeter nuptus</i> Clench, 1961	x		x						
Tribe Oxylidini Eliot, 1973									
Genus <i>Oxylides</i> Hübner, 1819									
<i>O. feminina stempfferi</i> Berger, 1981	x	x	x	x					
<i>O. faunus camerunica</i> Libert, 2004	x	x							
Genus <i>Syrmoptera</i> Karsch, 1895									
<i>S. melanomitra nivea</i> Joicey & Talbot, 1924					x	x			
Tribe Deudorigini Doherty, 1886									
Genus <i>Deudorix</i> Hewitson, 1863									
<i>D. antalus</i> (Hopffer, 1855)	x	x			x	x	x	x	
<i>D. lorisona lorisona</i> (Hewitson, 1863)	x ⁸	x	x	x	x	x	x	x	
<i>D. lorisona baronica</i> Ungemach, 1932	x ⁸	x				x			
<i>D. edwardsi cyanea</i> Libert, 2004						x			
<i>D. kayonza</i> Stempffer, 1956	x			x		x			
<i>D. dinomenes diomedes</i> Jackson, 1966	x	x				x			
<i>D. odana odana</i> Druce, 1887	x	x	x	x	x	x			
<i>D. caliginosa</i> Lathy, 1903	x	x							
Genus <i>Hypomyrina</i> Druce, 1891									
<i>H. nomenia</i> (Hewitson, 1874)	x	x	x	x					
<i>H. mimetica</i> Libert, 2004	x		x	x					
<i>H. fournierae</i> Gabriel, 1939		x		x					
Genus <i>Paradeudorix</i> Libert, 2004									
<i>P. ituri ituri</i> (Bethune-Baker, 1908)	x	x	x	x					
<i>P. marginata</i> (Stempffer, 1962)	x		x	x	x	x			
<i>P. canescens</i> (Joicey & Talbot, 1921)	x		x						
<i>P. tenuivittata</i> (Stempffer, 1951)	x				x				
<i>P. elealodes</i> (Bethune-Baker, 1908)	x			x		x			
<i>P. cobaltina</i> (Stempffer, 1964)	x								
Genus <i>Pilodeudorix</i> Druce, 1891									
<i>P. cameronia katanga</i> (Clench, 1965)	x		x	x					
<i>P. ankoleensis</i> (Stempffer, 1954)	x			x					
<i>P. congoana congoana</i> (Aurivillius, 1923)	x	x	x	x	x	x			
<i>P. kohli</i> (Aurivillius, 1921)	x	x			x				
<i>P. caerulea</i> (Druce, 1890)	x	x			x	x			
<i>P. zela</i> (Hewitson, 1869)	x				x				
<i>P. anetia</i> (Hulstaert, 1924)	x				x				
<i>P. jacksoni</i> (Talbot, 1935)	x								
<i>P. zelomina zelomina</i> (Rebel, 1914)					x				
<i>P. mera mera</i> (Hewitson, 1873)	x ⁶		x						
<i>P. mera kinumbensis</i> (Dufrane, 1945)	x ⁷	x		x	x	x	x		
<i>P. azurea azurea</i> (Stempffer, 1964)	x	x			x	x	x		
<i>P. angelita angelita</i> (Suffert, 1904)	x		x	x	x	x			
<i>P. otraeda genuba</i> (Hewitson, 1875)	x	x	x	x	x	x			
<i>P. dimitris indentata</i> Libert, 2004	x				x				
<i>P. virgatoides</i> Libert, Collins & Sáfián, 2015	x				x				
<i>P. ula</i> (Karsch, 1895)	x				x				
<i>P. aruma pallidior</i> Libert, 2004	x	x							
<i>P. mimeta angusta</i> Libert, 2004	x				x				
<i>P. hugoi</i> Libert, 2004	x	x	x	x	x	x			
<i>P. pseudoderitas</i> (Stempffer, 1964)	x			x	x	x			
<i>P. kiellandi</i> (Congdon & Collins, 1998)	x				x	x			

<i>P. corruscans corruscans</i> (Aurivillius, 1898)	x			x	
<i>P. bwamba</i> (Stempffer, 1962)	x	x		x	
<i>P. violetta</i> (Aurivillius, 1897)	x	x	x	x	
<i>P. ducarmei</i> (Collins & Larsen, 1998)	x			x	
<i>P. fumata</i> (Stempffer, 1954)	x				
Totals for the subfamily Theclinae	77	40	27	66	16
Totals for the family Lycaenidae	406	169	114	306	76
Taxon totals for each locality	1094	591	393	865	340

X¹ – *Papilio nireus nireus* occurs throughout the region. *Papilio nireus lyaeus* is only found at Kasenye (01°24'N, 30°26'E), in savanna, on the shores of Lake Albert.

X² – *Papilio echerioides nioka* has been collected in the region by Hecq and Desloges but no specific localities were noted.

X³ – *Papilio lormieri semlikana* was collected at Ishara (00°27'S, 29°39'E) in Rutshuru Territory on Mount Mitumba.

X⁴ – *Euphaedra medon neustetteri* occurs in the extreme north-east of the region at Afarama (01°33'N, 28°30'E), Parc d'Epulu.

X⁵ – *Tetrarhanis ilma daltoni* is found at Matwa near Lubéro on Mount Mitumba at 2 000 m.

X⁶ – *Pilodeudorix mera mera* occurs in the central basin (e.g. Mambasa, 900 m, 00°21'N, 29°03'E). X⁷ – *Pilodeudorix mera kinumbensis* occurs further east than the nominate subspecies, at higher altitudes.

X⁷ – *Pilodeudorix mera kinumbensis* occurs further east than the nominate subspecies, at higher altitudes.

X⁸ – *Deudorix lorisona lorisona* occurs in the north-east of the region while *Deudorix lorisona baronica* is found in the east, e.g. Lume (00°15'N, 29°34'E). The two subspecies intergrade.

X⁹ – *Iolaus menas menas* occurs in forest but *Iolaus menas tatiana* is found only in savanna at Kasenye (01°24'N, 30°26'E).

Table 3 – Taxa endemic to north-east Democratic Republic of Congo

<i>Graphium ucalegon schoutedeni</i> Berger, 1950
<i>Papilio echerioides nioka</i> Hancock, 1989
<i>Papilio jacksoni hecqui</i> Berger, 1954
<i>Procampata admiratio</i> Larsen & Rawlins, 2014
<i>Abantis iruma</i> Evans, 1951
<i>Abantis ituri</i> Larsen & Collins, 2014
<i>Scopulifera intricata intricata</i> Libert, 2014
<i>Apallaga hecqi</i> (Berger, 1976)
<i>Apallaga beni beni</i> (Bethune-Baker, 1908)
<i>Apallaga jacksoni</i> Libert, 2014
<i>Apallaga katangensis minor</i> Libert, 2014
<i>Gorgyra kasungo</i> Larsen & Collins, 2014
<i>Andronymus fontainei</i> Larsen & Congdon, 2012
<i>Chondrolepis ducarmei</i> Larsen & Congdon, 2012
<i>Bicyclus albocincta</i> (Rebel, 1914)
<i>Bicyclus brakefieldi</i> Brattström, 2012
<i>Bicyclus suffusa ituriensis</i> Condamin, 1970
<i>Bicyclus heathi</i> Brattström, 2015
<i>Brakefieldia phaea ignota</i> (Libert, 2006)
<i>Charaxes ducarmei</i> Plantrou, 1982
<i>Acraea hamata batangi</i> Bernaud, Ducarme & Pierre, 2017
<i>Acraea parageum kivuana</i> (Jordan, 1910)
<i>Acraea leopoldina brevimacula</i> (Talbot, 1928)
<i>Telchinia pierrei</i> (Berger, 1981)
<i>Cymothoe hesiodotus clarior</i> Overlaet, 1952
<i>Cymothoe harmilla micans</i> Bouyer & Joly, 1995
<i>Cymothoe collarti collarti</i> Overlaet, 1942
<i>Cymothoe eris capellides</i> Holland, 1920
<i>Cymothoe bouyeri</i> Vande weghe, 2011
<i>Cymothoe excelsa regisleopoldi</i> Overlaet, 1944
<i>Cymothoe hobarti mwamikazi</i> Overlaet, 1952
<i>Cymothoe isiro</i> Rydon, 1981

<i>Cymothoe meridionalis ghesquierei</i> Overlaet, 1944
<i>Neptis rothschildi</i> Eltringham, 1921
<i>Euryphura ducarmezi</i> Hecq, 1990
<i>Euryphura congoensis</i> Joicey & Talbot, 1921
<i>Euphaedra thalie</i> Hecq, 1981
<i>Euphaedra ducarmezi</i> Hecq, 1977
<i>Euphaedra graueri</i> Rothschild, 1918
<i>Euphaedra sinuosa sinuosa</i> Hecq, 1974
<i>Euphaedra ueleana</i> Hecq, 1982
<i>Euriphene butleri kivuensis</i> Jackson, 1957
<i>Euriphene ituriensis</i> (Jackson & Howarth, 1957)
<i>Euriphene adumbrata</i> (Joicey & Talbot, 1928)
<i>Euriphene mawamba</i> Bethune-Baker, 1908
<i>Euriphene alberici</i> (Dufrane, 1945)
<i>Euriphene intermixta</i> (Aurivillius, 1904)
<i>Euriphene incerta kivu</i> Hecq, 2002
<i>Bebearia comus retracta</i> Hecq, 1989
<i>Bebearia ikelemba kamituga</i> Berger, 1981
<i>Bebearia hargreavesi</i> d'Abrera, 1980
<i>Bebearia aurora aurora</i> (Aurivillius, 1896)
<i>Bebearia nivaria tenuimacula</i> Berger, 1981
<i>Euptera neptunus</i> Joicey & Talbot, 1924
<i>Euptera semirufa</i> Joicey & Talbot, 1921
<i>Euptera miranda</i> Libert, 2014
<i>Euptera fallax</i> Libert, 2014
<i>Euptera grepif grepif</i> Libert, 2014
<i>Euptera ginettae</i> Libert, 2005
<i>Euptera debruynei</i> (Hecq, 1990)
<i>Euptera ituriensis</i> Libert, 1998
<i>Pseudathyma jacksoni kivuensis</i> Libert, 2002
<i>Pseudacraea dolomena congoensis</i> Jackson, 1951
<i>Pseudacraea acholica mayenceae</i> Hecq, 1987
<i>Pseudacraea deludens ducarmezi</i> Hecq, 1990
<i>Belenois calypso marlieri</i> Berger, 1981
<i>Mylothris ducarmezi</i> Hecq, 2001
<i>Afriodinia tantalus cyanis</i> (Callaghan, 2003)
<i>Afriodinia neavei kivuensis</i> (Riley, 1932)
<i>Ptelina subhyalina</i> (Joicey & Talbot, 1921)
<i>Pentila maculata subochracea</i> Hawker-Smith, 1933
<i>Telipna aurivillii aurivillii</i> Rebel, 1914
<i>Telipna kaputui</i> Libert, 2005
<i>Telipna hollandi hollandi</i> Joicey & Talbot, 1921
<i>Telipna ducarmezi</i> Libert, 2005
<i>Ornipholidotos ginettae</i> Libert, 2005
<i>Ornipholidotos kivu</i> Collins & Larsen, 2000
<i>Ornipholidotos ducarmezi</i> Libert, 2005
<i>Ornipholidotos aureliae</i> Libert, 2005
<i>Cooksonia. ginettae</i> Collins & Larsen, 2008
<i>Liptena subsuffusa</i> Hawker-Smith, 1933
<i>Liptena ducarmezi</i> Schröder, 2013
<i>Obania tulliana</i> (Grose-Smith, 1901)
<i>Micropentila mukanirwai</i> Schröder, 2012
<i>Parasiomera kivuensis</i> Sáfián & Collins, 2015
<i>Iridana ducarmezi</i> Bouyer, 2013
<i>Iridana noellae</i> Bouyer, 2014
<i>Hewitsonia decellei</i> (Stempffer, 1956)
<i>Cephetola barnsi</i> Libert, 1999
<i>Cephetola ducarmezi</i> Libert, 1999
<i>Hewitsonia congoensis</i> Joicey & Talbot, 1921
<i>Aslauga ducarmezi</i> Libert, 2016
<i>Aslauga abri kivuana</i> Libert, 2016
<i>Aslauga reducta angulosa</i> Libert, 2016
<i>Aslauga bitjensis ginettae</i> Libert, 2016
<i>Lachnocnema ducarmezi</i> Libert, 1996
<i>Cigaritis ducarmezi</i> (Bouyer, 2008)
<i>Pseudaleatis noellae</i> Bouyer, 2014

<i>Pseudaleatis ducarmezi</i> Libert, 2007
<i>Pseudaleatis abriana orientalis</i> Bouyer, 2014
<i>Pseudaleatis batesi zairiensis</i> Libert, 2007
<i>Pseudaleatis ginettae</i> Bouyer, 2014
<i>Cupidesthes mimetica albertaina</i> Libert, 2010
<i>Neurellipes sonia</i> Libert, 2010
<i>Neurellipes rufomarginata</i> (Bethune-Baker, 1910)
<i>Neurellipes ducarmezi ducarmezi</i> Libert, 2010
<i>Neurellipes lycotas</i> (Grose-Smith, 1898)
<i>Lepidochrysops abyssiniensis kivuensis</i> (Joicey et Talbot, 1921)
<i>Thermoniphas kivuensis</i> d'Abrera, 2009
<i>Paradeudorix tenuivittata</i> (Stempffer, 1951)
<i>Paradeudorix elealodes</i> (Bethune-Baker, 1908)
<i>Pilodeudorix. ducarmezi</i> (Collins & Larsen, 1998)

DISCUSSION (contd.)

The lists presented in this paper include 1 331 taxa, representing nearly one third of all the taxa currently known from the whole Afrotropical Region. Many of the records given in the list constitute considerable range extensions for specific taxa, some for example, previously known only from Cameroon, about 1 600 km to the west.

One hundred and twelve taxa are endemic to north-eastern DRC (Table 3, below). Genera with disproportionate numbers of endemic taxa include *Apallaga* (Hesperiidae: Pryginae); *Bicyclus* (Nymphalidae: Satyrinae); *Cymothoe*, *Euriphene*, *Bebearia*, *Euptera* (Nymphalidae: Limenitidinae); *Telipna* (Lycenidae: Poritiinae); *Aslauga* (Lycenidae: Miletinae); *Pseudaleatis* (Lycenidae: Aphnaeinae) and *Neurellipes* (Lycenidae: Polyommatinae).

ACKNOWLEDGEMENTS

The author has collaborated with many people who are specialists with regard to particular taxa. These people include Lucien Berger, Jacques Hecq, Jacques Plantrou, Torben Larsen, Michel Libert, Thierry Bouyer, Eric Vingerhoedt, Jean-Pierre Lequeux, Bernard Turlin, Jacques Pierre, Dominique Bernard, Michael Beaurain and, especially, Steve Collins of ABRI.

LITERATURE CITED

- DHUNGEL, B. & WAHLBERG, N. 2018. Molecular systematics of the subfamily Limenitidinae (Lepidoptera: Nymphalidae). *PeerJ* 6:e4311; DOI 10.7717/peerj.4311.
- ESPELAND, M., BREINHOLT, J., WILLMOTT, K.R., WARREN, A.D., VILA, R., TOUSSAINT, E.F.A., MAUNSELL, S.C., ADUSE-POKU, K., TALAVERA, G., EASTWOOD, R., JARZYNA, M.A., GURALNICK, R., LOHMAN, D.J., PIERCE, N.E. & KAWAHARA, A.Y. 2018. A comprehensive and dated phylogenomic analysis of butterflies. *Current Biology* 28: 1-9.
- WILLIAMS, M. C. 2015. Classification of the Afrotropical butterflies to generic level. *Metamorphosis* 26: 102-108.