

**ACTIVITY OF BOVINE PARAINFLUENZA TYPE 3 VIRUS IN CATTLE IN NORTH EASTERN NIGERIA -A SHORT COMMUNICATION****O.J. IBU, E.A. SALIHU, M.A. ABECHI, E.P. ABA-ADULUGBA AND M. OKEWU**

National Veterinary Research Institute, Vom, Plateau State, Nigeria

\*Correspondence Author

**Abstract**

Parainfluenza type 3 virus (PI3V) is a primary agent of Bovine Shipping Fever worldwide. The activity of the virus was accessed through a sero-survey using the haemagglutination inhibition (HI) test. Out of 656 cattle sampled from Adamawa, Bauchi, Taraba and Borno States, 51.37% were seropositive. The reciprocal of HI titres ranged between 21 and 212. The geometric mean HI titres ranged from 106 in Borno State to 686 in Adamawa State. The implication of these findings to the possible occurrence of shipping fever along cattle routes is discussed.

*Key words:* Parainfluenza -3-virus, Cattle, Seroprevalence, North East, Nigeria.

**Introduction**

Parainfluenza type 3 (PI3) virus infection constitutes a primary component of shipping fever complex in cattle and small ruminants characterized by pneumonia and upper respiratory tract symptoms. Shipping fever is often associated with major losses in feedlots and animals on transit (Sweat, 1967; Keneth *et al.*, 1962). The disease has been described in parts of Africa including Nigeria (Kaminjolo *et al.*, 1979, Tylor, 1975).

With the national cattle herd concentrated in the Northern states of Nigeria and the dependence of the Southern States on the North for beef supply, supply cattle and other livestock are transported regularly across the country.

Animals so transported are subjected to the stress of shipping, hunger, thirst, harsh, weather and disease, hence the risk of contracting shipping fever.

Currently, data on the prevalence of PI3 virus in cattle in Nigeria is limited. The need to ascertain the level of presence of the virus over a broad geographical area becomes imperative.

In this study, serological evidence of PI3 virus activity in North Eastern States of Adamawa, Bauchi, Taraba and Borno is presented. The degree of infectivity is determined by the haemagglutination inhibition HI titre range and geometric mean titres obtained.

**Materials and Methods**

A total of 656 serum samples were obtained from cattle in diverse localities of Adamawa, Bauchi, Taraba and Borno States in North Eastern Nigeria. The sera were subjected to Haemagglutination Inhibition (HI) test according to standard procedures (Dawson, 1964, Hamdy, 1965).

A local strain of the PI3 virus (Provost, 1973) and a rabbit anti-PI3 virus hyperimmune serum were obtained from Viral Research Department NVRI, Vom, Nigeria. The haemagglutination (HA) and HI tests were carried out in V-shaped bottom microtitre plates using 0-50ul single and 12-channel adjustable titertek finn pipettes attached with 200ul fine tips for dispensing.

For the HA test, a two fold serial dilution of the PI3 virus was made in duplicate in PBS(PH 7.4) from 1:2 dilutions in wells A1 and B1 to 1:1024 in A12 and B12 using 25ul of 0.5% washed fresh guinea pig erythrocytes to each well. The controls consisted of a pair of wells with the same volume of PBS without virus. Mixing of reagents was done

by placing the test plate on a titre tirk micro-shaker and shaken thrice for 5 seconds each round.

One HA unitage was taken as a reciprocal of the viral dilution in the well that showed agglutination after 45 min. Four HA units was then calculated and used in the HI test.

The HI test involved making 25ul volumes of duplicate two-fold serial dilutions of test sera in microtitre plates as described earlier. The positive serum control consisted of rabbit anti-PI3V hyperimmune serum (HIS) serially diluted in duplicates. Negative control consisted of serum obtained from an uninfected rabbit serially diluted in duplicates.

Twenty five microlitres of diluted 4HA units of virus was added to each well containing test serum and wells having positive and negative control sera. The plates were incubated for 10-15 minutes at room temperature. Thereafter, 25ul of 0.5% washed fresh guinea pig erythrocytes was added to all the wells of the plate and mixed.

The HI antibody titres were read after 45 minutes of incubation at room temperature as reciprocal of the last wells in which the RBC botton were formed (No agglutination). The wells containing 4HA units of the serially diluted virus showed agglutination titres of between 4 and 8.

**Results**

Out of the 656 serum samples tested, 337 (51.37%) were positive for PI3 virus antibodies. This comprised of 65%, 62.58%, 57.62% and 25.79% positive samples from Adamawa, Bauchi, Taraba and Borno States respectively.

Five percent (5%) of the samples had HI titres below 16 while 94.82% had titres above 16 (Table 2). Seventy three percent (73%) of the samples had HI titres between 16 and 128 while 13.65% had titres above 128. The titres are presented in Table 1.

**Table 1:** Seroprevalence of PI3 virus in 4 States N.E. Nigeria

State	No. of cattle sampled	No. positive	% positive	GMT
Adamawa	160	104	65	686
Bauchi	155	97	62	453
Taraba	151	87	58	130
Borno	190	49	26	106

**Table 2:** Distribution of HI antibody titres

State	Reciprocal of HI Titres											
	2 <sup>1</sup>	2 <sup>2</sup>	2 <sup>3</sup>	2 <sup>4</sup>	2 <sup>5</sup>	2 <sup>6</sup>	2 <sup>7</sup>	2 <sup>8</sup>	2 <sup>9</sup>	2 <sup>10</sup>	2 <sup>11</sup>	2 <sup>12</sup>
Taraba	0	1	3	17	14	11	8	11	7	6	3	11
Adamawa	1	1	4	23	17	20	25	2	7	4	0	0
Borno	1	2	13	13	12	8	0	0	0	0	0	0
Bauchi	0	1	7	16	27	24	16	6	0	0	0	0
Total	2	5	27	64	70	63	49	19	14	10	3	11

### Discussion

The detection of substantial levels of PI3 virus antibodies in cattle from the four states shows that virus activity is widespread in the North Eastern part of Nigeria. As vaccination against PI3 V has not been introduced in Nigeria, the high levels of sero conversion observed in this study are an indication of a repeated field challenge by wild virus. The PI3 virus is considered important agent of viral pneumonia of ruminants in Nigeria and other parts of Africa (Plowright, 1969; Kaminjolo, 1973; Obi, 1984). Within the States of North Eastern Nigeria, there appears to be no obvious differences in the prevalence rates. There were no significant differences in percentage prevalence and Geometric mean HI titres (GMT) between Adamawa, Bauchi and Taraba states ( $P < 0.05$ ). Borno State however had lower percentage prevalence and GMTS than the other three ( $P > 0.05$ ). Cattle transported from highly endemic areas stand greater chances of contracting shipping fever than those from localities with low prevalence rates.

In conclusion, it is necessary to conduct a survey of clinical cases especially along cattle routes to confirm or dispel the fears expressed based on these serological findings.

### References

- Dawson, P.S and Darbyshire, J.H. (1964). The occurrence and distribution in the United Kingdom of antibodies to Parainfluenza-3 and Infectious Bovine Rhinotracheitis Viruses in Bovine sera. *Veterinary Record*, **76**(4): 111-115.
- Hamdy, A.H (1965). Variants of Myxovirus parainfluenza-3 isolated from calves clinically affected with shipping fever. *Cornell Veterinarian*, **55**:623-630.
- Kaminjolo, J.S., Gicho, J.N., Hamir, A.N. and Shatry, A.M. (1973). Isolation and characterization of Bovine parainfluenza virus from cattle in Kenya. *Bulletin of Epizootic Diseases of Africa*, **21**(4): 371-375.
- J. Ibu, T. U. Ob, E. Aba-Adulugba (1996). Serological evidence of Parainfluenza type 3 virus infection of cattle in Plateau State. *Nigerian Veterinary Journal (special edition)*, **1**(1): 100-102.
- Keneth, L., Heddleston., Robert, C. R., Lawrence P. Watko (1962). Notes on the transmission and etiology of Bovine shipping fever. *American Journal of Veterinary Research*, **23**:94.
- Obi, T. U. (1984). Respiratory viral infections in Goats in Nigeria with emphasis in Peste des petites ruminants. Les Maladies de la Chevre, Nort (France) 9th -11th October, 1984.
- Plowright, W. (1969). Other virus diseases in relation to J.P. 15 programme. 1st Annual meeting of the joint campaign against Rinderpest (J. P.15), Mogadiscio Dec., 1969.
- Sweat, R.L and Dunn, J.W (1965). Hysterectomy-derived, colostrums deprived, isolation-raised calves for disease research. *American Journal of Veterinary Research*, **26**:1309-1315.
- Taylor, W.P., Momoh, M., Okeke, A.N.C, Abegunde, A. (1975): Antibodies to Parainfluenza-3 virus in cattle, sheep and goats in Northern Nigeria. *Veterinary Record*, **97**:183-184.

## NOTE TO CONTRIBUTORS

The Editorial Board of Sokoto Journal of veterinary Sciences (SJVS) wishes to invite research articles, case reports, review articles and editorials for publication. The Journal is published by the Faculty of veterinary Medicine, Usmanu Danfodiyo University, Sokoto, annually in two issues (May and November).

The objective of the Journal is to among others promote Veterinary profession and facilitate the cross fertilization of knowledge in various areas of livestock production and health including diseases of wildlife, poultry, fisheries, preventive veterinary medicine and zoonoses among others.

### Preparation and Submission of Manuscript

Only original papers written in clear concise English typed with double spacing on good quality A4 paper with margin of at least 25mm all round the paper would be accepted. These papers would be published on the explicit understanding that they are not under simultaneous consideration for publication somewhere else, and have not been published elsewhere.

Manuscripts should be submitted in triplicate with three sets of illustrations of which one should be the original. Manuscript may also be submitted in computer diskettes along with one hard copy.

However, the following should be observed when submitting diskettes:

- (a) Use either a 1.44, 2HD diskette
- (b) Specify computer used (i.e. IBM Compatible PC or Apple Macintosh)
- (c) Specify software used e.g. Word-perfect, Microsoft Word etc)
- (d) State the file name
- (e) Keep a backup diskette for reference and safety.

It should be noted here, that it is the responsibility of the author(s) to obtain permission to reproduce illustrations, tables, etc. for publication. Accepted papers remain the permanent property of SJVS.

Each manuscript component should begin on a fresh page in the following sequence: title page; abstract and keywords; text (comprising of introduction, materials and methods, results and discussion); acknowledgement; references. Tables should be on separate pages. Pages should be numbered consecutively beginning with the title page. Type the page number at the centre of the bottom page.

### Title Page

Short titles, not more than 15 words are preferred for indexing and information retrieval purposes. This should include:

- (a) Title of the article
- (b) Surname and initials of middle and first names of author(s) with institutional affiliation
- (c) Name and address of the corresponding author including his/her email

### Abstract

An abstract not exceeding 200 words should precede the introduction. Do not include references or unfamiliar abbreviations or symbols. Below the abstract, provide a list of 5-7 keywords for indexing purposes.

### Text

This should be divided in headings as: Introduction, Materials and Methods, Results and Discussion. Long articles may need subheadings especially in the results and discussions. Other types of articles such as case reports, reviews, and editorials may need other formats.

**Introduction:** State here, the purpose of the article; summarize the rationale for the study or observation. Give only strictly pertinent references, and do not review the subject extensively.

**Materials and Methods:** Describe your selection of the observational or experimental subjects clearly. Identify the materials and procedures in sufficient details to allow other workers to reproduce the results. Statistical methods should be detailed.

**Results:** Present your results in logical sequence in text, tables and illustrations.

**Discussion:** Emphasize the new and important aspects of the study and the conclusions that follows from them. Include in the discussion section the implications of the findings and their limitations, including implications for future research. Relate the observation to other relevant studies. Link the conclusions with the goals of the study. Recommendations when appropriate may be included.

**Footnotes:** This should be avoided. When essential, they should be numbered consecutively and typed at the bottom of the relevant page.

**Tables:** The word TABLE should be capitalized and must be on separate page. The titles should be Title case. The tables should be clear, with few abbreviations and numbered in Roman numerals in their order of appearance in the text. Particular attention should be paid to the symbols of measurement. The tables should be drawn with as few lines as possible.

**Figures and Graphs:** These should be drawn on tracing paper sheet. Only good drawings done with black ink are acceptable.

**Photographs:** Only original, well-contrasted black and white photographs are acceptable. In case of coloured photographs, the authors shall bear the extra cost of production. On the back of the photograph indicate its number and the names of the senior author.

**Acknowledgement:** One or more statements should specify contributions that need acknowledging, such as technical help, financial and material support. Authors are responsible for obtaining written permission from persons acknowledged by name. Technical help should be acknowledged in a paragraph separate from other contributions.

**References:** The list of references should include only those publications, which are cited in the text (by name and year). A complete listing in alphabetical order should appear at the end of the text and should not be numbered. In the text and in the case of more than two authors, et. al; is used after the first author. However, in the reference list, all the names should be given with capitals in the first letter or surname and initials. In case of more than six authors, the first six should be listed followed by et. al., title of the journals should be in full or abbreviated in accordance with the word list of scientific periodicals. Examples of reference citations are as follows:

Papers published in periodicals should:

- (1) Contain author's name(s) with initials of middle and first names
- (2) Show year of publication in brackets
- (2) Show full title of paper
- (4) Contain Journal abbreviation according to the style used in the word list of scientific periodicals or the index medicus or in full.
- (5) Title of the Journal should be in italics
- (6) Have volume number followed by the issue number in brackets and a colon after the bracket
- (7) Give first and the last pages

**Examples:** Macintosh, J; Hansen, P.; Zeigler, J.; Penny, R. (1979). Defective immune and phagocytic functions in uremia renal transplantation. *Nig. J. Vet. Med. Assoc.* 5(1): 59-60

Books

- i) Authors names with initials of first names
- ii) Year of publication in brackets
- iii) Title of the book (italised)
- iv) Editor of the book
- v) Number of volume followed by a coma
- vi) The page of the book (first and last)
- vii) Town of publication, followed by the publisher e.g.

Pollack, R.S. (1975) Tumour Surgery of the Head and the Neck (6<sup>th</sup> ed) pp 20-25. Basel, Karger.

**Full Address:** The exact complete postal address of the senior author must be given. If correspondence is handled by someone else. Indicate this accordingly. Reliable email addresses are also required.

**Processing Fee:** One Thousand Naira (₦ 1,000.00) is to be paid prior to forwarding of articles to reviewers.

**Page Charge:** A page charge of one thousand Naira (₦ 1000.00) or ten US dollars (\$10.00) is to be charged per printed page.

**Galley Proofs:** Unless otherwise indicated, these are sent to the first named author and should be returned with the least possible delay. Alteration made in galley proofs other than the correction of printers errors are charged to the authors.

**Subscription Rates:**

Individual Single Issue	-	₦ 1,000
Individual Two Issues	(annual)-	₦ 1,500
Institution Single Issue	-	₦ 1,200
Two Issue (annual)	-	₦ 2,000
Overseas Two Issues	-	US\$50.00

**Advertisement Rates:**

Full page	-	₦ 5,000
Half page	-	₦ 3,000
Inside front/back pager	-	₦ 7,000
Back page	-	₦ 10,000

**All manuscripts should be sent to:**

Editor-in- Chief  
Sokoto Journal of Veterinary Sciences,  
Faculty of Veterinary Medicine,  
Usmanu Danfodiyo University,  
PMB 2346, Sokoto. Nigeria.

E-mail: [sokotvetjournal@yahoo.com](mailto:sokotvetjournal@yahoo.com)

Tel.: 060232265.