



Summary of a report on the Underlying Causes of Malnutrition in Twic County, Warap State, South Sudan. August 2007²

Terry Theuri, Nutrition Coordinator, GOAL, South Sudan

Consecutive surveys in Twic County have shown constantly high levels of malnutrition despite the interventions currently being carried out. GOAL, together with other NGOs, has been carrying out feeding responses to alleviate malnutrition, and more recently food security awareness. Programme coverage and meeting international emergency feeding standards have been a challenge due to the low attendance in the various feeding sites.

To understand the underlying causes of malnutrition hence has become inevitable to identify appropriate interventions. Focus group discussions and key informant interviews were conducted in order to understand the community's perspective on various issues. The discussions and interviews were based on UNICEF's conceptual framework of causes leading to malnutrition, morbidity and mortality. This approach identifies three levels of factors leading to malnutrition: immediate causes, underlying causes and basic causes.

The general findings show that malnutrition is a multi-deficiency syndrome, linked with inappropriate care practices, substandard levels or access to health services, water supply, hygiene & sanitation, inadequate health education and a poor understanding of the importance of food quality, quantity and diversity. In addition women's heavy workloads and cultural beliefs and traditions which probably originated from what could be coping strategies also play a big role in malnutrition.

A keynote to the approach towards alleviating malnutrition is to modify the strategy used in carrying out the interventions recommended. Impact on behaviour change at individual and household level is still wanting. This has always been a challenge because most interventions take a top down approach and disregard the cause of the underlying problems. Behaviour change campaigns have to consider cultural



A focus group meeting (Terry Theuri)

beliefs and traditions, social pressures, and community motivation towards the key positive messages they are passing on.

While disseminating the messages, community prioritised, interactive, participatory methods should be used. To enable this means that capacity building of health promoters is necessary to ensure that they are at a level where they understand the above mix.

Chart 1 summarises the main underlying causes of malnutrition in Twic County and their basic contributors. Chart 2 shows the food availability, seasons and principal morbidities – see below.

Recommendations

- The majority of the underlying causes of malnutrition fall under the social and care environment, showing that, to have an impact on malnutrition in Twic County, this is where programmatic resources should be directed. Nutrition interventions in Twic (based heavily on feeding programmes) do not address these causes adequately at present. Feeding programmes should therefore be discontinued unless there is an emergency, and resources re-allocated to prevention of malnutrition orientated activities.
- Review and strengthen the current CTC (Community Therapeutic Care) approach to prevention and treatment of malnutrition in Twic County that GOAL is currently implementing in partnership with Action Against Hunger-UK.
- Consider other intervention strategies that tackle malnutrition in a sustainable way.
- Nutrition key messages need to be focussed to address key underlying problems found here.

² For full report email Terry Theuri at nutco@goalsouthsudan.org

- Messages need to be given in a culturally sensitive way, be participatory and content needs to be correct. To achieve this, community health educators need to be trained on methods for public health message dissemination and behaviour change communication.
- Develop a culturally appropriate high-energy complementary recipe that uses low cost, locally available foods, and teach it to mothers through cooking demonstrations.
- Continuation and expansion of food diversification initiatives such as seed distributions and introduction of fruit trees with the necessary training, support and follow-up.
- Inclusion of fishing equipment with seed distributions to improve household access to fish.
- Support to breastfeeding and complementary feeding through initiatives that enable

mothers to spend more time at home. For example, the introduction of energy saving stoves made from locally available materials and water purification initiatives (such as filtration and chlorination) that allow mothers to collect water from a near-by source.

- Improve Vitamin A supplementation to post-partum women (to ensure sufficient Vitamin A in breastmilk and to increase mothers' levels ahead of the next pregnancy) through encouraging up-take of postnatal care.
- Investigate culturally acceptable ways for improved sanitation.
- Ensure all GOAL programmes are run in a gender sensitive way, or with a gender bias towards women.
- Increase soap distributions from the clinics as a way to promote hygiene, and further investigate soap making for promotion within the community.

Chart 1 Causes of malnutrition in Twic County

Underlying causes		
Household food insecurity	Inadequate social and care environment	Poor public health
<ul style="list-style-type: none"> ▪ Small number of meals per day ▪ Lack of food variety ▪ Lack of meat in diet 	<ul style="list-style-type: none"> ▪ Women's heavy workloads ▪ Poor complementary feeding ▪ Lack of exclusive breastfeeding ▪ Limits on women's food intake during pregnancy and lactation ▪ Unfair prioritisation for eating within families • Low up-take of healthcare services. 	<ul style="list-style-type: none"> ▪ Lack of availability and accessibility of healthcare services ▪ Poor sanitation and hygiene practices ▪ Use of unsafe water sources
Basic causes		
<ul style="list-style-type: none"> ▪ Gender inequality ▪ Lack of teachers, schools & education systems for primary, secondary and tertiary education <ul style="list-style-type: none"> ▪ Lack of formal government healthcare system ▪ Lack of infrastructure (roads, electricity, communications) <ul style="list-style-type: none"> ▪ Intermittent, unpredictable insecurity ▪ Fragile political situation ▪ Seasonal floods, droughts and hunger gap 		

Chart 2 Twic County - Food availability, seasons and principal morbidities

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Cattle to lowlands (<i>toic</i>)						Cattle to uplands (<i>gok</i>)						
Labour migration away from home				Working at home				Labour migration away from home				
Late dry			Rains									Early dry
Floods										Floods		
				Hunger gap								
			Planting									
						Harvest						
River fishing								Pool fishing				
Wild foods								Wild foods				
Mangoes - some available								Green leaves of various types				
								A few lemons				
Milk available all year for some, except during dry season when cattle are moved to <i>toic</i> . Peak lactation = Aug/Sept. Goats and some sheep all year - eaten on occasions and when necessary												
Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
			SFP peak adm									
		ARI peak			SFP peak monthly incidence							
				Diarrhoeal disease peak		Confirmed Malaria peak						

SFP = supplementary feeding programme

Notice of another GOAL survey

GOAL, South Sudan carried out a multi indicator nutrition, health, water/sanitation and mortality survey along the Sobat Corridor in May 2008.

This showed that the incidence of acute malnutrition was 29.1% and severe acute malnutrition was 4.3%. By WHO criteria both these indicate a critical nutritional condition in the area.

To understand the underlying causes of malnutrition in this area we plan a qualitative research survey soon (see the report of a similar GOAL survey in Twic County in this Bulletin).

In the meantime, in order to reduce malnutrition, morbidity and mortality along the Sobat corridor, GOAL provides comprehensive primary health care (with complimentary community disease awareness and prevention services) through support of primary health care centres at Baliet and Ulang, and primary health care units at Adong, Galachol, Doma, Nagdier and Biong thiang in the counties of Baliet, Panyikang and Ulang.

GOAL recommends that activities to prevent malnutrition should be integrated into the primary health care program. Public health, hygiene and nutrition promotion should be ensured to encourage positive practices. Vulnerable groups in the community should be targeted for general food rations and seed and tool distributions to help them become self reliant in the post cultivation period.

If you would like a copy of the GOAL report on the Sobat Corridor please contact us.

Terry Theuri

Nutrition Coordinator

Goal South Sudan

nutco@ggoalsouthsudan.org