

ALLOCATIVE EFFICIENCY OF SMALL-HOLDER COCOYAM FARMERS IN ANAMBRA STATE, NIGERIA

B. C. OKOYE,¹ C. E. ONYENWEAKU,² and G. N. ASUMUGHA,

¹National Root Crops Research Institute, Umudike, Abia State. okoyebenjamin@yahoo
²Dept. of Agricultural Economics, Michael Okpara University of Agriculture, Umudike.

ABSTRACT

This study employed a stochastic frontier translog cost and production functions to measure the level of allocative efficiency and its determinants in small-holder cocoyam production in Anambra state, Nigeria. A multi-stage random sampling technique was used to select 120 cocoyam farmers in the state in 2005 from whom input-output data and their prices were obtained using the cost-route approach. The parameters of the stochastic frontier cost function were estimated using the maximum likelihood method. The result of the analysis shows that individual farm level allocative efficiency was about 65%. The study found age and education to be negatively and significantly related to allocative efficiency at 1.0%. Farm size coefficient also had a negative relationship with allocative efficiency and was significant at 5.0%. Fertilizer use and credit access was significant and directly related to allocative efficiency at 5.0% as well as farm experience at 10.0% level of probability. No significant relationship was found between allocative efficiency and extension visit, family size and membership of cooperative societies.

Key words: Translog Stochastic Frontier Production Function, Technical, Economic and Allocative Efficiencies, Cocoyam.

INTRODUCTION

Cocoyam ranks third in importance and extent of production after yam and cassava among the root and tuber crops of economic value in Nigeria (Udealor, *et al.*, 1996). Edible cocoyam cultivated in the country is essentially species of *Colocasia* (taro) (Howeler *et al.*, 1992) and *Xanthosoma* (tannia). Currently Nigeria is the largest producer of cocoyam in the world. The average production figure for Nigeria is 5, 068,000mt which accounts for about 37% of total world output of cocoyam (FAO, 2006). It is an important staple food crop commonly grown by women in Nigeria.

Cocoyams are an important carbohydrate staple food particularly in the Southern and Middle belt areas of the country (Asumugha and Mbanaso, 2002). Nutritionally cocoyam is superior to cassava and yam in the possession of higher protein, mineral and vitamin contents in addition to

having a more digestible starch (Parkinson, 1984, Splitstoesser *et al.*, 1973).

Production of cocoyam has not been given priority attention in many countries probably because of its inability to earn foreign exchange and its unacceptability by the high income countries for both consumption and other purposes (Onyenweaku and Ezeh, 1987). Most of what is produced is consumed locally (Mbanaso and Enyinnaya, 1989). The production is labour intensive with most operations carried out manually at the traditional level.

Farm efficiency, and the question of how to measure it, is an important subject in developing countries' agriculture (Shah, 1995; Hazarika and Subramanian, 1999). There are four major approaches to measure and estimate efficiency (Coelli *et al.*, 1998). These are the non-parametric programming approach (Charnes *et al.*, 1978), the parametric programming approach (Aigner

and Chu, 1968; Ali and Chaudry, 1990), the deterministic statistical approach (Afriat, 1972; Schippers, 2000; Fleming *et al.*, 2004)] and the stochastic frontier production function approach (Aigner *et al.*, 1977; Kirkley *et al.*, 1995). Among these, the stochastic frontier production function and non-parametric programming, known as data envelopment analysis (DEA), are the most popular approaches. The stochastic frontier approach is preferred for assessing efficiency in agriculture because of the inherent stochasticity involved (Ezeh, 2004 and Coelli, 1994).

The objective of this study is therefore to measure the level of allocative efficiency and its determinants in cocoyam production in Anambra State, Nigeria using stochastic frontier translog cost and production functions. Allocative efficiency is the ratio between total cost of producing one unit of output using actual factor proportions in a technically efficient manner and total cost of producing one unit using optimal factor proportions in a technically efficient manner (Ohajianya and Onyenweaku, 2001). A production process may be allocatively inefficient in the sense that the marginal revenue product of input might not be equal to the marginal cost of that input; allocative inefficiency results in utilization of inputs in the wrong proportions, given input prices

METHODOLOGY

(a) The Theoretical Model: The stochastic frontier cost function is defined by:

$$C = F(W_i, Y_i; \alpha) \exp e_i, \quad i = 1, 2, \dots, n \quad \text{----- (1)}$$

Where,
 C = Represents the minimum cost associated with cocoyam production
 W = Vector of input prices

Y = Cocoyam output
 α = Vector of parameters
 e_i = Composite error term
 Using Sheppard's Lemma we obtain
 $\frac{\partial C}{\partial P_i} = X_i(W, Y; \alpha) \quad \text{----- (2)}$
 $\frac{\partial C}{\partial P_i}$

This is a system of minimum cost input demand equations (Bravo – Ureta and Evenson, 1994; Xu and Jeffrey, 1995 and Bravo- Ureta and Pinheiro, 1997). Substituting a farm's input prices and quantity of output in equation (2) yields the economically efficient input vector X_{ec}. With observed levels of output given, the corresponding technically and economically efficient costs of production will be equal to X_{ii} P and X_{ie}, respectively. While the actual operating input combination of the farm is X_i P. The three cost measures can then be used to compute the technical (TE) and economic efficiency (EE) indices as follows;

$$TE = (X_{ii} \cdot P) / (X_i \cdot P) \quad \text{----- (3)}$$

$$EE = (X_{ie} \cdot P) / (X_i \cdot P) \quad \text{----- (4)}$$

The combination of equations (3) and (4) is used to obtain the allocative efficiency (AE) index following Farrell (1957)

$$AE = EE / TE = (X_{ie} \cdot P) / (X_i \cdot P) \quad \text{----- (5)}$$

The efficient production is represented by an index value of 1.0 while the lower values indicate a greater degree of inefficiency. Using the method by Bravo-Ureta and Pinheiro (1997) which was based on the work of Jondrow *et al.* (1982), efficiency can then be measured using the adjusted output as shown in equation (6)

$$Y^* = f(X_i; \beta) - u \quad \text{----- (6)}$$

Where U can be estimated as

$$E(u_i / \epsilon_i) = \frac{\sigma \lambda}{1 + \lambda^2} \left[\frac{f^*(\epsilon_i / \sigma)}{1 - f^*(\epsilon_i / \lambda)} - \sum i \lambda \right] \quad \text{--- (7)}$$

Where

$f^*(.)$ and $F^*(.)$ Are normal density and cumulative distribution functions respectively,

$$\lambda = \sigma_u / \sigma_v$$

$$\varepsilon = v_i - u_i \text{ and}$$

Y^* is the observed output adjusted for statistical noise

When ε_i , σ and λ estimates, are replaced in equations (5) and (6), it will provide estimates for U and V . The term V is a symmetric error, which accounts for random variations in output due to factors beyond the control of the farmer e.g. weather, disease outbreaks, measurements errors, etc. The term U is a non negative random variables representing inefficiency in production relative to the stochastic frontier. The random error V_i is assumed to be independently and identically distributed as $N(0, \sigma^2)$ random variables independent of the U_i s which are assumed to be non negative truncation of the $N(0, \sigma_u^2)$ distribution (i.e. half-normal distribution) or have exponential distribution.

(b) The Empirical Model: In this study, the economic efficiency was measured using stochastic translog cost frontier function for cocoyam production. The function is specified as follows:

$$\begin{aligned} \ln C_i = & \alpha_0 + \alpha_1 \ln W_1 + \alpha_2 \ln W_2 + \alpha_3 \ln W_3 \\ & + \alpha_4 \ln W_4 + \alpha_5 \ln W_5 + \alpha_6 \ln W_6 + \alpha_7 \ln Y_7 \\ & + 0.5\alpha_8 \ln W_1^2 + 0.5\alpha_9 \ln W_2^2 + 0.5\alpha_{10} \ln W_3^2 \\ & + 0.5\alpha_{11} \ln W_4^2 + 0.5\alpha_{12} \ln W_5^2 + 0.5\alpha_{13} \ln W_6^2 \\ & + 0.5\alpha_{14} \ln Y_7^2 + \alpha_{15} \ln W_1 \ln W_2 + \alpha_{16} \ln W_1 \ln W_3 \\ & + \alpha_{17} \ln W_1 \ln W_4 + \alpha_{18} \ln W_1 \ln W_5 + \alpha_{19} \ln W_1 \ln W_6 \\ & + \alpha_{20} \ln W_1 \ln Y_7 + \alpha_{21} \ln W_2 \ln W_3 \\ & + \alpha_{22} \ln W_2 \ln W_4 + \alpha_{23} \ln W_2 \ln W_5 \\ & + \alpha_{24} \ln W_2 \ln W_6 + \alpha_{25} \ln W_2 \ln Y_7 \\ & + \alpha_{26} \ln W_3 \ln W_4 + \alpha_{27} \ln W_3 \ln W_5 + \alpha_{28} \ln W_3 \ln W_6 \\ & + \alpha_{29} \ln W_3 \ln Y_7 + \alpha_{30} \ln W_4 \ln W_5 \\ & + \alpha_{31} \ln W_4 \ln W_6 + \alpha_{32} \ln W_4 \ln Y_7 + \alpha_{33} \ln W_5 \ln W_6 \\ & + \alpha_{34} \ln W_5 \ln Y_7 + \alpha_{35} \ln W_6 \ln Y_7 + V_i U_i \end{aligned} \quad (6)$$

Where $\ln C_i$ represents total input cost of the i -th farm, W_1 is average daily wage rate per manday, W_2 is price of fertilizer per kg, W_3 is land rent in naira per hectare, W_4 is price of planting materials in naira per kg, W_5 is price of other inputs in naira. W_6 is capital input in naira made up of depreciation charges on farm tools and equipment, interest on borrowed capital and rent on land, Y is output of cocoyam in kg adjusted for statistical noise, $\alpha_0, \alpha_1, \alpha_2, \dots, \alpha_{27}$ are regression parameters to be estimated while V_i and U_i are as defined earlier.

(c) Technical Efficiency: This was measured using a stochastic translog production function specified as follows:

$$\begin{aligned} \ln Q = & b_0 + b_1 \ln X_1 + b_2 \ln X_2 + b_3 \ln X_3 + b_4 \ln X_4 + b_5 \ln X_5 + b_6 \ln X_6 \\ & + 1/2 b_7 (\ln X_1)^2 + 1/2 b_8 (\ln X_2)^2 + 1/2 b_9 (\ln X_3)^2 \\ & + 1/2 b_{10} (\ln X_4)^2 + 1/2 b_{11} (\ln X_5)^2 + 1/2 b_{12} (\ln X_6)^2 \\ & + b_{13} \ln X_1 \ln X_2 + b_{14} \ln X_1 \ln X_3 + b_{15} \ln X_1 \ln X_4 \\ & + b_{16} \ln X_1 \ln X_5 + b_{17} \ln X_1 \ln X_6 + b_{18} \ln X_2 \ln X_3 \\ & + b_{19} \ln X_2 \ln X_4 + b_{20} \ln X_2 \ln X_5 + b_{21} \ln X_2 \ln X_6 \\ & + b_{22} \ln X_3 \ln X_4 + b_{23} \ln X_3 \ln X_5 + b_{24} \ln X_3 \ln X_6 \\ & + b_{25} \ln X_4 \ln X_5 + b_{26} \ln X_4 \ln X_6 + b_{27} \ln X_5 \ln X_6 + V_i U_i \end{aligned} \quad (7)$$

Where Q is output of cocoyam in kg., X_1 is farm size in hectares, X_2 is labour input in mandays, X_3 is fertilizer input in kg, X_4 is cocoyam setts planted in kg, X_5 is capital input in naira made up of depreciation charges on farm tools and equipment, interest on borrowed capital and rent on land, X_6 is other inputs in Naira, $b_0, b_1, b_2, \dots, b_{27}$ are regression parameters to be estimated while

V_i and U_i are as defined earlier. In addition, U_i is assumed in this study to follow a half normal distribution as is done in most frontier production literature.

(d) Allocative Efficiency: This was measured as follows:

$$AE = EE / TE$$

Where AE = Allocative Efficiency

EE = Economic Efficiency

TE = Technical Efficiency

(e) Determinants of Allocative Efficiency: Allocative Efficiency scores from (eqs) 3 and 4 were then regressed against the set of farm specific factors to obtain the determinants for allocative efficiency following Kalirajan (1991).

Exp.(- U_i) =

$$a_0 + a_1 Z_1 + a_2 Z_2 + a_3 Z_3 + a_4 Z_4 + a_5 Z_5 + a_6 Z_6 + a_7 Z_7 + a_8 Z_8 + a_9 Z_9 \quad (7)$$

Where Exp. (- U_i), is the allocative efficiency of the i -th farmer, Z_1 is farmers age in years, Z_2 is farmers level of education in years, Z_3 is the number of extension contacts made by the farmer in the year, Z_4 is household size, Z_5 is farm size in hectares, Z_6 is farmer's farming experience in years, Z_7 is fertilizer use, a dummy variable which takes the value of unity for fertilizer use and zero otherwise, Z_8 is credit access, a dummy variable which takes the value of unity if the farmer has access to credit and zero otherwise, Z_9 is membership of farmers associations/cooperative societies, a dummy variable which takes the value of unity for members and zero otherwise while $a_0, a_1, a_2, \dots, a_9$ are regression parameters to be estimated. We expect $a_2, a_3, a_5, a_6, a_7, a_8$ and a_9 to be positive and a_1 and a_4 negative.

(d) The Data: Anambra State is located in the South Eastern region of Nigeria between longitude $6^\circ 36'E$ to $7^\circ 21'$ and latitude $5^\circ 38'N$ to $6^\circ 47'N$. The State is bounded in the North by Kogi State, in the west by River Niger and Delta State, in the south by Imo State and on the east by Enugu State. It has twenty one (21) Local Government Areas with Awka as the State Capital. It was created in 1991 with a population figure of 4.182 million people (NPC, 2006) and a land mass of 4415.54 square kilometres, 70% of which is rich for agricultural production (Nkematu, 2000). The State for administrative purposes is divided into four agricultural zones of Aguata, Anambra, Awka and Onitsha. The zones are further delineated into 24 extension blocks and 120 circles. Farming is the predominant occupation of the people, majority of who are small holders. The major available crops are yam, cassava, rice, maize, cocoyam, cowpea, tomatoes and vegetables, while the livestock produced in the state include poultry, sheep, goats and to some extent pig.

Three out of the four agricultural zones were purposively selected on the basis of the intensity of cocoyam production. They are Aguata, Awka and Onitsha. Two extension blocks were randomly selected from each agricultural zone (Aguata and Nnewi North from Aguata zone, Awka North and Anaocha from Awka zone as well as Idemili North and Ihiala from Onitsha zone) and 2 circles from each block. Finally 10 farmers were randomly selected from each circle for detailed study, giving a total sample size of 120 farmers in the state. Data were collected by means of structured questionnaire on the socio-economic characteristics of the farmers, and their production activities in terms of inputs,

output, and their prices for the year 2005 using the cost-route approach.

RESULTS AND DISCUSSION

(a) Average Statistics of Cocoyam Farmers: The average statistics of the sampled cocoyam farmers are presented in Table 1. A typical cocoyam farmer in the state is 50 years old, with 4 years of education, 13 years of farming experience and an average

household size of 12 persons. The average cocoyam farmer cultivated 0.27 ha, made an average of 2 extension contacts in the year, used about 21.74kg of fertilizer and 250kg of cocoyam setts, spent about ₦2405 on capital inputs, employed 41.8 mandays of labour and produced an output of 1691kg of cocoyam per annum. Cocoyam production in the state is a female dominated occupation as about 74% of the farmers were females.

Table 1: Average Statistics of Cocoyam Farmers in Anambra State, Nigeria, 2005

| S/No | Variable | Mean Value | Maximum Value | Minimum Value |
|------|--------------------------|------------|---------------|---------------|
| 1 | Farm size (ha) | 0.27 | 1.50 | 0.01 |
| 2 | Labour (mandays) | 41.80 | 141.3 | 5.76 |
| 3 | Fertilizer input (kg) | 21.74 | 96.4 | 0.00 |
| 4 | Cocoyam setts (kg) | 250.25 | 2551.00 | 50.00 |
| 5 | Capital input (₦) | 2405.10 | 11300.00 | 176.00 |
| 6 | Age (yrs) | 50.00 | 75.00 | 24.00 |
| 7 | Education (yrs) | 4.00 | 10.00 | 0.00 |
| 8 | Farming Experience (yrs) | 13.00 | 50.00 | 3.00 |
| 9 | Household size (No) | 12.00 | 18.00 | 4.00 |
| 10 | Output (kg) | 1691.00 | 10907.00 | 68.00 |
| 11 | Extension Contacts (No) | 2.00 | 8.00 | 0.00 |
| 12 | Other inputs (₦) | 111.86 | 750.00 | 0.00 |
| 13 | Female farmers (%) | 74.00 | | |

Source: Field Survey, 2005

(f) Estimated Cost and Production Functions

The Maximum Likelihood (ML) estimates of the stochastic frontier translog production and cost parameters for cocoyam are presented in Tables 2 and 3 respectively. For the cost function, the sigma ($\sigma^2 = 0.53$) and the gamma ($\gamma=0.98$) are quite high and highly significant at 1.0% level of probability. The high and significant value of the sigma square (σ^2) indicate the goodness of fit and correctness of the specified assumption of the composite error terms distribution (Idiong,

2005). The gamma ($\gamma = 0.99$) shows that 99% of the variability in the output of cocoyam farmers that are unexplained by the function is due to allocative inefficiency. For the production function, the estimated variance (σ^2) is statistically significant at 5% indicating goodness of fit and the correctness of the specified distribution assumptions of the composite error term. Besides, the variance of the non negative farm effects is a small proportion of the total variance of cocoyam output. Gamma (γ) is estimated at 0.397 and

is statistically significant at 5% indicating that only 39.7% of the total variation in

cocoyam output is due to technical inefficiency.

Table 2: Estimated Translog Stochastic Frontier Cost Function for Cocoyam in Anambra State, Nigeria.

| Production Factors | Parameter | Coefficient | Standard Error | t-value |
|---|--------------|-------------|----------------|------------|
| Constant Term | w_0 | 150.4583 | 1.0100 | 148.957*** |
| Wage rate | w_1 | 4.6431 | 0.1050 | 4.4419*** |
| Price of fertilizer | w_2 | 0.3561 | 0.7651 | 0.4654 |
| Land rent | w_3 | 4.3376 | 0.7644 | 5.6747*** |
| Price of setts | w_4 | 4.8785 | 1.2181 | 4.0048*** |
| Price of other inputs | w_5 | 0.1613 | 0.9443 | 0.1708 |
| Depreciation on tools | w_6 | -1.7787 | 0.7978 | 9.7607*** |
| Output (Y*) | w_7 | 0.0583 | 0.8363 | 0.0694 |
| Wage rate ² | w_8 | 1.7252 | 0.2538 | 28.5622*** |
| Price of fertilizer ² | w_9 | -0.1040 | 0.4608 | -0.2256 |
| Land rent ² | w_{10} | -0.0765 | 0.0915 | -0.8366 |
| Price of setts ² | w_{11} | -0.5245 | 0.2892 | -1.8137* |
| Price of other inputs ² | w_{12} | 0.0633 | 0.1264 | 0.5010 |
| Depreciation ² | w_{13} | 0.0630 | 0.0999 | -0.6309 |
| Output(Y*) | w_{14} | -0.0886 | 0.1301 | -0.6813 |
| Wage rate x Price of fertilizer | w_{15} | 0.0008 | 0.0005 | 0.1519 |
| Wage rate x land rent | w_{16} | -0.5038 | 0.2668 | -1.8880* |
| Wage rate x Price of other inputs | w_{17} | 0.0753 | 0.2042 | 0.3688 |
| Wage rate x Depreciation | w_{18} | 1.2503 | 0.1607 | 7.7783*** |
| Wage rate x Output (Y*) | w_{19} | 0.0003 | 0.0003 | 0.0001 |
| Price of fertilizer x land rent | w_{20} | -0.0764 | 0.0374 | -2.0390** |
| Price of fertilizer x Price of setts | w_{21} | 0.1845 | 0.0528 | 3.4927*** |
| Price of fertilizer x Price of other inputs | w_{22} | -0.0725 | 0.0429 | -1.6868* |
| Price of fertilizer x Depreciation | w_{23} | 0.0767 | 0.0394 | 1.9442* |
| Price of fertilizer x Output (Y*) | w_{24} | -0.0661 | 0.0154 | -4.2783*** |
| Land rent x Price of setts | w_{25} | -0.2516 | 0.0942 | -2.6702*** |
| Land rent x Price of other inputs | w_{26} | 0.1068 | 0.0713 | 1.4973 |
| Land rent x Depreciation | w_{27} | 0.0074 | 0.0915 | 0.0807 |
| Land rent x Output (Y*) | w_{28} | 0.0399 | 0.0540 | 0.7390 |
| Wage rate x land rent | w_{29} | -0.4821 | 0.1334 | -3.6126*** |
| Price of setts x Price of other inputs | w_{30} | 0.1039 | 0.1566 | 0.6555 |
| Price of setts x Depreciation | w_{31} | 0.0751 | 0.1261 | 0.5959 |
| Price of setts x Output (Y*) | w_{32} | -0.0156 | 0.1116 | -0.1398 |
| Price of other inputs x Depreciation | w_{33} | -0.3009 | 0.0638 | -4.7108*** |
| Price of other inputs x output(Y*) | w_{34} | 0.0242 | 0.0385 | 0.6272 |
| Depreciation x output (Y*) | w_{35} | 0.0787 | 0.0668 | 1.1810 |
| Diagnostic statistics | | | | |
| Log-likelihood function | | -38.608 | | |
| Total Variance | (σ) | 0.5382 | 0.1032 | 5.2142*** |
| Variance Ratio | (γ) | 0.9975 | 0.0017 | 587.066*** |
| LR Test | | 102.66 | | |

Source: Computed from frontier 4.1 MLE/Survey data, 2005

*, ** and *** = Significant at 10%, 5% and 1% respectively

Table 3: Estimated Translog Stochastic Frontier Production Function for Cocoyam in Anambra State, Nigeria.

| Variables | Parameters | Estimates | t-ratios |
|-----------------------------------|------------|-----------|------------|
| Constant term | b_0 | 18.259 | 17.627*** |
| Farm size (InX ₁) | b_1 | 4.518 | 15.382*** |
| Labour input (InX ₂) | b_2 | -1.498 | -1.688 |
| Fertilizer (InX ₃) | b_3 | -0.377 | -1.739 |
| Cocoyam Sett (InX ₄) | b_4 | 1.443 | 2.174** |
| Capital Input (InX ₅) | b_5 | -3.036 | -5.604**** |
| Other Inputs (InX ₆) | b_6 | -0.131 | -0.707 |
| $\frac{1}{2}(\text{InX}_1)^2$ | b_7 | 0.623 | 11.381**** |
| $\frac{1}{2}(\text{InX}_2)^2$ | b_8 | -0.419 | -1.506 |
| $\frac{1}{2}(\text{InX}_3)^2$ | b_9 | -0.045 | -1.702 |
| $\frac{1}{2}(\text{InX}_4)^2$ | b_{10} | -0.246 | -2.207** |
| $\frac{1}{2}(\text{InX}_5)^2$ | b_{11} | 0.045 | 0.568 |
| $\frac{1}{2}(\text{InX}_6)^2$ | b_{12} | 0.007 | 0.443 |
| InX ₁ InX ₂ | b_{13} | -0.084 | -0.818 |
| InX ₁ InX ₃ | b_{14} | -0.110 | -4.543*** |
| InX ₁ InX ₄ | b_{15} | 0.079 | 0.968 |
| InX ₁ InX ₅ | b_{16} | -0.528 | -7.309*** |
| InX ₁ InX ₆ | b_{17} | 0.024 | 0.944 |
| InX ₂ InX ₃ | b_{18} | -0.017 | -0.447 |
| InX ₂ InX ₄ | b_{19} | -0.057 | -0.444 |
| InX ₂ InX ₅ | b_{20} | 0.563 | 5.521*** |
| InX ₂ InX ₆ | b_{21} | 0.109 | 3.881*** |
| InX ₃ InX ₄ | b_{22} | 0.073 | 2.844*** |
| InX ₃ InX ₅ | b_{23} | 0.013 | 0.444 |
| InX ₃ InX ₆ | b_{24} | -0.073 | -1.164 |
| InX ₄ InX ₅ | b_{25} | 0.033 | 0.467 |
| InX ₄ InX ₆ | b_{26} | 0.002 | 0.110 |
| InX ₅ InX ₆ | b_{27} | -0.064 | -3.341*** |
| Log Likelihood Function | -35.032 | | |
| Sigma squared | σ^2 | 4.517 | 6.613*** |
| Gamma | γ | 0.397 | 3.390*** |
| Sample size | n | 120 | |

Source: Computed from frontier 4.1 MLE/Survey data, 2005

*, ** and *** = Significant at 10%, 5% and 1% respectively

(g) Estimation of Allocative Efficiency

The results of the frequency distribution of allocative efficiency estimates are shown in table 5. The allocative efficiency estimates presented in Table 5. indicate that it ranged from 0.10 to 0.97 ; the mean allocative efficiency was 0.65. The result indicates that average cocoyam farmer in the state would

enjoy cost saving of about 32.9 (1-0.65/0.97) percent if he or she attains the level of the most efficient farmer among the respondents. The most allocatively inefficient farmer will have an efficiency gain of 89.6 (1-0.10/0.97) percent in cocoyam production if he or she is to attain the efficiency level of most allocatively efficient farmer in the state.

Table 5: Frequency Distribution of Allocative Efficiency Indices.

| Allocative Efficiency Index | Frequency | Percentage |
|-------------------------------|-----------|------------|
| <0.20 | 6 | 5 |
| 0.21-0.40 | 24 | 20 |
| 0.41-0.60 | 23 | 19.16 |
| 0.61-0.80 | 21 | 17.50 |
| 0.81-1.00 | 46 | 38.34 |
| Total | 120 | 100 |
| Maximum Allocative Efficiency | 0.97 | |
| Minimum Allocative Efficiency | 0.10 | |
| Mean Allocative Efficiency | 0.65 | |

Source: Computed from output of computer programme frontier 4.1 by (Coelli, 1994)

(c) Sources of Allocative Efficiency.

Table 6. shows the results of the factors influencing allocative efficiency of cocoyam farmers in Anambra State. The coefficient for age was negatively signed and significant at 5% probability level, this implies that increase in age will result in allocative inefficiency because most of the respondents were the aged and would tend to misallocate their resources. This was also reported by Idiong (2005) and Hussain et al (1984).

The coefficients for education and extension visit were negative. Education was statistically significant at 1.0% level of probability and extension visit even at 10.0% level was not significant. This implies that farmers, majority of who are aged, rely on their long years of experience to allocate their resources efficiently. Most of the farmers (62.5%) had little or no education which

implies that education is not costless but requires investment. Lack of education might not be regarded as a factor causing inefficiency. Only if it is costless could we say that it would contribute to improvement in farmer efficiency (Shah, 1995). This goes against the findings of Amaza and Olayemi (2000) who reported that increasing years of formal education increases a farmer's level of allocative efficiency. Farm experience was seen to be positively signed and significant at 10% level of probability.

Farm size had a negative coefficient and was highly significant at 1.0% level of probability. This implies that farmers with small farm holdings are allocatively efficient. This confirms Van Zyl, Joahn et al (1995) who found out that commercial farms could become significantly more efficient if they become smaller. Farmers in the study area

have farm holdings which were less than 1.0ha. Family size coefficient had a positive magnitude but was not significant.

The coefficients for fertilizer use and credit access were positive ($P < 0.05$). Credit availability shifts the cash constraint outwards and enables farmers to make timely purchases of those inputs which they cannot

provide from their own resources. Fertilizer use which is an input affected positively the allocative efficiency of the farmers which corroborates to credit. If a farmer fails to buy fertilizer for his crop, output loss may be irretrievable. Membership of cooperatives was negatively signed but not significant

Table 6: Maximum likelihood Estimates of the Determinants of Allocative Efficiency in Cocoyam Production.

| Variable | Coefficient | Standard Error | t-value |
|---------------------|-------------|----------------|------------|
| Constant Term | 1.0114 | 0.1346 | 7.5200*** |
| Age | -0.0065 | 0.0027 | -2.4100** |
| Education | -0.0180 | 0.0053 | -3.4300*** |
| Extension Visit | -0.0181 | 0.0126 | -1.4400 |
| Family size | 0.0022 | 0.0072 | 0.3100 |
| Farm Size | -0.5289 | 0.0004 | -6.5800*** |
| Farm Experience | 0.0051 | 0.0030 | 1.6700* |
| Fertilizer Use | 0.1018 | 0.0446 | 2.2400** |
| Credit Access | 0.1035 | 0.0468 | 2.2100** |
| Membership of Coop. | -0.0485 | 0.0465 | 1.0400 |

Source: Computed from frontier 4.1 MLE/Survey data, 2005

CONCLUSION AND RECOMMENDATION

The study has indicated that cocoyam farmers in Anambra State are predominantly women who are not fully allocatively efficient. Individual levels of allocative efficiency range between 10.13% and 97.11% with a mean of 65.18%, which reveal substantial allocative inefficiencies hence considerable potential for enhanced profitability by reducing costs through improved efficiency. On average, by operating at full allocative efficiency levels cocoyam producers would be able to reduce their cost by 32.90% depending on the method employed.

Important factors indirectly related to allocative efficiency are age, education, farm size, farm experience, fertilizer use and credit access. These results call for policies aimed at encouraging new entrants especially the youths to cultivate cocoyam and the experienced ones to remain in farming. Women play a significant role in cocoyam production in the study area therefore free education programme especially for the girl-child is advocated as well as policies designed to improve women access to fertilizer and credit.

REFERENCES

- Afriat, S.N. (1972) Efficiency Estimation of the Production Function. *International Economic Review* 13: 568-598.
- Aigner, D, Lovell, C.A.K and Schmidt, P. (1977) Formulation and Estimation of Stochastic Frontier Production Function Models. *Journal of Econometrics* 6:21-37
- Aigner, D.J. and Chu, S.F. (1968) Estimating the Industry Production Function. *American Economic Review* 58:826-839
- Ali, M. and Chaudhry, M.A. (1990) Inter-regional Farm Efficiency in Pakistan's Punjab: A Frontier Production Function Study. *Journal of Agricultural Economics* 41:62-74.
- Amaza, P. S and Olayemi J. K (2000) The Influence of Education and Extension Contact on Food Crop Production in Gombe State; *Nigeria Journal of Agribusiness and Rural Devt.* 1:80-90
- Bravo-Ureta and Evenson R. E. (1994) Efficiency in Agricultural Production: The case of Peasant Farmers in Eastern Paraguay. *Agricultural Economics* 10 (1): 27 – 37.
- Bravo-Ureta B.E and Pinheiro A.R (1997). "Technical, Economics, and Allocative Efficiency in Peasant farming. Evidence from the Dominican Republic. "The Development Economics" 35(1): 48-07,
- Charnes, A., Copper, W.W. and Rhodes, E. (1978) Measuring the Efficiency of Decision Making Units. *European Journal of Operational Research.* 2: 429-444.
- Coelli, L.J., A Guide to Frontier 4.1: A Computer Program For Stochastic Frontier Production and Cost Function Estimation. Department of Econometrics, University of New England, Armidale (1994)
- Coelli, T. J., Prasada, R. and Battese, G. (1998) An Introduction of Efficiency and Productivity Analysis. Kluwer Academic Press, Boston.
- Effiong, E.O. (2005) Efficiency of Production in Selected Livestock Enterprises in Akwa-Ibom State, Nigeria. *Unpublished Ph.D Dissertation.* Department of Agricultural Economics, Michael Okpara University of Agriculture, Umudike.
- Ezeh, C.I. (2004) A Comparative Study of Fadama and Non- Fadama Crop farmers in Osisioma-Ngwa L.G.A, Abia State, Nigeria. *Journal of Sustainable Tropical Agriculture Research* 11
- Farrel, J.M (1957) The Measurement of Production Efficiency. *Journal of Royal Statistics Society.* Series A General Vol: 120, Part III.
- Fleming, E., Fleming, P., Rodgers, H., Griffiten, G. and Johnston, D. (2004) Animal Efficiency in an Intensive Beef Production. Genetic Breeding Unit, University of New England, Armidale, NSW, Australia
- Hazarika, C and Subramanian, S.R. (1999) Estimation of Technical Efficiency in the Stochastic Frontier Production Function Model – An Application to the Tea Industry in Assam.
- Howeler, R.H., Ezumah, H.C and Midmore, D.J. (1993) Tillage Systems for root and tuber crops in the tropics. In: *Soil and Tillage Research.* 27: 211 – 240.

- Idiong, I.C. (2005) Evaluation of Technical, Allocative and Economic Efficiencies in Rice Production Systems in Cross River State, Nig. *An unpublished Ph.D Thesis*, Univ. of Ibadan, Nig.
- Jondrow, J. C., Lovell, A.K., Materoy, I.S and Schmidt, P. (1982). "On the Estimation of Technical Inefficiency in the Stochastic Frontier Production Function Model". *Journal of Econometrics*, 19. 233 – 238
- Hussain, M., Norton, G., and Neale, R.J. (1984) Composition and Nutritive value of cormels of *Colocasia exulenta* (L) Schott. *Journal of Sc. Food and Agric.* 35:1112-1119.
- Kalirajan, K. P (1991) The Importance of Efficient Use in the Adoption of Technology; A Micro Panel Data Analysis. *Journal of Production Analysis*, 2: 113 – 126.
- Kirkley, J.E., Squires, D. and Strand, I.E. (1995) Assessing Technical Efficiency in Commercial Fisheries: The Mid-Atlantic Sea Scallop Fishery. *American Journal of Agricultural Economics* 20: 31-34.
- Mbanaso, E.N.A and Enyinnaya, A.M. (1989) Cocoyam germplasm conservation. NRCRI Annual Report:60.
- National Population Commission, (1991). Nigeria's 1991 Population Census (NPC), Lagos.
- Nkematu J.A (2000). Anambra State Agricultural Development Project Extension Services Report for 1999. In Proc. of the 14th Annual Farming Systems Research and Extension workshop in South Eastern Nigeria, 9-12 Nov. pp100-105.
- Nwaru, J. C. (1993) A comparison of the Allocative Efficiency of Co-operative and non Co-operative Farms in Food Crop Production in Imo State Nigeria. *An Unpublished M.Sc Thesis*, Federal Univ. of Tech. Owerri, Nig.
- Ohajianya D.O. and Onyenweaku C.E. (2001) Gender and Relative Efficiency in Rice Production Systems in Ebonyi State, Nigeria: A Profit function Analysis. *Journal for Sustainable Agric. and Envim.* 3(2): 384-392.
- Okoye, B. C., Okorji, E. C and Asumugha, G. N (2004) Outlook on Production Economics of Paddy Rice under Resource constraints in Ebonyi State. Proc. of the 38th annual conference of the Agric. Soc. Of Nig. (ASN), 17- 21 Oct. 2004, Lafia Nasarawa State. Pp 337-342
- Onyenweaku, C. E. and Ezeh, N. O. A (1987) Trends in Production, Area and Productivity of Cocoyams in Nigeria 1960/61 – 1981/84: In: Cocoyams in Nigeria, Production, Processing and Utilization, NRCRI Umudike. Pp 94 - 100
- Parkinson, S. (1984) The contribution of aroids in the nutrition of people in the south pacific. In: Chandrà, S., ed., Edible aroids. Clarendon Press, Oxford, UK: 215-224.
- Schippers, R.R. (2000) African Indigenous Vegetables. An Overview of the Cultivated Species. Chathan UK: Natural Resources Institute/ACP-EU Technical Centre for Agricultural and Rural Cooperation (2000)
- Shah, M (1995). Measurement of conomic Efficiency in Pakistani Agriculture. *American Journal of Agricultural Economics*, August, 1995.
- Splitstoesser, N.E., Martin, F.W and Rhodes, A.M. (1973) The nutritional value of some tropical root crops. Proc. of the Tropical Region of the American Society for Horticultural science. 17:290-294.

- Udealor, A., Nwādukwe, P.O and Okwuanya, J.A (1996) Management of crop Production: crops and Cropping Systems. In: Diagnostic Survey of farming systems of Onitsha zone of Anambra State ADP. Odurukwe S.O. and Udealor. editors NRCRI Umudike: 33-52.
- Xu, X and Jeffrey (1995) “Rural Efficiency and Technical Progress in Modern Economic Evidence from Rice Production in China”. Dept. of Rural Economy, Faculty of Agriculture, Forestry and Home Economics, University of Edmonton Canada. Staff Paper 95 – 102.